

US EPA ARCHIVE DOCUMENT

CATALOG DOCUMENTATION
REGIONAL EMAP DATABASE
1998-1999 NEW YORK/NEW JERSEY HARBOR SYSTEM
BENTHIC SPECIES REPLICATE ABUNDANCE BY SITE

TABLE OF CONTENTS

1. DATA SET IDENTIFICATION
2. INVESTIGATOR INFORMATION
3. DATA SET ABSTRACT
4. OBJECTIVES AND INTRODUCTION
5. DATA ACQUISITION AND PROCESSING METHODS
6. DATA MANIPULATIONS
7. DATA DESCRIPTION
8. GEOGRAPHIC AND SPATIAL INFORMATION
9. QUALITY CONTROL/QUALITY ASSURANCE
10. DATA ACCESS
11. REFERENCES
12. TABLE OF ACRONYMS
13. PERSONNEL INFORMATION

1. DATA SET IDENTIFICATION

1.1 Title of Catalog document

Regional EMAP Database
1998-1999 New York/New Jersey Harbor System
Benthic Species Replicate Abundance by Site

1.2 Author of the Catalog entry

Melissa Hughes, Computer Sciences Corporation

1.3 Catalog revision date

18 May 2004

1.4 Data set name

Benthic Species Replicate Abundance (abundanc.txt)

1.5 Task Group

Regional Environmental Monitoring and Assessment Program

1.6 Data set identification code

236

1.7 Version

001

1.8 Requested Acknowledgment

If you plan to publish these data in any way, EPA requires a standard statement for work it has supported:

"Although the data described in this article have been funded wholly or in part by the U. S. Environmental Protection Agency through its EMAP-Estuaries Program, it has not been subjected to Agency review, and therefore does not necessarily reflect the views of the Agency and no official endorsement should be inferred."

2. INVESTIGATOR INFORMATION

2.1 Principal Investigator

Ms. Darvene A. Adams

U.S. Environmental Protection Agency - Region II

2.2. Investigation Participant

Ms. Sandi Benyi

U.S. Environmental Protection Agency - ORD/NHEERL/AED

3. DATA SET ABSTRACT

3.1 Abstract of the Data Set

The Benthic Species Replicate Abundance data set presents data on each benthic taxon identified in each acceptable grab collected at a station. A count of organisms of the taxon identified from each grab is recorded. Each taxon is identified by Latin name.

3.2 Keywords for the Data Set

Benthic Species, Benthic Species Abundance, Species Abundance, Species Composition, Taxon Abundance, Benthic Taxon Abundance

4. OBJECTIVES AND INTRODUCTION

4.1 Program Objective

The project was designed to support resource management decisions related to pollution control and remediation throughout the New York/New Jersey (NY/NJ) Harbor and to assist the New York-New Jersey Harbor Estuary Program (HEP) in developing a contaminant monitoring strategy to be included in the Comprehensive Conservation and Management Plan (CCMP) for the NY/NJ Harbor system.

4.2 Data Set Objective

To provide an overview of the abundance of benthic organisms in the NY/NJ harbor region based on random sampling.

4.3 Data Set Background Discussion

The New York/New Jersey Harbor System has been susceptible to toxic contamination due to surrounding land uses. Harbor sediments are contaminant reservoirs which can function as a secondary source of these land use contaminants. Contaminated sediments pose a substantial threat to Harbor resources and are a management challenge. Adverse changes in the biota of the system have been documented with increasing frequency, and many of these changes have been linked to toxic contamination.

4.4 Summary of Data Set Parameters

The Benthic Abundance data set values were based on the results of identifying the epifauna in the replicate samples.

5. DATA ACQUISITION AND PROCESSING METHODS

5.1 Data Acquisition

5.1.1 Sampling Objective

Collect sediment grab samples suitable for the identification of benthic organisms.

5.1.2 Sample Collection Methods Summary

The grab sampler was lowered through the water column; the grab penetrated the sediment by gravity releasing a trigger allowing the jaws to close. When the grab was pulled from the sediment using the winch, the jaws closed, encapsulating the sediment sample.

Three macroinvertebrate grabs per sampling station were collected using the 0.04-m² Young-modified van Veen grab. Benthic grabs were alternated with sediment chemistry/toxicity grabs. Benthic samples were gently washed through a 0.5 mm mesh sieve. The material was preserved in a 10% buffered formaldehyde-rose bengal solution.

5.1.3 Sampling Start Date

June 1998

July 1999

5.1.4 Sampling End Date

August 1998

July 1999

5.1.5 Platform

Sampling was conducted from the U.S.EPA research vessel, the R/V CLEAN WATERS.

5.1.6 Sampling Gear

A 0.04-m² or 0.1-m², stainless steel, Young-modified Van Veen Grab sampler was used to collect sediment grabs. This grab sampled an area of 440 cm² and a maximum depth of penetration in the sediment of 10 cm.

5.1.7 Manufacturer of Sampling Equipment

Young's Welding, Sandwich, MA

5.1.8 Key Variable

No data were recorded at the time of sample collection.

5.1.9 Collection Method Calibration

The sampling gear did not require any calibration. It required inspection for deformities incurred due to mishandling or impact on rocky substrates.

5.1.10 Sample Collection Quality Control

A successful grab had relatively level, intact sediment over the entire area of the grab and a sediment depth at the center of at least 5 centimeters. Unacceptable grabs included those with grossly slumped surfaces and those completely filled to the top, where the sediment was in direct contact with the hinged top.

The van Veen Grab was rinsed with ambient seawater between grabs at a station to remove remaining organisms. It was thoroughly cleaned with detergent and water between stations.

5.1.11 Sample Collection Method Reference

Reifsteck, D.M., C.J. Strobel and D.J. Keith. 1993. Environmental Monitoring and Assessment Program - Near Coastal Component: 1993 Virginian Province Field Operations and Safety Manual. U.S. EPA NHEERL-AED. Narragansett, RI.

5.2 Data Preparation and Sample Processing

5.2.1 Sample Processing Objective

Process benthic sediment samples to accurately identify and enumerate benthic infauna.

5.2.2 Sample Processing Methods Summary

Three replicate grabs for benthic macroinvertebrate community structure were obtained at each station. Invertebrates from two of these were sorted and identified; the third replicate was archived. The macrobenthos were identified to the lowest practical taxonomic category.

5.2.3 Sample Processing Method Calibration

NA

5.2.4 Sample Processing Quality Control

Rare or previously undocumented specimens from the Harbor were put aside in a reference collection.

5.2.5 Sample Processing Method Reference

Adams, D. 1998. Quality Assurance Project Plan for Environmental Monitoring, "A 5-year Revisit of Sediment Quality in the NY/NJ Harbor." U.S. Environmental Protection Agency, Region 2, Edison, NJ.

5.2.6 Sample Processing Method Deviations

NA

6. DATA MANIPULATIONS

NA

6.1 Name of new or modified values

NA

6.2 Data Manipulation Description

NA

6.3 Data Manipulation Examples

NA

7. DATA DESCRIPTION

7.1 Description of Parameters

#	Parameter Name	Data Type	Len	Format	Parameter Label
1	STATION	Char	8	0	Station name
2	DATE	Date	8	DATE	Sampling collection date
2	REP_NUM	Num	8	8	Replicate number
4	ABUNDANCE	Num	8	8	Number (#) of organisms
5	TAXON	Char	50	50	Latin name

7.1.6 Precision to which values are reported

The abundance is reported as a whole number.

7.1.7 Minimum value in data set

REP_NUM 1
ABUNDANC 0

7.1.8 Maximum value in Data Set

REP_NUM 2
ABUNDANC 4950

7.2 Data Record Example

7.2.1 Column Names for Example Records

STATION,DATE,REP_NUM,ABUNDANCE,TAXON

7.2.2 Example Data Records

STATION,DATE,REP,ABUNDANCE,TAXON

JB008,7/1/98,1,5,Actiniaria (LPIL)

JB008,7/1/98,1,40,Ampelisca abdita

JB008,7/1/98,1,1,Calyptraeidae (LPIL)

JB008,7/1/98,1,2,Corophium tuberculatum

8. GEOGRAPHIC AND SPATIAL INFORMATION

8.1 Minimum Longitude

-74 Degrees 17.4 Minutes 48.00 Decimal Seconds

8.2 Maximum Longitude

-73 Degrees 45 Minutes 0.54 Decimal Seconds

8.3 Minimum Latitude

40 Degrees 25.2 Minutes 36.00 Decimal Seconds

8.4 Maximum Latitude

40 Degrees 51.6 Minutes 42.00 Decimal Seconds

8.5 Name of area or region:

New York/New Jersey Harbor System

Four sub-basins were sampled in the New York/New Jersey Harbor, including: Upper Harbor, Newark Bay, Lower Harbor (includes Raritan and Sandy Hook Bays), and Jamaica Bay. For purposes of this study, the region includes the lower portions of the Hudson, Passaic, Harlem, Hackensack and Raritan Rivers, upstream to a near-bottom salinity of 15 ppt, the East River to Long Island Sound and Lower Harbor to the Atlantic Ocean.

9. QUALITY CONTROL AND QUALITY ASSURANCE

9.1 Data Quality Objectives

Quality assurance goals were developed and followed for each sample type.

9.2 Quality Assurance/Quality Control Procedures

Ten percent of all samples were reprocessed and subjected to A second QA evaluation. Taxonomic identifications were Verified using reference organisms obtained from EMAP's reference collection.

9.3 Quality Assessment Results

These in-house QC measures met the requirements established in the QA Plan.

10. DATA ACCESS

10.1 Data Access Procedures

Data can be downloaded from the WWW server.

10.2 Data Access Restrictions

Data can only be accessed from the WWW server.

10.3 Data Access Contact Persons

Ms. Darvene A. Adams
U.S. EPA Region II
Telephone: 732-321-6700
Email: adams.darvene@epa.gov

10.4 Data Set Format

Comma-delimited

10.5 Information Concerning Anonymous FTP

Data cannot be accessed via ftp.

10.6 Information Concerning WWW

Data can be downloaded from the WWW servers.

10.7 EMAP CD-ROM Containing the Data Set

Data are not available on CD-ROM

11. REFERENCES

Adams, D. 1998. Quality Assurance Project Plan for Environmental Monitoring, "A 5-year Revisit of Sediment Quality in the NY/NJ Harbor." U.S. Environmental Protection Agency, Region 2, Edison, NJ.

Adams, Darvene and Sandra Benyi. 2003. Final Report: Sediment Quality of the NY/NJ Harbor System - A 5-Year Revisit. EPA/902-R-03-002. USEPA-Region 2, Division of Science and Assessment. Edison, NJ. December, 2003.

Overton, W.S., D.L. Stevens and D. White. 1990. Design Report for EMAP: Environmental Monitoring and Assessment Program. EPA/600/3-91/053. U.S. Environmental Protection Agency, ORD, Washington, DC.

Reifsteck, D.M., C.J. Strobel and D.J. Keith. 1993. Environmental Monitoring and Assessment Program - Near Coastal Component: 1993 Virginian Province Field Operations and Safety Manual. U.S. EPA NHEERL-AED. Narragansett, RI.

U.S. EPA. 1993. EMAP Laboratory Methods Manual: Estuaries. U.S. Environmental Protection Agency, Office of Research and Development, Environmental Monitoring Systems Laboratory, Cincinnati, OH.

12. TABLE OF ACRONYMS

13. PERSONNEL INFORMATION

Principal Investigator
Ms. Darvene A. Adams
Monitoring and Assessment Branch
Division of Environmental Science and Assessment
U.S. Environmental Protection Agency - Region II
2890 Woodbridge Ave.
Edison, NJ 08837
Telephone: 732-321-6700
Email: adams.darvene@epa.gov

Data Librarian, EMAP-IM
Melissa M. Hughes
CSC c/o U.S. EPA NHEERL-AED
27 Tarzwell Drive
Narragansett, RI 02882-1197
(401) 782-3184 (Tel.)
(401) 782-3030 (FAX)
hughes.melissa@epa.gov