US ERA ARCHIVE DOCUMENT



History of Blooms in Idaho


- Historical Reports of Cyanotoxin Issues:
 - Black Lake (1985 and 1986) death of dogs, cattle, and deer
 - Cascade Reservoir (1993 to 1996) 23 cattle died
- Reports Increasing in Recent Years
- HABs Detected in all 6
 Idaho DEQ Regions



Idaho Waterbodies with HABs

- Boise Region
 - Lake Lowell
- Coeur d'Alene Region
 - Avondale Lake
 - Black Lake
 - Cocolalla Lake
 - Fernan Lake
 - Hayden Lake
 - Hauser Lake

- Idaho Falls Region
 - Henry's Lake
- Pocatello Region
 - American Falls Res.
 - Blackfoot Res.
- Lewiston Region
 - Dworshawk Res.
- Twin Falls Region
 - Salmon Falls Creek Res.




Idaho HAB Timeline – 2015


DEQ Region	June	July	August	Sept.	Oct.	Nov.
Coeur d'Alene	Fernan	Fernan Avondale Hayden	Fernan Avondale Hayden	Fernan Avondale Hayden	Fernan Avondale Hayden Black	Fernan Black
Idaho Falls			Henry's			
Pocatello				Blackfoot R.		
Lewiston				Dworshawk	Dworshawk	
Boise					Lake Lowell	

- Health advisories posted for all noted waterbodies except for Blackfoot Reservoir
- Advisories also posted for Hayden and Fernan lakes in 2014

2015 Taxa List – Idaho HABs

- Anabaena (5 waterbodies)
- Aphanizomenom (5 waterbodies)
- Gloeotrichia (4 waterbodies)
- Lyngbya (2 waterbodies)
- Microcystis (5 waterbodies)
- Woronichinia (5 waterbodies)





Guidance and Response Strategies

- Idaho DEQ and Department of Health and Welfare (DHW) Finalized a State-wide Bluegreen Algae Bloom Response Plan Oct. 2015
 - Response associated with recreational waters

Response Plan

- Response Kit
- Sample Collection
- Sample Preservation, Transport and Handling
- Decontamination Procedures
- Laboratory Analyses
- Response to Event
- Communications





Response Plan

- Respond to Public Complaint
- Identify if a Problem Exists
 - Bloom presence
 - Collect and preserve grab samples
- Quantify Problem (Lab Analysis)
 - Identify and enumerate species
 - Measure toxicity
- Determine Need for Public Health Warning

Decision-making Scheme for Blue-green Algae Health Risks

tisk Measurement	Decision	Action: Posting	Action: News Release
Is surface scum	Yes	Recommend posting by public health	DEQ and PHD make

body management agency

with water body operator

Proceed to 2

Proceed to 3

districts (PHD) in conjunction with water

Recommend posting by PHD in conjunction

determination

DEQ and PHD make

DEQ and PHD make

Adapted from ODHS 2015

determination

determination

visible and associated with toxigenic* species?

2. Is the sum of all

≥100,000 cells/mL?

potentially

toxigenic* taxa

Recommend posting by PHD in conjunction with water body operator

* Toxigenic taxa include Anabaena, Microcystis, Planktothrix, Nostoc, Coelosphaerium, Anabaenopsis,

Aphanizomenom, Gloeotrichia, Woronichinia, Oscillatoria, and Lyngbya. Additional taxa are known to be

3. Is the density of Yes

No

Yes

No

Microcystis or

No

Do not recommend posting

Planktothrix ≥40,000 cells/mL?

potentially toxic and may be added to the list in the future.

Monitoring

- Most Monitoring is Reactive, Based on Public Reports of Blooms
- Some Field Offices are Planning to Monitor Proactively, Concurrent with other Field Efforts (e.g. invasive species monitoring)
- State-wide HAB Tracking Table Developed

Reporting

- State-wide HAB Tracker
- Staff Reports
- At-a-Glance

Reporting

Regional Office	Primary Investigator	Investigation Type	Date	Waterbody	Id and Enum Samples Taken	Toxin Samples Taken	Do conc. exceed criteria	Health Advisory Issued	Health District Coord	Notice Posted
Boise RO	Jenkins, Stephanie Jenkins,	Preliminary	9/29/2015	Lake Lowell	Yes	Yes	Yes	Yes	Yes	Yes
Boise RO	Stephanie	Preliminary	7/9/2015	Payette Lake	Yes	Yes	No	No	No	No
Coeur d'Alene RO	Steed, Robert	Preliminary	6/29/2015	Avondale Lake	Yes	No	Yes	Yes	Yes	
Coeur d'Alene RO	Larson, Kristin	Follow-up	7/7/2015	Avondale Lake	Yes	Yes	Yes	Yes	Yes	No
Coeur d'Alene RO	Larson, Kristin	Follow-up	7/16/2015	Avondale Lake	Yes	No	Yes	Yes	Yes	No
Coeur d'Alene RO	Steed, Robert	Follow-up	7/23/2015	Avondale Lake	Yes	Yes	Yes	Yes	Yes	No
Coeur d'Alene RO	Steed, Robert	Follow-up	8/5/2015	Avondale Lake	Yes	Yes	Yes	Yes	Yes	No
Coeur d'Alene RO	Steed, Robert	Follow-up	8/17/2015	Avondale Lake	Yes	Yes	Yes	Yes	Yes	No
Coeur d'Alene RO	Larson, Kristin	Follow-up	8/25/2015	Avondale Lake	Yes	No	Yes	Yes	Yes	Yes
Coeur d'Alene RO	Steed, Robert	Preliminary	9/2/2008	Black Lake	No	No	No	No	No	No
Coeur d'Alene RO	Pettit, Glen	Preliminary	9/12/2008	Cocolalla Lake Coeur d'Alene	Yes	No	Yes			
Coeur d'Alene RO	Cooper, Craig	Preliminary	3/5/2014	Lake	Yes	No	No	No	No	No

Reporting

		/ 100										
HAB At-A-Glance	Water Body: Hayden Lake		DEQ region: COEUR (DEQ region: Coeur d'Alene		Start date: 7/5/2015			No. day	No. days: 89		
	Health Advisory: ⊠yes □no, 7/9		Press Release: ⊠yes □no, 7/9		Posted: ⊠yes □no, 7/9			End date: 10/7/2015				
Report prepared: 9/14/2015	Sample analysis costs: \$6,000		No. field investigations: 9		≈ DEQ staff field hours: 150			≈ DEQ	≈ DEQ staff follow-up office hours: 150			
	La The	Previous Blooms: Syes	□no, 7/07, 8/12, 7	7/13, 7/14	Compla	int Initiated	⊠yes □	no	Continu	ed recreation	: ⊠yes	□no
	The same of	Cyanobact	teria species present (#/mL)		Sample Results:							
1000		Sp.	Maximum	Minimum			3	£	S		3	Â
THE PARTY OF THE P		Anabaena	7,440,000	3,000			-	4	-	in a	4	2
		Microcystis	18,558	0	ā	<u>S</u>	2	1	2 E		3	W.
A COL		Aphanizomenon	140,117	0				CTO	5	€	80	g.
		Woronichinia	81,000	0		_					9	-
	の一般の大学	Gloetrichia	10,350	0	7/8	Scum	576,000					



Wind stacking at Sportsman's Access fishing dock, 7/14/2015

Extent of bloom and transition at Henry's Point, 8/5/2015



Surface Scum in Bob's Bay 8/25/2015



Notes: There are many private domestic water intakes on Hayden Lake. The bloom is isolated to the northern arm of Hayden Lake (Usually north of Henry Point) which complicates response, and requires tracking of the transition between HAB water and clean water. We received a record number of inquiries with this bloom. Posting ineffective, notices are missing or dilapidated. Public awareness due to press release and/or word of mouth.

Date	Type	Anabaena (#1)	Microcystis (A	Aphanizomer (R/mL.)	Woranichini (WmL)	Gloefrichia (#M	Morocystin (
7/8	Scum	576,000			•10	10	
7/14	Open	3,000		9	37	55 76	
7/14	Scum	7,440,000		ų.	XX:		0.513†
7/14	Open	11,400					<0.15
7/23	Open	483,451		140,117			
7/23	Open	41,756		8			
7/23	Open	203,216	18,558				
8/5	Open	14,750	1,000		000		<0.15
8/17	Open	7,188		51		•0	
8/17	Scum	24,150	11,500	8	500	500 300	
8/25	Open	8,100	2,200				<0.15
8/25	Scum	2,227,500			81,000	32,400	1.08
8/25	Scum	204,930	11,150	8	10,350	150 011	0.36
8/25	Open	9,484					0.23
9/4‡	Scum	3,240	32,400				<0.6
9/4‡	Open	287	4,600				<0.6
9/4‡	Open	9,890	3,450				

† Anatoxin-a was also evaluated on 7/14 scum sample and was found to be below detection limit. ‡ Significant non-blue-green bloom of the flagellate Trachlemonas sp. occurring (taste, odor).

Bloom Prevention and Mitigation

- Applicable ID WQS Narrative Criteria in the Context of Beneficial Uses
 - Excess nutrients (IDAPA 58.01.02.200.06)
 - Floating, suspended, or submerged matter (58.01.02.200.05)
 - Toxic substances (IDAPA 58.01.02.200.02)
- Some TMDL Objectives are to Control Nuisance Aquatic Growth
- No Active HAB Mitigation Conducted

Coordination and Public Outreach

- ID Public Health Districts (primary contact)
- U.S. Fish and Wildlife Service (Refuges)
- ID Dept. of Fish & Game
- Army Corps of Engineers
- Bureau of Reclamation
- Dept. of Agriculture
- City of Boise



Role of Idaho DEQ

- Identify if Problem Exists
 - Determine presence/absence of blue-green algae bloom
 - Identify species present
 - Enumerate number of cells or colonies
- Coordinate with Public Health Districts
 - When public health advisories/postings warranted
 - When public communication necessary

Role of Public Health Districts

- Public Health Districts (7 in ID)
 - Responsible for issuing health advisories
 - Responsible for postings/removal of postings
 - DEQ coordinates closely during this process
- Health Districts Work Closely with DHW





KOOTENAI CO., ID -- A health advisory was issued today for Fernan Lake by the Panhandle Health District (PHD) and the Idaho Department of Environmental Quality (DEQ). Water samples confirmed the presence of the blue-green algae species of Microsystis, Anabaena, and Gloetrichia - species that can produce potentially dangerous toxins.

Public Outreach

- Postings
- Social Media
- Website
 - FAQ
 - Advisories
 - InteractiveMap



nausea, vomiting, diarrhea, and difficulty breathing.

Pets are especially susceptible. If symptoms appear, call your doctor or veterinarian.

To report an algal bloom

To report an algal bloor or for additional information on Harmful Algal Blooms contact

[Department/ Agency Contact Information]













About DEO

Contact Us

Regional Offices & ssues

News & Public Comments & Events

Air Quality

Water Quality

Planning

Drinking Water III Grants & Loans 10

Ground Water

PDFS

Source Water

Surface Water 1

Wastewater

Waste Mgmt & Remediation

INL Oversight

Permitting

Pollution Prevention

Assistance 8 Resources

Laws, Rules, Etc.

Home () Water Quality () Surface Water () Blue-Green Algae

Blue-Green Algae and Harmful Algal Blooms

Blue-green algae are not algae at all but are photosynthetic bacteria, also known as oyanobaoteria. There are several species of blue-green algae, which thrive under their own unique conditions and produce a variety of toxins. Blue-green algae are naturally occurring and usually present in a water body, but they typically exist in numbers too small to cause problems. Blue-green algae growth is influenced by a variety of environmental conditions including temperature, flow, nutrient levels, light, weather, vertical mixing in the water column, and

Given the right conditions, high concentrations of blue-green algae can occur and form a bloom. Blooms can vary in appearance, sometimes looking like mats, foam, or surface soum. Blooms can range in color from blue and bright green to brown and red. Some blooms produce a foul odor. Not all blooms are toxio, but when toxio harmful algal blooms do occur they present a health risk to humans, pets, and livestook. Exposure may occur from ingestion, skin contact, or inhalation. Exposure can result in a range of health effects from skin irritation and stomach upset to neurotoxic effects and at very high levels, death. Symptoms in humans are rare; anyone with symptoms should seek medical.

If you observe a blue-green algae bloom, contact your DEQ regional office.

Blue-Green Algae Health Advisories

Health advisories are typically issued by the public health districts, who work closely with DEQ staff.

There are no ourrent health advisories.

Take the following precautions when an advisory is in effect:

- >> Avoid exposure to water experiencing a harmful algal bloom. Take extraprecautions to ensure children, pets, and livestock are not exposed to the
- >> Do not consume water with a blue-green algae bloom. Neither boiling nor disinfecting removes blue-green algae toxins from water.
- » If fish are known to have been exposed to a blue-green algae bloom, only consume the fillet portion (remove the fat, organs, and skin). Wash hands after handling. The risk associated with consuming fish caught in waters with a blue-green algae bloom is unknown. Toxins produced by blue-green algae can accumulate in the viscera of fish (e.g., liver and kidneys).



Subscribe to this page

Staff Contacts

Search the site

Find it Fast Pick a Topic

Surface Water Quality Manager Cynthia Barrett DEQ Lewiston Regional Office 1118 F St. Lewiston, ID 83501 (208) 799-4570 oynthia.barrett@deg.idaho.gov

Water Quality Manager Dr. Balthasar Buhidar DEQ Twin Falls Regional Office 650 Addison Avenue West, Suite 110 Twin Falls, ID 83301 (208) 736-2190

balthasar, buhidar@deq.idaho.gov

Water Quality Manager Thomas Herron DEQ Coeur d'Alene Regional Office 2110 Ironwood Parkway Coeur d'Alene, ID 83814 (208) 666-4631 thomas.herron@deg.idaho.gov

Watershed Manager Lance Holloway DEQ Boise Regional Office 1445 N. Orohard St. Boise, ID 83706 (208) 373-0550 lance.holloway@deg.idaho.gov

Water Quality Manager Troy Saffle DEQ Idaho Falls Regional Office 900 N. Skyline Drive, Suite B Idaho Falls, ID 83402 (208) 528-2650 troy.saffle@deq.idaho.gov

Water Quality Manager Lynn Van Every DEQ Pocatello Regional Office 444 Hospital Way #300 Pocatello, ID 83201 (208) 236-6160 lynn.vanevery@deq.idaho.gov

Water Quality Standards Analyst Rebecca Thompson DEQ State Office 1410 N. Hilton Boise, ID 83706 (208) 373-0173 Rebecca. Thompson@deq.idaho.gov

DEO Resources

Blue-Green Algae Response Plan (2015)

More Information

Harmful Algal Blooms (9 (57), vetasses)

Harmful Algal Blooms Brochure (1) (10HW brochure)

Related Pages Drinking Water



Additional Needs

- Training Internal and External
- Public Education
- Resources
 - Funding for signs, microscopes, & toxin sampling
- EPA Recreational Criteria for Cyanotoxins
- Quality Assurance Plan

Idaho DEQ Point of Contacts

Rebecca Thompson
ID State Office
208-373-0173
Rebecca.Thompson@deq.idaho.gov

Robert Steed
Coeur d'Alene Regional Office
208-666-4625
Robert.Steed@deq.idaho.gov

Lance Holloway
Boise Regional Office
208-373-0564
Lance.Holloway@deq.idaho.gov

Hawk Stone
ID State Office, Tech services
208-373-0588
Hawk.Stone@deq.idaho.gov

Questions?

