

US EPA ARCHIVE DOCUMENT

**PUBLIC NOTICE: Public Notice 2016-27**

**NOTICE OF PROPOSED ADMINISTRATIVE PENALTY ASSESSMENTS AND OPPORTUNITY TO COMMENT**

**AGENCY:** United States Environmental Protection Agency (EPA)  
Region 2  
290 Broadway  
New York, NY 10007

**ACTION:** Notice of Proposed Administrative Penalty Assessments and Opportunity to Comment

**SUMMARY:** EPA is providing notice of a proposed administrative penalty assessment for alleged violations of the Clean Water Act (Act). EPA is also providing notice of opportunity to comment on the proposed penalty assessment.

Under 33 U.S.C. §1319(g), EPA is authorized to issue Orders assessing civil penalties for various violations of the Act. EPA may issue such Orders after the commencement of a Class I or Class II penalty proceeding. EPA provides Public Notice of the proposed assessment pursuant to 33 U.S.C. §1319(g)(4)(A).

Administrative civil penalty proceedings are conducted under EPA's "Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, Issuance of Compliance or Corrective Action Orders and the Revocation Termination or Suspension of Permits", 40 CFR Part 22. The procedures through which the public may submit written comment on a proposed administrative penalty action or participate in an administrative penalty proceeding, and the procedures by which a Respondent may request a Hearing, are set forth in the Consolidated Rules. The deadline for submitting public comment on this administrative civil penalty proceeding is thirty (30) days after issuance of this Public Notice.

On July 19, 2016, EPA commenced the following administrative action for the assessment of administrative civil penalties: In the matter of North Ridge, LLC, 5912 North Burdick Street, East Syracuse, NY 13057, Docket No. CWA-02-2016-3304 with a proposed penalty of **\$14100** for failure to comply with the terms and conditions of the NYSDEC SPDES General Permit for Storm Water Discharges from Construction Activities (CGP) at the North Ridge Subdivision construction site located off of Wheatfield Drive, Sullivan, New York, as required by the storm water regulations.

**FOR FURTHER INFORMATION:** Persons wishing to receive a copy of EPA's Consolidated Rules, review the Expedited Settlement Agreement or other documents filed in these proceedings, comment upon the proposed assessments, or otherwise participate in any of the proceedings, should contact Katherine Mann, Physical Scientist/Enforcement Officer, at (212) 637-4226, EPA Region 2, 290 Broadway, 20<sup>th</sup> Floor, New York, New York 10007, and also send to Karen Maples, EPA Region 2, 290 Broadway, 16<sup>th</sup> Floor, New York, NY 10007 on any written correspondence about this matter. Unless otherwise noted, the administrative record for these proceedings is located in the EPA Regional Office identified above, and the files will be open for public inspection during normal business hours. All information submitted by the Respondent is available as part of the administrative record, subject to provisions of law restricting public disclosure of confidential information.

EPA has provided the Respondent with an Expedited Settlement Offer in an effort to promptly settle this matter. In order to provide opportunity for public comment, EPA will take no final action in this proceeding prior to thirty (30) days after issuance of this Notice.

**Dated: July 29, 2016**

**Dore LaPosta, Director  
Division of Enforcement and Compliance Assistance**