US EPA ARCHIVE DOCUMENT

RMT

Technical Memorandum

Date: January 6, 2011

To: Jason Smith, Tecumseh Products Company

cc: Douglas McClure, Colin, McKenney & Philbrick, PC

From: Graham Crockford/Stacy Metz

Project No.: 00-08070.08 (02751.08)

Subject: Third Quarter 2010 Groundwater Monitoring Event
RCRA 3008(h) Consent Order (RCRA-05-2010-0012) - Tecumseh Products Company

---

Tecumseh Products Company (TPC) retained RMT, Inc. (RMT) to investigate soil and groundwater conditions at the former TPC site located in Tecumseh, Michigan. RMT has been assisting TPC with investigative activities in accordance with the RCRA Agreed Order of Consent (RCRA 05-2010-0012) for the site.

These investigation activities included the installation of 44 groundwater monitoring wells. Quarterly groundwater monitoring was initiated in December 2009. Quarterly sampling activities are conducted in accordance with the Quality Assurance Project Plan (QAPP) which was submitted to the United States Environmental Protection Agency (USEPA) for review in August 2010 and the Quarterly Sampling Plan described below. Quarterly monitoring was implemented to determine the nature and extent of volatile organic compounds (VOCs) in groundwater that exceed groundwater screening levels, and to determine the stability of VOC concentrations in groundwater over time.

Summary of the Quarterly Sampling Plan

The sampling plan is summarized below:

- Quarterly Monitoring
  - Collect static groundwater measurements at each of the groundwater monitoring wells.
  - Collect static water levels at each of the two gauge point locations on the River Raisin.
  - Use low-flow sampling techniques to collect groundwater samples at all groundwater monitoring well locations, except at monitoring wells MW-8s, MW-10d, and MW-16s. The following field parameters are measured during groundwater sample collection: pH, specific conductivity, redox potential, dissolved oxygen, turbidity and temperature. Groundwater samples are submitted to the analytical laboratory for VOCs analysis.
  - Collect a surface water sample from the wetland area for VOCs analysis.
  - Collect groundwater samples at two storm sewer locations for VOCs analysis. The air space at the sample location is monitored with a photo-ionization detector (PID). Note: As described in the July 14, 2010 Technical Memorandum titled "Summary of Groundwater Investigation

US EPA ARCHIVE DOCUMENT

Activities – March 2010 through June 2010, Former Tecumseh Products Company Site, Tecumseh, Michigan," quarterly storm sewer sampling will be discontinued in 2011.

- Semi-Annual Monitoring (conducted during the second and fourth quarters)
  - Conduct all quarterly monitoring as described above.
  - At a subset of the groundwater monitoring wells (MW-1s, MW-3s, MW4s, MW-6s, MW-9s, MW-10s, MW-14s, MW-17s, MW-18s, MW-19s, MW-19d, MW-21, MW-23, MW-24s, MW-24d, MW-27s, MW-27d, MW-32s, MW-33s, and MW-34s) collect samples for analysis of monitored natural attenuation (MNA) parameters: chloride, nitrate, sulfate and ferrous iron.
  - Collect drinking water samples from private wells identified in and around the area of VOC affected groundwater, and submit to the analytical laboratory of VOCs analysis.

Sampling activities are conducted in accordance with the QAPP which was submitted to the USEPA for review in August 2010.

Summary of Field Activities

RMT conducted the third quarter quarterly sampling activities from September 2 through September 17, 2010. As described in the data quality assurance section of this report, a re-sample event for MW-21 was conducted on October 15, 2010. Water elevations were collected at groundwater monitoring wells and two surface water gauge point locations along the River Raisin. Groundwater monitoring wells, storm sewer sample locations, and the wetland surface water sample location were sampled by RMT and analyzed by TriMatrix Laboratories, Inc. (TriMatrix). Sample locations are shown on Figure 1. Static water elevations are provided in Table 1. Field-collected data (pH, specific conductivity, redox potential, dissolved oxygen, turbidity and temperature) are provided in Table 2. Laboratory analytical data are provided in Attachment 1, and a summary of detected VOCs is included as Table 3.

Evaluation of Groundwater Chemical Data

Water chemistry data is summarized in Tables 2 and 3. Laboratory analytical data are included in Attachment 1. The constituents of concern at the site are chlorinated VOCs (CVOCs), specifically trichloroethene (TCE), 1,1,1-trichloroethane (TCA) and their breakdown products (cis-1,2-dichloroethene [cis-DCE] and vinyl chloride). The highest concentrations of TCE (>1000 micrograms per liter [ug/L]) are found in the north at monitoring wells MW-4s and MW-32s and in the south at monitoring wells MW-1s, MW-9s, and MW-34s. The highest concentrations of TCA (>1000 ug/L) are found at monitoring wells MW-1s and MW-34s in the south. The highest concentrations of degradation products are found downgradient of the northern source area at monitoring wells MW-3s and MW-4s.

CVOC concentrations were compared to Michigan Department of Natural Resources and Environment Part 201 criteria (Remediation and Redevelopment Division, Operational Memorandum No. 1, January 23, 2006). Figure 3 shows the horizontal extent above relevant Part 201 criteria. No new exceedences of the drinking water criteria were identified. One new exceedence of the groundwater-to-surface water interface (GSI) criteria was found. The concentration of TCE at monitoring well MW-31 was 220 ug/L in September 2010 (compared to a GSI criterion of 200 ug/L and a June 2010 sample result of 180 ug/L).

US EPA ARCHIVE DOCUMENT

Concentrations of CVOCs at previously sampled locations are generally consistent with historic data (Table 3). Once a sufficient quantity of data (typically eight sample events) has been collected RMT will statistically assess the stability of the CVOCs in groundwater using Mann-Kendall Trend Tests.

Groundwater Flow Rate and Direction

The groundwater elevation data collected in September 2010 were used to construct a groundwater contour map and to determine the direction of groundwater flow and hydraulic gradient within the unconsolidated sand underlying the site (Figure 2). Several rounds of water levels have been collected (Table 1), and the depth to groundwater and the direction of groundwater flow is generally consistent with historical data. Groundwater flow at the former TPC site and surrounding study area is generally east toward the River Raisin, the nearest body of water, located 1,500 to 2,500 feet east of the site. The River Raisin is the regional discharge feature for groundwater beneath the former TPC site. A mean horizontal hydraulic gradient of 0.001 was measured across the former TPC property. Data from *in situ* hydraulic conductivity tests indicates that the hydraulic conductivity of the unconfined sand and gravel aquifer ranges from 0.014 to 0.077 centimeters per second (cm/s), consistent with a sand and gravel aquifer. Assuming a porosity of 0.3, the resultant estimated groundwater velocity ranges from 4.7×10^{-5} to 2.6×10^{-4} cm/s (48 to 265 feet per year).

Vertical hydraulic gradient in the upper sand/gravel aquifer was evaluated at nine of the ten nested well pairs (MW-10s/d, MW-12s/d, MW-19s/d, MW-20s/d, MW-24s/d, MW-27s/d, MW-28s/d, MW29s/d, and MW-30s/d). Because water at MW-14s is perched with an unsaturated zone between MW-14s and MW-14d, the vertical gradient at this nested well pair was not evaluated. At MW-19s/d, MW-24s/d, and MW-28s/d along the western (upgradient) portion of the site, the measured vertical hydraulic was essentially neutral (ranging from -0.003 to 0.002). Northeast of the site the hydraulic gradient varied from downward at MW-29s/d (-0.066) to upward at MW-12s/d (0.035). At MW-10s/d, MW-20s/d, and MW-27s/d east/southeast (downgradient) of the site, a downward hydraulic gradient ranging from (-0.14 to -0.67) was measured, with the downward hydraulic gradient increasing to the south. This significant vertical downward gradient in the upper sand/gravel aquifer east/southeast of the site, is the result of a higher conductivity sand and gravel deposit that underlies the sand deposit.

The surface topography drops steeply downgradient of the site from an approximate elevation of 780 ft MSL to an approximate elevation of 750 ft MSL in the wetland area adjacent to the River Raisin. East of the site, in proximity to the change in surface elevation, the horizontal hydraulic gradient increases (Figure 2). East/southeast of the site, the presence of discontinuous gravel and/or sand with gravel units that are more conductive than the bulk of the sand aquifer facilitates the decrease in static water elevation. Vertical groundwater movement is impeded by the continuous clay layer underlying the gravel deposit.

VOCs in Wetland Surface Water

Water chemistry data for the wetland sample (WL-01) collected in September 2010 can be found in Attachment 1. No VOCs were detected at sample location WL-01.

US EPA ARCHIVE DOCUMENT

VOCs in the Storm Sewer

Water chemistry data for storm sewer samples collected in September 2010 can be found in Attachment 1. VOCs were not detected at sample locations STW-01 or STW-02. The air space in the storm sewers at these sample locations was screened with a PID. No VOCs were detected with the PID.

Data Quality Assurance

Field Data

Data were reviewed in accordance with the QAPP. The review of field data found that the pH meter was not calibrated properly during the sample event. The following corrective measures were taken:

- pH readings from September 2 through September 10, 2010 are not usable and were not included in Table 2;
- pH readings recorded in the field notes were crossed out and noted as invalid; and
- The project technical coordinator met with field personnel to discuss proper calibration procedures.

The remainder of the field data is usable.

Laboratory Data

Water samples were collected by RMT analyzed by Trimatrix Laboratories, located in Grand Rapids, Michigan. The samples were analyzed for VOCs by USEPA Method 8260B following protocol specified in the QAPP.

Fifty-four water samples were collected by RMT between September 2 and September 17, 2010. However, only fifty-three samples were analyzed by Trimatrix. One of the groundwater samples, MW-21, was misplaced and not logged in properly by Trimatrix. This problem was not identified until RMT received the analytical data from the laboratory. The hold time on the original sample had expired. The following corrective measures were implemented:

- MW-21 was re-sampled on October 15, 2010, and
- RMT requested that Trimatrix prepare a sample log-in receipt following each sample shipment for review by the project technical coordinator.

RMT performed validation of the laboratory data. The data quality objectives and laboratory completeness goals for the project were met, and the data are usable. The procedures specified in the methods were implemented, and the data package contained all of the deliverables necessary for validation of the analytical data. The complete laboratory data validation report is included as Attachment 2.

US EPA ARCHIVE DOCUMENT

Tables

US EPA ARCHIVE DOCUMENT

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-01s	796.53	03/16/09	16.13	780.40
		04/20/09	15.95	780.58
		06/04/09	16.14	780.39
		12/07/09	17.34	779.19
		03/23/10	17.58	778.95
		05/10/10	17.40	779.13
		09/02/10	17.55	778.98
MW-02s	802.14	03/16/09	21.94	780.20
		04/20/09	21.60	780.54
		06/04/09	21.53	780.61
		12/07/09	22.87	779.27
		03/23/10	23.27	778.87
		05/10/10	23.10	779.04
		09/02/10	23.00	779.14
MW-03s	787.00	03/16/09	7.63	779.37
		04/20/09	7.45	779.55
		06/04/09	7.63	779.37
		12/07/09	8.57	778.43
		03/23/10	8.79	778.21
		05/10/10	8.60	778.40
		09/02/10	8.70	778.30
MW-04s	794.42	03/16/09	14.64	779.78
		04/20/09	14.40	780.02
		06/04/09	14.48	779.94
		12/07/09	15.65	778.77
		03/23/10	12.91*	781.51
		05/10/10	15.80	778.62
		09/02/10	15.80	778.62
MW-05s	805.59	03/16/09	24.73	780.86
		04/20/09	24.40	781.19
		06/04/09	24.41	781.18
		12/07/09	25.77	779.82
		03/23/10	26.16	779.43
		05/10/10	26.00	779.59
		09/02/10	26.00	779.59
MW-06s	803.73	03/16/09	23.26	780.47
		04/20/09	22.85	780.88
		06/04/09	22.72	781.01
		12/07/09	24.18	779.55
		03/23/10	24.65	779.08
		05/10/10	24.58	779.15
		09/02/10	24.35	779.38

Notes:
Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)
ft MSL - feet above mean sea level
ft BTOC - feet below top of casing
NI - Not installed at time of measurement
Dry - Insufficient groundwater present for measurement
NM - Not measured
* Measured depth to groundwater is anomalous

US EPA ARCHIVE DOCUMENT

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-07s	804.40	03/16/09	23.85	780.55
		04/20/09	23.40	781.00
		06/04/09	23.24	781.16
		12/07/09	24.75	779.65
		03/23/10	25.19	779.21
		05/10/10	25.08	779.32
		09/02/10	25.00	779.40
MW-08s	804.39	03/16/09	23.61	780.78
		04/20/09	23.30	781.09
		06/04/09	23.24	781.15
		12/07/09	24.61	779.78
		03/23/10	25.00	779.39
		05/10/10	25.06	779.33
		09/02/10	24.80	779.59
MW-09s	783.97	03/16/09	4.46	779.51
		04/20/09	4.30	779.67
		06/04/09	4.63	779.34
		12/07/09	5.65	778.32
		03/23/10	5.78	778.19
		05/10/10	5.60	778.37
		09/02/10	5.85	778.12
MW-10s	788.65	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	10.46	778.19
		12/07/09	11.57	777.08
		03/23/10	11.55	777.10
		05/10/10	11.20	777.45
		09/02/10	11.85	776.80
MW-10d	788.40	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	12.10	776.30
		03/23/10	11.98	776.42
		05/10/10	11.60	776.80
		09/02/10	12.41	775.99
MW-11s	809.64	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	28.09	781.55
		12/07/09	29.69	779.95
		03/23/10	30.29	779.35
		05/10/10	30.20	779.44
		09/02/10	29.90	779.74

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to groundwater is anomalous

US EPA ARCHIVE DOCUMENT

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-12s	790.90	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	12.40	778.50
		12/07/09	13.67	777.23
		03/23/10	14.06	776.84
		05/10/10	13.90	777.00
		09/02/10	13.85	777.05
MW-12d	790.48	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	13.93	776.55
		05/10/10	13.81	776.67
		09/02/10	12.70	777.78
MW-13s	787.35	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	14.88	772.47
		12/07/09	15.81	771.54
		03/23/10	15.82	771.53
		05/10/10	15.50	771.85
		09/02/10	15.70	771.65
MW-14s	780.67	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	5.12	775.55
		12/07/09	6.20	774.47
		03/23/10	3.62	777.05
		05/10/10	3.60	777.07
		09/02/10	7.05	773.62
MW-14d	780.51	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	29.97	750.54
		05/10/10	29.85	750.66
		09/02/10	30.10	750.41
MW-15s	811.72	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	29.59	782.13
		12/07/09	31.09	780.63
		03/23/10	31.48	780.24
		05/10/10	31.50	780.22
		09/02/10	31.25	780.47

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to groundwater is anomalous

US EPA ARCHIVE DOCUMENT

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-16s	782.90	03/16/09	NI	NI
		04/20/09	NI	NI
		07/23/09	Dry	NM
		12/07/09	Dry	NM
		03/23/10	Dry	NM
		05/10/10	Dry	NM
		09/02/10	Dry	NM
MW-17s	754.49	03/16/09	NI	NI
		04/20/09	NI	NI
		07/23/09	5.33	749.16
		12/07/09	5.40	749.09
		03/23/10	5.25	749.24
		05/10/10	5.18	749.31
		09/02/10	5.50	748.99
MW-18s	805.49	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	25.66	779.83
		03/23/10	26.02	779.47
		05/10/10	25.95	779.54
		09/02/10	25.80	779.69
MW-19s	803.92	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	24.05	779.87
		03/23/10	24.26	779.66
		05/10/10	24.25	779.67
		09/02/10	24.25	779.67
MW-19d	804.04	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	24.17	779.87
		03/23/10	24.41	779.63
		05/10/10	24.35	779.69
		09/02/10	24.40	779.64
MW-20s	783.16	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	4.85	778.31
		03/23/10	4.97	778.19
		05/10/10	4.80	778.36
		09/02/10	5.00	778.16

Notes:
Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)
ft MSL - feet above mean sea level
ft BTOC - feet below top of casing
NI - Not installed at time of measurement
Dry - Insufficient groundwater present for measurement
NM - Not measured
* Measured depth to groundwater is anomalous

US EPA ARCHIVE DOCUMENT

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-20d	783.29	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	11.98	771.31
		03/23/10	12.62	770.67
		05/10/10	12.80	770.49
		09/02/10	14.10	769.19
MW-21	780.85	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	29.69	751.16
		03/23/10	29.51	751.34
		05/10/10	29.35	751.50
		09/02/10	29.60	751.25
MW-22	782.62	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	24.62	758.00
		03/23/10	24.88	757.74
		05/10/10	24.88	757.74
		09/02/10	25.15	757.47
MW-23	787.10	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	9.27	777.83
		03/23/10	9.50	777.60
		05/10/10	9.45	777.65
		09/02/10	9.45	777.65
MW-24s	797.83	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	19.10	778.73
		03/23/10	19.49	778.34
		05/10/10	19.37	778.46
		09/02/10	19.30	778.53
MW24d	797.93	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	19.20	778.73
		03/23/10	19.58	778.35
		05/10/10	19.45	778.48
		09/02/10	19.35	778.58

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to groundwater is anomalous

US EPA ARCHIVE DOCUMENT

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-25s	798.23	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	18.77	779.46
		03/23/10	18.97	779.26
		05/12/10	18.80	779.43
		09/02/10	19.00	779.23
MW-26s	805.73	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		04/06/10	26.10	779.63
		05/10/10	26.00	779.73
		09/02/10	26.00	779.73
MW-27s	781.39	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	3.12	778.27
		05/10/10	2.83	778.56
		09/02/10	3.15	778.24
MW-27d	781.40	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	23.63	757.77
		05/10/10	23.50	757.90
		09/02/10	23.65	757.75
MW-28s	804.68	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	25.53	779.15
		05/10/10	25.45	779.23
		09/02/10	25.20	779.48
MW-28d	804.92	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	25.81	779.11
		05/10/10	25.70	779.22
		09/02/10	25.50	779.42

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to groundwater is anomalous

US EPA ARCHIVE DOCUMENT

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-29s	788.16	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	15.80	772.36
		05/10/10	15.50	772.66
		09/02/10	15.55	772.61
MW-29d	788.16	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	18.74	769.42
		05/10/10	18.60	769.56
		09/02/10	18.55	769.61
MW-30s	787.69	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	9.89	777.80
		05/10/10	9.75	777.94
		09/02/10	9.90	777.79
MW-30d	787.66	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	9.85	777.81
		05/10/10	9.68	777.98
		09/02/10	9.80	777.86
MW-31	782.36	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	NI	NI
		06/18/10	32.60	749.76
		09/02/10	33.00	749.36
MW-32s	802.59	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	NI	NI
		06/18/10	NI	NI
		09/17/10	23.45	779.14

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to groundwater is anomalous

US EPA ARCHIVE DOCUMENT

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-33s	799.49	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	NI	NI
		06/18/10	NI	NI
		09/17/10	20.62	778.87
MW-34s	802.78	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	NI	NI
		06/18/10	NI	NI
		09/17/10	23.60	779.18
E. Chicago Blvd (River Raisin)	756.50	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	14.00	742.51
		03/23/10	13.32	743.18
		06/18/10	13.42	743.08
		09/02/10	14.90	741.60
Russell Road (River Raisin)	755.23	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	19.36	735.87
		03/23/10	18.50	736.73
		06/18/10	18.65	736.58
		09/02/10	20.40	734.83

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to groundwater is anomalous

US EPA ARCHIVE DOCUMENT

Table 2
Summary of Field Parameters in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Analyte		pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature
Units		S.U.	umhos/cm	mV	mg/L	NTU	°C
MW-01s	12/09/2009	7.29	499	161	5.68	18.3	12.64
	3/17/2010	6.40	521	84	2.4	30.1	13.34
	5/18/2010	7.45	631	110	2.1	10	11.9
	9/10/2010	NM	678	29	3.4	38	15.96
MW-02s	12/09/2009	6.67	1238	192	3.92	79.1	14.78
	3/17/2010	7.31	859	55	0.80	18.7	14.81
	5/18/2010	7.41	1379	156	1.2	84	13.9
	9/10/2010	NM	1413	35	1.6	49	16.16
MW-03s	12/08/2009	6.85	1342	63	1.21	30.9	13.67
	3/17/2010	7.11	1105	70	1.57	25.5	10.47
	5/18/2010	7.25	1239	160	0.8	10	13.4
	9/10/2010	NM	1320	11	0.5	39	18.70
MW-04s	12/09/2009	6.87	970	68	7.17	4.70	15.47
	3/17/2010	6.57	763	78	0.22	16.7	15.69
	5/18/2010	7.20	928	168	0.4	5.0	13.6
	9/17/2010	7.03	817	49	0.35	33.3	18.14
MW-05s	12/10/2009	7.41	765	131	7.19	NM	10.18
	3/17/2010	7.51	678	20	3.24	39.0	12.80
	5/17/2010	7.70	920	134	1.8	10.0	11.8
	9/9/2010	NM	886	46	3.5	56	13.80
MW-06s	12/09/2009	7.18	635	171	2.32	22.0	11.72
	3/18/2010	7.40	856	0	0.85	28.5	12.94
	5/17/2010	7.77	768	86	0.7	39	12.6
	9/10/2010	NM	1254	116	0.9	47	12.70
MW-07s	12/10/2009	7.27	822	95	3.41	NM	10.43
	3/17/2010	7.20	770	-2	1.69	22.9	11.91
	5/17/2010	7.73	930	151	1.5	10	11.8
	9/10/2010	NM	833	109	3.2	39	13.00
MW-08s	12/10/2009	7.49	828	119	8.60	NM	10.91
MW-09s	12/09/2009	7.14	661	172	6.32	15.7	11.63
	3/18/2010	7.34	436	121	4.75	44.5	7.32
	5/18/2010	7.56	506	206	3.0	19	10.4
	9/17/2010	7.29	709	58	2.54	46.7	16.92
MW-10s	12/09/2009	7.01	825	-1	6.16	144	9.99
	3/16/2010	7.28	816	-24	0.17	38.0	7.79
	5/12/2010	5.99	570	223	0.4	28	8.1
	9/3/2010	NM	925	-29	0.3	56	16.1
MW-10d	12/09/2009	6.98	1150	6	1.69	0.88	10.05

Notes:
S.U. = standard pH units
umhos/cm = micromhos per centimeter
mV = millivolts
mg/L = milligrams per liter
NTU = nephelometric turbidity units
°C = degrees Celsius
NM = not measured

US EPA ARCHIVE DOCUMENT

Table 2
Summary of Field Parameters in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Analyte		pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature
Units		S.U.	umhos/cm	mV	mg/L	NTU	°C
MW-11s	12/09/2009	7.14	969	140	8.59	27.2	10.18
	3/15/2010	7.31	632	83	7.05	199	11.43
	5/14/2010	6.89	728	195	2.7	85	12.1
	9/3/2010	NM	828	109	5.4	98	14.5
MW-12s	12/10/2009	6.34	906	165	8.03	9.80	10.51
	3/15/2010	7.40	965	80	6.61	39.4	10.12
	5/14/2010	7.11	2000	200	2.7	10	10.6
	9/3/2010	NM	1650	108	5.4	46	16.3
MW-12d	3/18/2010	7.14	1780	-94	0.23	59.2	12.07
	5/14/2010	7.19	1880	-46	0.2	15	12.2
	9/3/2010	NM	2200	-93	0.3	110	15.6
MW-13s	12/10/2009	6.51	1264	122	3.26	9.70	11.24
	3/15/2010	7.05	1760	75	2.38	44.0	10.87
	5/14/2010	7.00	2810	87	1.5	10	11.4
	9/3/2010	NM	2170	71	2.6	44	15.7
MW-14s	12/08/2009	7.04	1251	52	1.26	9.44	11.69
	3/15/2010	7.39	610	-7	4.83	29.9	6.63
	5/12/2010	6.96	733	197	3.0	4.5	9.9
	9/3/2010	NM	1338	57	0.5	35	19.5
MW-14d	3/23/2010	7.29	1151	30	1.18	73.6	11.70
	5/14/2010	7.44	1324	95	0.9	65	12.9
	9/3/2010	NM	1371	81	1.2	58	14.3
MW-15s	12/10/2009	7.07	456	150	9.35	33.7	9.76
	3/15/2010	6.85	448	93	7.07	57.9	11.03
	5/14/2010	7.50	621	131	2.4	52	12.8
	9/8/2010	NM	895	129	5.5	59	12.54
MW-16s	12/07/2009	NM	NM	NM	NM	NM	NM
	3/18/2010	NM	NM	NM	NM	NM	NM
	5/12/2010	NM	NM	NM	NM	NM	NM
	9/8/2010	NM	NM	NM	NM	NM	NM
MW-17s	12/07/2009	7.32	810	124	8.06	8.51	8.82
	3/18/2010	7.47	847	28	3.27	29.2	5.19
	5/12/2010	7.35	870	218	3.1	10	9.1
	9/8/2010	NM	1136	115	4.6	58	15.34
MW-18s	12/08/2009	7.31	1043	56	4.52	79.2	11.59
	3/16/2010	6.08	732	107	1.14	97.7	11.82
	5/12/2010	7.82	1990	208	2.3	10	11.3
	9/8/2010	NM	13.08	91	3.1	50	13.95

Notes:
S.U. = standard pH units
umhos/cm = micromhos per centimeter
mV = millivolts
mg/L = milligrams per liter
NTU = nephelometric turbidity units
°C = degrees Celsius
NM = not measured

US EPA ARCHIVE DOCUMENT

Table 2
Summary of Field Parameters in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Analyte		pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature
Units		S.U.	umhos/cm	mV	mg/L	NTU	°C
MW-19s	12/08/2009	6.82	1065	53	2.73	15.6	12.37
	3/16/2010	7.15	895	6	1.95	20.2	12.66
	5/18/2010	6.63	971	150	0.6	10	11.6
	9/10/2010	NM	1470	114	2.7	43	13.34
MW-19d	12/08/2009	6.86	1067	-84	0.71	66.6	10.99
	3/16/2010	7.00	913	-76	0.31	96.2	11.89
	5/12/2010	7.91	1185	-30	0.4	23	11.7
	9/8/2010	NM	1219	-103	0.2	80	15.75
MW-20s	12/10/2009	7.48	418	15	2.93	8.30	9.75
	3/17/2010	7.15	411	125	2.08	43.0	6.34
	5/18/2010	6.94	488	177	1.4	47	10.7
	9/10/2010	NM	512	109	1.0	42	18.03
MW-20d	12/10/2009	6.87	1006	-41	0.82	0.77	11.18
	3/17/2010	6.98	928	-89	0.82	22.2	10.85
	5/18/2010	6.92	1183	27	0.3	10	10.4
	9/10/2010	NM	1184	-30	0.3	49	15.89
MW-21	12/08/2009	7.12	1049	36	4.43	15.7	11.30
	3/23/2010	7.29	1002	41	3.48	24.9	12.81
	5/18/2010	7.15	1134	220	1.8	8.0	12.2
	10/15/2010	6.91	1160	180	4.20	29.3	13.03
MW-22	12/07/2009	5.73	1220	190	1.75	4.85	9.62
	3/18/2010	7.37	1010	-121	0.21	17.6	10.64
	5/18/2010	7.07	1183	-7	0.3	9.0	9.2
	9/10/2010	NM	1357	-114	0.2	41	11.12
MW-23	12/08/2009	6.63	1520	-29	0.68	49.0	12.91
	3/16/2010	6.84	1280	-76	0.25	86.5	10.97
	5/18/2010	7.02	1600	18	0.2	10	10.6
	9/10/2010	NM	1550	-87	0.2	44	16.15
MW-24s	12/08/2009	7.24	1710	5	3.86	NM	13.10
	3/15/2010	7.49	1142	-10	2.29	27.7	12.26
	5/12/2010	7.95	1262	91	1.7	10	11.3
	9/8/2010	NM	1495	54	3.2	43	16.10
MW-24d	12/08/2009	6.89	3760	-65	0.58	NM	11.89
	3/15/2010	7.16	2900	-73	0.73	30.4	12.57
	5/12/2010	7.63	3600	-9	0.3	9.0	11.9
	9/8/2010	NM	3360	114	1.4	44	17.25

Notes:
S.U. = standard pH units
umhos/cm = micromhos per centimeter
mV = millivolts
mg/L = milligrams per liter
NTU = nephelometric turbidity units
°C = degrees Celsius
NM = not measured

US EPA ARCHIVE DOCUMENT

Table 2
Summary of Field Parameters in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Analyte		pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature
Units		S.U.	umhos/cm	mV	mg/L	NTU	°C
MW-25s	12/10/2009	7.08	743	71	0.93	31.3	11.01
	3/16/2010	7.09	830	38	1.49	23.8	11.69
	5/14/2010	7.72	1066	118	0.8	52	11.8
	9/8/2010	NM	1104	77	1.7	40	13.65
MW-26s	4/6/2010	6.09	1116	140	0.31	16.2	13.08
	5/14/2010	7.81	1024	-22	0.2	22	14.3
	9/8/2010	NM	1128	-64	0.2	49	15.08
MW-27s	3/23/2010	7.38	1198	-57	0.15	67.8	8.27
	5/17/2010	6.62	1274	150	0.2	58	11.7
	9/9/2010	NM	1660	-61	0.3	58	16.68
MW-27d	3/23/2010	7.27	1175	-108	0.21	23.9	12.79
	5/17/2010	6.90	1429	127	0.3	3.0	12.7
	9/9/2010	NM	1468	-12	0.4	35	12.89
MW-28s	3/23/2010	7.30	778	-1	1.93	22.2	11.50
	5/17/2010	7.48	1260	148	1.5	10	12.1
	9/9/2010	NM	779	42	1.5	41	12.85
MW-28d	3/23/2010	7.26	827	-81	0.31	31.9	11.41
	5/17/2010	7.38	9.26	148	0.5	16	13.2
	9/9/2010	NM	901	10	0.9	58	13.37
MW-29s	3/18/2010	7.05	2820	-59	0.37	24.8	12.71
	5/17/2010	6.98	3270	-16	0.2	18	12.8
	9/9/2010	NM	4410	-107	0.3	35	16.30
MW-29d	3/18/2010	7.24	1182	-134	0.21	5999	13.78
	5/17/2010	7.40	1405	60	1.0	10	15.0
	9/9/2010	NM	1437	6	0.6	35	19.35
MW-30s	3/23/2010	7.03	2120	-14	1.68	102	9.98
	5/17/2010	7.40	2430	69	0.2	22	12.1
	9/9/2010	NM	1840	-85	0.2	52	17.01
MW-30d	3/23/2010	6.92	1670	-94	0.36	36.0	12.10
	5/17/2010	7.48	1910	-5	0.2	44	13.6
	9/9/2010	NM	1870	-98	0.2	52	16.35
MW-31	6/18/2010	6.93	1416	139	4.96	14.8	12.96
	9/17/2010	7.03	1052	107	4.60	86.9	11.79
MW-32s	9/17/2010	7.29	771	-20	0.31	46.8	17.52
MW-33s	9/17/2010	7.13	1006	-95	0.48	39.2	16.55
MW-34s	9/17/2010	7.40	562	21	3.83	44.2	16.02

Notes:
S.U. = standard pH units
umhos/cm = micromhos per centimeter
mV = millivolts
mg/L = milligrams per liter
NTU = nephelometric turbidity units
°C = degrees Celsius
NM = not measured

US EPA ARCHIVE DOCUMENT

Table 3
Summary of Detected Volatile Organic Compounds in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Analyte		2-Butanone	1,1-Dichloroethane	1,1-Dichloroethene[2]	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DWC		13,000	880	7.0	70	100	5.0	200	5.0	2600	2.0
Industrial DWC		38,000	2,500	7.0	70	100	5.0	200	5.0	7300	2.0
GSI Criteria		2,200	740	65[1]	620	1,500	45[1]	200	200[1]	NC	15
Residential GWSL for Vapor Intrusion		4.6E+06	130	390	440	330	11	15,000	58	370	5.0
Non-Residential GWSL for Vapor Intrusion		6.4E+06	440	550	610	460	37	21,000	190	510	17
Groundwater Contact Criteria		2.4E+08	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-01s (16-21')	3/13/2009	<100	<20	<20	<20	<20	<20	**750**	**2,700**	<20	<20
	4/20/2009	NA	<100	<100	<100	<100	<100	**1,100**	**2,200**	NA	<100
	12/09/2009	<100	<20	<20	<20	<20	<20	**1,000**	**3,400**	<20	<20
	3/17/2010	<100	<20	<20	<20	<20	<20	**1,400**	**2,500**	<20	<20
	5/18/2010	<100	<20	<20	<20	<20	<20	**1,000**	**2,700**	<20	<20
	9/3/2010	<100	<20	<20	<20	<20	<20	**750**	**2,400**	<20	<20
DUP-01 (MW-01s)	3/13/2009	<20	<20	<20	<20	<20	<20	**720**	**2700**	<20	<20
MW-02s (23-28')	3/13/2009	<10	<2.0	<2.0	**2.4**	<2.0	**2.2**	**2.5**	**280**	<2.0	<2.0
	4/20/2009	NA	<10	<10	<10	<10	<10	<10	**130**	NA	<10
	12/09/2009	<10	<2.0	<2.0	**3.7**	<2.0	**2.7**	**2.9**	**250**	<2.0	<2.0
	3/17/2010	**13**	<2.0	<2.0	**4.1**	<2.0	**2.3**	**3.1**	**290**	<2.0	<2.0
	5/18/2010	<10	<2.0	<2.0	**2.3**	<2.0	**2.4**	**2.6**	**210**	<2.0	<2.0
	9/3/2010	<10	<2.0	<2.0	**2.3**	<2.0	**2.3**	**2.3**	**220**	<2.0	<2.0
MW-03s (9-14')	3/13/2009	<10	**9.1**	<2.0	**240**	**9.1**	<2.0	<2.0	<2.0	<2.0	**140**
	4/20/2009	NA	**18**	<10	**490**	**18**	<10	<10	<10	NA	**210**
	12/08/2009	<120	**46**	<25	**2,200**	**83**	<25	<25	<25	<25	**130**
	3/17/2010	<25	**11**	<5.0	**460**	**17**	<5.0	<5.0	<5.0	<5.0	**42**
	5/18/2010	<25	**14**	<5.0	**630**	**24**	<5.0	<5.0	<5.0	<5.0	**34**
	9/3/2010	<50	**29**	<10	**1,600**	**63**	<10	<10	<10	<10	**83**
DUP-01 (MW-03s)	12/08/2009	<120	**42**	<25	**2,000**	**73**	<25	<25	<25	<25	**120**
MW-04s (15-20')	3/13/2009	<120	<25	<25	**2,100**	**70**	<25	<25	**5,000**	<25	**460**
	4/20/2009	NA	<100	<100	**1,700**	<100	<100	<100	**4,000**	NA	**520**
	12/09/2009	<250	<50	<50	**2,500**	**90**	<50	<50	**7,100**	<50	**270**
	3/17/2010	<250	<50	<50	**2,900**	**82**	<50	<50	**7,500**	<50	**520**
	5/18/2010	<250	<50	<50	**2,100**	**58**	<50	<50	**4,700**	<50	**280**
	9/3/2010	<250	<50	<50	**2,400**	**70**	<50	<50	**5,200**	<50	**200**

Notes:

Residential and Industrial Drinking Water Criteria (DWC), Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006. Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDNRE Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW$_{VI}$ SLs) for Vapor Intrusion,* using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA). Proposed GWSLs were approved by USEPA in a comment letter dated August 24, 2010.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote {X} of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

US EPA ARCHIVE DOCUMENT

Table 3
Summary of Detected Volatile Organic Compounds in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Analyte		2-Butanone	1,1-Dichloroethane	1,1-Dichloroethene(2)	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DWC		13,000	880	7.0	70	100	5.0	200	5.0	2600	2.0
Industrial DWC		38,000	2,500	7.0	70	100	5.0	200	5.0	7300	2.0
GSI Criteria		2,200	740	65(1)	620	1,500	45(1)	200	200(1)	NC	15
Residential GWSL for Vapor Intrusion		4.6E+06	130	390	440	330	11	15,000	58	370	5.0
Non-Residential GWSL for Vapor Intrusion		6.4E+06	440	550	610	460	37	21,000	190	510	17
Groundwater Contact Criteria		2.4E+08	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-05s (25-30')	3/13/2009	<5.0	<1.0	<1.0	<1.0	<1.0	**3.5**	<1.0	**120**	<1.0	<1.0
	4/20/2009	NA	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	**140**	NA	<5.0
	12/10/2009	<5.0	<1.0	<1.0	<1.0	<1.0	**5.3**	<1.0	**190**	<1.0	<1.0
	3/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	**6.3**	<1.0	**160**	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	**4.6**	<1.0	**160**	<1.0	<1.0
	9/3/2010	<5.0	<1.0	<1.0	<1.0	<1.0	**4.6**	<1.0	**140**	<1.0	<1.0
MW-06s (24-29')	3/16/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**21**	<1.0	<1.0
	4/20/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**23**	NA	<1.0
	12/09/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**37**	<1.0	<1.0
	3/18/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**31**	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**33**	<1.0	<1.0
	9/3/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**29**	<1.0	<1.0
MW-07s (23.5-28.5')	3/16/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	**2.1**	**10**	<1.0	<1.0
	4/20/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	**1.6**	**11**	NA	<1.0
	12/10/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	**1.8**	**14**	<1.0	<1.0
	3/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	**1.9**	**13**	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	**1.9**	**13**	<1.0	<1.0
	9/3/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	**1.4**	**12**	<1.0	<1.0
MW-08s (23.5-28.5')	3/16/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**11**	<1.0	<1.0
	4/20/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**10**	NA	<1.0
	12/10/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**11**	<1.0	<1.0
DUP-01 (MW-08s)	4/20/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**10**	NA	<1.0
MW-09s (7-12')	3/16/2009	<100	<20	<20	<20	<20	<20	**160**	**1,700**	<20	<20
	4/20/2009	NA	<100	<100	<100	<100	<100	**220**	**2,100**	NA	<100
	12/09/2009	<100	<20	<20	<20	<20	<20	**150**	**2,400**	<20	<20
	3/18/2010	<100	<20	<20	<20	<20	<20	**120**	**1,500**	<20	<20
	5/18/2010	<100	<20	<20	<20	<20	<20	**120**	**1,700**	<20	<20
	9/8/2010	<100	<20	<20	<20	<20	<20	**120**	**1,700**	<20	<20

Notes:

Residential and Industrial Drinking Water Criteria (DWC), Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006. Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDNRE Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_{VI} SLs) for Vapor Intrusion,* using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA). Proposed GWSLs were approved by USEPA in a comment letter dated August 24, 2010.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote {X} of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

US EPA ARCHIVE DOCUMENT

Table 3
Summary of Detected Volatile Organic Compounds in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Analyte		2-Butanone	1,1-Dichloroethane	1,1-Dichloroethene[2]	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DWC		13,000	880	7.0	70	100	5.0	200	5.0	2600	2.0
Industrial DWC		38,000	2,500	7.0	70	100	5.0	200	5.0	7300	2.0
GSI Criteria		2,200	740	65[1]	620	1,500	45[1]	200	200[1]	NC	15
Residential GWSL for Vapor Intrusion		4.6E+06	130	390	440	330	11	15,000	58	370	5.0
Non-Residential GWSL for Vapor Intrusion		6.4E+06	440	550	610	460	37	21,000	190	510	17
Groundwater Contact Criteria		2.4E+08	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-10s (8-13')	5/15/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/09/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/16/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
DUP-02 (MW-10s)	5/15/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-10d (14-19')	12/09/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-11s (29-34')	5/14/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	1/13/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
DUP-02 (MW-11s)	5/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
DUP-01 (MW-11s)	9/3/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-12s (12-17')	5/15/2009	NA	<1.0	<1.0	<1.0	<1.0	**1.4**	<1.0	<1.0	<1.0	<1.0
	12/30/2009	<5.0	<1.0	<1.0	<1.0	<1.0	**1.4**	<1.0	<1.0	<1.0	<1.0
	3/15/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	**1.0**	<1.0	<1.0	<1.0	<1.0
	9/10/2010	<5.0	<1.0	<1.0	<1.0	<1.0	**1.6**	<1.0	<1.0	<1.0	<1.0
MW-12d (33-38')	3/18/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-13s (13-18')	5/15/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/10/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/10/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Notes:

Residential and Industrial Drinking Water Criteria (DWC), Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006. Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDNRE Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_{VI} SLs) for Vapor Intrusion,* using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA). Proposed GWSLs were approved by USEPA in a comment letter dated August 24, 2010.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote {X} of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

US EPA ARCHIVE DOCUMENT

Table 3
Summary of Detected Volatile Organic Compounds in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Analyte		2-Butanone	1,1-Dichloroethane	1,1-Dichloroethene[2]	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DWC		13,000	880	7.0	70	100	5.0	200	5.0	2600	2.0
Industrial DWC		38,000	2,500	7.0	70	100	5.0	200	5.0	7300	2.0
GSI Criteria		2,200	740	65[1]	620	1,500	45[1]	200	200[1]	NC	15
Residential GWSL for Vapor Intrusion		4.6E+06	130	390	440	330	11	15,000	58	370	5.0
Non-Residential GWSL for Vapor Intrusion		6.4E+06	440	550	610	460	37	21,000	190	510	17
Groundwater Contact Criteria		2.4E+08	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-14s (4-9')	5/14/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/08/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/10/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-14d (37.5-42.5')	3/23/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/10/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-15s (30-35')	5/15/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/30/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/10/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-17s (3-8')	7/23/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/07/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/18/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/10/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-18s (26-31')	12/08/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/16/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-19s (25-30')	12/08/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	**1.8**	**31**	<1.0	<1.0
	1/13/2010	<5.0	<1.0	<1.0	<1.0	<1.0	**1.2**	**2.3**	**36**	<1.0	<1.0
	3/16/2010	<5.0	<1.0	<1.0	<1.0	<1.0	**1.1**	**1.7**	**36**	<1.0	<1.0
	5/18/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	**1.6**	**32**	<1.0	<1.0
	9/8/2010	<5.0	<1.0	<1.0	<1.0	<1.0	**1.2**	**1.8**	**33**	<1.0	<1.0
DUP-03 (MW-19s)	9/10/2010	<5.0	<1.0	<1.0	<1.0	<1.0	**1.0**	**1.7**	**32**	<1.0	<1.0

Notes:
Residential and Industrial Drinking Water Criteria (DWC), Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006. Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDNRE Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_{VI} SLs) for Vapor Intrusion,* using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA). Proposed GWSLs were approved by USEPA in a comment letter dated August 24, 2010.
ug/L = micrograms per liter
NC = No criteria
NA = Not analyzed
Bold font denotes concentrations detected above laboratory reporting limits
Denotes concentrations above one or more criteria
1) Criterion is not protective for surface water used as a drinking water source as described in footnote {X} of MDEQ Op Memo 1 Part 201, Attachment 1.
2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

US EPA ARCHIVE DOCUMENT

Table 3
Summary of Detected Volatile Organic Compounds in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Analyte		2-Butanone	1,1-Dichloroethane	1,1-Dichloroethene(2)	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DWC		13,000	880	7.0	70	100	5.0	200	5.0	2600	2.0
Industrial DWC		38,000	2,500	7.0	70	100	5.0	200	5.0	7300	2.0
GSI Criteria		2,200	740	65(1)	620	1,500	45(1)	200	200(1)	NC	15
Residential GWSL for Vapor Intrusion		4.6E+06	130	390	440	330	11	15,000	58	370	5.0
Non-Residential GWSL for Vapor Intrusion		6.4E+06	440	550	610	460	37	21,000	190	510	17
Groundwater Contact Criteria		2.4E+08	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-19d (40-45')	12/08/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/16/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
DUP-01 (MW-19d)	5/12/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-20s (8-13')	12/30/2009	<5.0	**48**	**4.0**	**9.6**	<1.0	<1.0	**150**	**71**	**2.9**	<1.0
	1/13/2010	<5.0	**50**	**3.5**	**9.0**	<1.0	<1.0	**170**	**70**	**2.8**	<1.0
	3/17/2010	<5.0	**51**	**3.8**	**9.4**	<1.0	<1.0	**160**	**64**	**3.2**	<1.0
	5/18/2010	<10	**58**	**5.1**	**12**	<2.0	<2.0	**210**	**94**	**3.4**	<2.0
	9/9/2010	<10	**34**	**4.2**	**10**	<2.0	<2.0	**230**	**110**	**3.8**	<2.0
MW-20d (38.5-43.5')	12/30/2009	<5.0	**1.2**	<1.0	**86**	<1.0	<1.0	**1.9**	<1.0	<1.0	**3.5**
	1/13/2010	<5.0	<1.0	<1.0	**94**	**2.0**	<1.0	<1.0	<1.0	<1.0	**3.7**
	3/17/2010	<5.0	<1.0	<1.0	**85**	<1.0	<1.0	<1.0	<1.0	<1.0	**4.4**
	5/18/2010	<5.0	<1.0	<1.0	**120**	<1.0	<1.0	<1.0	<1.0	<1.0	**3.7**
	9/8/2010	<5.0	<1.0	<1.0	**95**	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
DUP-03 (MW-20d)	5/18/2010	<5.0	<1.0	<1.0	**120**	**1.0**	<1.0	<1.0	<1.0	<1.0	**3.7**
MW-21 (28.5-33.5')	12/08/2009	<50	**31**	<10	**59**	<10	<10	**54**	**840**	<10	<10
	1/13/2010	<50	**28**	<10	**62**	<10	<10	**56**	**730**	<10	<10
	3/23/2010	<5.0	**33**	**2.2**	**81**	**7.5**	<1.0	**62**	**850**	<1.0	<1.0
	5/18/2010	<50	**35**	<10	**89**	<10	<10	**63**	**830**	<10	<10
	10/15/2010	<50	**26**	<10	**80**	<10	<10	**59**	**810**	<10	<10
DUP-02 (MW-21)	3/23/2010	<5.0	**33**	**2.2**	**79**	**7.8**	<1.0	**61**	**810**	<1.0	<1.0
MW-22 (25-30')	12/07/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**10**
	3/18/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**8.5**
	5/18/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**2.0**
	9/9/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**4.3**

Notes:

Residential and Industrial Drinking Water Criteria (DWC), Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006. Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDNRE Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW VI SLs) for Vapor Intrusion,* using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA). Proposed GWSLs were approved by USEPA in a comment letter dated August 24, 2010.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote {X} of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

US EPA ARCHIVE DOCUMENT

Table 3
Summary of Detected Volatile Organic Compounds in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Analyte		2-Butanone	1,1-Dichloroethane	1,1-Dichloroethene(2)	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DWC		13,000	880	7.0	70	100	5.0	200	5.0	2600	2.0
Industrial DWC		38,000	2,500	7.0	70	100	5.0	200	5.0	7300	2.0
GSI Criteria		2,200	740	65(1)	620	1,500	45(1)	200	200(1)	NC	15
Residential GWSL for Vapor Intrusion		4.6E+06	130	390	440	330	11	15,000	58	370	5.0
Non-Residential GWSL for Vapor Intrusion		6.4E+06	440	550	610	460	37	21,000	190	510	17
Groundwater Contact Criteria		2.4E+08	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-23 (17-22')	12/08/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**3.2**
	1/13/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**7.6**
	3/16/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**4.0**
	5/18/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**6.1**
	9/9/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**9.0**
MW-24s (18.5'-23.5')	12/08/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-24d (39-44')	12/08/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-25s (20-25')	12/10/2009	<5.0	**1.7**	<1.0	**8.8**	<1.0	<1.0	**4.8**	<1.0	<1.0	<1.0
	3/16/2010	<5.0	**1.2**	<1.0	<1.0	<1.0	<1.0	**17**	**1.1**	<1.0	<1.0
	5/14/2010	<5.0	**1.2**	<1.0	<1.0	<1.0	<1.0	**18**	**1.0**	<1.0	<1.0
	9/9/2010	<5.0	**1.0**	<1.0	<1.0	<1.0	<1.0	**19**	**1.4**	<1.0	<1.0
DUP-01 (MW-25s)	3/16/2010	<5.0	**1.3**	<1.0	<1.0	<1.0	<1.0	**18**	**1.0**	<1.0	<1.0
MW-26s (28-33')	4/6/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/10/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-27s (7-12')	3/23/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**3.0**	<1.0	<1.0
	9/9/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
DUP-02 (MW-27s)	9/9/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-27d (37.5-42.5')	3/23/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Notes:

Residential and Industrial Drinking Water Criteria (DWC), Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006. Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDNRE Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_{VI} SLs) for Vapor Intrusion,* using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA). Proposed GWSLs were approved by USEPA in a comment letter dated August 24, 2010.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote {X} of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

US EPA ARCHIVE DOCUMENT

Table 3
Summary of Detected Volatile Organic Compounds in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Third Quarter 2010

Analyte		2-Butanone	1,1-Dichloroethane	1,1-Dichloroethene(2)	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DWC		13,000	880	7.0	70	100	5.0	200	5.0	2600	2.0
Industrial DWC		38,000	2,500	7.0	70	100	5.0	200	5.0	7300	2.0
GSI Criteria		2,200	740	65(1)	620	1,500	45(1)	200	200(1)	NC	15
Residential GWSL for Vapor Intrusion		4.6E+06	130	390	440	330	11	15,000	58	370	5.0
Non-Residential GWSL for Vapor Intrusion		6.4E+06	440	550	610	460	37	21,000	190	510	17
Groundwater Contact Criteria		2.4E+08	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-28s (25-30')	3/23/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-28d (49-54')	3/23/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-29s (13-18')	3/18/2010	<5.0	<1.0	<1.0	**1.3**	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	**1.2**	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/17/2010	<5.0	<1.0	<1.0	**1.4**	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-29d (58.5-63.5')	3/18/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-30s (11-16')	3/23/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-30d (25.5-30.5')	3/23/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/10/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-31 (33.3-38.3')	6/18/2010	<5.0	**14**	<1.0	**19**	**2.2**	<1.0	**20**	**180**	<1.0	<1.0
	9/9/2010	<10	<2.0	<2.0	**15**	<2.0	<2.0	**48**	**220**	<2.0	**2.5**
DUP-01 (MW-31)	6/18/2010	<5.0	**12**	<1.0	**19**	**2.3**	<1.0	**21**	**170**	<1.0	<1.0
MW-32s (23-28')	9/10/2010	<100	**150**	<20	**270**	**26**	<20	**220**	**2,400**	<20	<20
MW-33s (21-26')	9/10/2010	<5.0	**12**	<1.0	**13**	<1.0	<1.0	<1.0	**76**	<1.0	**64**
MW-34s (23-28')	9/17/2010	<100	<20	<20	<20	<20	<20	**1,600**	**1,100**	<20	<20

Notes:

Residential and Industrial Drinking Water Criteria (DWC), Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006. Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDNRE Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW $_{VI}$ SLs) for Vapor Intrusion,* using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA). Proposed GWSLs were approved by USEPA in a comment letter dated August 24, 2010.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote {X} of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

US EPA ARCHIVE DOCUMENT

Figures

US EPA ARCHIVE DOCUMENT



LEGEND

- FORMER TECUMSEH PRODUCTS SITE BOUNDARY
- PARCEL BOUNDARY
- RAILROAD TRACKS (APPROXIMATE LOCATION)
- 750 — APPROXIMATE GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S. TOPOGRAPHIC QUADRANGLE MAP
- B-2 — PERIMETER / OFF-SITE INVESTIGATION SOIL BORING LOCATION AND NUMBER
- MW-4S — MONITORING WELL LOCATION AND NUMBER
- NS-6 — NORTHERN SOURCE AREA INVESTIGATION BORING LOCATION AND NUMBER
- SS-2 — SOUTHERN SOURCE AREA INVESTIGATION BORING LOCATION AND NUMBER
- STW-2 — STORM WATER SEWER SAMPLE LOCATION AND NUMBER
- WL-01 — WETLAND SURFACE WATER SAMPLE LOCATION
- SG-02 — SOIL GAS SAMPLE LOCATION AND NUMBER
- FLOODPLAIN / WOODED WETLAND AREA

NOTES

1. BASE MAP DEVELOPED FROM SITE PLAN PROVIDED BY THE CITY OF TECUMSEH, DRAWING NO. CITY.DWG, MARCH 2009.
2. GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S TOPOGRAPHIC QUADRANGLE MAP AND GROUND SURVEY DATA.

N

0 200' 400' 600' 800'
SCALE IN FEET

NO.	BY	DATE	REVISION	APP'D.
5.				
4.				
3.				
2.				
1.				

FORMER TECUMSEH PRODUCTS SITE
TECUMSEH, MICHIGAN

SURFACE TOPOGRAPHY AND SAMPLE LOCATIONS

DRAWN BY: SJL	DRAWING SCALE: AS INDICATED	PROJECT NO:	J:\02751\08
CHECKED BY: SEM		FILE NO:	02751.08.11.dwg
APPROVED BY: GC	DATE PRINTED:	FIGURE 1	
DATE: January 2011			

RMT
3754 Ranchero Drive
Ann Arbor, MI 48108-2237
Phone: 734-971-7080 • Fax: 734-971-9022

PLOT DATA:
Drawing Name: 02751.08.11.dwg
Operator Name: LUC/DG,SAM
Drawing Plot Scale: 0.93:0003
Drawing Plot Date: 1/12/2011/9:02:18 AM
Drawing Size: 1.20 Mb
Plot Date: January 7, 2011
Plot Time: 9:52 AM
Attached Xrefs:
Attached Images:
Layout:
Site Plan and Monitoring Wells (1)



LEGEND

- FORMER TECUMSEH PRODUCTS SITE BOUNDARY
- PARCEL BOUNDARY
- RAILROAD TRACKS (APPROXIMATE LOCATION)
- 750 — APPROXIMATE GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S. TOPOGRAPHIC QUADRANGLE MAP
- B-2 ✦ — PERIMETER / OFF-SITE INVESTIGATION SOIL BORING LOCATION AND NUMBER
- MW-4S ▲ — MONITORING WELL LOCATION AND NUMBER
- NS-6 ✦ — NORTHERN SOURCE AREA INVESTIGATION BORING LOCATION AND NUMBER
- SS-2 ✦ — SOUTHERN SOURCE AREA INVESTIGATION BORING LOCATION AND NUMBER
- STW-2 ✱ — STORM WATER SEWER SAMPLE LOCATION AND NUMBER
- WL-01 ▼ — WETLAND SURFACE WATER SAMPLE LOCATION
- 750 — 5 FOOT GROUNDWATER CONTOUR LINE
- 749 — 1 FOOT GROUNDWATER CONTOUR LINE
- GROUNDWATER FLOW DIRECTION
- (750.54) GROUNDWATER ELEVATION
- FLOODPLAIN / WOODED WETLAND AREA

NOTES

1. BASE MAP DEVELOPED FROM SITE PLAN PROVIDED BY THE CITY OF TECUMSEH, DRAWING NO. CITY.DWG, MARCH 2009.
2. GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S TOPOGRAPHIC QUADRANGLE MAP AND GROUND SURVEY DATA.
3. MW-14S IS SCREENED IN A DIFFERENT, PERCHED, WATER BEARING UNIT THAN THE OTHER SHALLOW MONITORING WELLS ON-SITE. THE GROUNDWATER ELEVATION MEASURED AT MW-14D WAS USED TO DEVELOP GROUNDWATER CONTOURS, BECAUSE MW-14D IS SCREENED IN THE DEEPER WATER BEARING UNIT WHICH IS HYDRAULICALLY CONNECTED TO THE SITE.

0 200' 400' 600' 800'
SCALE IN FEET

NO.	BY	DATE	REVISION	APP'D.
5.				
4.				
3.				
2.				
1.				

FORMER TECUMSEH PRODUCTS SITE
TECUMSEH, MICHIGAN

GROUNDWATER CONTOUR MAP
SEPTEMBER 2010

DRAWN BY: SJL	DRAWING SCALE: AS INDICATED	PROJECT NO:	J:\02751\08
CHECKED BY: SEM		FILE NO:	02751.08.12.dwg
APPROVED BY: GC	DATE PRINTED:	FIGURE 2	
DATE: January 2011			

RMT
3754 Ranchero Drive
Ann Arbor, MI 48108-2237
Phone: 734-971-7080 • Fax: 734-971-9022



LEGEND

- FORMER TECUMSEH PRODUCTS SITE BOUNDARY
- PARCEL BOUNDARY
- RAILROAD TRACKS (APPROXIMATE LOCATION)
- 750 — APPROXIMATE GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S. TOPOGRAPHIC QUADRANGLE MAP
- B-2 — PERIMETER / OFF-SITE INVESTIGATION SOIL BORING LOCATION AND NUMBER
- MW-4S — MONITORING WELL LOCATION AND NUMBER
- NS-6 — NORTHERN SOURCE AREA INVESTIGATION BORING LOCATION AND NUMBER
- SS-2 — SOUTHERN SOURCE AREA INVESTIGATION BORING LOCATION AND NUMBER
- STW-2 — STORM WATER SEWER SAMPLE LOCATION AND NUMBER
- WL-01 — WETLAND SURFACE WATER SAMPLE LOCATION
- FLOODPLAIN / WOODED WETLAND AREA
- EXTENT OF VOCs ABOVE DRINKING WATER CRITERIA
- EXTENT OF VOCs ABOVE GSI CRITERIA

NOTES

1. BASE MAP DEVELOPED FROM SITE PLAN PROVIDED BY THE CITY OF TECUMSEH, DRAWING NO. CITY.DWG, MARCH 2009.
2. GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S TOPOGRAPHIC QUADRANGLE MAP AND GROUND SURVEY DATA.

N

0 200' 400' 600' 800'
SCALE IN FEET

NO.	BY	DATE	REVISION	APP'D.
5.				
4.				
3.				
2.				
1.				

FORMER TECUMSEH PRODUCTS SITE
TECUMSEH, MICHIGAN

EXTENT OF VOCs ABOVE PART 201 CRITERIA

DRAWN BY: SJL	DRAWING SCALE: AS INDICATED	PROJECT NO: J:\02751\08	
CHECKED BY: SEM		FILE NO: 02751.08.13.dwg	
APPROVED BY: GC	DATE PRINTED:	FIGURE 3	
DATE: January 2011			

RMT
3754 Ranchero Drive
Ann Arbor, MI 48108-2237
Phone: 734-971-7080 • Fax: 734-971-9022

PLOT DATA:
Drawing Number: 1/02751/8/02751.08.13.dwg
Operator Name: LUC/DG SAM
Drawing Proj Scale: 0.00:0000

Drawing Name: Extent of VOCs (3)
Attached Images: layout
Attached Xrefs:
Plot Date: January 7, 2011
Plot Time: 9:52 AM
Dwg Size: 1.22 Mb

Attachment 1

US EPA ARCHIVE DOCUMENT

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

January 07, 2011

RMT, Inc. - Ann Arbor Office
Attn: Ms. Stacy Metz
3754 Ranchero Drive
Ann Arbor, MI 48108-2771

Project: Tecumseh Products

Dear Ms. Stacy Metz,

Enclosed is a copy of the laboratory report, comprised of the following work order(s), for test samples received by TriMatrix Laboratories:

Work Order	Received	Description
1009161	09/10/2010	Laboratory Services
1009164	09/13/2010	Laboratory Services
1009313	09/20/2010	Laboratory Services

This report relates only to the sample(s), as received. Test results are in compliance with the requirements of the National Environmental Laboratory Accreditation Conference (NELAC). Any qualifications of results, including sample acceptance requirements, are explained in the Statement of Data Qualifications.

Estimates of analytical uncertainties for the test results contained within this report are available upon request.

If you have any questions or require further information, please do not hesitate to contact me.

Sincerely,

Jennifer L. Rice
Project Chemist

Enclosures(s)

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**STW-2**	Sampled:	09/02/10 12:50
Lab Sample ID:	**1009161-01**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**STW-2**	Sampled:	09/02/10 12:50
Lab Sample ID:	**1009161-01**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**STW-2**	Sampled:	09/02/10 12:50
Lab Sample ID:	**1009161-01**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	89	*88-115*
1,2-Dichloroethane-d4	101	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	98	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**STW-1**	Sampled:	09/02/10 13:10
Lab Sample ID:	**1009161-02**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**STW-1**	Sampled:	09/02/10 13:10
Lab Sample ID:	**1009161-02**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**STW-1**	Sampled:	09/02/10 13:10
Lab Sample ID:	**1009161-02**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	91	*88-115*
1,2-Dichloroethane-d4	101	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	99	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Trip Blank**	Sampled:	09/02/10 00:00
Lab Sample ID:	**1009161-03**	Sampled By:	TML
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Trip Blank**	Sampled:	09/02/10 00:00
Lab Sample ID:	**1009161-03**	Sampled By:	TML
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Trip Blank**	Sampled:	09/02/10 00:00
Lab Sample ID:	**1009161-03**	Sampled By:	TML
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	93	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	98	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-10S**	Sampled:	09/03/10 08:25
Lab Sample ID:	**1009161-04**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-10S**	Sampled:	09/03/10 08:25
Lab Sample ID:	**1009161-04**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-10S**	Sampled:	09/03/10 08:25
Lab Sample ID:	**1009161-04**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	94	*88-115*
1,2-Dichloroethane-d4	102	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	97	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-11S**	Sampled:	09/03/10 09:47
Lab Sample ID:	**1009161-05**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-11S**	Sampled:	09/03/10 09:47
Lab Sample ID:	**1009161-05**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-11S**	Sampled:	09/03/10 09:47
Lab Sample ID:	**1009161-05**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	94	*88-115*
1,2-Dichloroethane-d4	101	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	99	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Dup-01**	Sampled:	09/03/10 00:00
Lab Sample ID:	**1009161-06**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Dup-01**	Sampled:	09/03/10 00:00
Lab Sample ID:	**1009161-06**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Dup-01**	Sampled:	09/03/10 00:00
Lab Sample ID:	**1009161-06**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	94	*88-115*
1,2-Dichloroethane-d4	101	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	97	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-12S**	Sampled:	09/03/10 11:05
Lab Sample ID:	**1009161-07**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-12S**	Sampled:	09/03/10 11:05
Lab Sample ID:	**1009161-07**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	**1.6**	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-12S**	Sampled:	09/03/10 11:05
Lab Sample ID:	**1009161-07**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	96	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	97	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-12D**	Sampled:	09/03/10 11:56
Lab Sample ID:	**1009161-08**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-12D**	Sampled:	09/03/10 11:56
Lab Sample ID:	**1009161-08**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-12D**	Sampled:	09/03/10 11:56
Lab Sample ID:	**1009161-08**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	96	*88-115*
1,2-Dichloroethane-d4	104	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	98	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-13S**	Sampled:	09/03/10 13:02
Lab Sample ID:	**1009161-09**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-13S**	Sampled:	09/03/10 13:02
Lab Sample ID:	**1009161-09**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-13S**	Sampled:	09/03/10 13:02
Lab Sample ID:	**1009161-09**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	97	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	98	*87-113*
4-Bromofluorobenzene	97	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-14S**	Sampled:	09/03/10 13:45
Lab Sample ID:	**1009161-10**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-14S**	Sampled:	09/03/10 13:45
Lab Sample ID:	**1009161-10**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-14S**	Sampled:	09/03/10 13:45
Lab Sample ID:	**1009161-10**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	96	*88-115*
1,2-Dichloroethane-d4	102	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	99	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-14D**	Sampled:	09/03/10 15:18
Lab Sample ID:	**1009161-11**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-14D**	Sampled:	09/03/10 15:18
Lab Sample ID:	**1009161-11**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-14D**	Sampled:	09/03/10 15:18
Lab Sample ID:	**1009161-11**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	97	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	101	*87-113*
4-Bromofluorobenzene	99	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Rinse Blank 01**	Sampled:	09/03/10 15:25
Lab Sample ID:	**1009161-12**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Rinse Blank 01**	Sampled:	09/03/10 15:25
Lab Sample ID:	**1009161-12**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Rinse Blank 01**	Sampled:	09/03/10 15:25
Lab Sample ID:	**1009161-12**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	99	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	99	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-15S**	Sampled:	09/08/10 09:02
Lab Sample ID:	**1009161-13**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-15S**	Sampled:	09/08/10 09:02
Lab Sample ID:	**1009161-13**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-15S**	Sampled:	09/08/10 09:02
Lab Sample ID:	**1009161-13**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	98	*88-115*
1,2-Dichloroethane-d4	102	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	99	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-17S**	Sampled:	09/08/10 10:20
Lab Sample ID:	**1009161-14**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-17S**	Sampled:	09/08/10 10:20
Lab Sample ID:	**1009161-14**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-17S**	Sampled:	09/08/10 10:20
Lab Sample ID:	**1009161-14**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009518	Analytical Batch:	0I16039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	97	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	99	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**WL-01**	Sampled:	09/08/10 10:40
Lab Sample ID:	**1009161-15**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**WL-01**	Sampled:	09/08/10 10:40
Lab Sample ID:	**1009161-15**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**WL-01**	Sampled:	09/08/10 10:40
Lab Sample ID:	**1009161-15**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	96	*88-115*
1,2-Dichloroethane-d4	102	*81-116*
Toluene-d8	97	*87-113*
4-Bromofluorobenzene	97	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-18S**	Sampled:	09/08/10 12:36
Lab Sample ID:	**1009161-16**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-18S**	Sampled:	09/08/10 12:36
Lab Sample ID:	**1009161-16**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-18S**	Sampled:	09/08/10 12:36
Lab Sample ID:	**1009161-16**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	97	*88-115*
1,2-Dichloroethane-d4	104	*81-116*
Toluene-d8	97	*87-113*
4-Bromofluorobenzene	96	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-19D**	Sampled:	09/08/10 13:37
Lab Sample ID:	**1009161-17**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-19D**	Sampled:	09/08/10 13:37
Lab Sample ID:	**1009161-17**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-19D**	Sampled:	09/08/10 13:37
Lab Sample ID:	**1009161-17**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	98	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	97	*87-113*
4-Bromofluorobenzene	97	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-24S**	Sampled:	09/08/10 14:41
Lab Sample ID:	**1009161-18**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-24S**	Sampled:	09/08/10 14:41
Lab Sample ID:	**1009161-18**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-24S**	Sampled:	09/08/10 14:41
Lab Sample ID:	**1009161-18**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	96	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	96	*87-113*
4-Bromofluorobenzene	97	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-24D**	Sampled:	09/08/10 15:10
Lab Sample ID:	**1009161-19**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-24D**	Sampled:	09/08/10 15:10
Lab Sample ID:	**1009161-19**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-24D**	Sampled:	09/08/10 15:10
Lab Sample ID:	**1009161-19**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/14/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	98	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	96	*87-113*
4-Bromofluorobenzene	96	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-25S**	Sampled:	09/08/10 16:17
Lab Sample ID:	**1009161-20**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	**1.0**	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-25S**	Sampled:	09/08/10 16:17
Lab Sample ID:	**1009161-20**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	**19**	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	**1.4**	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-25S**	Sampled:	09/08/10 16:17
Lab Sample ID:	**1009161-20**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	99	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	96	*87-113*
4-Bromofluorobenzene	97	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-26S**	Sampled:	09/08/10 17:15
Lab Sample ID:	**1009161-21**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-26S**	Sampled:	09/08/10 17:15
Lab Sample ID:	**1009161-21**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-26S**	Sampled:	09/08/10 17:15
Lab Sample ID:	**1009161-21**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	99	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	96	*87-113*
4-Bromofluorobenzene	97	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Rinse Blank 02**	Sampled:	09/08/10 17:20
Lab Sample ID:	**1009161-22**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Rinse Blank 02**	Sampled:	09/08/10 17:20
Lab Sample ID:	**1009161-22**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Rinse Blank 02**	Sampled:	09/08/10 17:20
Lab Sample ID:	**1009161-22**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	101	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	97	*87-113*
4-Bromofluorobenzene	96	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-27S**	Sampled:	09/09/10 08:08
Lab Sample ID:	**1009161-23**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-27S**	Sampled:	09/09/10 08:08
Lab Sample ID:	**1009161-23**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-27S**	Sampled:	09/09/10 08:08
Lab Sample ID:	**1009161-23**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	100	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	96	*87-113*
4-Bromofluorobenzene	96	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Dup-02**	Sampled:	09/09/10 00:00
Lab Sample ID:	**1009161-24**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Dup-02**	Sampled:	09/09/10 00:00
Lab Sample ID:	**1009161-24**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Dup-02**	Sampled:	09/09/10 00:00
Lab Sample ID:	**1009161-24**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	100	*88-115*
1,2-Dichloroethane-d4	104	*81-116*
Toluene-d8	97	*87-113*
4-Bromofluorobenzene	96	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-27D**	Sampled:	09/09/10 08:34
Lab Sample ID:	**1009161-25**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-27D**	Sampled:	09/09/10 08:34
Lab Sample ID:	**1009161-25**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-27D**	Sampled:	09/09/10 08:34
Lab Sample ID:	**1009161-25**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	101	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	96	*87-113*
4-Bromofluorobenzene	96	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-28S**	Sampled:	09/09/10 09:29
Lab Sample ID:	**1009161-26**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-28S**	Sampled:	09/09/10 09:29
Lab Sample ID:	**1009161-26**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-28S**	Sampled:	09/09/10 09:29
Lab Sample ID:	**1009161-26**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	101	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	97	*87-113*
4-Bromofluorobenzene	96	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-28D**	Sampled:	09/09/10 10:04
Lab Sample ID:	**1009161-27**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-28D**	Sampled:	09/09/10 10:04
Lab Sample ID:	**1009161-27**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-28D**	Sampled:	09/09/10 10:04
Lab Sample ID:	**1009161-27**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	100	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	98	*87-113*
4-Bromofluorobenzene	96	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-29S**	Sampled:	09/09/10 11:08
Lab Sample ID:	**1009161-28**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	**1.4**	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-29S**	Sampled:	09/09/10 11:08
Lab Sample ID:	**1009161-28**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-29S**	Sampled:	09/09/10 11:08
Lab Sample ID:	**1009161-28**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	102	*88-115*
1,2-Dichloroethane-d4	107	*81-116*
Toluene-d8	98	*87-113*
4-Bromofluorobenzene	95	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-29D**	Sampled:	09/09/10 11:51
Lab Sample ID:	**1009161-29**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-29D**	Sampled:	09/09/10 11:51
Lab Sample ID:	**1009161-29**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-29D**	Sampled:	09/09/10 11:51
Lab Sample ID:	**1009161-29**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	101	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	97	*87-113*
4-Bromofluorobenzene	97	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-30S**	Sampled:	09/09/10 13:37
Lab Sample ID:	**1009161-30**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-30S**	Sampled:	09/09/10 13:37
Lab Sample ID:	**1009161-30**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-30S**	Sampled:	09/09/10 13:37
Lab Sample ID:	**1009161-30**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	102	*88-115*
1,2-Dichloroethane-d4	109	*81-116*
Toluene-d8	98	*87-113*
4-Bromofluorobenzene	96	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-30D**	Sampled:	09/09/10 14:31
Lab Sample ID:	**1009161-31**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-30D**	Sampled:	09/09/10 14:31
Lab Sample ID:	**1009161-31**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-30D**	Sampled:	09/09/10 14:31
Lab Sample ID:	**1009161-31**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	103	*88-115*
1,2-Dichloroethane-d4	108	*81-116*
Toluene-d8	98	*87-113*
4-Bromofluorobenzene	96	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-5S**	Sampled:	09/09/10 15:53
Lab Sample ID:	**1009161-32**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-5S**	Sampled:	09/09/10 15:53
Lab Sample ID:	**1009161-32**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	**4.6**	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	**140**	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009161**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-5S**	Sampled:	09/09/10 15:53
Lab Sample ID:	**1009161-32**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/10/10 20:00
Unit:	ug/L	Prepared:	09/14/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009519	Analytical Batch:	0I16042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	102	*88-115*
1,2-Dichloroethane-d4	108	*81-116*
Toluene-d8	97	*87-113*
4-Bromofluorobenzene	97	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Trip Blank 02**	Sampled:	09/10/10 00:00
Lab Sample ID:	**1009164-01**	Sampled By:	TML
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Trip Blank 02**	Sampled:	09/10/10 00:00
Lab Sample ID:	**1009164-01**	Sampled By:	TML
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Trip Blank 02**	Sampled:	09/10/10 00:00
Lab Sample ID:	**1009164-01**	Sampled By:	TML
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	98	*88-115*
1,2-Dichloroethane-d4	115	*81-116*
Toluene-d8	101	*87-113*
4-Bromofluorobenzene	98	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-6S**	Sampled:	09/10/10 06:36
Lab Sample ID:	**1009164-02**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-6S**	Sampled:	09/10/10 06:36
Lab Sample ID:	**1009164-02**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	**29**	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-6S**	Sampled:	09/10/10 06:36
Lab Sample ID:	**1009164-02**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	97	*88-115*
1,2-Dichloroethane-d4	116	*81-116*
Toluene-d8	101	*87-113*
4-Bromofluorobenzene	97	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-7S**	Sampled:	09/10/10 07:40
Lab Sample ID:	**1009164-03**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-7S**	Sampled:	09/10/10 07:40
Lab Sample ID:	**1009164-03**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	**1.4**	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	**12**	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-7S**	Sampled:	09/10/10 07:40
Lab Sample ID:	**1009164-03**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	1	Analyzed:	09/15/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	97	*88-115*
1,2-Dichloroethane-d4	115	*81-116*
Toluene-d8	101	*87-113*
4-Bromofluorobenzene	100	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-19S**	Sampled:	09/10/10 08:59
Lab Sample ID:	**1009164-04**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	1	Analyzed:	09/16/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-19S**	Sampled:	09/10/10 08:59
Lab Sample ID:	**1009164-04**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	1	Analyzed:	09/16/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	**1.2**	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	**1.8**	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	**33**	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-19S**	Sampled:	09/10/10 08:59
Lab Sample ID:	**1009164-04**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	1	Analyzed:	09/16/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	97	*88-115*
1,2-Dichloroethane-d4	116	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	98	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Dup-03**	Sampled:	09/10/10 00:00
Lab Sample ID:	**1009164-05**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/17/10 By: DLV
Dilution Factor:	1	Analyzed:	09/17/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I20013

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Dup-03**	Sampled:	09/10/10 00:00
Lab Sample ID:	**1009164-05**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/17/10 By: DLV
Dilution Factor:	1	Analyzed:	09/17/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I20013

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	**1.0**	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	**1.7**	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	**32**	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Dup-03**	Sampled:	09/10/10 00:00
Lab Sample ID:	**1009164-05**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/17/10 By: DLV
Dilution Factor:	1	Analyzed:	09/17/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I20013

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	94	*88-115*
1,2-Dichloroethane-d4	107	*81-116*
Toluene-d8	101	*87-113*
4-Bromofluorobenzene	100	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-20S**	Sampled:	09/10/10 10:13
Lab Sample ID:	**1009164-06**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	2	Analyzed:	09/16/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<40	40
107-13-1	Acrylonitrile	<4.0	4.0
71-43-2	Benzene	<2.0	2.0
108-86-1	Bromobenzene	<2.0	2.0
74-97-5	Bromochloromethane	<2.0	2.0
75-27-4	Bromodichloromethane	<2.0	2.0
75-25-2	Bromoform	<2.0	2.0
74-83-9	Bromomethane	<10	10
104-51-8	n-Butylbenzene	<2.0	2.0
135-98-8	sec-Butylbenzene	<2.0	2.0
98-06-6	tert-Butylbenzene	<2.0	2.0
75-15-0	Carbon Disulfide	<2.0	2.0
56-23-5	Carbon Tetrachloride	<2.0	2.0
108-90-7	Chlorobenzene	<2.0	2.0
75-00-3	Chloroethane	<10	10
67-66-3	Chloroform	<2.0	2.0
74-87-3	Chloromethane	<10	10
96-12-8	1,2-Dibromo-3-chloropropane	<10	10
124-48-1	Dibromochloromethane	<2.0	2.0
106-93-4	1,2-Dibromoethane	<2.0	2.0
74-95-3	Dibromomethane	<2.0	2.0
110-57-6	trans-1,4-Dichloro-2-butene	<2.0	2.0
95-50-1	1,2-Dichlorobenzene	<2.0	2.0
541-73-1	1,3-Dichlorobenzene	<2.0	2.0
106-46-7	1,4-Dichlorobenzene	<2.0	2.0
75-71-8	Dichlorodifluoromethane	<10	10
75-34-3	1,1-Dichloroethane	**34**	2.0
107-06-2	1,2-Dichloroethane	<2.0	2.0
75-35-4	1,1-Dichloroethene	**4.2**	2.0
156-59-2	cis-1,2-Dichloroethene	**9.7**	2.0
156-60-5	trans-1,2-Dichloroethene	<2.0	2.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-20S**	Sampled:	09/10/10 10:13
Lab Sample ID:	**1009164-06**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	2	Analyzed:	09/16/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<2.0	2.0
10061-01-5	cis-1,3-Dichloropropene	<2.0	2.0
10061-02-6	trans-1,3-Dichloropropene	<2.0	2.0
100-41-4	Ethylbenzene	<2.0	2.0
60-29-7	Ethyl Ether	<10	10
591-78-6	2-Hexanone	<10	10
74-88-4	Iodomethane	<2.0	2.0
98-82-8	Isopropylbenzene	<2.0	2.0
99-87-6	4-Isopropyltoluene	<10	10
1634-04-4	Methyl tert-Butyl Ether	<10	10
75-09-2	Methylene Chloride	<10	10
78-93-3	2-Butanone (MEK)	<10	10
91-57-6	2-Methylnaphthalene	<10	10
108-10-1	4-Methyl-2-pentanone (MIBK)	<10	10
91-20-3	Naphthalene	<10	10
103-65-1	n-Propylbenzene	<2.0	2.0
100-42-5	Styrene	<2.0	2.0
630-20-6	1,1,1,2-Tetrachloroethane	<2.0	2.0
79-34-5	1,1,2,2-Tetrachloroethane	<2.0	2.0
127-18-4	Tetrachloroethene	<2.0	2.0
109-99-9	Tetrahydrofuran	<10	10
108-88-3	Toluene	<2.0	2.0
87-61-6	1,2,3-Trichlorobenzene	<10	10
120-82-1	1,2,4-Trichlorobenzene	<10	10
71-55-6	1,1,1-Trichloroethane	**230**	2.0
79-00-5	1,1,2-Trichloroethane	<2.0	2.0
79-01-6	Trichloroethene	**110**	2.0
75-69-4	Trichlorofluoromethane	**3.8**	2.0
96-18-4	1,2,3-Trichloropropane	<2.0	2.0
95-63-6	1,2,4-Trimethylbenzene	<2.0	2.0
108-67-8	1,3,5-Trimethylbenzene	<2.0	2.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-20S**	Sampled:	09/10/10 10:13
Lab Sample ID:	**1009164-06**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	2	Analyzed:	09/16/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<2.0	2.0
136777-61-2	Xylene, Meta + Para	<4.0	4.0
95-47-6	Xylene, Ortho	<2.0	2.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	100	*88-115*
1,2-Dichloroethane-d4	115	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	98	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-20D**	Sampled:	09/10/10 10:41
Lab Sample ID:	**1009164-07**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	1	Analyzed:	09/16/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	**95**	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-20D**	Sampled:	09/10/10 10:41
Lab Sample ID:	**1009164-07**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	1	Analyzed:	09/16/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-20D**	Sampled:	09/10/10 10:41
Lab Sample ID:	**1009164-07**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	1	Analyzed:	09/16/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	97	*88-115*
1,2-Dichloroethane-d4	115	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	98	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-22**	Sampled:	09/10/10 11:51
Lab Sample ID:	**1009164-08**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	1	Analyzed:	09/16/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-22**	Sampled:	09/10/10 11:51
Lab Sample ID:	**1009164-08**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	1	Analyzed:	09/16/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-22**	Sampled:	09/10/10 11:51
Lab Sample ID:	**1009164-08**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	1	Analyzed:	09/16/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	**4.3**	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	100	*88-115*
1,2-Dichloroethane-d4	116	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	98	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-23**	Sampled:	09/10/10 12:59
Lab Sample ID:	**1009164-09**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/17/10 By: DLV
Dilution Factor:	1	Analyzed:	09/17/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I20013

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-23**	Sampled:	09/10/10 12:59
Lab Sample ID:	**1009164-09**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/17/10 By: DLV
Dilution Factor:	1	Analyzed:	09/17/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I20013

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-23**	Sampled:	09/10/10 12:59
Lab Sample ID:	**1009164-09**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/17/10 By: DLV
Dilution Factor:	1	Analyzed:	09/17/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I20013

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	**9.0**	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	95	*88-115*
1,2-Dichloroethane-d4	109	*81-116*
Toluene-d8	101	*87-113*
4-Bromofluorobenzene	99	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Rinse Blank 03**	Sampled:	09/10/10 13:15
Lab Sample ID:	**1009164-10**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/17/10 By: DLV
Dilution Factor:	1	Analyzed:	09/17/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I20013

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Rinse Blank 03**	Sampled:	09/10/10 13:15
Lab Sample ID:	**1009164-10**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/17/10 By: DLV
Dilution Factor:	1	Analyzed:	09/17/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I20013

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Rinse Blank 03**	Sampled:	09/10/10 13:15
Lab Sample ID:	**1009164-10**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/17/10 By: DLV
Dilution Factor:	1	Analyzed:	09/17/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I20013

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	94	*88-115*
1,2-Dichloroethane-d4	109	*81-116*
Toluene-d8	102	*87-113*
4-Bromofluorobenzene	99	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-1S**	Sampled:	09/10/10 13:50
Lab Sample ID:	**1009164-11**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/17/10 By: DLV
Dilution Factor:	20	Analyzed:	09/17/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I20013

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<400	400
107-13-1	Acrylonitrile	<40	40
71-43-2	Benzene	<20	20
108-86-1	Bromobenzene	<20	20
74-97-5	Bromochloromethane	<20	20
75-27-4	Bromodichloromethane	<20	20
75-25-2	Bromoform	<20	20
74-83-9	Bromomethane	<100	100
104-51-8	n-Butylbenzene	<20	20
135-98-8	sec-Butylbenzene	<20	20
98-06-6	tert-Butylbenzene	<20	20
75-15-0	Carbon Disulfide	<20	20
56-23-5	Carbon Tetrachloride	<20	20
108-90-7	Chlorobenzene	<20	20
75-00-3	Chloroethane	<100	100
67-66-3	Chloroform	<20	20
74-87-3	Chloromethane	<100	100
96-12-8	1,2-Dibromo-3-chloropropane	<100	100
124-48-1	Dibromochloromethane	<20	20
106-93-4	1,2-Dibromoethane	<20	20
74-95-3	Dibromomethane	<20	20
110-57-6	trans-1,4-Dichloro-2-butene	<20	20
95-50-1	1,2-Dichlorobenzene	<20	20
541-73-1	1,3-Dichlorobenzene	<20	20
106-46-7	1,4-Dichlorobenzene	<20	20
75-71-8	Dichlorodifluoromethane	<100	100
75-34-3	1,1-Dichloroethane	<20	20
107-06-2	1,2-Dichloroethane	<20	20
75-35-4	1,1-Dichloroethene	<20	20
156-59-2	cis-1,2-Dichloroethene	<20	20
156-60-5	trans-1,2-Dichloroethene	<20	20

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-1S**	Sampled:	09/10/10 13:50
Lab Sample ID:	**1009164-11**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/17/10 By: DLV
Dilution Factor:	20	Analyzed:	09/17/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I20013

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<20	20
10061-01-5	cis-1,3-Dichloropropene	<20	20
10061-02-6	trans-1,3-Dichloropropene	<20	20
100-41-4	Ethylbenzene	<20	20
60-29-7	Ethyl Ether	<100	100
591-78-6	2-Hexanone	<100	100
74-88-4	Iodomethane	<20	20
98-82-8	Isopropylbenzene	<20	20
99-87-6	4-Isopropyltoluene	<100	100
1634-04-4	Methyl tert-Butyl Ether	<100	100
75-09-2	Methylene Chloride	<100	100
78-93-3	2-Butanone (MEK)	<100	100
91-57-6	2-Methylnaphthalene	<100	100
108-10-1	4-Methyl-2-pentanone (MIBK)	<100	100
91-20-3	Naphthalene	<100	100
103-65-1	n-Propylbenzene	<20	20
100-42-5	Styrene	<20	20
630-20-6	1,1,1,2-Tetrachloroethane	<20	20
79-34-5	1,1,2,2-Tetrachloroethane	<20	20
127-18-4	Tetrachloroethene	<20	20
109-99-9	Tetrahydrofuran	<100	100
108-88-3	Toluene	<20	20
87-61-6	1,2,3-Trichlorobenzene	<100	100
120-82-1	1,2,4-Trichlorobenzene	<100	100
71-55-6	1,1,1-Trichloroethane	**750**	20
79-00-5	1,1,2-Trichloroethane	<20	20
79-01-6	Trichloroethene	**2400**	20
75-69-4	Trichlorofluoromethane	<20	20
96-18-4	1,2,3-Trichloropropane	<20	20
95-63-6	1,2,4-Trimethylbenzene	<20	20
108-67-8	1,3,5-Trimethylbenzene	<20	20

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-1S**	Sampled:	09/10/10 13:50
Lab Sample ID:	**1009164-11**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/17/10 By: DLV
Dilution Factor:	20	Analyzed:	09/17/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I20013

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<20	20
136777-61-2	Xylene, Meta + Para	<40	40
95-47-6	Xylene, Ortho	<20	20

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	96	*88-115*
1,2-Dichloroethane-d4	108	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	97	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-2S**	Sampled:	09/10/10 14:56
Lab Sample ID:	**1009164-12**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	2	Analyzed:	09/16/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<40	40
107-13-1	Acrylonitrile	<4.0	4.0
71-43-2	Benzene	<2.0	2.0
108-86-1	Bromobenzene	<2.0	2.0
74-97-5	Bromochloromethane	<2.0	2.0
75-27-4	Bromodichloromethane	<2.0	2.0
75-25-2	Bromoform	<2.0	2.0
74-83-9	Bromomethane	<10	10
104-51-8	n-Butylbenzene	<2.0	2.0
135-98-8	sec-Butylbenzene	<2.0	2.0
98-06-6	tert-Butylbenzene	<2.0	2.0
75-15-0	Carbon Disulfide	<2.0	2.0
56-23-5	Carbon Tetrachloride	<2.0	2.0
108-90-7	Chlorobenzene	<2.0	2.0
75-00-3	Chloroethane	<10	10
67-66-3	Chloroform	<2.0	2.0
74-87-3	Chloromethane	<10	10
96-12-8	1,2-Dibromo-3-chloropropane	<10	10
124-48-1	Dibromochloromethane	<2.0	2.0
106-93-4	1,2-Dibromoethane	<2.0	2.0
74-95-3	Dibromomethane	<2.0	2.0
110-57-6	trans-1,4-Dichloro-2-butene	<2.0	2.0
95-50-1	1,2-Dichlorobenzene	<2.0	2.0
541-73-1	1,3-Dichlorobenzene	<2.0	2.0
106-46-7	1,4-Dichlorobenzene	<2.0	2.0
75-71-8	Dichlorodifluoromethane	<10	10
75-34-3	1,1-Dichloroethane	<2.0	2.0
107-06-2	1,2-Dichloroethane	<2.0	2.0
75-35-4	1,1-Dichloroethene	<2.0	2.0
156-59-2	cis-1,2-Dichloroethene	**2.3**	2.0
156-60-5	trans-1,2-Dichloroethene	<2.0	2.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-2S**	Sampled:	09/10/10 14:56
Lab Sample ID:	**1009164-12**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	2	Analyzed:	09/16/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<2.0	2.0
10061-01-5	cis-1,3-Dichloropropene	<2.0	2.0
10061-02-6	trans-1,3-Dichloropropene	<2.0	2.0
100-41-4	Ethylbenzene	<2.0	2.0
60-29-7	Ethyl Ether	<10	10
591-78-6	2-Hexanone	<10	10
74-88-4	Iodomethane	<2.0	2.0
98-82-8	Isopropylbenzene	<2.0	2.0
99-87-6	4-Isopropyltoluene	<10	10
1634-04-4	Methyl tert-Butyl Ether	<10	10
75-09-2	Methylene Chloride	<10	10
78-93-3	2-Butanone (MEK)	<10	10
91-57-6	2-Methylnaphthalene	<10	10
108-10-1	4-Methyl-2-pentanone (MIBK)	<10	10
91-20-3	Naphthalene	<10	10
103-65-1	n-Propylbenzene	<2.0	2.0
100-42-5	Styrene	<2.0	2.0
630-20-6	1,1,1,2-Tetrachloroethane	<2.0	2.0
79-34-5	1,1,2,2-Tetrachloroethane	<2.0	2.0
127-18-4	Tetrachloroethene	**2.3**	2.0
109-99-9	Tetrahydrofuran	<10	10
108-88-3	Toluene	<2.0	2.0
87-61-6	1,2,3-Trichlorobenzene	<10	10
120-82-1	1,2,4-Trichlorobenzene	<10	10
71-55-6	1,1,1-Trichloroethane	**2.3**	2.0
79-00-5	1,1,2-Trichloroethane	<2.0	2.0
79-01-6	Trichloroethene	**220**	2.0
75-69-4	Trichlorofluoromethane	<2.0	2.0
96-18-4	1,2,3-Trichloropropane	<2.0	2.0
95-63-6	1,2,4-Trimethylbenzene	<2.0	2.0
108-67-8	1,3,5-Trimethylbenzene	<2.0	2.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-2S**	Sampled:	09/10/10 14:56
Lab Sample ID:	**1009164-12**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/15/10 By: DLV
Dilution Factor:	2	Analyzed:	09/16/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I16063

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<2.0	2.0
136777-61-2	Xylene, Meta + Para	<4.0	4.0
95-47-6	Xylene, Ortho	<2.0	2.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	95	*88-115*
1,2-Dichloroethane-d4	115	*81-116*
Toluene-d8	101	*87-113*
4-Bromofluorobenzene	100	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-3S**	Sampled:	09/10/10 15:51
Lab Sample ID:	**1009164-13**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/17/10 By: DLV
Dilution Factor:	10	Analyzed:	09/17/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I20013

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<200	200
107-13-1	Acrylonitrile	<20	20
71-43-2	Benzene	<10	10
108-86-1	Bromobenzene	<10	10
74-97-5	Bromochloromethane	<10	10
75-27-4	Bromodichloromethane	<10	10
75-25-2	Bromoform	<10	10
74-83-9	Bromomethane	<50	50
104-51-8	n-Butylbenzene	<10	10
135-98-8	sec-Butylbenzene	<10	10
98-06-6	tert-Butylbenzene	<10	10
75-15-0	Carbon Disulfide	<10	10
56-23-5	Carbon Tetrachloride	<10	10
108-90-7	Chlorobenzene	<10	10
75-00-3	Chloroethane	<50	50
67-66-3	Chloroform	<10	10
74-87-3	Chloromethane	<50	50
96-12-8	1,2-Dibromo-3-chloropropane	<50	50
124-48-1	Dibromochloromethane	<10	10
106-93-4	1,2-Dibromoethane	<10	10
74-95-3	Dibromomethane	<10	10
110-57-6	trans-1,4-Dichloro-2-butene	<10	10
95-50-1	1,2-Dichlorobenzene	<10	10
541-73-1	1,3-Dichlorobenzene	<10	10
106-46-7	1,4-Dichlorobenzene	<10	10
75-71-8	Dichlorodifluoromethane	<50	50
75-34-3	1,1-Dichloroethane	**29**	10
107-06-2	1,2-Dichloroethane	<10	10
75-35-4	1,1-Dichloroethene	<10	10
156-59-2	cis-1,2-Dichloroethene	**1600**	10
156-60-5	trans-1,2-Dichloroethene	**63**	10

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-3S**	Sampled:	09/10/10 15:51
Lab Sample ID:	**1009164-13**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/17/10 By: DLV
Dilution Factor:	10	Analyzed:	09/17/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I20013

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<10	10
10061-01-5	cis-1,3-Dichloropropene	<10	10
10061-02-6	trans-1,3-Dichloropropene	<10	10
100-41-4	Ethylbenzene	<10	10
60-29-7	Ethyl Ether	<50	50
591-78-6	2-Hexanone	<50	50
74-88-4	Iodomethane	<10	10
98-82-8	Isopropylbenzene	<10	10
99-87-6	4-Isopropyltoluene	<50	50
1634-04-4	Methyl tert-Butyl Ether	<50	50
75-09-2	Methylene Chloride	<50	50
78-93-3	2-Butanone (MEK)	<50	50
91-57-6	2-Methylnaphthalene	<50	50
108-10-1	4-Methyl-2-pentanone (MIBK)	<50	50
91-20-3	Naphthalene	<50	50
103-65-1	n-Propylbenzene	<10	10
100-42-5	Styrene	<10	10
630-20-6	1,1,1,2-Tetrachloroethane	<10	10
79-34-5	1,1,2,2-Tetrachloroethane	<10	10
127-18-4	Tetrachloroethene	<10	10
109-99-9	Tetrahydrofuran	<50	50
108-88-3	Toluene	<10	10
87-61-6	1,2,3-Trichlorobenzene	<50	50
120-82-1	1,2,4-Trichlorobenzene	<50	50
71-55-6	1,1,1-Trichloroethane	<10	10
79-00-5	1,1,2-Trichloroethane	<10	10
79-01-6	Trichloroethene	<10	10
75-69-4	Trichlorofluoromethane	<10	10
96-18-4	1,2,3-Trichloropropane	<10	10
95-63-6	1,2,4-Trimethylbenzene	<10	10
108-67-8	1,3,5-Trimethylbenzene	<10	10

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009164**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-3S**	Sampled:	09/10/10 15:51
Lab Sample ID:	**1009164-13**	Sampled By:	J. Jasso
Matrix:	Water	Received:	09/13/10 18:45
Unit:	ug/L	Prepared:	09/17/10 By: DLV
Dilution Factor:	10	Analyzed:	09/17/10 By: DLV
QC Batch:	1009550	Analytical Batch:	0I20013

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	**83**	10
136777-61-2	Xylene, Meta + Para	<20	20
95-47-6	Xylene, Ortho	<10	10

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	95	*88-115*
1,2-Dichloroethane-d4	107	*81-116*
Toluene-d8	101	*87-113*
4-Bromofluorobenzene	98	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-31**	Sampled:	09/17/10 09:56
Lab Sample ID:	**1009313-01**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/24/10 By: DLV
Dilution Factor:	2	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26004

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<40	40
107-13-1	Acrylonitrile	<4.0	4.0
71-43-2	Benzene	<2.0	2.0
108-86-1	Bromobenzene	<2.0	2.0
74-97-5	Bromochloromethane	<2.0	2.0
75-27-4	Bromodichloromethane	<2.0	2.0
75-25-2	Bromoform	<2.0	2.0
74-83-9	Bromomethane	<10	10
104-51-8	n-Butylbenzene	<2.0	2.0
135-98-8	sec-Butylbenzene	<2.0	2.0
98-06-6	tert-Butylbenzene	<2.0	2.0
75-15-0	Carbon Disulfide	<2.0	2.0
56-23-5	Carbon Tetrachloride	<2.0	2.0
108-90-7	Chlorobenzene	<2.0	2.0
75-00-3	Chloroethane	<10	10
67-66-3	Chloroform	<2.0	2.0
74-87-3	Chloromethane	<10	10
96-12-8	1,2-Dibromo-3-chloropropane	<10	10
124-48-1	Dibromochloromethane	<2.0	2.0
106-93-4	1,2-Dibromoethane	<2.0	2.0
74-95-3	Dibromomethane	<2.0	2.0
110-57-6	trans-1,4-Dichloro-2-butene	<2.0	2.0
95-50-1	1,2-Dichlorobenzene	<2.0	2.0
541-73-1	1,3-Dichlorobenzene	<2.0	2.0
106-46-7	1,4-Dichlorobenzene	<2.0	2.0
75-71-8	Dichlorodifluoromethane	<10	10
75-34-3	1,1-Dichloroethane	<2.0	2.0
107-06-2	1,2-Dichloroethane	<2.0	2.0
75-35-4	1,1-Dichloroethene	<2.0	2.0
156-59-2	cis-1,2-Dichloroethene	**15**	2.0
156-60-5	trans-1,2-Dichloroethene	<2.0	2.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-31**	Sampled:	09/17/10 09:56
Lab Sample ID:	**1009313-01**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/24/10 By: DLV
Dilution Factor:	2	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<2.0	2.0
10061-01-5	cis-1,3-Dichloropropene	<2.0	2.0
10061-02-6	trans-1,3-Dichloropropene	<2.0	2.0
100-41-4	Ethylbenzene	<2.0	2.0
60-29-7	Ethyl Ether	<10	10
591-78-6	2-Hexanone	<10	10
74-88-4	Iodomethane	<2.0	2.0
98-82-8	Isopropylbenzene	<2.0	2.0
99-87-6	4-Isopropyltoluene	<10	10
1634-04-4	Methyl tert-Butyl Ether	<10	10
75-09-2	Methylene Chloride	<10	10
78-93-3	2-Butanone (MEK)	<10	10
91-57-6	2-Methylnaphthalene	<10	10
108-10-1	4-Methyl-2-pentanone (MIBK)	<10	10
91-20-3	Naphthalene	<10	10
103-65-1	n-Propylbenzene	<2.0	2.0
100-42-5	Styrene	<2.0	2.0
630-20-6	1,1,1,2-Tetrachloroethane	<2.0	2.0
79-34-5	1,1,2,2-Tetrachloroethane	<2.0	2.0
127-18-4	Tetrachloroethene	<2.0	2.0
109-99-9	Tetrahydrofuran	<10	10
108-88-3	Toluene	<2.0	2.0
87-61-6	1,2,3-Trichlorobenzene	<10	10
120-82-1	1,2,4-Trichlorobenzene	<10	10
71-55-6	1,1,1-Trichloroethane	**48**	2.0
79-00-5	1,1,2-Trichloroethane	<2.0	2.0
79-01-6	Trichloroethene	**220**	2.0
75-69-4	Trichlorofluoromethane	<2.0	2.0
96-18-4	1,2,3-Trichloropropane	<2.0	2.0
95-63-6	1,2,4-Trimethylbenzene	<2.0	2.0
108-67-8	1,3,5-Trimethylbenzene	<2.0	2.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-31**	Sampled:	09/17/10 09:56
Lab Sample ID:	**1009313-01**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/24/10 By: DLV
Dilution Factor:	2	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	**2.5**	2.0
136777-61-2	Xylene, Meta + Para	<4.0	4.0
95-47-6	Xylene, Ortho	<2.0	2.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	102	*88-115*
1,2-Dichloroethane-d4	110	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	97	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-4S**	Sampled:	09/17/10 11:00
Lab Sample ID:	**1009313-02**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/23/10 By: DLV
Dilution Factor:	50	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26003

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<1000	1000
107-13-1	Acrylonitrile	<100	100
71-43-2	Benzene	<50	50
108-86-1	Bromobenzene	<50	50
74-97-5	Bromochloromethane	<50	50
75-27-4	Bromodichloromethane	<50	50
75-25-2	Bromoform	<50	50
74-83-9	Bromomethane	<250	250
104-51-8	n-Butylbenzene	<50	50
135-98-8	sec-Butylbenzene	<50	50
98-06-6	tert-Butylbenzene	<50	50
75-15-0	Carbon Disulfide	<50	50
56-23-5	Carbon Tetrachloride	<50	50
108-90-7	Chlorobenzene	<50	50
75-00-3	Chloroethane	<250	250
67-66-3	Chloroform	<50	50
74-87-3	Chloromethane	<250	250
96-12-8	1,2-Dibromo-3-chloropropane	<250	250
124-48-1	Dibromochloromethane	<50	50
106-93-4	1,2-Dibromoethane	<50	50
74-95-3	Dibromomethane	<50	50
110-57-6	trans-1,4-Dichloro-2-butene	<50	50
95-50-1	1,2-Dichlorobenzene	<50	50
541-73-1	1,3-Dichlorobenzene	<50	50
106-46-7	1,4-Dichlorobenzene	<50	50
75-71-8	Dichlorodifluoromethane	<250	250
75-34-3	1,1-Dichloroethane	<50	50
107-06-2	1,2-Dichloroethane	<50	50
75-35-4	1,1-Dichloroethene	<50	50
156-59-2	cis-1,2-Dichloroethene	**2400**	50
156-60-5	trans-1,2-Dichloroethene	**70**	50

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-4S**	Sampled:	09/17/10 11:00
Lab Sample ID:	**1009313-02**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/23/10 By: DLV
Dilution Factor:	50	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26003

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<50	50
10061-01-5	cis-1,3-Dichloropropene	<50	50
10061-02-6	trans-1,3-Dichloropropene	<50	50
100-41-4	Ethylbenzene	<50	50
60-29-7	Ethyl Ether	<250	250
591-78-6	2-Hexanone	<250	250
74-88-4	Iodomethane	<50	50
98-82-8	Isopropylbenzene	<50	50
99-87-6	4-Isopropyltoluene	<250	250
1634-04-4	Methyl tert-Butyl Ether	<250	250
75-09-2	Methylene Chloride	<250	250
78-93-3	2-Butanone (MEK)	<250	250
91-57-6	2-Methylnaphthalene	<250	250
108-10-1	4-Methyl-2-pentanone (MIBK)	<250	250
91-20-3	Naphthalene	<250	250
103-65-1	n-Propylbenzene	<50	50
100-42-5	Styrene	<50	50
630-20-6	1,1,1,2-Tetrachloroethane	<50	50
79-34-5	1,1,2,2-Tetrachloroethane	<50	50
127-18-4	Tetrachloroethene	<50	50
109-99-9	Tetrahydrofuran	<250	250
108-88-3	Toluene	<50	50
87-61-6	1,2,3-Trichlorobenzene	<250	250
120-82-1	1,2,4-Trichlorobenzene	<250	250
71-55-6	1,1,1-Trichloroethane	<50	50
79-00-5	1,1,2-Trichloroethane	<50	50
79-01-6	Trichloroethene	**5200**	50
75-69-4	Trichlorofluoromethane	<50	50
96-18-4	1,2,3-Trichloropropane	<50	50
95-63-6	1,2,4-Trimethylbenzene	<50	50
108-67-8	1,3,5-Trimethylbenzene	<50	50

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-4S**	Sampled:	09/17/10 11:00
Lab Sample ID:	**1009313-02**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/23/10 By: DLV
Dilution Factor:	50	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26003

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	**200**	50
136777-61-2	Xylene, Meta + Para	<100	100
95-47-6	Xylene, Ortho	<50	50

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	105	*88-115*
1,2-Dichloroethane-d4	109	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	97	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-9S**	Sampled:	09/17/10 11:45
Lab Sample ID:	**1009313-03**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/23/10 By: DLV
Dilution Factor:	20	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26003

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<400	400
107-13-1	Acrylonitrile	<40	40
71-43-2	Benzene	<20	20
108-86-1	Bromobenzene	<20	20
74-97-5	Bromochloromethane	<20	20
75-27-4	Bromodichloromethane	<20	20
75-25-2	Bromoform	<20	20
74-83-9	Bromomethane	<100	100
104-51-8	n-Butylbenzene	<20	20
135-98-8	sec-Butylbenzene	<20	20
98-06-6	tert-Butylbenzene	<20	20
75-15-0	Carbon Disulfide	<20	20
56-23-5	Carbon Tetrachloride	<20	20
108-90-7	Chlorobenzene	<20	20
75-00-3	Chloroethane	<100	100
67-66-3	Chloroform	<20	20
74-87-3	Chloromethane	<100	100
96-12-8	1,2-Dibromo-3-chloropropane	<100	100
124-48-1	Dibromochloromethane	<20	20
106-93-4	1,2-Dibromoethane	<20	20
74-95-3	Dibromomethane	<20	20
110-57-6	trans-1,4-Dichloro-2-butene	<20	20
95-50-1	1,2-Dichlorobenzene	<20	20
541-73-1	1,3-Dichlorobenzene	<20	20
106-46-7	1,4-Dichlorobenzene	<20	20
75-71-8	Dichlorodifluoromethane	<100	100
75-34-3	1,1-Dichloroethane	<20	20
107-06-2	1,2-Dichloroethane	<20	20
75-35-4	1,1-Dichloroethene	<20	20
156-59-2	cis-1,2-Dichloroethene	<20	20
156-60-5	trans-1,2-Dichloroethene	<20	20

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-9S**	Sampled:	09/17/10 11:45
Lab Sample ID:	**1009313-03**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/23/10 By: DLV
Dilution Factor:	20	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26003

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<20	20
10061-01-5	cis-1,3-Dichloropropene	<20	20
10061-02-6	trans-1,3-Dichloropropene	<20	20
100-41-4	Ethylbenzene	<20	20
60-29-7	Ethyl Ether	<100	100
591-78-6	2-Hexanone	<100	100
74-88-4	Iodomethane	<20	20
98-82-8	Isopropylbenzene	<20	20
99-87-6	4-Isopropyltoluene	<100	100
1634-04-4	Methyl tert-Butyl Ether	<100	100
75-09-2	Methylene Chloride	<100	100
78-93-3	2-Butanone (MEK)	<100	100
91-57-6	2-Methylnaphthalene	<100	100
108-10-1	4-Methyl-2-pentanone (MIBK)	<100	100
91-20-3	Naphthalene	<100	100
103-65-1	n-Propylbenzene	<20	20
100-42-5	Styrene	<20	20
630-20-6	1,1,1,2-Tetrachloroethane	<20	20
79-34-5	1,1,2,2-Tetrachloroethane	<20	20
127-18-4	Tetrachloroethene	<20	20
109-99-9	Tetrahydrofuran	<100	100
108-88-3	Toluene	<20	20
87-61-6	1,2,3-Trichlorobenzene	<100	100
120-82-1	1,2,4-Trichlorobenzene	<100	100
71-55-6	1,1,1-Trichloroethane	**120**	20
79-00-5	1,1,2-Trichloroethane	<20	20
79-01-6	Trichloroethene	**1700**	20
75-69-4	Trichlorofluoromethane	<20	20
96-18-4	1,2,3-Trichloropropane	<20	20
95-63-6	1,2,4-Trimethylbenzene	<20	20
108-67-8	1,3,5-Trimethylbenzene	<20	20

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-9S**	Sampled:	09/17/10 11:45
Lab Sample ID:	**1009313-03**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/23/10 By: DLV
Dilution Factor:	20	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26003

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<20	20
136777-61-2	Xylene, Meta + Para	<40	40
95-47-6	Xylene, Ortho	<20	20

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	106	*88-115*
1,2-Dichloroethane-d4	108	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	99	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-33S**	Sampled:	09/17/10 13:54
Lab Sample ID:	**1009313-04**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/23/10 By: DLV
Dilution Factor:	1	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26003

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	**12**	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	**13**	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-33S**	Sampled:	09/17/10 13:54
Lab Sample ID:	**1009313-04**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/23/10 By: DLV
Dilution Factor:	1	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26003

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	**76**	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-33S**	Sampled:	09/17/10 13:54
Lab Sample ID:	**1009313-04**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/23/10 By: DLV
Dilution Factor:	1	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26003

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	**64**	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	*% Recovery*	*Control Limits*
Dibromofluoromethane	100	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	96	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-34S**	Sampled:	09/17/10 14:45
Lab Sample ID:	**1009313-05**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/24/10 By: DLV
Dilution Factor:	20	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26004

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<400	400
107-13-1	Acrylonitrile	<40	40
71-43-2	Benzene	<20	20
108-86-1	Bromobenzene	<20	20
74-97-5	Bromochloromethane	<20	20
75-27-4	Bromodichloromethane	<20	20
75-25-2	Bromoform	<20	20
74-83-9	Bromomethane	<100	100
104-51-8	n-Butylbenzene	<20	20
135-98-8	sec-Butylbenzene	<20	20
98-06-6	tert-Butylbenzene	<20	20
75-15-0	Carbon Disulfide	<20	20
56-23-5	Carbon Tetrachloride	<20	20
108-90-7	Chlorobenzene	<20	20
75-00-3	Chloroethane	<100	100
67-66-3	Chloroform	<20	20
74-87-3	Chloromethane	<100	100
96-12-8	1,2-Dibromo-3-chloropropane	<100	100
124-48-1	Dibromochloromethane	<20	20
106-93-4	1,2-Dibromoethane	<20	20
74-95-3	Dibromomethane	<20	20
110-57-6	trans-1,4-Dichloro-2-butene	<20	20
95-50-1	1,2-Dichlorobenzene	<20	20
541-73-1	1,3-Dichlorobenzene	<20	20
106-46-7	1,4-Dichlorobenzene	<20	20
75-71-8	Dichlorodifluoromethane	<100	100
75-34-3	1,1-Dichloroethane	<20	20
107-06-2	1,2-Dichloroethane	<20	20
75-35-4	1,1-Dichloroethene	<20	20
156-59-2	cis-1,2-Dichloroethene	<20	20
156-60-5	trans-1,2-Dichloroethene	<20	20

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-34S**	Sampled:	09/17/10 14:45
Lab Sample ID:	**1009313-05**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/24/10 By: DLV
Dilution Factor:	20	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<20	20
10061-01-5	cis-1,3-Dichloropropene	<20	20
10061-02-6	trans-1,3-Dichloropropene	<20	20
100-41-4	Ethylbenzene	<20	20
60-29-7	Ethyl Ether	<100	100
591-78-6	2-Hexanone	<100	100
74-88-4	Iodomethane	<20	20
98-82-8	Isopropylbenzene	<20	20
99-87-6	4-Isopropyltoluene	<100	100
1634-04-4	Methyl tert-Butyl Ether	<100	100
75-09-2	Methylene Chloride	<100	100
78-93-3	2-Butanone (MEK)	<100	100
91-57-6	2-Methylnaphthalene	<100	100
108-10-1	4-Methyl-2-pentanone (MIBK)	<100	100
91-20-3	Naphthalene	<100	100
103-65-1	n-Propylbenzene	<20	20
100-42-5	Styrene	<20	20
630-20-6	1,1,1,2-Tetrachloroethane	<20	20
79-34-5	1,1,2,2-Tetrachloroethane	<20	20
127-18-4	Tetrachloroethene	<20	20
109-99-9	Tetrahydrofuran	<100	100
108-88-3	Toluene	<20	20
87-61-6	1,2,3-Trichlorobenzene	<100	100
120-82-1	1,2,4-Trichlorobenzene	<100	100
71-55-6	1,1,1-Trichloroethane	**1600**	20
79-00-5	1,1,2-Trichloroethane	<20	20
79-01-6	Trichloroethene	**1100**	20
75-69-4	Trichlorofluoromethane	<20	20
96-18-4	1,2,3-Trichloropropane	<20	20
95-63-6	1,2,4-Trimethylbenzene	<20	20
108-67-8	1,3,5-Trimethylbenzene	<20	20

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-34S**	Sampled:	09/17/10 14:45
Lab Sample ID:	**1009313-05**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/24/10 By: DLV
Dilution Factor:	20	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<20	20
136777-61-2	Xylene, Meta + Para	<40	40
95-47-6	Xylene, Ortho	<20	20

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	102	*88-115*
1,2-Dichloroethane-d4	110	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	97	*78-116*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-32S**	Sampled:	09/17/10 15:49
Lab Sample ID:	**1009313-06**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/24/10 By: DLV
Dilution Factor:	20	Analyzed:	09/25/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26005

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<400	400
107-13-1	Acrylonitrile	<40	40
71-43-2	Benzene	<20	20
108-86-1	Bromobenzene	<20	20
74-97-5	Bromochloromethane	<20	20
75-27-4	Bromodichloromethane	<20	20
75-25-2	Bromoform	<20	20
74-83-9	Bromomethane	<100	100
104-51-8	n-Butylbenzene	<20	20
135-98-8	sec-Butylbenzene	<20	20
98-06-6	tert-Butylbenzene	<20	20
75-15-0	Carbon Disulfide	<20	20
56-23-5	Carbon Tetrachloride	<20	20
108-90-7	Chlorobenzene	<20	20
75-00-3	Chloroethane	<100	100
67-66-3	Chloroform	<20	20
74-87-3	Chloromethane	<100	100
96-12-8	1,2-Dibromo-3-chloropropane	<100	100
124-48-1	Dibromochloromethane	<20	20
106-93-4	1,2-Dibromoethane	<20	20
74-95-3	Dibromomethane	<20	20
110-57-6	trans-1,4-Dichloro-2-butene	<20	20
95-50-1	1,2-Dichlorobenzene	<20	20
541-73-1	1,3-Dichlorobenzene	<20	20
106-46-7	1,4-Dichlorobenzene	<20	20
75-71-8	Dichlorodifluoromethane	<100	100
75-34-3	1,1-Dichloroethane	**150**	20
107-06-2	1,2-Dichloroethane	<20	20
75-35-4	1,1-Dichloroethene	<20	20
156-59-2	cis-1,2-Dichloroethene	**270**	20
156-60-5	trans-1,2-Dichloroethene	**26**	20

Continued on next page

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-32S**	Sampled:	09/17/10 15:49
Lab Sample ID:	**1009313-06**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/24/10 By: DLV
Dilution Factor:	20	Analyzed:	09/25/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<20	20
10061-01-5	cis-1,3-Dichloropropene	<20	20
10061-02-6	trans-1,3-Dichloropropene	<20	20
100-41-4	Ethylbenzene	<20	20
60-29-7	Ethyl Ether	<100	100
591-78-6	2-Hexanone	<100	100
74-88-4	Iodomethane	<20	20
98-82-8	Isopropylbenzene	<20	20
99-87-6	4-Isopropyltoluene	<100	100
1634-04-4	Methyl tert-Butyl Ether	<100	100
75-09-2	Methylene Chloride	<100	100
78-93-3	2-Butanone (MEK)	<100	100
91-57-6	2-Methylnaphthalene	<100	100
108-10-1	4-Methyl-2-pentanone (MIBK)	<100	100
91-20-3	Naphthalene	<100	100
103-65-1	n-Propylbenzene	<20	20
100-42-5	Styrene	<20	20
630-20-6	1,1,1,2-Tetrachloroethane	<20	20
79-34-5	1,1,2,2-Tetrachloroethane	<20	20
127-18-4	Tetrachloroethene	<20	20
109-99-9	Tetrahydrofuran	<100	100
108-88-3	Toluene	<20	20
87-61-6	1,2,3-Trichlorobenzene	<100	100
120-82-1	1,2,4-Trichlorobenzene	<100	100
71-55-6	1,1,1-Trichloroethane	**220**	20
79-00-5	1,1,2-Trichloroethane	<20	20
79-01-6	Trichloroethene	**2400**	20
75-69-4	Trichlorofluoromethane	<20	20
96-18-4	1,2,3-Trichloropropane	<20	20
95-63-6	1,2,4-Trimethylbenzene	<20	20
108-67-8	1,3,5-Trimethylbenzene	<20	20

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-32S**	Sampled:	09/17/10 15:49
Lab Sample ID:	**1009313-06**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/24/10 By: DLV
Dilution Factor:	20	Analyzed:	09/25/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<20	20
136777-61-2	Xylene, Meta + Para	<40	40
95-47-6	Xylene, Ortho	<20	20

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	102	*88-115*
1,2-Dichloroethane-d4	109	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	97	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**EB-01**	Sampled:	09/17/10 16:21
Lab Sample ID:	**1009313-07**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/23/10 By: DLV
Dilution Factor:	1	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26003

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**EB-01**	Sampled:	09/17/10 16:21
Lab Sample ID:	**1009313-07**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/23/10 By: DLV
Dilution Factor:	1	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26003

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**EB-01**	Sampled:	09/17/10 16:21
Lab Sample ID:	**1009313-07**	Sampled By:	B. Ritchie
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/23/10 By: DLV
Dilution Factor:	1	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26003

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	105	*88-115*
1,2-Dichloroethane-d4	108	*81-116*
Toluene-d8	101	*87-113*
4-Bromofluorobenzene	97	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**TB-01**	Sampled:	09/17/10 00:00
Lab Sample ID:	**1009313-08**	Sampled By:	TML
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/23/10 By: DLV
Dilution Factor:	1	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26003

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**TB-01**	Sampled:	09/17/10 00:00
Lab Sample ID:	**1009313-08**	Sampled By:	TML
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/23/10 By: DLV
Dilution Factor:	1	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26003

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1009313**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**TB-01**	Sampled:	09/17/10 00:00
Lab Sample ID:	**1009313-08**	Sampled By:	TML
Matrix:	Water	Received:	09/20/10 17:15
Unit:	ug/L	Prepared:	09/23/10 By: DLV
Dilution Factor:	1	Analyzed:	09/24/10 By: DLV
QC Batch:	1009919	Analytical Batch:	0I26003

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	106	*88-115*
1,2-Dichloroethane-d4	110	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	97	*78-116*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL

QC Batch: 1009518 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank Analyzed: 09/14/2010 By: DLV
Unit: ug/L Analytical Batch: 0I16039

Acetone	<20			20
Acrylonitrile	<2.0			2.0
Benzene	<1.0			1.0
Bromobenzene	<1.0			1.0
Bromochloromethane	<1.0			1.0
Bromodichloromethane	<1.0			1.0
Bromoform	<1.0			1.0
Bromomethane	<5.0			5.0
n-Butylbenzene	<1.0			1.0
sec-Butylbenzene	<1.0			1.0
tert-Butylbenzene	<1.0			1.0
Carbon Disulfide	<1.0			1.0
Carbon Tetrachloride	<1.0			1.0
Chlorobenzene	<1.0			1.0
Chloroethane	<5.0			5.0
Chloroform	<1.0			1.0
Chloromethane	<5.0			5.0
1,2-Dibromo-3-chloropropane	<5.0			5.0
Dibromochloromethane	<1.0			1.0
1,2-Dibromoethane	<1.0			1.0
Dibromomethane	<1.0			1.0
trans-1,4-Dichloro-2-butene	<1.0			1.0
1,2-Dichlorobenzene	<1.0			1.0
1,3-Dichlorobenzene	<1.0			1.0
1,4-Dichlorobenzene	<1.0			1.0
Dichlorodifluoromethane	<5.0			5.0
1,1-Dichloroethane	<1.0			1.0
1,2-Dichloroethane	<1.0			1.0
1,1-Dichloroethene	<1.0			1.0
cis-1,2-Dichloroethene	<1.0			1.0
trans-1,2-Dichloroethene	<1.0			1.0
1,2-Dichloropropane	<1.0			1.0
cis-1,3-Dichloropropene	<1.0			1.0
trans-1,3-Dichloropropene	<1.0			1.0
Ethylbenzene	<1.0			1.0
Ethyl Ether	<5.0			5.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

QC Batch: 1009518 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued) Analyzed: 09/14/2010 By: DLV
Unit: ug/L Analytical Batch: 0I16039

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
2-Hexanone			<5.0					5.0
Iodomethane			<1.0					1.0
Isopropylbenzene			<1.0					1.0
4-Isopropyltoluene			<5.0					5.0
Methyl tert-Butyl Ether			<5.0					5.0
Methylene Chloride			<5.0					5.0
2-Butanone (MEK)			<5.0					5.0
2-Methylnaphthalene			<5.0					5.0
4-Methyl-2-pentanone (MIBK)			<5.0					5.0
Naphthalene			<5.0					5.0
n-Propylbenzene			<1.0					1.0
Styrene			<1.0					1.0
1,1,1,2-Tetrachloroethane			<1.0					1.0
1,1,2,2-Tetrachloroethane			<1.0					1.0
Tetrachloroethene			<1.0					1.0
Tetrahydrofuran			<5.0					5.0
Toluene			<1.0					1.0
1,2,3-Trichlorobenzene			<5.0					5.0
1,2,4-Trichlorobenzene			<5.0					5.0
1,1,1-Trichloroethane			<1.0					1.0
1,1,2-Trichloroethane			<1.0					1.0
Trichloroethene			<1.0					1.0
Trichlorofluoromethane			<1.0					1.0
1,2,3-Trichloropropane			<1.0					1.0
1,2,4-Trimethylbenzene			<1.0					1.0
1,3,5-Trimethylbenzene			<1.0					1.0
Vinyl Chloride			<1.0					1.0
Xylene, Meta + Para			<2.0					2.0
Xylene, Ortho			<1.0					1.0
Surrogates:								
Dibromofluoromethane				*90*	*88-115*			
1,2-Dichloroethane-d4				*103*	*81-116*			
Toluene-d8				*99*	*87-113*			
4-Bromofluorobenzene				*98*	*78-116*			

Laboratory Control Sample Analyzed: 09/14/2010 By: DLV
Unit: ug/L Analytical Batch: 0I16039

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
Benzene		40.0	**39.6**	99	86-122			1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
QC Batch: 1009518 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B								
Laboratory Control Sample (Continued)					Analyzed:	09/14/2010	By: DLV	
Unit: ug/L					Analytical Batch:	0I16039		
Chlorobenzene		40.0	**40.6**	102	88-114			1.0
1,1-Dichloroethene		40.0	**37.2**	93	81-125			1.0
Toluene		40.0	**39.6**	99	87-123			1.0
Trichloroethene		40.0	**39.0**	97	80-122			1.0
Surrogates:								
Dibromofluoromethane				*100*	*88-115*			
1,2-Dichloroethane-d4				*102*	*81-116*			
Toluene-d8				*98*	*87-113*			
4-Bromofluorobenzene				*99*	*78-116*			
Matrix Spike 1009161-08 MW-12D					Analyzed:	09/14/2010	By: DLV	
Unit: ug/L					Analytical Batch:	0I16039		
Benzene	<1.0	40.0	**42.8**	107	84-127			1.0
Chlorobenzene	<1.0	40.0	**42.3**	106	89-115			1.0
1,1-Dichloroethene	<1.0	40.0	**42.7**	107	85-130			1.0
Toluene	<1.0	40.0	**42.3**	106	88-125			1.0
Trichloroethene	<1.0	40.0	**42.4**	106	81-124			1.0
Surrogates:								
Dibromofluoromethane				*100*	*88-115*			
1,2-Dichloroethane-d4				*102*	*81-116*			
Toluene-d8				*99*	*87-113*			
4-Bromofluorobenzene				*98*	*78-116*			
Matrix Spike Duplicate 1009161-08 MW-12D					Analyzed:	09/14/2010	By: DLV	
Unit: ug/L					Analytical Batch:	0I16039		
Benzene	<1.0	40.0	**43.4**	109	84-127	1	8	1.0
Chlorobenzene	<1.0	40.0	**42.6**	107	89-115	0.8	8	1.0
1,1-Dichloroethene	<1.0	40.0	**43.5**	109	85-130	2	10	1.0
Toluene	<1.0	40.0	**42.8**	107	88-125	1	8	1.0
Trichloroethene	<1.0	40.0	**42.8**	107	81-124	0.9	8	1.0
Surrogates:								
Dibromofluoromethane				*100*	*88-115*			
1,2-Dichloroethane-d4				*103*	*81-116*			
Toluene-d8				*99*	*87-113*			
4-Bromofluorobenzene				*98*	*78-116*			
QC Batch: 1009519 5030B Aqueous Purge & Trap/USEPA-8260B								
Method Blank					Analyzed:	09/14/2010	By: DLV	
Unit: ug/L					Analytical Batch:	0I16042		
Acetone			<20					20

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL

QC Batch: 1009519 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued) Analyzed: 09/14/2010 By: DLV

Unit: ug/L Analytical Batch: 0I16042

Acrylonitrile	<2.0		2.0
Benzene	<1.0		1.0
Bromobenzene	<1.0		1.0
Bromochloromethane	<1.0		1.0
Bromodichloromethane	<1.0		1.0
Bromoform	<1.0		1.0
Bromomethane	<5.0		5.0
n-Butylbenzene	<1.0		1.0
sec-Butylbenzene	<1.0		1.0
tert-Butylbenzene	<1.0		1.0
Carbon Disulfide	<1.0		1.0
Carbon Tetrachloride	<1.0		1.0
Chlorobenzene	<1.0		1.0
Chloroethane	<5.0		5.0
Chloroform	<1.0		1.0
Chloromethane	<5.0		5.0
1,2-Dibromo-3-chloropropane	<5.0		5.0
Dibromochloromethane	<1.0		1.0
1,2-Dibromoethane	<1.0		1.0
Dibromomethane	<1.0		1.0
trans-1,4-Dichloro-2-butene	<1.0		1.0
1,2-Dichlorobenzene	<1.0		1.0
1,3-Dichlorobenzene	<1.0		1.0
1,4-Dichlorobenzene	<1.0		1.0
Dichlorodifluoromethane	<5.0		5.0
1,1-Dichloroethane	<1.0		1.0
1,2-Dichloroethane	<1.0		1.0
1,1-Dichloroethene	<1.0		1.0
cis-1,2-Dichloroethene	<1.0		1.0
trans-1,2-Dichloroethene	<1.0		1.0
1,2-Dichloropropane	<1.0		1.0
cis-1,3-Dichloropropene	<1.0		1.0
trans-1,3-Dichloropropene	<1.0		1.0
Ethylbenzene	<1.0		1.0
Ethyl Ether	<5.0		5.0
2-Hexanone	<5.0		5.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

QC Batch: 1009519 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued) Analyzed: 09/14/2010 By: DLV
Unit: ug/L Analytical Batch: 0I16042

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
Iodomethane			<1.0					1.0
Isopropylbenzene			<1.0					1.0
4-Isopropyltoluene			<5.0					5.0
Methyl tert-Butyl Ether			<5.0					5.0
Methylene Chloride			<5.0					5.0
2-Butanone (MEK)			<5.0					5.0
2-Methylnaphthalene			<5.0					5.0
4-Methyl-2-pentanone (MIBK)			<5.0					5.0
Naphthalene			<5.0					5.0
n-Propylbenzene			<1.0					1.0
Styrene			<1.0					1.0
1,1,1,2-Tetrachloroethane			<1.0					1.0
1,1,2,2-Tetrachloroethane			<1.0					1.0
Tetrachloroethene			<1.0					1.0
Tetrahydrofuran			<5.0					5.0
Toluene			<1.0					1.0
1,2,3-Trichlorobenzene			<5.0					5.0
1,2,4-Trichlorobenzene			<5.0					5.0
1,1,1-Trichloroethane			<1.0					1.0
1,1,2-Trichloroethane			<1.0					1.0
Trichloroethene			<1.0					1.0
Trichlorofluoromethane			<1.0					1.0
1,2,3-Trichloropropane			<1.0					1.0
1,2,4-Trimethylbenzene			<1.0					1.0
1,3,5-Trimethylbenzene			<1.0					1.0
Vinyl Chloride			<1.0					1.0
Xylene, Meta + Para			<2.0					2.0
Xylene, Ortho			<1.0					1.0
Surrogates:								
Dibromofluoromethane				*95*	*88-115*			
1,2-Dichloroethane-d4				*102*	*81-116*			
Toluene-d8				*97*	*87-113*			
4-Bromofluorobenzene				*97*	*78-116*			

Laboratory Control Sample Analyzed: 09/14/2010 By: DLV
Unit: ug/L Analytical Batch: 0I16042

Benzene		40.0	**39.5**	99	86-122			1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
QC Batch: 1009519 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B								
Laboratory Control Sample (Continued)					Analyzed:	09/14/2010	By: DLV	
Unit: ug/L					Analytical Batch:	0I16042		
Chlorobenzene		40.0	**39.8**	100	88-114			1.0
1,1-Dichloroethene		40.0	**37.7**	94	81-125			1.0
Toluene		40.0	**38.7**	97	87-123			1.0
Trichloroethene		40.0	**38.4**	96	80-122			1.0
Surrogates:								
Dibromofluoromethane				*100*	*88-115*			
1,2-Dichloroethane-d4				*103*	*81-116*			
Toluene-d8				*98*	*87-113*			
4-Bromofluorobenzene				*97*	*78-116*			
Matrix Spike 1009161-26 MW-28S					Analyzed:	09/15/2010	By: DLV	
Unit: ug/L					Analytical Batch:	0I16042		
Benzene	<1.0	40.0	**42.6**	106	84-127			1.0
Chlorobenzene	<1.0	40.0	**41.2**	103	89-115			1.0
1,1-Dichloroethene	<1.0	40.0	**41.5**	104	85-130			1.0
Toluene	<1.0	40.0	**41.4**	103	88-125			1.0
Trichloroethene	0.910	40.0	**41.4**	101	81-124			1.0
Surrogates:								
Dibromofluoromethane				*103*	*88-115*			
1,2-Dichloroethane-d4				*107*	*81-116*			
Toluene-d8				*100*	*87-113*			
4-Bromofluorobenzene				*98*	*78-116*			
Matrix Spike Duplicate 1009161-26 MW-28S					Analyzed:	09/15/2010	By: DLV	
Unit: ug/L					Analytical Batch:	0I16042		
Benzene	<1.0	40.0	**42.8**	107	84-127	0.4	8	1.0
Chlorobenzene	<1.0	40.0	**41.6**	104	89-115	1	8	1.0
1,1-Dichloroethene	<1.0	40.0	**42.1**	105	85-130	1	10	1.0
Toluene	<1.0	40.0	**41.6**	104	88-125	0.5	8	1.0
Trichloroethene	0.910	40.0	**41.8**	102	81-124	1	8	1.0
Surrogates:								
Dibromofluoromethane				*103*	*88-115*			
1,2-Dichloroethane-d4				*106*	*81-116*			
Toluene-d8				*99*	*87-113*			
4-Bromofluorobenzene				*98*	*78-116*			
QC Batch: 1009550 5030B Aqueous Purge & Trap/USEPA-8260B								
Method Blank					Analyzed:	09/15/2010	By: DLV	
Unit: ug/L					Analytical Batch:	0I16063		
Acetone			<20					20

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL

QC Batch: 1009550 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued) Analyzed: 09/15/2010 By: DLV

Unit: ug/L Analytical Batch: 0I16063

Acrylonitrile	<2.0	2.0
Benzene	<1.0	1.0
Bromobenzene	<1.0	1.0
Bromochloromethane	<1.0	1.0
Bromodichloromethane	<1.0	1.0
Bromoform	<1.0	1.0
Bromomethane	<5.0	5.0
n-Butylbenzene	<1.0	1.0
sec-Butylbenzene	<1.0	1.0
tert-Butylbenzene	<1.0	1.0
Carbon Disulfide	<1.0	1.0
Carbon Tetrachloride	<1.0	1.0
Chlorobenzene	<1.0	1.0
Chloroethane	<5.0	5.0
Chloroform	<1.0	1.0
Chloromethane	<5.0	5.0
1,2-Dibromo-3-chloropropane	<5.0	5.0
Dibromochloromethane	<1.0	1.0
1,2-Dibromoethane	<1.0	1.0
Dibromomethane	<1.0	1.0
trans-1,4-Dichloro-2-butene	<1.0	1.0
1,2-Dichlorobenzene	<1.0	1.0
1,3-Dichlorobenzene	<1.0	1.0
1,4-Dichlorobenzene	<1.0	1.0
Dichlorodifluoromethane	<5.0	5.0
1,1-Dichloroethane	<1.0	1.0
1,2-Dichloroethane	<1.0	1.0
1,1-Dichloroethene	<1.0	1.0
cis-1,2-Dichloroethene	<1.0	1.0
trans-1,2-Dichloroethene	<1.0	1.0
1,2-Dichloropropane	<1.0	1.0
cis-1,3-Dichloropropene	<1.0	1.0
trans-1,3-Dichloropropene	<1.0	1.0
Ethylbenzene	<1.0	1.0
Ethyl Ether	<5.0	5.0
2-Hexanone	<5.0	5.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL

QC Batch: 1009550 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued) Analyzed: 09/15/2010 By: DLV
Unit: ug/L Analytical Batch: 0I16063

Iodomethane			<1.0				1.0	
Isopropylbenzene			<1.0				1.0	
4-Isopropyltoluene			<5.0				5.0	
Methyl tert-Butyl Ether			<5.0				5.0	
Methylene Chloride			<5.0				5.0	
2-Butanone (MEK)			<5.0				5.0	
2-Methylnaphthalene			<5.0				5.0	
4-Methyl-2-pentanone (MIBK)			<5.0				5.0	
Naphthalene			<5.0				5.0	
n-Propylbenzene			<1.0				1.0	
Styrene			<1.0				1.0	
1,1,1,2-Tetrachloroethane			<1.0				1.0	
1,1,2,2-Tetrachloroethane			<1.0				1.0	
Tetrachloroethene			<1.0				1.0	
Tetrahydrofuran			<5.0				5.0	
Toluene			<1.0				1.0	
1,2,3-Trichlorobenzene			<5.0				5.0	
1,2,4-Trichlorobenzene			<5.0				5.0	
1,1,1-Trichloroethane			<1.0				1.0	
1,1,2-Trichloroethane			<1.0				1.0	
Trichloroethene			<1.0				1.0	
Trichlorofluoromethane			<1.0				1.0	
1,2,3-Trichloropropane			<1.0				1.0	
1,2,4-Trimethylbenzene			<1.0				1.0	
1,3,5-Trimethylbenzene			<1.0				1.0	
Vinyl Chloride			<1.0				1.0	
Xylene, Meta + Para			<2.0				2.0	
Xylene, Ortho			<1.0				1.0	
Surrogates:								
Dibromofluoromethane				*96*	*88-115*			
1,2-Dichloroethane-d4				*114*	*81-116*			
Toluene-d8				*101*	*87-113*			
4-Bromofluorobenzene				*98*	*78-116*			

Method Blank Analyzed: 09/17/2010 By: DLV
Unit: ug/L Analytical Batch: 0I20013

Acetone			<20				20	

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL

QC Batch: 1009550 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued) Analyzed: 09/17/2010 By: DLV

Unit: ug/L Analytical Batch: 0I20013

Acrylonitrile	<2.0		2.0
Benzene	<1.0		1.0
Bromobenzene	<1.0		1.0
Bromochloromethane	<1.0		1.0
Bromodichloromethane	<1.0		1.0
Bromoform	<1.0		1.0
Bromomethane	<5.0		5.0
n-Butylbenzene	<1.0		1.0
sec-Butylbenzene	<1.0		1.0
tert-Butylbenzene	<1.0		1.0
Carbon Disulfide	<1.0		1.0
Carbon Tetrachloride	<1.0		1.0
Chlorobenzene	<1.0		1.0
Chloroethane	<5.0		5.0
Chloroform	<1.0		1.0
Chloromethane	<5.0		5.0
1,2-Dibromo-3-chloropropane	<5.0		5.0
Dibromochloromethane	<1.0		1.0
1,2-Dibromoethane	<1.0		1.0
Dibromomethane	<1.0		1.0
trans-1,4-Dichloro-2-butene	<1.0		1.0
1,2-Dichlorobenzene	<1.0		1.0
1,3-Dichlorobenzene	<1.0		1.0
1,4-Dichlorobenzene	<1.0		1.0
Dichlorodifluoromethane	<5.0		5.0
1,1-Dichloroethane	<1.0		1.0
1,2-Dichloroethane	<1.0		1.0
1,1-Dichloroethene	<1.0		1.0
cis-1,2-Dichloroethene	<1.0		1.0
trans-1,2-Dichloroethene	<1.0		1.0
1,2-Dichloropropane	<1.0		1.0
cis-1,3-Dichloropropene	<1.0		1.0
trans-1,3-Dichloropropene	<1.0		1.0
Ethylbenzene	<1.0		1.0
Ethyl Ether	<5.0		5.0
2-Hexanone	<5.0		5.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL

QC Batch: 1009550 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued) Analyzed: 09/17/2010 By: DLV
Unit: ug/L Analytical Batch: 0I20013

Iodomethane			<1.0				1.0
Isopropylbenzene			<1.0				1.0
4-Isopropyltoluene			<5.0				5.0
Methyl tert-Butyl Ether			<5.0				5.0
Methylene Chloride			<5.0				5.0
2-Butanone (MEK)			<5.0				5.0
2-Methylnaphthalene			<5.0				5.0
4-Methyl-2-pentanone (MIBK)			<5.0				5.0
Naphthalene			<5.0				5.0
n-Propylbenzene			<1.0				1.0
Styrene			<1.0				1.0
1,1,1,2-Tetrachloroethane			<1.0				1.0
1,1,2,2-Tetrachloroethane			<1.0				1.0
Tetrachloroethene			<1.0				1.0
Tetrahydrofuran			<5.0				5.0
Toluene			<1.0				1.0
1,2,3-Trichlorobenzene			<5.0				5.0
1,2,4-Trichlorobenzene			<5.0				5.0
1,1,1-Trichloroethane			<1.0				1.0
1,1,2-Trichloroethane			<1.0				1.0
Trichloroethene			<1.0				1.0
Trichlorofluoromethane			<1.0				1.0
1,2,3-Trichloropropane			<1.0				1.0
1,2,4-Trimethylbenzene			<1.0				1.0
1,3,5-Trimethylbenzene			<1.0				1.0
Vinyl Chloride			<1.0				1.0
Xylene, Meta + Para			<2.0				2.0
Xylene, Ortho			<1.0				1.0
Surrogates:							
Dibromofluoromethane				*95*	*88-115*		
1,2-Dichloroethane-d4				*105*	*81-116*		
Toluene-d8				*101*	*87-113*		
4-Bromofluorobenzene				*99*	*78-116*		

Laboratory Control Sample Analyzed: 09/15/2010 By: DLV
Unit: ug/L Analytical Batch: 0I16063

Benzene		40.0	**42.2**	105	86-122		1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
QC Batch: 1009550 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B								
Laboratory Control Sample (Continued)					Analyzed:	09/15/2010	By: DLV	
Unit: ug/L					Analytical Batch:	0I16063		
Chlorobenzene		40.0	**42.2**	105	88-114			1.0
1,1-Dichloroethene		40.0	**37.9**	95	81-125			1.0
Toluene		40.0	**42.1**	105	87-123			1.0
Trichloroethene		40.0	**41.1**	103	80-122			1.0
Surrogates:								
Dibromofluoromethane				*100*	*88-115*			
1,2-Dichloroethane-d4				*109*	*81-116*			
Toluene-d8				*101*	*87-113*			
4-Bromofluorobenzene				*102*	*78-116*			
Laboratory Control Sample					Analyzed:	09/17/2010	By: DLV	
Unit: ug/L					Analytical Batch:	0I20013		
Benzene		40.0	**42.8**	107	86-122			1.0
Chlorobenzene		40.0	**41.6**	104	88-114			1.0
1,1-Dichloroethene		40.0	**39.9**	100	81-125			1.0
Toluene		40.0	**42.3**	106	87-123			1.0
Trichloroethene		40.0	**41.4**	104	80-122			1.0
Surrogates:								
Dibromofluoromethane				*99*	*88-115*			
1,2-Dichloroethane-d4				*103*	*81-116*			
Toluene-d8				*101*	*87-113*			
4-Bromofluorobenzene				*101*	*78-116*			
Matrix Spike 1009164-07 MW-20D					Analyzed:	09/16/2010	By: DLV	
Unit: ug/L					Analytical Batch:	0I16063		
Benzene	<1.0	40.0	**44.8**	112	84-127			1.0
Chlorobenzene	<1.0	40.0	**43.2**	108	89-115			1.0
1,1-Dichloroethene	<1.0	40.0	**41.6**	104	85-130			1.0
Toluene	<1.0	40.0	**44.0**	110	88-125			1.0
Trichloroethene	0.240	40.0	**42.8**	106	81-124			1.0
Surrogates:								
Dibromofluoromethane				*102*	*88-115*			
1,2-Dichloroethane-d4				*113*	*81-116*			
Toluene-d8				*101*	*87-113*			
4-Bromofluorobenzene				*104*	*78-116*			
Matrix Spike Duplicate 1009164-07 MW-20D					Analyzed:	09/16/2010	By: DLV	
Unit: ug/L					Analytical Batch:	0I16063		
Benzene	<1.0	40.0	**45.1**	113	84-127	0.7	8	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
QC Batch: 1009550 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B								
Matrix Spike Duplicate (Continued) 1009164-07 MW-20D					Analyzed:	09/16/2010	By: DLV	
Unit: ug/L					Analytical Batch:	0I16063		
Chlorobenzene	<1.0	40.0	**43.6**	109	89-115	0.9	8	1.0
1,1-Dichloroethene	<1.0	40.0	**41.3**	103	85-130	0.8	10	1.0
Toluene	<1.0	40.0	**44.3**	111	88-125	0.7	8	1.0
Trichloroethene	0.240	40.0	**43.0**	107	81-124	0.4	8	1.0
Surrogates:								
Dibromofluoromethane				*103*	*88-115*			
1,2-Dichloroethane-d4				*113*	*81-116*			
Toluene-d8				*101*	*87-113*			
4-Bromofluorobenzene				*103*	*78-116*			

QC Batch: 1009919 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank		Analyzed:	09/23/2010	By: DLV
Unit: ug/L		Analytical Batch:	0I26003	
Acetone	<20		20	
Acrylonitrile	<2.0		2.0	
Benzene	<1.0		1.0	
Bromobenzene	<1.0		1.0	
Bromochloromethane	<1.0		1.0	
Bromodichloromethane	<1.0		1.0	
Bromoform	<1.0		1.0	
Bromomethane	<5.0		5.0	
n-Butylbenzene	<1.0		1.0	
sec-Butylbenzene	<1.0		1.0	
tert-Butylbenzene	<1.0		1.0	
Carbon Disulfide	<1.0		1.0	
Carbon Tetrachloride	<1.0		1.0	
Chlorobenzene	<1.0		1.0	
Chloroethane	<5.0		5.0	
Chloroform	<1.0		1.0	
Chloromethane	<5.0		5.0	
1,2-Dibromo-3-chloropropane	<5.0		5.0	
Dibromochloromethane	<1.0		1.0	
1,2-Dibromoethane	<1.0		1.0	
Dibromomethane	<1.0		1.0	
trans-1,4-Dichloro-2-butene	<1.0		1.0	
1,2-Dichlorobenzene	<1.0		1.0	

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL

QC Batch: 1009919 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued) Analyzed: 09/23/2010 By: DLV

Unit: ug/L Analytical Batch: 0I26003

1,3-Dichlorobenzene	<1.0	1.0
1,4-Dichlorobenzene	<1.0	1.0
Dichlorodifluoromethane	<5.0	5.0
1,1-Dichloroethane	<1.0	1.0
1,2-Dichloroethane	<1.0	1.0
1,1-Dichloroethene	<1.0	1.0
cis-1,2-Dichloroethene	<1.0	1.0
trans-1,2-Dichloroethene	<1.0	1.0
1,2-Dichloropropane	<1.0	1.0
cis-1,3-Dichloropropene	<1.0	1.0
trans-1,3-Dichloropropene	<1.0	1.0
Ethylbenzene	<1.0	1.0
Ethyl Ether	<5.0	5.0
2-Hexanone	<5.0	5.0
Iodomethane	<1.0	1.0
Isopropylbenzene	<1.0	1.0
4-Isopropyltoluene	<5.0	5.0
Methyl tert-Butyl Ether	<5.0	5.0
Methylene Chloride	<5.0	5.0
2-Butanone (MEK)	<5.0	5.0
2-Methylnaphthalene	<5.0	5.0
4-Methyl-2-pentanone (MIBK)	<5.0	5.0
Naphthalene	<5.0	5.0
n-Propylbenzene	<1.0	1.0
Styrene	<1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	1.0
Tetrachloroethene	<1.0	1.0
Tetrahydrofuran	<5.0	5.0
Toluene	<1.0	1.0
1,2,3-Trichlorobenzene	<5.0	5.0
1,2,4-Trichlorobenzene	<5.0	5.0
1,1,1-Trichloroethane	<1.0	1.0
1,1,2-Trichloroethane	<1.0	1.0
Trichloroethene	<1.0	1.0
Trichlorofluoromethane	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL

QC Batch: 1009919 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued) Analyzed: 09/23/2010 By: DLV
Unit: ug/L Analytical Batch: 0I26003

1,2,3-Trichloropropane	<1.0			1.0	
1,2,4-Trimethylbenzene	<1.0			1.0	
1,3,5-Trimethylbenzene	<1.0			1.0	
Vinyl Chloride	<1.0			1.0	
Xylene, Meta + Para	<2.0			2.0	
Xylene, Ortho	<1.0			1.0	
Surrogates:					
Dibromofluoromethane		*108*	*88-115*		
1,2-Dichloroethane-d4		*110*	*81-116*		
Toluene-d8		*101*	*87-113*		
4-Bromofluorobenzene		*100*	*78-116*		

Method Blank Analyzed: 09/24/2010 By: DLV
Unit: ug/L Analytical Batch: 0I26004

Acetone	<20			20	
Acrylonitrile	<2.0			2.0	
Benzene	<1.0			1.0	
Bromobenzene	<1.0			1.0	
Bromochloromethane	<1.0			1.0	
Bromodichloromethane	<1.0			1.0	
Bromoform	<1.0			1.0	
Bromomethane	<5.0			5.0	
n-Butylbenzene	<1.0			1.0	
sec-Butylbenzene	<1.0			1.0	
tert-Butylbenzene	<1.0			1.0	
Carbon Disulfide	<1.0			1.0	
Carbon Tetrachloride	<1.0			1.0	
Chlorobenzene	<1.0			1.0	
Chloroethane	<5.0			5.0	
Chloroform	<1.0			1.0	
Chloromethane	<5.0			5.0	
1,2-Dibromo-3-chloropropane	<5.0			5.0	
Dibromochloromethane	<1.0			1.0	
1,2-Dibromoethane	<1.0			1.0	
Dibromomethane	<1.0			1.0	
trans-1,4-Dichloro-2-butene	<1.0			1.0	

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL

QC Batch: 1009919 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued) Analyzed: 09/24/2010 By: DLV

Unit: ug/L Analytical Batch: 0I26004

1,2-Dichlorobenzene	<1.0		1.0
1,3-Dichlorobenzene	<1.0		1.0
1,4-Dichlorobenzene	<1.0		1.0
Dichlorodifluoromethane	<5.0		5.0
1,1-Dichloroethane	<1.0		1.0
1,2-Dichloroethane	<1.0		1.0
1,1-Dichloroethene	<1.0		1.0
cis-1,2-Dichloroethene	<1.0		1.0
trans-1,2-Dichloroethene	<1.0		1.0
1,2-Dichloropropane	<1.0		1.0
cis-1,3-Dichloropropene	<1.0		1.0
trans-1,3-Dichloropropene	<1.0		1.0
Ethylbenzene	<1.0		1.0
Ethyl Ether	<5.0		5.0
2-Hexanone	<5.0		5.0
Iodomethane	<1.0		1.0
Isopropylbenzene	<1.0		1.0
4-Isopropyltoluene	<5.0		5.0
Methyl tert-Butyl Ether	<5.0		5.0
Methylene Chloride	<5.0		5.0
2-Butanone (MEK)	<5.0		5.0
2-Methylnaphthalene	<5.0		5.0
4-Methyl-2-pentanone (MIBK)	<5.0		5.0
Naphthalene	<5.0		5.0
n-Propylbenzene	<1.0		1.0
Styrene	<1.0		1.0
1,1,1,2-Tetrachloroethane	<1.0		1.0
1,1,2,2-Tetrachloroethane	<1.0		1.0
Tetrachloroethene	<1.0		1.0
Tetrahydrofuran	<5.0		5.0
Toluene	<1.0		1.0
1,2,3-Trichlorobenzene	<5.0		5.0
1,2,4-Trichlorobenzene	<5.0		5.0
1,1,1-Trichloroethane	<1.0		1.0
1,1,2-Trichloroethane	<1.0		1.0
Trichloroethene	<1.0		1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL

QC Batch: 1009919 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued) Analyzed: 09/24/2010 By: DLV
Unit: ug/L Analytical Batch: 0I26004

Trichlorofluoromethane			<1.0				1.0
1,2,3-Trichloropropane			<1.0				1.0
1,2,4-Trimethylbenzene			<1.0				1.0
1,3,5-Trimethylbenzene			<1.0				1.0
Vinyl Chloride			<1.0				1.0
Xylene, Meta + Para			<2.0				2.0
Xylene, Ortho			<1.0				1.0
Surrogates:							
Dibromofluoromethane				*100*	*88-115*		
1,2-Dichloroethane-d4				*109*	*81-116*		
Toluene-d8				*99*	*87-113*		
4-Bromofluorobenzene				*96*	*78-116*		

Method Blank Analyzed: 09/24/2010 By: DLV
Unit: ug/L Analytical Batch: 0I26005

Acetone			<20				20
Acrylonitrile			<2.0				2.0
Benzene			<1.0				1.0
Bromobenzene			<1.0				1.0
Bromochloromethane			<1.0				1.0
Bromodichloromethane			<1.0				1.0
Bromoform			<1.0				1.0
Bromomethane			<5.0				5.0
n-Butylbenzene			<1.0				1.0
sec-Butylbenzene			<1.0				1.0
tert-Butylbenzene			<1.0				1.0
Carbon Disulfide			<1.0				1.0
Carbon Tetrachloride			<1.0				1.0
Chlorobenzene			<1.0				1.0
Chloroethane			<5.0				5.0
Chloroform			<1.0				1.0
Chloromethane			<5.0				5.0
1,2-Dibromo-3-chloropropane			<5.0				5.0
Dibromochloromethane			<1.0				1.0
1,2-Dibromoethane			<1.0				1.0
Dibromomethane			<1.0				1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL

QC Batch: 1009919 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued) Analyzed: 09/24/2010 By: DLV

Unit: ug/L Analytical Batch: 0I26005

trans-1,4-Dichloro-2-butene	<1.0		1.0
1,2-Dichlorobenzene	<1.0		1.0
1,3-Dichlorobenzene	<1.0		1.0
1,4-Dichlorobenzene	<1.0		1.0
Dichlorodifluoromethane	<5.0		5.0
1,1-Dichloroethane	<1.0		1.0
1,2-Dichloroethane	<1.0		1.0
1,1-Dichloroethene	<1.0		1.0
cis-1,2-Dichloroethene	<1.0		1.0
trans-1,2-Dichloroethene	<1.0		1.0
1,2-Dichloropropane	<1.0		1.0
cis-1,3-Dichloropropene	<1.0		1.0
trans-1,3-Dichloropropene	<1.0		1.0
Ethylbenzene	<1.0		1.0
Ethyl Ether	<5.0		5.0
2-Hexanone	<5.0		5.0
Iodomethane	<1.0		1.0
Isopropylbenzene	<1.0		1.0
4-Isopropyltoluene	<5.0		5.0
Methyl tert-Butyl Ether	<5.0		5.0
Methylene Chloride	<5.0		5.0
2-Butanone (MEK)	<5.0		5.0
2-Methylnaphthalene	<5.0		5.0
4-Methyl-2-pentanone (MIBK)	<5.0		5.0
Naphthalene	<5.0		5.0
n-Propylbenzene	<1.0		1.0
Styrene	<1.0		1.0
1,1,1,2-Tetrachloroethane	<1.0		1.0
1,1,2,2-Tetrachloroethane	<1.0		1.0
Tetrachloroethene	<1.0		1.0
Tetrahydrofuran	<5.0		5.0
Toluene	<1.0		1.0
1,2,3-Trichlorobenzene	<5.0		5.0
1,2,4-Trichlorobenzene	<5.0		5.0
1,1,1-Trichloroethane	<1.0		1.0
1,1,2-Trichloroethane	<1.0		1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL

QC Batch: 1009919 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued) Analyzed: 09/24/2010 By: DLV
Unit: ug/L Analytical Batch: 0I26005

Trichloroethene			<1.0				1.0
Trichlorofluoromethane			<1.0				1.0
1,2,3-Trichloropropane			<1.0				1.0
1,2,4-Trimethylbenzene			<1.0				1.0
1,3,5-Trimethylbenzene			<1.0				1.0
Vinyl Chloride			<1.0				1.0
Xylene, Meta + Para			<2.0				2.0
Xylene, Ortho			<1.0				1.0
Xylene (Total)			<3.0				3.0
Surrogates:							
Dibromofluoromethane				*100*	*88-115*		
1,2-Dichloroethane-d4				*110*	*81-116*		
Toluene-d8				*101*	*87-113*		
4-Bromofluorobenzene				*96*	*78-116*		

Laboratory Control Sample Analyzed: 09/23/2010 By: DLV
Unit: ug/L Analytical Batch: 0I26003

Benzene		40.0	**39.6**	99	86-122		1.0
Chlorobenzene		40.0	**39.2**	98	88-114		1.0
1,1-Dichloroethene		40.0	**39.4**	98	81-125		1.0
Toluene		40.0	**39.2**	98	87-123		1.0
Trichloroethene		40.0	**39.9**	100	80-122		1.0
Surrogates:							
Dibromofluoromethane				*100*	*88-115*		
1,2-Dichloroethane-d4				*103*	*81-116*		
Toluene-d8				*99*	*87-113*		
4-Bromofluorobenzene				*102*	*78-116*		

Laboratory Control Sample Analyzed: 09/24/2010 By: DLV
Unit: ug/L Analytical Batch: 0I26004

Benzene		40.0	**39.2**	98	86-122		1.0
Chlorobenzene		40.0	**39.1**	98	88-114		1.0
1,1-Dichloroethene		40.0	**37.7**	94	81-125		1.0
Toluene		40.0	**39.6**	99	87-123		1.0
Trichloroethene		40.0	**38.2**	95	80-122		1.0
Surrogates:							
Dibromofluoromethane				*101*	*88-115*		

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL

QC Batch: 1009919 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Laboratory Control Sample (Continued) Analyzed: 09/24/2010 By: DLV
Unit: ug/L Analytical Batch: 0I26004

Surrogates (Continued):							
1,2-Dichloroethane-d4				*104*	*81-116*		
Toluene-d8				*102*	*87-113*		
4-Bromofluorobenzene				*101*	*78-116*		

Laboratory Control Sample Analyzed: 09/24/2010 By: DLV
Unit: ug/L Analytical Batch: 0I26005

Benzene		40.0	**38.2**	95	86-122		1.0
Chlorobenzene		40.0	**38.0**	95	88-114		1.0
1,1-Dichloroethene		40.0	**36.2**	90	81-125		1.0
Toluene		40.0	**38.0**	95	87-123		1.0
Trichloroethene		40.0	**37.4**	93	80-122		1.0
Surrogates:							
Dibromofluoromethane				*97*	*88-115*		
1,2-Dichloroethane-d4				*103*	*81-116*		
Toluene-d8				*101*	*87-113*		
4-Bromofluorobenzene				*102*	*78-116*		

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

STATEMENT OF DATA QUALIFICATIONS

All analyses have been validated and comply with our Quality Control Program.
No Qualifications required.

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. 134202

Pg. 1 of 4

For Lab Use Only
Cart —
VOA Rack/Tray 3DX
Receipt Log No. 10-27
Project Chemist JLR
Work Order No. E-100 9161

Client Name: RMT Inc
Address: 3754 Ranchew Drive
City, State Zip: Ann Arbor MI 48108
Phone/Fax: 7349717080 7349719022
Email:

Project Name: Tecumseh Product COM
Client Project No. / P.O. No.: 00 08070.08
Invoice To: ☑ Client ☐ Other (comments)
Contact/Report To: Stacy Metz

Analyses Requested: VOC 8260

PRESERVATIVES
A NONE pH~7
B HNO_3 pH<2
C H_2SO_4 pH<2
D 1+1 HCl pH<2
E NaOH pH>12
F ZnAc/NaOH pH>9
G MeOH
H Other (note below)

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	COMP	GRAB	Matrix	VOC 8260	Total	Sample Comments
01		01	1 STW-2		9/2/10	1250		X	GW	X	2	
↓		02	2 STW-1		|	1310		X	SW	X	2	
03		03	3 Trip Blank		—	—			W	X	1	
01		04	4 MW-10s		9/3/10	0825		X	GW	X	2	
|		05	5 MW 11s		|	0947		X	GW	X	2	
|		06	6 Dup 01		|	—		X	GW	X	2	
|		07	7 MW 12s		|	1105		X	GW	X	2	
02		08	8 MW-12D		|	1156		|	GW	X	2	
			9 MW-12D MS & MSD		|	1156		|	GW	X	4	
01		09	10 MW-13s		|	1302		|	GW	X	2	

Sampled By (print): Javier Jasso
Sampler's Signature: J Jasso
Company: RMT Inc

How Shipped? Hand ___ Carrier ___
Tracking No.

1. Relinquished By: J Jasso Date 9/9/10 Time 1730
1. Received By: [signature] Date 9-10-10 Time 1350

2. Relinquished By: Date Time
2. Received By: Date Time

3. Relinquished By: [signature] Date 9-10-10 Time 20:00
3. Received For Lab By: [signature] Date 9/10/10 Time 2000

Comments

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

TRIMATRIX LABORATORIES

5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. 135223

Pg. 2 of 4

For Lab Use Only
Cart –
VOA Rack/Tray 30X
Receipt Log No. 10-27
Project Chemist JLR
Work Order No. E-1009161

Client Name: RMT Inc
Address: 3754 Ranchero Drive
City, State Zip: Ann Arbor MI 48108
Phone/Fax: 734-971 7080 734-971 9010
Email:

Project Name: Tecumseh Product Co
Client Project No. / P.O. No.: 0008070.08
Invoice To: ☑ Client ☐ Other (comments)
Contact/Report To: Stacy Metz

Analyses Requested: D; VOC 8260

Container Type (corresponds to Container Packing List)

PRESERVATIVES
A NONE pH~7
B HNO_3 pH<2
C H_2SO_4 pH<2
D 1+1 HCl pH<2
E NaOH pH>12
F ZnAc/NaOH pH>9
G MeOH
H Other (note below)

Schedule	Matrix Code	Sample Number		Field Sample ID	Cooler ID	Sample Date	Sample Time	COMP	GRAB	Matrix	D	Total	Sample Comments
01		10	1	MW-14s		9/3/10	1345		X	GW	X	2	
		11	2	MW-14D			1518		X	GW	X	2	
		12	3	Rinse Blank 01			1525			DI	X	2	
		13	4	MW-15s		9/8/10	0902			GW	X	2	
		14	5	MW-17s			1020			GW	X	2	
		15	6	WL-01			1040			SW	X	2	
		16	7	MW 18s			1236			GW	X	2	
		17	8	MW-19D			1337				X	2	
		18	9	MW-24s			1441				X	2	
		19	10	MW-24D			1510				X	2	

Sampled By (print): Javier Jass
Sampler's Signature: [signature]
Company: RMT Inc

How Shipped? Hand ___ Carrier ___
Tracking No.

Comments

1. Relinquished By	Date	Time	2. Relinquished By	Date	Time	3. Relinquished By	Date	Time
[signature]	9/10/10	1730				[signature]	9-10-10	20:00

1. Received By	Date	Time	2. Received By	Date	Time	3. Received For Lab By	Date	Time
[signature]	9-10-10	1350				[signature]	9/10/10	2000

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

TRIMATRIX LABORATORIES

5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. 135224

Pg. 3 of 4

For Lab Use Only
Cart: –
VOA Rack/Tray: 30X
Receipt Log No.: 10-27
Project Chemist: JLR
Work Order No.: E-1009161

Client Name: RMT Inc
Address: 3754 Ranchero Drive
City, State Zip: Ann Arbor MI 48108
Phone/Fax: 734 971 7080 734 971 9022
Email:

Project Name: Tecumseh Product CC
Client Project No. / P.O. No.: 0008070.08
Invoice To: ☑ Client ☐ Other (comments)
Contact/Report To: Stacy Mutz

Analyses Requested: VOC 8260

Container Type (corresponds to Container Packing List): D

PRESERVATIVES
A NONE pH~7
B HNO_3 pH<2
C H_2SO_4 pH<2
D 1+1 HCl pH<2
E NaOH pH>12
F ZnAc/NaOH pH>9
G MeOH
H Other (note below)

Schedule	Matrix Code	Sample Number		Field Sample ID	Cooler ID	Sample Date	Sample Time	COMP	GRAB	Matrix	Number of Containers Submitted	Total	Sample Comments
01		20	1	MW 25s		9/8/10	1617		X	GW	X	2	
		21	2	MW 26s			1745		X	GW	X	2	
		22	3	Rinse Blank 02			1720		X	DI	X	2	
		23	4	MW-27s		9/9/10	0808			GW	X	2	
		24	5	Dup-02			—				X	2	
		25	6	MW 27D			0834				X	2	
02		26	7	MW-28s			0929				X	2	
			8	MW 28s MS/MSD			0929				X	4	
01		27	9	MW-28D			1004				X	2	
		28	10	MW-29s			1102				X	2	

Sampled By (print): Javier Jass
Sampler's Signature: [signature]
Company: RMT Inc

How Shipped? Hand ___ Carrier ___
Tracking No.:

1. Relinquished By: [signature] Date 9/9/10 Time 1730
1. Received By: [signature] Date 9-10-10 Time 1350

Comments

2. Relinquished By: Date Time
2. Received By: Date Time

3. Relinquished By: [signature] Date 9-10-10 Time 20:00
3. Received For Lab By: J. Riordan Date 9/10/10 Time 2000

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

TRIMATRIX LABORATORIES

5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. 135225

Pg. 4 of 4

For Lab Use Only

Cart: —

VOA Rack/Tray: BOX

Receipt Log No.: 10-27

Project Chemist: JLR

Work Order No.: E-100916l

Client Name: RMT Inc

Address: 3754 Ranchero Drive

City, State Zip: Ann Arbor MI 48108

Phone/Fax: 734-971-7080 734-971-9037

Email:

Project Name: Tecumseh Products

Client Project No. / P.O. No.: 00-080 70.08

Invoice To: ☑ Client ☐ Other (comments)

Contact/Report To: Stacy Mutz

Analyses Requested: D

Container Type (corresponds to Container Packing List): VOC 8260

PRESERVATIVES
A NONE pH~7
B HNO_3 pH<2
C H_2SO_4 pH<2
D 1+1 HCl pH<2
E NaOH pH>12
F ZnAc/NaOH pH>9
G MeOH
H Other (note below)

Schedule	Matrix Code	Sample Number		Field Sample ID	Cooler ID	Sample Date	Sample Time	COMP	GRAB	Matrix	Number of Containers Submitted	Total	Sample Comments
01		29	1	MW-29D		9/9/10	1151		+	GW	+	2	
|		30	2	MW-30S		|	1337		+	|	+	2	
|		31	3	MW-30D		|	1431		+	|	+	2	
		32	4	MW-5S		|	1553		+	|	+	2	
			5										
			6										
			7										
			8										
			9										
			10										

Sampled By (print): JAMIE JAST

Sampler's Signature: [signature]

Company: RMT Inc

How Shipped? Hand ___ Carrier ___

Tracking No.:

Comments:

	Date	Time
1. Relinquished By: [signature]	9/10	1730
1. Received By: [signature]	9-10-10	1350
2. Relinquished By		
2. Received By		
3. Relinquished By: [signature]	9-10-10	20:00
3. Received For Lab By: J. Harding	9/10/10	2000

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

SAMPLE RECEIVING / LOG-IN CHECKLIST

TRIMATRIX LABORATORIES

Client: RMT
Receipt Record Page/Line #: 1D-27
Work Order #: E-1009161
New / Add To
Project Chemist: JHR
Sample #s

Recorded by (initials/date): JN 9/11/10

☑ Cooler ☑ Box ☐ Other
Qty Received: 1
Thermometer Used: ☐ IR Gun (#202) ☐ Digital Thermometer (#54) ☐ Other (#_____)
☐ See Additional Cooler Information Form

Cooler #	Time	Custody Seals	Coolant Location	Coolant/Temperature Taken Via	Alternate Temperature Taken Via
TM2D500114		☑ None ☐ Present / Intact ☐ Present / Not Intact	Dispersed / Top / Middle / Bottom	☑ Loose Ice / Avg 2-3 containers ☐ Bagged Ice / Avg 2-3 containers ☐ Blue Ice / Avg 2-3 containers ☐ None / Avg 2-3 containers	☑ Temperature Blank (TB) ☐ 1 Container

Recorded °C	Correction Factor °C	Actual °C
Temp Blank: 0		3.4
TB location: Representative / Not Representative		
1 3.1	0	3.1
2 3.6	0	3.6
3 4.3	0	4.3
Average °C		3.7

☐ Cooler ID on COC? ☑ VOC Trip Blank received?

Cooler #	Time	Custody Seals	Coolant Location	Coolant/Temperature Taken Via	Alternate Temperature Taken Via
		☐ None ☐ Present / Intact ☐ Present / Not Intact	Dispersed / Top / Middle / Bottom	☐ Loose Ice / Avg 2-3 containers ☐ Bagged Ice / Avg 2-3 containers ☐ Blue Ice / Avg 2-3 containers ☐ None / Avg 2-3 containers	☐ Temperature Blank (TB) ☐ 1 Container

Recorded °C	Correction Factor °C	Actual °C
Temp Blank:		
TB location: Representative / Not Representative		
1		
2		
3		
Average °C		

☐ Cooler ID on COC? ☐ VOC Trip Blank received?

Cooler #	Time	Custody Seals	Coolant Location	Coolant/Temperature Taken Via	Alternate Temperature Taken Via
		☐ None ☐ Present / Intact ☐ Present / Not Intact	Dispersed / Top / Middle / Bottom	☐ Loose Ice / Avg 2-3 containers ☐ Bagged Ice / Avg 2-3 containers ☐ Blue Ice / Avg 2-3 containers ☐ None / Avg 2-3 containers	☐ Temperature Blank (TB) ☐ 1 Container

Recorded °C	Correction Factor °C	Actual °C
Temp Blank:		
TB location: Representative / Not Representative		
1		
2		
3		
Average °C		

☐ Cooler ID on COC? ☐ VOC Trip Blank received?

Cooler #	Time	Custody Seals	Coolant Location	Coolant/Temperature Taken Via	Alternate Temperature Taken Via
		☐ None ☐ Present / Intact ☐ Present / Not Intact	Dispersed / Top / Middle / Bottom	☐ Loose Ice / Avg 2-3 containers ☐ Bagged Ice / Avg 2-3 containers ☐ Blue Ice / Avg 2-3 containers ☐ None / Avg 2-3 containers	☐ Temperature Blank (TB) ☐ 1 Container

Recorded °C	Correction Factor °C	Actual °C
Temp Blank:		
TB location: Representative / Not Representative		
1		
2		
3		
Average °C		

☐ Cooler ID on COC? ☐ VOC Trip Blank received?

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

Paperwork Received

☐ No COC Received

N/A	Yes	No	
	☑	☐	Chain of Custody record(s)?
	☐		If No, COC Initiated By _____
	☑		Rec'd for Lab Signed/Date/Time?
☑	☐		Shipping document?
☑	☐		Other _____

COC ID #s

☑ TriMatrix 134202, 135223

☐ Other (Name or ID#) 135224, 135225

Check COC for Accuracy

☐ No analysis requested

Yes	No	
☑	☐	Sample ID matches COC?
☑	☐	Sample Date and Time matches COC?
☑		Container type completed on COC?
☑	☐	All container types indicated are received?

Sample Condition Summary

☐ Non-TriMatrix containers, see Notes

N/A	Yes	No	
	☐	☑	Broken containers/lids?
	☐	☑	Missing or incomplete labels?
	☐	☑	Illegible information on labels?
	☐	☑	Low volume received?
	☐	☑	Inappropriate containers received?
☐	☑	☐	VOC vials / TOX containers have headspace?
☑	☐	☐	Extra sample locations / containers not listed on COC?

Check Sample Preservation

N/A	Yes	No	
	☑	☐	Average sample temperature ≤6° C?
☑	☐		Completed Sample Preservation Verification Form?
☑	☐	☐	Samples preserved correctly?
☑	☐		If "No", added orange tag?
☑	☐		Received pre-preserved VOC soils?

☐ MeOH ☐ Na_2SO_4

Check for Short Hold-Time Prep/Analyses

☐ Bacteriological
☐ Air Bags
☐ EnCores / Methanol Pre-Preserved
☐ Formaldehyde/Aldehyde
☐ Green-tagged containers
☐ Yellow/White-tagged 1L ambers (SV Prep-Lab)

AFTER HOURS ONLY:
COPIES OF COC TO LAB AREA(S)
☑ NONE RECEIVED
☐ RECEIVED, COCs TO LAB(S)

Notes

☑ Trip Blank received ☐ Trip Blank not listed on COC
☐ No COC received, Proj. Chemist reviewed (Init/Date) _____
☐ No analysis requested, Proj. Chemist completed (Init/Date) _____

Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤1 Hour Goal Met?
JN 9/11/10	JN 9/11/10	Yes / No

TRIMATRIX LABORATORIES

5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. 135226

Pg. 1 of 2

For Lab Use Only

Cart: –

VOA Rack/Tray: 5D, 95-B

Receipt Log No.: 13-7

Project Chemist: JLR

Work Order No.: R-1009164

Client Name: RMT Inc

Address: 3754 Ranchero Drive

City, State Zip: Ann Arbor MI 48108

Phone/Fax: 734.971.7080 734.971.9017

Email:

Project Name: Tecumseh Brooks Co

Client Project No. / P.O. No.: 008070.02

Invoice To: ☒ Client ☐ Other (comments)

Contact/Report To: Stacy Metz

Analyses Requested: 8260 VOC

Container Type (corresponds to Container Packing List): 1

PRESERVATIVES
A NONE pH~7
B HNO_3 pH<2
C H_2SO_4 pH<2
D 1+1 HCl pH<2
E NaOH pH>12
F ZnAc/NaOH pH>9
G MeOH
H Other (note below)

Schedule	Matrix Code	Sample Number		Field Sample ID	Cooler ID	Sample Date	Sample Time	COMP	GRAB	Matrix	Number of Containers Submitted	Total	Sample Comments
		01	1	Trip Blank 02		9/10/10	—	X		DW	+	1	
		02	2	MW-6s			0634		+	GW	+	2	
		03	3	MW-7s			0740				+	2	
		04	4	MW-19s			0859				+	2	
		05	5	Dup-03			—				+	2	
		06	6	MW-20s			1013				+	2	
		07	7	MW-20D			1041				+	2	
			8	MW-20D MS & MSD			1041				+	4	
		08	9	MW-22s			1151				+	2	
		09	10	MW-23			1259				+	2	

Sampled By (print): Javier Jasso

Sampler's Signature: [signature]

Company: RMT Inc

How Shipped? Hand ___ Carrier ___

Tracking No.:

Comments:

1. Relinquished By	Date	Time	2. Relinquished By	Date	Time	3. Relinquished By	Date	Time
[signature]	9/10/10	1700				[signature]	9-13-10	18:45

1. Received By	Date	Time	2. Received By	Date	Time	Received For Lab By	Date	Time
[signature]	9-13-10	14:55				J. Hardin	9/13/10	1845

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

TRIMATRIX LABORATORIES

5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. 135222

Pg. 2 of 2

For Lab Use Only

Cart: -

VOA Rack/Tray: 50, 95-B

Receipt Log No.: 13-7

Project Chemist: JLR

Work Order No.: R-1009164

Client Name: RMT Inc

Address: 3754 Ranchero Drive

City, State Zip: Ann Arbor MI 48108

Phone/Fax: 734-971-7080 734-971-9017

Email:

Project Name: T.P.C.

Client Project No. / P.O. No.: 0008070.08

Invoice To: ☒ Client ☐ Other (comments)

Contact/Report To: Stacy Metz

Analyses Requested: 1 Volume

Container Type (corresponds to Container Packing List): 1

PRESERVATIVES
- A NONE pH~7
- B HNO_3 pH<2
- C H_2SO_4 pH<2
- D 1+1 HCl pH<2
- E NaOH pH>12
- F ZnAc/NaOH pH>9
- G MeOH
- H Other (note below)

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	COMP	GRAB	Matrix	Number of Containers Submitted	Total	Sample Comments
		10	Rinse Blank 03		9/10/10	1315		X	DI	1	2	
		11	MW 1s			1350		X	GW	1	2	
		12	MW 2s			1456		X		1	2	
		13	MW 3s			1551		X		1	2	

Sampled By (print): Javier Jass

Sampler's Signature: [signature]

Company: RMT Inc

How Shipped? Hand ___ Carrier ___

Tracking No.: [signature] 9/10/10 1700

1. Relinquished By: [signature] Date: 9/10/10 Time: 1700

1. Received By: [signature] Date: 9-13-10 Time: 14:55

2. Relinquished By: Date: Time:

2. Received By: Date: Time:

3. Relinquished By: [signature] Date: 9-13-10 Time: 18:45

3. Received For Lab By: J. Nidrd JN Date: 9/13/10 Time: 1845

Comments:

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

SAMPLE RECEIVING / LOG-IN CHECKLIST

TRIMATRIX LABORATORIES

Client: RMT, INC.
Receipt Record Page/Line #: 13-7
Work Order #: R-1009164
New / Add To
Project Chemist: JLR
Sample #s

Recorded by (initials/date): JN 9/13/10

☑ Cooler ☐ Box ☐ Other _____ | Qty Received: 1

Thermometer Used: ☑ IR Gun (#202) ☐ Digital Thermometer (#54) ☐ Other (#_____)

☐ See Additional Cooler Information Form

Cooler #	Time	Custody Seals	Coolant Location	Coolant/Temperature Taken Via	Alternate Temperature Taken Via	Recorded °C	Correction Factor °C	Actual °C	Cooler ID on COC?	VOC Trip Blank received?
1122627	1920	☑ None; ☐ Present / Intact; ☐ Present / Not Intact	Dispersed / Top / Middle / Bottom	☐ Loose Ice / Avg 2-3 containers; ☑ Bagged Ice / Avg 2-3 containers; ☐ Blue Ice / Avg 2-3 containers; ☐ None / Avg 2-3 containers	☑ Temperature Blank (TB); ☐ 1 Container	Temp Blank: 0		6.1		
						1: 7.7	0	7.7		
						2: 7.1	0	7.1		
						3: 6.8	0	6.8		
						Average °C		7.2		

TB location: Representative / Not Representative

Cooler #	Time	Custody Seals	Coolant Location	Coolant/Temperature Taken Via	Alternate Temperature Taken Via	Recorded °C	Correction Factor °C	Actual °C	Cooler ID on COC?	VOC Trip Blank received?
		☐ None; ☐ Present / Intact; ☐ Present / Not Intact	Dispersed / Top / Middle / Bottom	☐ Loose Ice / Avg 2-3 containers; ☐ Bagged Ice / Avg 2-3 containers; ☐ Blue Ice / Avg 2-3 containers; ☐ None / Avg 2-3 containers	☐ Temperature Blank (TB); ☐ 1 Container	Temp Blank:				
						1				
						2				
						3				
						Average °C				

TB location: Representative / Not Representative

Cooler #	Time	Custody Seals	Coolant Location	Coolant/Temperature Taken Via	Alternate Temperature Taken Via	Recorded °C	Correction Factor °C	Actual °C	Cooler ID on COC?	VOC Trip Blank received?
		☐ None; ☐ Present / Intact; ☐ Present / Not Intact	Dispersed / Top / Middle / Bottom	☐ Loose Ice / Avg 2-3 containers; ☐ Bagged Ice / Avg 2-3 containers; ☐ Blue Ice / Avg 2-3 containers; ☐ None / Avg 2-3 containers	☐ Temperature Blank (TB); ☐ 1 Container	Temp Blank:				
						1				
						2				
						3				
						Average °C				

TB location: Representative / Not Representative

Cooler #	Time	Custody Seals	Coolant Location	Coolant/Temperature Taken Via	Alternate Temperature Taken Via	Recorded °C	Correction Factor °C	Actual °C	Cooler ID on COC?	VOC Trip Blank received?
		☐ None; ☐ Present / Intact; ☐ Present / Not Intact	Dispersed / Top / Middle / Bottom	☐ Loose Ice / Avg 2-3 containers; ☐ Bagged Ice / Avg 2-3 containers; ☐ Blue Ice / Avg 2-3 containers; ☐ None / Avg 2-3 containers	☐ Temperature Blank (TB); ☐ 1 Container	Temp Blank:				
						1				
						2				
						3				
						Average °C				

TB location: Representative / Not Representative

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

Paperwork Received

☐ No COC Received

N/A	Yes	No	
	☑	☐	Chain of Custody record(s)?
	☐		If No, COC Initiated By _____
	☑		Rec'd for Lab Signed/Date/Time?
☑	☐		Shipping document?
☑	☐		Other _____

COC ID #s

☑ TriMatrix 135226, 135222

☐ Other (Name or ID#) _____

Check COC for Accuracy

☐ No analysis requested

Yes	No	
☑	☐	Sample ID matches COC?
☑	☐	Sample Date and Time matches COC?
☑		Container type completed on COC?
☑	☐	All container types indicated are received?

Sample Condition Summary

☐ Non-TriMatrix containers, see Notes

N/A	Yes	No	
	☐	☑	Broken containers/lids?
	☐	☑	Missing or incomplete labels?
	☐	☑	Illegible information on labels?
	☐	☑	Low volume received?
	☐	☑	Inappropriate containers received?
☐	☐	☑	VOC vials / TOX containers have headspace?
☑	☐	☐	Extra sample locations / containers not listed on COC?

Check Sample Preservation

N/A	Yes	No	
	☐	☑	Average sample temperature ≤6° C?
☑	☐		Completed Sample Preservation Verification Form?
☑	☐	☐	Samples preserved correctly?
☑	☐		If "No", added orange tag?
☑	☐		Received pre-preserved VOC soils?

☐ MeOH ☐ Na_2SO_4

Check for Short Hold-Time Prep/Analyses

- ☐ Bacteriological
- ☐ Air Bags
- ☐ EnCores / Methanol Pre-Preserved
- ☐ Formaldehyde/Aldehyde
- ☐ Green-tagged containers
- ☐ Yellow/White-tagged 1L ambers (SV Prep-Lab)

AFTER HOURS ONLY:
COPIES OF COC TO LAB AREA(S)
☑ NONE RECEIVED
☐ RECEIVED, COCs TO LAB(S)

Notes

☑ Trip Blank received ☐ Trip Blank not listed on COC
☐ No COC received, Proj. Chemist reviewed (Init/Date) _____
☐ No analysis requested, Proj. Chemist completed (Init/Date) _____

Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤1 Hour Goal Met?
JN 9/13/10	JN 9/13/10	Yes / No

TRIMATRIX LABORATORIES

5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. 135033

Pg. 1 of 1

For Lab Use Only
Cart: –
VOA Rack/Tray: 4/25-W
Receipt Log No.: 25-4
Project Chemist: JLR
Work Order No.: 1009313

Client Name: RMT Inc
Address: 3754 Ranchero Drive
City, State Zip: Ann Arbor, MI 48108
Phone/Fax: 734.971.7080 / 734.971.9022
Email: stacy.metz@rmtinc.com

Project Name: TPC - Tecumseh
Client Project No. / P.O. No.: 00-08070.08
Invoice To: ☒ Client ☐ Other (comments)
Contact/Report To: Stacy Metz

Analyses Requested: D — VOCs 8260

Container Type (corresponds to Container Packing List): /

PRESERVATIVES
A NONE pH~7
B HNO_3 pH<2
C H_2SO_4 pH<2
D 1+1 HCl pH<2
E NaOH pH>12
F ZnAc/NaOH pH>9
G MeOH
H Other (note below)

Schedule	Matrix Code	Sample Number		Field Sample ID	Cooler ID	Sample Date	Sample Time	COMP	GRAB	Matrix	Number of Containers Submitted	Total	Sample Comments
01		01	1	MW-31	TM 1780	9/17/10	956		X	GW	2	2	
		02	2	MW-4s			1100		X		2	2	
		03	3	MW-9s			1145		X		2	2	
			4	MW-21			1243		X		2	2	
		04	5	MW-33s			1354		X		2	2	
		05	6	MW-32s			1445		X		2	2	
		06	7	MW-34s			1549		X		2	2	
			8										
01		07	9	EB-01	TM 1780		1621		X	DI	2	2	
03		08	10	TB-01		—	—		X	DI	2X	2X	JN 9/20/10

Sampled By (print): Brent Ritchie
Sampler's Signature:
Company: RMT, Inc

How Shipped? Hand X Carrier
Tracking No.

Comments

	Relinquished By	Date	Time	Received By	Date	Time
1.		9/17/10	1730	RMT	9/17/10	1730
2.	Colleen Lagua	9/20/10	2:42pm		9-20-10	14:42
3.		9-20-10	17:15	JN Wardin	9/20/10	1715

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

SAMPLE RECEIVING / LOG-IN CHECKLIST

TRIMATRIX LABORATORIES

Client: RMT, INC.
Receipt Record Page/Line #: 25-2
Work Order #: 1009313
New / Add To
Project Chemist | Sample #s

Recorded by (initials/date): DN 9/20/10

☑ Cooler ☐ Box ☐ Other
Qty Received: 1

Thermometer Used: ☑ IR Gun (#202) ☐ Digital Thermometer (#54) ☐ Other (#_____)

☐ See Additional Cooler Information Form

Cooler #	Time	Custody Seals	Coolant Location	Coolant/Temperature Taken Via	Alternate Temperature Taken Via	Recorded °C	Correction Factor °C	Actual °C	TB location: Representative / Not Representative	Average °C	Cooler ID on COC?	VOC Trip Blank received?
1N/1780	1803	☑ None ☐ Present / Intact ☐ Present / Not Intact	Dispersed / Top / Middle / Bottom	☑ Loose Ice / Avg 2-3 containers ☐ Bagged Ice / Avg 2-3 containers ☐ Blue Ice / Avg 2-3 containers ☐ None / Avg 2-3 containers	☑ Temperature Blank (TB) ☐ 1 Container	Temp Blank: 0		3.1			☑	☑
						1: 3.2	0	3.2				
						2: 3.7	0	3.7				
						3: 1.3	0	1.3		2.1		
Cooler #	Time	Custody Seals	Coolant Location	Coolant/Temperature Taken Via	Alternate Temperature Taken Via	Recorded °C	Correction Factor °C	Actual °C	TB location: Representative / Not Representative	Average °C	Cooler ID on COC?	VOC Trip Blank received?
		☐ None ☐ Present / Intact ☐ Present / Not Intact	Dispersed / Top / Middle / Bottom	☐ Loose Ice / Avg 2-3 containers ☐ Bagged Ice / Avg 2-3 containers ☐ Blue Ice / Avg 2-3 containers ☐ None / Avg 2-3 containers	☐ Temperature Blank (TB) ☐ 1 Container	Temp Blank:					☐	☐
						1						
						2						
						3						
Cooler #	Time	Custody Seals	Coolant Location	Coolant/Temperature Taken Via	Alternate Temperature Taken Via	Recorded °C	Correction Factor °C	Actual °C	TB location: Representative / Not Representative	Average °C	Cooler ID on COC?	VOC Trip Blank received?
		☐ None ☐ Present / Intact ☐ Present / Not Intact	Dispersed / Top / Middle / Bottom	☐ Loose Ice / Avg 2-3 containers ☐ Bagged Ice / Avg 2-3 containers ☐ Blue Ice / Avg 2-3 containers ☐ None / Avg 2-3 containers	☐ Temperature Blank (TB) ☐ 1 Container	Temp Blank:					☐	☐
						1						
						2						
						3						
Cooler #	Time	Custody Seals	Coolant Location	Coolant/Temperature Taken Via	Alternate Temperature Taken Via	Recorded °C	Correction Factor °C	Actual °C	TB location: Representative / Not Representative	Average °C	Cooler ID on COC?	VOC Trip Blank received?
		☐ None ☐ Present / Intact ☐ Present / Not Intact	Dispersed / Top / Middle / Bottom	☐ Loose Ice / Avg 2-3 containers ☐ Bagged Ice / Avg 2-3 containers ☐ Blue Ice / Avg 2-3 containers ☐ None / Avg 2-3 containers	☐ Temperature Blank (TB) ☐ 1 Container	Temp Blank:					☐	☐
						1						
						2						
						3						

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

Paperwork Received

☐ No COC Received

N/A	Yes	No	
	☑	☐	Chain of Custody record(s)?
	☐		If No, COC Initiated By _____
	☑		Rec'd for Lab Signed/Date/Time?
☑	☐		Shipping document?
☑	☐		Other _____

COC ID #s

☑ TriMatrix 135033

☐ Other (Name or ID#)_____

Check COC for Accuracy

☐ No analysis requested

Yes	No	
☑	☐	Sample ID matches COC?
☑	☐	Sample Date and Time matches COC?
☑		Container type completed on COC?
☐	☑	All container types indicated are received?

Sample Condition Summary

☐ Non-TriMatrix containers, see Notes

N/A	Yes	No	
	☐	☑	Broken containers/lids?
	☐	☑	Missing or incomplete labels?
	☐	☑	Illegible information on labels?
	☐	☑	Low volume received?
	☐	☑	Inappropriate containers received?
☐	☐	☑	VOC vials / TOX containers have headspace?
☑	☐	☐	Extra sample locations / containers not listed on COC?

Check Sample Preservation

N/A	Yes	No	
	☑	☐	Average sample temperature ≤6° C?
☑	☐		Completed Sample Preservation Verification Form?
☑	☐	☐	Samples preserved correctly?
☑	☐		If "No", added orange tag?
☑	☐		Received pre-preserved VOC soils? ☐ MeOH ☐ Na_2SO_4

Check for Short Hold-Time Prep/Analyses

- ☐ Bacteriological
- ☐ Air Bags
- ☐ EnCores / Methanol Pre-Preserved
- ☐ Formaldehyde/Aldehyde
- ☐ Green-tagged containers
- ☐ Yellow/White-tagged 1L ambers (SV Prep-Lab)

AFTER HOURS ONLY:
COPIES OF COC TO LAB AREA(S)
☑ NONE RECEIVED
☐ RECEIVED, COCs TO LAB(S)

Notes

☑ Trip Blank received ☐ Trip Blank not listed on COC
☐ No COC received, Proj. Chemist reviewed (Init/Date) _____
☐ No analysis requested, Proj. Chemist completed (Init/Date) _____

Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤1 Hour Goal Met?
DN 9/20/10	DN 9/20/10	Yes / No

TRIMATRIX LABORATORIES

October 27, 2010

RMT, Inc. - Ann Arbor Office
Attn: Ms. Stacy Metz
3754 Ranchero Drive
Ann Arbor, MI 48108-2771

Project: Tecumseh Products

Dear Ms. Stacy Metz,

Enclosed is a copy of the laboratory report, comprised of the following work order(s), for test samples received by TriMatrix Laboratories:

Work Order	Received	Description
1010370	10/18/2010	Laboratory Services

This report relates only to the sample(s), as received. Test results are in compliance with the requirements of the National Environmental Laboratory Accreditation Conference (NELAC). Any qualifications of results, including sample acceptance requirements, are explained in the Statement of Data Qualifications.

Estimates of analytical uncertainties for the test results contained within this report are available upon request.

If you have any questions or require further information, please do not hesitate to contact me.

Sincerely,

Jennifer L. Rice
Project Chemist

Enclosures(s)

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1010370**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-21**	Sampled:	10/15/10 13:08
Lab Sample ID:	**1010370-01**	Sampled By:	J. Jasso
Matrix:	Water	Received:	10/18/10 18:00
Unit:	ug/L	Prepared:	10/26/10 By: DLV
Dilution Factor:	10	Analyzed:	10/26/10 By: DLV
QC Batch:	1011348	Analytical Batch:	0J26034

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<200	200
107-13-1	Acrylonitrile	<20	20
71-43-2	Benzene	<10	10
108-86-1	Bromobenzene	<10	10
74-97-5	Bromochloromethane	<10	10
75-27-4	Bromodichloromethane	<10	10
75-25-2	Bromoform	<10	10
74-83-9	Bromomethane	<50	50
104-51-8	n-Butylbenzene	<10	10
135-98-8	sec-Butylbenzene	<10	10
98-06-6	tert-Butylbenzene	<10	10
75-15-0	Carbon Disulfide	<10	10
56-23-5	Carbon Tetrachloride	<10	10
108-90-7	Chlorobenzene	<10	10
75-00-3	Chloroethane	<50	50
67-66-3	Chloroform	<10	10
74-87-3	Chloromethane	<50	50
96-12-8	1,2-Dibromo-3-chloropropane	<50	50
124-48-1	Dibromochloromethane	<10	10
106-93-4	1,2-Dibromoethane	<10	10
74-95-3	Dibromomethane	<10	10
110-57-6	trans-1,4-Dichloro-2-butene	<10	10
95-50-1	1,2-Dichlorobenzene	<10	10
541-73-1	1,3-Dichlorobenzene	<10	10
106-46-7	1,4-Dichlorobenzene	<10	10
75-71-8	Dichlorodifluoromethane	<50	50
75-34-3	1,1-Dichloroethane	**26**	10
107-06-2	1,2-Dichloroethane	<10	10
75-35-4	1,1-Dichloroethene	<10	10
156-59-2	cis-1,2-Dichloroethene	**80**	10
156-60-5	trans-1,2-Dichloroethene	<10	10

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1010370**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-21**	Sampled:	10/15/10 13:08
Lab Sample ID:	**1010370-01**	Sampled By:	J. Jasso
Matrix:	Water	Received:	10/18/10 18:00
Unit:	ug/L	Prepared:	10/26/10 By: DLV
Dilution Factor:	10	Analyzed:	10/26/10 By: DLV
QC Batch:	1011348	Analytical Batch:	0J26034

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<10	10
10061-01-5	cis-1,3-Dichloropropene	<10	10
10061-02-6	trans-1,3-Dichloropropene	<10	10
100-41-4	Ethylbenzene	<10	10
60-29-7	Ethyl Ether	<50	50
591-78-6	2-Hexanone	<50	50
74-88-4	Iodomethane	<10	10
98-82-8	Isopropylbenzene	<10	10
99-87-6	4-Isopropyltoluene	<50	50
1634-04-4	Methyl tert-Butyl Ether	<50	50
75-09-2	Methylene Chloride	<50	50
78-93-3	2-Butanone (MEK)	<50	50
91-57-6	2-Methylnaphthalene	<50	50
108-10-1	4-Methyl-2-pentanone (MIBK)	<50	50
91-20-3	Naphthalene	<50	50
103-65-1	n-Propylbenzene	<10	10
100-42-5	Styrene	<10	10
630-20-6	1,1,1,2-Tetrachloroethane	<10	10
79-34-5	1,1,2,2-Tetrachloroethane	<10	10
127-18-4	Tetrachloroethene	<10	10
109-99-9	Tetrahydrofuran	<50	50
108-88-3	Toluene	<10	10
87-61-6	1,2,3-Trichlorobenzene	<50	50
120-82-1	1,2,4-Trichlorobenzene	<50	50
71-55-6	1,1,1-Trichloroethane	**59**	10
79-00-5	1,1,2-Trichloroethane	<10	10
79-01-6	Trichloroethene	**810**	10
75-69-4	Trichlorofluoromethane	<10	10
96-18-4	1,2,3-Trichloropropane	<10	10
95-63-6	1,2,4-Trimethylbenzene	<10	10
108-67-8	1,3,5-Trimethylbenzene	<10	10

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1010370**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**MW-21**	Sampled:	10/15/10 13:08
Lab Sample ID:	**1010370-01**	Sampled By:	J. Jasso
Matrix:	Water	Received:	10/18/10 18:00
Unit:	ug/L	Prepared:	10/26/10 By: DLV
Dilution Factor:	10	Analyzed:	10/26/10 By: DLV
QC Batch:	1011348	Analytical Batch:	0J26034

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<10	10
136777-61-2	Xylene, Meta + Para	<20	20
95-47-6	Xylene, Ortho	<10	10

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	107	*88-116*
1,2-Dichloroethane-d4	106	*87-123*
Toluene-d8	99	*91-107*
4-Bromofluorobenzene	99	*84-106*

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1010370**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Trip Blank**	Sampled:	10/15/10 00:00
Lab Sample ID:	**1010370-02**	Sampled By:	TML
Matrix:	Water	Received:	10/18/10 18:00
Unit:	ug/L	Prepared:	10/25/10 By: DLV
Dilution Factor:	1	Analyzed:	10/25/10 By: DLV
QC Batch:	1011348	Analytical Batch:	0J26005

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1010370**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Trip Blank**	Sampled:	10/15/10 00:00
Lab Sample ID:	**1010370-02**	Sampled By:	TML
Matrix:	Water	Received:	10/18/10 18:00
Unit:	ug/L	Prepared:	10/25/10 By: DLV
Dilution Factor:	1	Analyzed:	10/25/10 By: DLV
QC Batch:	1011348	Analytical Batch:	0J26005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**RMT, Inc. - Ann Arbor Office**	Work Order:	**1010370**
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	**Trip Blank**	Sampled:	10/15/10 00:00
Lab Sample ID:	**1010370-02**	Sampled By:	TML
Matrix:	Water	Received:	10/18/10 18:00
Unit:	ug/L	Prepared:	10/25/10 By: DLV
Dilution Factor:	1	Analyzed:	10/25/10 By: DLV
QC Batch:	1011348	Analytical Batch:	0J26005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	107	*88-116*
1,2-Dichloroethane-d4	107	*87-123*
Toluene-d8	98	*91-107*
4-Bromofluorobenzene	96	*84-106*

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL

QC Batch: 1011348 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank Analyzed: 10/25/2010 By: DLV

Unit: ug/L Analytical Batch: 0J26005

Acetone	<20	20
Acrylonitrile	<2.0	2.0
Benzene	<1.0	1.0
Bromobenzene	<1.0	1.0
Bromochloromethane	<1.0	1.0
Bromodichloromethane	<1.0	1.0
Bromoform	<1.0	1.0
Bromomethane	<5.0	5.0
n-Butylbenzene	<1.0	1.0
sec-Butylbenzene	<1.0	1.0
tert-Butylbenzene	<1.0	1.0
Carbon Disulfide	**3.9**	1.0
Carbon Tetrachloride	<1.0	1.0
Chlorobenzene	<1.0	1.0
Chloroethane	<5.0	5.0
Chloroform	<1.0	1.0
Chloromethane	<5.0	5.0
1,2-Dibromo-3-chloropropane	<5.0	5.0
Dibromochloromethane	<1.0	1.0
1,2-Dibromoethane	<1.0	1.0
Dibromomethane	<1.0	1.0
trans-1,4-Dichloro-2-butene	<1.0	1.0
1,2-Dichlorobenzene	<1.0	1.0
1,3-Dichlorobenzene	<1.0	1.0
1,4-Dichlorobenzene	<1.0	1.0
Dichlorodifluoromethane	<5.0	5.0
1,1-Dichloroethane	<1.0	1.0
1,2-Dichloroethane	<1.0	1.0
1,1-Dichloroethene	<1.0	1.0
cis-1,2-Dichloroethene	<1.0	1.0
trans-1,2-Dichloroethene	<1.0	1.0
1,2-Dichloropropane	<1.0	1.0
cis-1,3-Dichloropropene	<1.0	1.0
trans-1,3-Dichloropropene	<1.0	1.0
Ethylbenzene	<1.0	1.0
Ethyl Ether	<5.0	5.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL

QC Batch: 1011348 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued) Analyzed: 10/25/2010 By: DLV
Unit: ug/L Analytical Batch: 0J26005

2-Hexanone			<5.0				5.0	
Iodomethane			<1.0				1.0	
Isopropylbenzene			<1.0				1.0	
4-Isopropyltoluene			<5.0				5.0	
Methyl tert-Butyl Ether			<5.0				5.0	
Methylene Chloride			<5.0				5.0	
2-Butanone (MEK)			<5.0				5.0	
2-Methylnaphthalene			<5.0				5.0	
4-Methyl-2-pentanone (MIBK)			<5.0				5.0	
Naphthalene			<5.0				5.0	
n-Propylbenzene			<1.0				1.0	
Styrene			<1.0				1.0	
1,1,1,2-Tetrachloroethane			<1.0				1.0	
1,1,2,2-Tetrachloroethane			<1.0				1.0	
Tetrachloroethene			<1.0				1.0	
Tetrahydrofuran			<5.0				5.0	
Toluene			<1.0				1.0	
1,2,3-Trichlorobenzene			<5.0				5.0	
1,2,4-Trichlorobenzene			<5.0				5.0	
1,1,1-Trichloroethane			<1.0				1.0	
1,1,2-Trichloroethane			<1.0				1.0	
Trichloroethene			<1.0				1.0	
Trichlorofluoromethane			<1.0				1.0	
1,2,3-Trichloropropane			<1.0				1.0	
1,2,4-Trimethylbenzene			<1.0				1.0	
1,3,5-Trimethylbenzene			<1.0				1.0	
Vinyl Chloride			<1.0				1.0	
Xylene, Meta + Para			<2.0				2.0	
Xylene, Ortho			<1.0				1.0	
Surrogates:								
Dibromofluoromethane				*109*	*88-116*			
1,2-Dichloroethane-d4				*106*	*87-123*			
Toluene-d8				*97*	*91-107*			
4-Bromofluorobenzene				*96*	*84-106*			

Method Blank Analyzed: 10/26/2010 By: DLV
Unit: ug/L Analytical Batch: 0J26034

Acetone			<20				20	

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL

QC Batch: 1011348 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued) Analyzed: 10/26/2010 By: DLV

Unit: ug/L Analytical Batch: 0J26034

Acrylonitrile	<2.0	2.0
Benzene	<1.0	1.0
Bromobenzene	<1.0	1.0
Bromochloromethane	<1.0	1.0
Bromodichloromethane	<1.0	1.0
Bromoform	<1.0	1.0
Bromomethane	<5.0	5.0
n-Butylbenzene	<1.0	1.0
sec-Butylbenzene	<1.0	1.0
tert-Butylbenzene	<1.0	1.0
Carbon Disulfide	**3.9**	1.0
Carbon Tetrachloride	<1.0	1.0
Chlorobenzene	<1.0	1.0
Chloroethane	<5.0	5.0
Chloroform	<1.0	1.0
Chloromethane	<5.0	5.0
1,2-Dibromo-3-chloropropane	<5.0	5.0
Dibromochloromethane	<1.0	1.0
1,2-Dibromoethane	<1.0	1.0
Dibromomethane	<1.0	1.0
trans-1,4-Dichloro-2-butene	<1.0	1.0
1,2-Dichlorobenzene	<1.0	1.0
1,3-Dichlorobenzene	<1.0	1.0
1,4-Dichlorobenzene	<1.0	1.0
Dichlorodifluoromethane	<5.0	5.0
1,1-Dichloroethane	<1.0	1.0
1,2-Dichloroethane	<1.0	1.0
1,1-Dichloroethene	<1.0	1.0
cis-1,2-Dichloroethene	<1.0	1.0
trans-1,2-Dichloroethene	<1.0	1.0
1,2-Dichloropropane	<1.0	1.0
cis-1,3-Dichloropropene	<1.0	1.0
trans-1,3-Dichloropropene	<1.0	1.0
Ethylbenzene	<1.0	1.0
Ethyl Ether	<5.0	5.0
2-Hexanone	<5.0	5.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL

QC Batch: 1011348 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued) Analyzed: 10/26/2010 By: DLV
Unit: ug/L Analytical Batch: 0J26034

Iodomethane			<1.0				1.0
Isopropylbenzene			<1.0				1.0
4-Isopropyltoluene			<5.0				5.0
Methyl tert-Butyl Ether			<5.0				5.0
Methylene Chloride			<5.0				5.0
2-Butanone (MEK)			<5.0				5.0
2-Methylnaphthalene			<5.0				5.0
4-Methyl-2-pentanone (MIBK)			<5.0				5.0
Naphthalene			<5.0				5.0
n-Propylbenzene			<1.0				1.0
Styrene			<1.0				1.0
1,1,1,2-Tetrachloroethane			<1.0				1.0
1,1,2,2-Tetrachloroethane			<1.0				1.0
Tetrachloroethene			<1.0				1.0
Tetrahydrofuran			<5.0				5.0
Toluene			<1.0				1.0
1,2,3-Trichlorobenzene			<5.0				5.0
1,2,4-Trichlorobenzene			<5.0				5.0
1,1,1-Trichloroethane			<1.0				1.0
1,1,2-Trichloroethane			<1.0				1.0
Trichloroethene			<1.0				1.0
Trichlorofluoromethane			<1.0				1.0
1,2,3-Trichloropropane			<1.0				1.0
1,2,4-Trimethylbenzene			<1.0				1.0
1,3,5-Trimethylbenzene			<1.0				1.0
Vinyl Chloride			<1.0				1.0
Xylene, Meta + Para			<2.0				2.0
Xylene, Ortho			<1.0				1.0
Surrogates:							
Dibromofluoromethane				*103*	*88-116*		
1,2-Dichloroethane-d4				*103*	*87-123*		
Toluene-d8				*100*	*91-107*		
4-Bromofluorobenzene				*100*	*84-106*		

Laboratory Control Sample Analyzed: 10/25/2010 By: DLV
Unit: ug/L Analytical Batch: 0J26005

Benzene		40.0	**44.2**	110	84-119		1.0

Continued on next page

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL

QC Batch: 1011348 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Laboratory Control Sample (Continued) Analyzed: 10/25/2010 By: DLV
Unit: ug/L Analytical Batch: 0J26005

Chlorobenzene	40.0	**43.9**	110	84-118		1.0
1,1-Dichloroethene	40.0	**46.8**	117	77-123		1.0
Toluene	40.0	**43.4**	109	85-118		1.0
Trichloroethene	40.0	**40.8**	102	82-119		1.0
Surrogates:						
Dibromofluoromethane			*110*	*88-116*		
1,2-Dichloroethane-d4			*105*	*87-123*		
Toluene-d8			*101*	*91-107*		
4-Bromofluorobenzene			*101*	*84-106*		

Laboratory Control Sample Analyzed: 10/26/2010 By: DLV
Unit: ug/L Analytical Batch: 0J26034

Benzene	40.0	**43.3**	108	84-119		1.0
Chlorobenzene	40.0	**42.7**	107	84-118		1.0
1,1-Dichloroethene	40.0	**43.8**	109	77-123		1.0
Toluene	40.0	**43.2**	108	85-118		1.0
Trichloroethene	40.0	**41.8**	104	82-119		1.0
Surrogates:						
Dibromofluoromethane			*106*	*88-116*		
1,2-Dichloroethane-d4			*103*	*87-123*		
Toluene-d8			*101*	*91-107*		
4-Bromofluorobenzene			*101*	*84-106*		

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

US EPA ARCHIVE DOCUMENT

STATEMENT OF DATA QUALIFICATIONS

All analyses have been validated and comply with our Quality Control Program.
No Qualifications required.

US EPA ARCHIVE DOCUMENT

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TriMatrix Laboratories, Inc.

5560 Corporate Exchange Court SE Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. 130734

Page ____ of ____

For Lab Use Only

Cart: –

VOA Rack/Tray: 493-W

Receipt Log No.: 21-8

Project Chemist: JLR

Laboratory Project No.: 1010370

Client Name: RMT Inc

Address: 3754 Ranchero Drive, Ann Arbor MI 48108

Phone: 734 971 7050

Fax: 734 971 9021

Project Name: T.P.C

Client Project No./P.O. No.: UO.08070.08

Invoice No.: ☐ Client ☐ Other (comments)

Contact/Report To: Graham Crockford

Analyses Requested: D, VOC 8260, Tox

Container Type (corresponds to Container Packing List): 1

PRESERVATIVES
- A NONE pH~7
- B HNO_3 pH<2
- C H_2SO_4 pH<2
- D 1+1 HCl pH<2
- E NaOH pH>12
- F ZnAc/NaOH pH>9
- G MeOH
- H Other (note below)

Test Group	Matrix Code	Laboratory Sample Number		Sample ID	Cooler ID	Sample Date	Sample Time	COMP	GRAB	Matrix	Number of Containers Submitted	Total	Sample Comments
		01	1	MW-21	TRC 2672	10/15/10	1306		+	GW	1	2	
		02	2	TripBlank	↓					DS	1	1	
			3										
			4										
			5										
			6										
			7										
			8										
			9										
			10										

Sampled By (print): J Muir Jasr

Sampler's Signature: [signature]

Company: RMT Inc

How Shipped? Hand Carrier

Tracking No.

Comments

	Relinquished By	Date	Time	Received By	Date	Time
1.	[signature]	10/15/10	1430	[signature]	10-15-10	16:45
2.						
3.	[signature]	10-15-10	18:00	R. Hardin (Received For Lab By)	10/18/10	1800

TriMatrixCOC COC WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

SAMPLE RECEIVING / LOG-IN CHECKLIST

TRIMATRIX LABORATORIES

Client: RMT INC.
Receipt Record Page/Line #: 21-8
Work Order #: 1010370
New / Add To
Project Chemist | Sample #s

Recorded by (initials/date): DxI 10/18/10

☑ Cooler ☐ Box ☐ Other ____ | Qty Received: 1

Thermometer Used: ☑ IR Gun (#202) ☐ Digital Thermometer (#54) ☐ Other (#____) ☐ See Additional Cooler Information Form

Cooler # 1	2	3	4
Time	8:48		
Custody Seals:	None ☑ / Present / Intact ☐ / Present / Not Intact ☐	None ☐ / Present / Intact ☐ / Present / Not Intact ☐	None ☐ / Present / Intact ☐ / Present / Not Intact ☐
Coolant Location:	Dispersed / Top / Middle / Bottom	Dispersed / Top / Middle / Bottom	Dispersed / Top / Middle / Bottom
Coolant/Temperature Taken Via:	Loose Ice / Avg 2-3 containers ☑ / Bagged Ice / Avg 2-3 containers ☐ / Blue Ice / Avg 2-3 containers ☐ / None / Avg 2-3 containers ☐	Loose Ice / Avg 2-3 containers ☐ / Bagged Ice / Avg 2-3 containers ☐ / Blue Ice / Avg 2-3 containers ☐ / None / Avg 2-3 containers ☐	Loose Ice / Avg 2-3 containers ☐ / Bagged Ice / Avg 2-3 containers ☐ / Blue Ice / Avg 2-3 containers ☐ / None / Avg 2-3 containers ☐
Alternate Temperature Taken Via:	Temperature Blank (TB) ☐ / 1 Container ☐	Temperature Blank (TB) ☐ / 1 Container ☐	Temperature Blank (TB) ☐ / 1 Container ☐
Recorded °C / Correction Factor °C / Actual °C			
Temp Blank:			
TB location: Representative / Not Representative			
1	2.6 / 0 / 2.6		
2	3.3 / 0 / 3.3		
3	2.9 / 0 / 2.9		
Average °C	2.9		
Cooler ID on COC?	☑	☐	☐
VOC Trip Blank received?	☑	☐	☐

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

Paperwork Received

☐ No COC Received

N/A	Yes	No	
	☑	☐	Chain of Custody record(s)?
	☐		If No, COC Initiated By ____
	☑		Rec'd for Lab Signed/Date/Time?
☑	☐		Shipping document?
☑	☐		Other ____

COC ID #s

☑ TriMatrix 130734

☐ Other (Name or ID#) ____

Check COC for Accuracy

☐ No analysis requested

Yes	No	
☑	☐	Sample ID matches COC?
☑	☐	Sample Date and Time matches COC?
☑		Container type completed on COC?
☑	☐	All container types indicated are received?

Sample Condition Summary

☐ Non-TriMatrix containers, see Notes

N/A	Yes	No	
	☐	☑	Broken containers/lids?
	☐	☑	Missing or incomplete labels?
	☐	☑	Illegible information on labels?
	☐	☑	Low volume received?
	☐	☑	Inappropriate containers received?
☐	☐	☐	VOC vials / TOX containers have headspace?
☑	☐	☐	Extra sample locations / containers not listed on COC?

Check Sample Preservation

N/A	Yes	No	
	☑	☐	Average sample temperature ≤6° C?
☑	☐		Completed Sample Preservation Verification Form?
☑	☐	☐	Samples preserved correctly?
☑	☐		If "No", added orange tag?
☑	☐		Received pre-preserved VOC soils? ☐ MeOH ☐ Na_2SO_4

Check for Short Hold-Time Prep/Analyses

☐ Bacteriological
☐ Air Bags
☐ EnCores / Methanol Pre-Preserved
☐ Formaldehyde/Aldehyde
☐ Green-tagged containers
☐ Yellow/White-tagged 1L ambers (SV Prep-Lab)

AFTER HOURS ONLY:
COPIES OF COC TO LAB AREA(S)
☑ NONE RECEIVED
☐ RECEIVED, COCs TO LAB(S)

Notes

☑ Trip Blank received ☐ Trip Blank not listed on COC
☐ No COC received, Proj. Chemist reviewed (Init/Date) ____
☐ No analysis requested, Proj. Chemist completed (Init/Date) ____

Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤1 Hour Goal Met?
DN 10/18/10	DN 10/18/1	Yes / No

Attachment 2

US EPA ARCHIVE DOCUMENT

Laboratory Data Validation Report
September and October 2010 Groundwater Sampling Event
Former Tecumseh Products Site
Tecumseh, Michigan

Fifty-three water samples were collected September 2 - 17, 2010 and analyzed by Trimatrix Laboratories, located in Grand Rapids, Michigan. Two additional water samples were collected during a re-sample event on October 15, 2010. The samples were analyzed for volatile organic analytes by USEPA Method 8260 B following Tecumseh Products Quality Assurance Project Plan (QAPP) specified protocols. RMT performed a validation of the laboratory data. The following sections summarize the data validation procedure and the results of the validation.

Validation Procedure

The analytical data were validated using the USEPA National Functional Guidelines for Organic Data Review (USEPA, 2008). The data validation included a review of the spike, duplicate, and blank results from the laboratory, as well as verification that the sample holding times were met. RMT reviewed additional QC information to check for appropriate matrix performance using the analytical methods specified by the laboratory. The procedures RMT used to evaluate data in general included the following items:

- Checked technical holding times for analyses
- Reviewed data for blanks, matrix spikes, laboratory duplicates, and laboratory control samples
- Determined field precision from blind field duplicate data
- Assessed the usability of the data

The data validation report addresses the following items:

- Usability of the data if QC results suggest potential problems with all or some of the data
- Potential sample contamination due to blank contributions
- Actions regarding specific QC criteria exceedences

RMT reviewed internal standard areas and retention times, method blanks, project-specific matrix spike and matrix spike duplicate (MS/MSD) recoveries, field and laboratory duplicate relative percent differences (RPDs), Laboratory Control Sample (LCS) recoveries, holding times, and temperature.

US EPA ARCHIVE DOCUMENT

Findings

The data quality objectives and laboratory completeness goals for the project were met, and the data are usable. The procedures specified in the methods were implemented, and the data packages were found to contain all of the deliverables necessary for validation of the analytical data. The discussion that follows describes the QA/QC results and evaluation.

- The laboratory met technical holding times for all samples. The temperature in one shipment was received outside of the recommended temperature range by 1.2 degrees. No flags were added.
- Internal standard areas and retention times were reviewed and found to be within acceptable QC limits.
- The laboratory performed an LCS with each analytical batch. All results were within the laboratory control limits.
- Contaminants were not detected in the trip blanks, rinsate blanks, or in the method blanks.
- Three duplicate samples were collected. Dup-01 corresponded with sample MW-11s and there were no detections. Dup-02 corresponded with sample MW-27s and there were no detections. Dup-03 corresponded with MW-19s and calculated RPDs were within acceptable QC limits.
- The laboratory performed MS/MSD analysis on samples MW-12D, MW-28s, and MW-20D for measurement of laboratory accuracy and precision in the sample matrix. All results were within the laboratory control limits. MS/MSD analyses were performed according to the standard of one per twenty samples. A project-specific MS/MSD was not submitted for analysis for the groundwater sample collected on October 15, 2010.

Prepared by: Jennifer Meek
Reviewed by: Stacy Metz and Graham Crockford

US EPA ARCHIVE DOCUMENT