

US EPA ARCHIVE DOCUMENT

	B	C
1	Source Description	
2		
3	Phase II ID No.	834
4	EPA ID No.	LAD040776809
5	Facility Name	BASF
6	Facility Location	
7	City	Geismar
8	State	LA
9	Unit ID Name/No.	Amines
10	Other Sister Facilities	None
11	Number of Sister Facilities	0
12	Combustor Class	Liquid-fired boiler
13	Combustor Type	Liquid-fired
14	Combustor Characteristics	Combustor/waste heat boiler. McGill Envir. 3 zone low NOx combustor (oxidizing chamber, reducing chamber, reoxidation chamber), waste heat boiler, economizer, 9000 lb/hr steam @ 650 psig and 650°F
15	Capacity (MMBtu/hr)	15
16	Soot Blowing	No
17	APCS Detailed Acronym	None
18	APCS General Class	
19	APCS Characteristics	NA
20	Hazardous Wastes	Liq
21	Haz Waste Description	Liq ignitable wastes (DOO1) from amines production, methanol (F003), process vent gases, butanediol light ends
22	Supplemental Fuel	Natural gas
23		
24	Stack Characteristics	
25	Diameter (ft)	1
26	Height (ft)	79
27	Gas Velocity (ft/sec)	98.4
28	Gas Temperature (°F)	330
29		
30	Permitting Status	Tier I for all metals
31	HWC Burn Status (Date if Terminated)	

	B	C
1	Cond Description	
2		
3	834C10	
4		
5	Report Name/Date	BASF Corp. DRE Trial Burn Report, March 1998, Rev. 2
6	Report Prepar	?
7	Testing Firm	METCO
8	Testing Dates	Feburary 28 - March 2, 1997
9	Cond Dates	Mar-97
10	Cond Description	Trial burn
11	Content	DRE, PM, HCl/Cl2, CO; metals, chlorine, ash feeds
12		
13	834C11	
14		
15	Report Name/Date	Risk Burn Report Amines Boiler, Number 6 Utility Boiler, March 1998
16	Report Prepar	ICF Kaiser/BASF
17	Testing Firm	METCO
18	Testing Dates	March 3-5, 1997
19	Cond Dates	Mar-97
20	Cond Description	Risk burn, worst case op cond (max temp, feedrates, prod rates)
21	Content	PM, chlorine, D/F, organics (metals in feedstream only)

	B	C	D	E	F	G	H	I	J	K	L	M
1	Stack Gas Emissions											
2												
3		Comments	Units	7% O2								
4												
5												
6	834C10	trial burn				R1	R2	R3	Cond Avg			
7												
8	PM	E1	gr/dscf	y		0.0057	0.0047	0.0031	0.0045			
9	CO (RA)	E1	ppmv	y		0.1	0.9	3.3	1.4			
10	HCl		ppmv	n		0.02	0.01	0.01	0.01			
11	Cl2		ppmv	n	nd	0 nd	0 nd	0	nd			
12												
13	POHC DRE	Toluene										
14	Feedrate		lb/hr			32.2	26	30.7				
15	Emissions Rate		lb/hr			2.254E-05	1.82E-05	1.54E-05				
16	DRE	E1	%			99.99993	99.99993	99.99995				
17												
18	Sampling Train	PM, HCl/Cl2	E1									
19	Stack Gas Flowrate		dscfm			2047	2109	2006	2054			
20	O2		%			3	3	3	3.0			
21	Moisture		%			30.1	29.9	30.3	30.1			
22	Temperature		°F			341.6	341.6	341.6	341.6			
23												
24	HCl	E1	ppmv	y		0.02	0.01	0.01	0.01			
25	Cl2	E1	ppmv	y		0.00	0.00	0.00	0.00			
26	Total Chlorine	E1	ppmv	y		0.02	0.01	0.01	0.01			
27												
28												
29	834C11	Worst case risk burn				R1	R2	R3	Cond Avg			
30												
31	PM	E1	gr/dscf	y		0.0171	0.0144	0.0127	0.0147			
32	CO (RA)	E1	ppmv	y		0.1	0.4	0.1	0.2			
33	HCl		ppmv	n		0.01	0.01	0.03	0.02			
34	Cl2		ppmv	n	nd	0 nd	0 nd	0	nd			
35												
36	Sampling Train	PM, HCl/Cl2	E1									
37	Stack Gas Flowrate		dscfm			2229	2224	2148	2200			
38	O2		%			4.4	4.1	4	4.2			
39	Moisture		%			25.8	25.1	26	25.6			
40	Temperature		°F			329	329	323.6	327.2			
41												
42	HCl	E1	ppmv	y		0.01	0.01	0.02	0.01			
43	Cl2	E1	ppmv	y		0.00	0.00	0.00	0.00			
44	Total Chlorine	E1	ppmv	y		0.01	0.01	0.02	0.01			

	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
1	Feedstreams																		
2																			
3	834C10	(trial burn)																	
4	5	Feedstream Number																	
6	6	Feed Class																	
7	7	Feed Class 2																	
8	8	Feedstream Description																	
9	9	Feed Rate	g/hr																
10	10	Density	g/ml																
11	11	Heating Value	Btu/lb																
12	12	Ash	g/hr	nd															
13	13	Chlorine	g/hr	nd															
14	14	Antimony	g/hr																
15	15	Arsenic	g/hr																
16	16	Barium	g/hr																
17	17	Beryllium	g/hr																
18	18	Cadmium	g/hr																
19	19	Chromium	g/hr																
20	20	Lead	g/hr																
21	21	Mercury	g/hr																
22	22	Nickel	g/hr																
23	23	Selenium	g/hr																
24	24	Silver	g/hr																
25	25	Thallium	g/hr																
26	26																		
27	27																		
28	28	Stack Gas Flowrate	dscfm																
29	29	O2	%																
30	30																		
31	31	Thermal Feedrate	MMBtu/hr																
32	32	Estimated Firing Rate	MMBtu/hr																
33	33																		
34	34	Feedrate MTEC Calculations																	
35	35	Ash	mg/dscm	100															
36	36	Chlorine	µg/dscm	100															
37	37	Antimony	µg/dscm																
38	38	Arsenic	µg/dscm																
39	39	Barium	µg/dscm																
40	40	Beryllium	µg/dscm																
41	41	Cadmium	µg/dscm																
42	42	Chromium	µg/dscm																
43	43	Lead	µg/dscm																
44	44	Mercury	µg/dscm																
45	45	Nickel	µg/dscm																
46	46	Selenium	µg/dscm																
47	47	Silver	µg/dscm																
48	48	Thallium	µg/dscm																
49	49																		
50	50	SVM	µg/dscm																
51	51	LVM	µg/dscm																
52	52																		
53	53																		
54	54	834C11	(risk burn)																
55	55		Units																
56	56	Feedstream Number																	
57	57	Feed Class																	
58	58	Feed Class																	

B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
59	Feed Class 2																	
60	Feedstream Description																	
61	Feed Rate	g/hr		533609	Liquid waste	545549	Liquid waste	527689	Liquid waste	535616								
62	Density	g/ml		0.86		0.86		0.86		0.86								
63	Heat Content	Btu/lb		9886		9886		9886		9886								
64	Ash	g/hr	nd	0.53 nd		0.55 nd		0.53		9886								
65	Chlorine	g/hr		3.61		2.32 nd		0.26										
66	Antimony	g/hr	nd	0.013 nd		0.014 nd		0.013										
67	Arsenic	g/hr	nd	0.01 nd		0.01 nd		0.01										
68	Barium	g/hr	nd	0.048 nd		0.049 nd		0.053										
69	Beryllium	g/hr	nd	0.001 nd		0.001 nd		0.001										
70	Cadmium	g/hr	nd	0.002 nd		0.001 nd		0.001										
71	Chromium	g/hr	nd	0.021 nd		0.022 nd		0.021										
72	Lead	g/hr	nd	0.007 nd		0.007 nd		0.007										
73	Mercury	g/hr	nd	0.022 nd		0.023 nd		0.022										
74	Nickel	g/hr	nd	0.028 nd		0.01 nd		0.01										
75	Selenium	g/hr	nd	0.017 nd		0.017 nd		0.017										
76	Silver	g/hr	nd	0.003 nd		0.003 nd		0.003										
77	Thallium	g/hr	nd	0.01 nd		0.01 nd		0.01										
78																		
79																		
80	Stack Gas Flowrate	dscfm		2229		2224		2148		2200		2229		2224		2148		2200
81	O2	%		4.4		4.1		4.0		4.2		4.4		4.1		4.0		4.2
82																		
83	Thermal Feedrate	MMBtu/hr		11.6		11.9		11.5		11.7		11.6		11.9		11.5		11.7
84	Estimated Firing Rate	MMBtu/hr																
85																		
86	Feedrate MTEC Calculations																	
87	Ash	mg/dscm	100	0.118 100		0.121 100		0.120 100		0.12 100		0.118 100		0.121 100		0.120 100		0.1
88	Chlorine	µg/dscm		804.4		508.9 100		58.7 4		457.3 0		804.4 0		508.9 100		58.7 4		457.3
89	Antimony	µg/dscm	100	2.9 100		3.1 100		2.9 100		3.0 100		2.9 100		3.1 100		2.9 100		3.0
90	Arsenic	µg/dscm	100	2.2 100		2.2 100		2.3 100		2.2 100		2.2 100		2.2 100		2.3 100		2.2
91	Barium	µg/dscm	100	10.7 100		10.7 100		12.0 100		11.1 100		10.7 100		10.7 100		12.0 100		11.1
92	Beryllium	µg/dscm	100	0.2 100		0.2 100		0.2 100		0.2 100		0.2 100		0.2 100		0.2 100		0.2
93	Cadmium	µg/dscm	100	0.4 100		0.2 100		0.2 50		0.3 0		0.4 100		0.2 100		0.2 50		0.3
94	Chromium	µg/dscm	100	4.7 100		4.8 100		4.7 100		4.7 100		4.7 100		4.8 100		4.7 100		4.7
95	Lead	µg/dscm	100	1.6 100		1.5 100		1.6 100		1.6 100		1.6 100		1.5 100		1.6 100		1.6
96	Mercury	µg/dscm	100	4.9 100		5.0 100		5.0 100		5.0 100		4.9 100		5.0 100		5.0 100		5.0
97	Nickel	µg/dscm	100	6.2 100		2.2 100		2.3 42		3.6 0		6.2 100		2.2 100		2.3 42		3.6
98	Selenium	µg/dscm	100	3.8 100		3.7 100		3.8 100		3.8 100		3.8 100		3.7 100		3.8 100		3.8
99	Silver	µg/dscm	100	0.7 100		0.7 100		0.7 100		0.7 100		0.7 100		0.7 100		0.7 100		0.7
100	Thallium	µg/dscm	100	2.2 100		2.2 100		2.3 100		2.2 100		2.2 100		2.2 100		2.3 100		2.2
101																		
102	SVM	µg/dscm	78	2.0 100		1.8 100		1.8 92		1.9 78		2.0 100		1.8 100		1.8 92		1.9
103	LVM	µg/dscm	100	7.1 100		7.2 100		7.2 100		7.2 100		7.1 100		7.2 100		7.2 100		7.2
104																		
105																		
106	Tier I BIF Limits																	
107																		
108	Antimony	g/hr		153														
109	Arsenic	g/hr		0.16														
110	Barium	g/hr		25458														
111	Beryllium	g/hr		0.12														
112	Cadmium	g/hr		0.15														
113	Chlorine	g/hr		96														
114	Chromium	g/hr		0.34														
115	Lead	g/hr		40														
116	Mercury	g/hr		36														

	A	B	C	D	E	F
1	Process Information					
2						
3		Units	Run	Run	Run	Avg
4			1	2	3	
5	834C10					
6						
7	Temp Zone 1	°F	1990	1990	1990	

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
1	PCDD/PCDF																
2	N																
3	Facility Name and ID:	BASF, Geismar, LA, Amines Boiler															
4	Condition ID:	834C11															
5	Condition/Test Date:	Risk burn worst case conditions, March 3-5, 1997															
6																	
7		I-TEF															
8		Wght Fact															
9																	
10	Detected in sample volume (ng)																
11	2,3,7,8-TCDD	1	nd	0.0100	0.0100	0.0050	0.0050	nd	0.01	0.0100	0.0050	0.0050	nd	0.01	0.0100	0.0050	0.0050
12	TCDD Total	0		0.0100	0.0000	0.0100	0.0000	nd	0.01	0.0000	0.0050	0.0000	nd	0.01	0.0000	0.0050	0.0000
13	1,2,3,7,8-PCDD	0.5	nd	0.0100	0.0050	0.0050	0.0025	nd	0.02	0.0100	0.0100	0.0050	nd	0.01	0.0050	0.0050	0.0025
14	PCDD Total	0	nd	0.0100	0.0000	0.0050	0.0000	nd	0.02	0.0000	0.0100	0.0000	nd	0.01	0.0000	0.0050	0.0000
15	1,2,3,4,7,8-HxCDD	0.1	nd	0.0100	0.0010	0.0050	0.0005	nd	0.02	0.0020	0.0100	0.0010	nd	0.01	0.0010	0.0050	0.0005
16	1,2,3,6,7,8-HxCDD	0.1	nd	0.0100	0.0010	0.0050	0.0005	nd	0.01	0.0010	0.0050	0.0005	nd	0.01	0.0010	0.0050	0.0005
17	1,2,3,7,8,9-HxCDD	0.1	nd	0.0100	0.0010	0.0050	0.0005	nd	0.01	0.0010	0.0050	0.0005	nd	0.01	0.0010	0.0050	0.0005
18	HxCDD Total	0	0.0100	0.0000	0.0100	0.0000	0.0000	nd	0.01	0.0000	0.0050	0.0000	nd	0.01	0.0000	0.0050	0.0000
19	1,2,3,4,6,7,8-HpCDD	0.01	nd	0.0300	0.0003	0.0150	0.0002		0.02	0.0002	0.0200	0.0002	nd	0.01	0.0001	0.0050	0.0001
20	HpCDD Total	0	nd	0.0500	0.0000	0.0250	0.0000		0.02	0.0000	0.0200	0.0000		0.01	0.0000	0.0100	0.0000
21	OCDD	0.001	nd	0.0700	0.0001	0.0350	0.0000		0.04	0.0000	0.0400	0.0000	nd	0.03	0.0000	0.0150	0.0000
22	2,3,7,8-TCDF	0.1	0.4100	0.0000	0.0700	0.0700	0.0070	nd	0.01	0.0010	0.0050	0.0005	nd	0.01	0.0010	0.0050	0.0005
23	TCDF Total	0	0.4100	0.0000	0.4100	0.0000	0.0000	nd	0.01	0.0000	0.0100	0.0000	nd	0.01	0.0000	0.0050	0.0000
24	1,2,3,7,8-PCDF	0.05	0.0100	0.0005	0.0100	0.0005	0.0005	nd	0.01	0.0005	0.0050	0.0003	nd	0.01	0.0005	0.0050	0.0003
25	2,3,4,7,8-PCDF	0.5	0.0200	0.0100	0.0200	0.0100	0.0100	nd	0.01	0.0050	0.0050	0.0025	nd	0.01	0.0050	0.0050	0.0025
26	PCDF Total	0	0.1700	0.0000	0.1700	0.0000	0.0000	nd	0.01	0.0000	0.0050	0.0000	nd	0.01	0.0000	0.0050	0.0000
27	1,2,3,4,7,8-HxCDF	0.1	0.0300	0.0030	0.0300	0.0030	0.0030		0.01	0.0010	0.0100	0.0010	nd	0.01	0.0010	0.0050	0.0005
28	1,2,3,6,7,8-HxCDF	0.1	nd	0.0100	0.0010	0.0050	0.0005	nd	0.01	0.0010	0.0050	0.0005	nd	0.01	0.0010	0.0050	0.0005
29	2,3,4,6,7,8-HxCDF	0.1	nd	0.0200	0.0020	0.0200	0.0020		0.01	0.0010	0.0100	0.0010	nd	0.01	0.0010	0.0050	0.0005
30	1,2,3,7,8,9-HxCDF	0.1	nd	0.0100	0.0010	0.0050	0.0005	nd	0.01	0.0010	0.0050	0.0005	nd	0.01	0.0010	0.0050	0.0005
31	HxCDF Total	0	0.0800	0.0000	0.0800	0.0000	0.0000		0.04	0.0000	0.0400	0.0000		0.01	0.0000	0.0100	0.0000
32	1,2,3,4,6,7,8-HpCDF	0.01	0.0300	0.0003	0.0300	0.0003	0.0003		0.03	0.0003	0.0300	0.0003	nd	0.01	0.0001	0.0050	0.0001
33	1,2,3,4,7,8,9-HpCDF	0.01	nd	0.0100	0.0001	0.0050	0.0001	nd	0.02	0.0002	0.0100	0.0001	nd	0.01	0.0001	0.0050	0.0001
34	HpCDF Total	0	0.0300	0.0000	0.0300	0.0000	0.0000		0.03	0.0000	0.0300	0.0000		0.01	0.0000	0.0100	0.0000
35	OCDF	0.001	0.0300	0.0000	0.0300	0.0000	0.0000	nd	0.03	0.0000	0.0150	0.0000	nd	0.01	0.0000	0.0050	0.0000
36																	
37	Gas sample volume (dscf)			132.70	132.70	132.70	132.70		132.80	132.80	132.80	132.80		133.50	133.50	133.50	133.50
38	O2 (%)		4.20	4.20	4.20	4.20	4.20		4.10	4.10	4.10	4.10		4.40	4.40	4.40	4.40
39																	
40	PCDD/PCDF (ng in sample)		0.8700	0.0433	0.8050	0.0331		0.2200	0.0353	0.1750	0.0189		0.0144	0.1200	0.0288	0.0750	0.0144
41	PCDD/PCDF (ng/dscm @ 7% O2)		47.3	0.1931	0.0096	0.1786	0.0073	92.8	0.0485	0.0078	0.0386		100.0	0.0268	0.0064	0.0167	0.0032
42																	
43	TEQ Cond Avg																
44	Total Cond Avg																