

US EPA ARCHIVE DOCUMENT



RCRA Permit Appeal Fact Sheet

1992

FACILITY: ThermalKEM, Inc. (ThermalKEM)
Rock Hill, South Carolina
SCD 044 442 333
RCRA Appeal No. 92-4

PETITIONER: ThermalKEM

PETITION FILED: January 31, 1992

STATUS OF PETITION: See Permit Appeal Status Report

ISSUES:

- Procedural issues
- Miscellaneous other issues (basis of permit denial)

Summary of Petition:

ThermalKEM is petitioning for review of the Part A permit application denial issued by Region 4 to its treatment and storage facility in Rock Hill, South Carolina. This facility is operating under interim status, pending resolution of two citizens' groups appeals of the final permit which was issued in 1988. In 1990, as a result of the toxicity characteristics (TC) rule, ThermalKEM filed a revised Part A application to account for the continued management of newly-regulated hazardous wastes at the facility's interim status incinerator. The purpose of the revised Part A application was to identify waste management practices and capacities used to treat or store previously non-hazardous waste that became regulated as hazardous on the effective date of the TC rule. It reflected a change in the waste mass feed limit for the incinerator to account for waste previously counted as part of the incinerator's non-hazardous waste feed. The petitioner maintains that Region 4 denied the revised application without affording ThermalKEM the opportunity to comment on the action or to participate in a hearing. In addition, the petitioner contends that Region 4 "terminated" interim status by erroneously applying 40 CFR Part 264 Subpart O incinerator standards to its facility. ThermalKEM argues that it remains legally subject only to the interim status incinerator standards found in 40 CFR Part 265 Subpart O, pending resolution of the appeals.

- **Procedural Issues.** ThermalKEM contends that prior to the issuance of a final decision denying a permit application under 40 CFR Section 124.15, the Agency must issue a notice of intent to deny (40 CFR Section 124.6(e)); make the notice available for public comment (40 CFR Section 124.11); and hold a public hearing (40 CFR Section 124.12). The petitioner maintains that Region 4 ignored the procedures listed above in making this interim status determination and in doing so, denied ThermalKEM its right to due process.



RCRA Permit Appeal Fact Sheet

1992

- In addition, the petitioner contends that Region 4 did not comply with the procedures set forth in Part 22 that require EPA to file an administrative complaint prior to the suspension or revocation of interim status. The petitioner maintains that since Region 4 did not comply with these procedures, ThermalKEM was denied the right to an administrative hearing before EPA took any final action to suspend or revoke its interim status authority.
- **Basis for Permit Denial.** The petitioner objects to Region 4's statement that it has not demonstrated that its incinerator can accommodate an increase in hazardous waste mass feed limits without posing a risk to human health and the environment. The petitioner argues that the change in its mass feed limits from 2.85 tons/hour to 5.35 tons/hour, as presented in its revised application, does not represent an increase in the total amount of non-hazardous and hazardous waste fed to the incinerator. Furthermore, the petitioner maintains that mass feed rate has no relationship to ensuring adequate protection of human health and the environment, since protection is determined by what are the emissions from the incinerator to the air and what are the chemical contents of residual ash. Although Region 4 believes that a change in mass feed limits should be classified as a change in the physical capacity of the incinerator, ThermalKEM contends that these limits have very little to do with the physical capacity and destruction and removal efficiency (DRE) of an incinerator. The petitioner maintains that incinerator capacity should be expressed in terms of thermal input capacity, not mass feed limits. In 1986, during its trial burn, ThermalKEM demonstrated that it can achieve adequate DRE at a thermal input capacity of 42 million BTU/hour. The petitioner contends that its proposed change in mass feed limits will not exceed the demonstrated capacity of its incinerator and, therefore, will still achieve adequate DRE.
- Pending resolution of the appeals against its Part B permit ThermalKEM maintains that its facility is legally subject to interim status requirements and is not subject to 40 CFR Part 264 Subpart O standards for incinerators. Acting on its own accord, ThermalKEM has operated its interim status facility in accordance with the results of its 1986 trial burn. Consequently, the petitioner believes that it has more than adequately complied with interim status requirements of 40 CFR Part 265 and has met the threshold requirements ensuring adequate protection of human health and the environment. Moreover, ThermalKEM argues that it achieved interim status for the increase in hazardous waste feed representing the newly-regulated TC wastes by satisfying the requirements for obtaining interim status under RCRA Section 3010(a). The petitioner maintains that its Part A permit was complete, and under 40 CFR Section 270.70, Region 4 can not deny its interim status. Furthermore, by allowing the facility to continue managing TC wastes for



RCRA Permit Appeal Fact Sheet

1992

over a year, ThermalKEM argues that Region 4's actions imply that the facility did achieve interim status to incinerate the TC wastes and any subsequential denial of interim status is contrary to law.

(Slip Opinion)

NOTICE: This opinion is subject to formal revision before publication. Readers are requested to notify the Environmental Appeals Board, U.S. Environmental Protection Agency, Washington, D.C. 20460, of any typographical or other formal errors, in order that corrections may be made before publication.

**BEFORE THE ENVIRONMENTAL APPEALS BOARD
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C.**

In the Matter of:

ThermalKEM, Inc.

Rock Hill, South Carolina

)
)
)
) RCRA Appeal No. 92-4
)
)

[Decided March 10, 1993]

ORDER DISMISSING APPEAL

***Before Environmental Appeals Judges Nancy B. Firestone,
Ronald L. McCallum, and Edward E. Reich.***

**THERMALKEM, INC.
ROCK HILL, SOUTH CAROLINA**

RCRA Appeal No. 92-4

ORDER DISMISSING APPEAL

Decided March 10, 1993

Syllabus

ThermalkEM, Inc. seeks review of a decision by U.S. EPA Region IV denying ThermalkEM's proposed amendment to its Part A permit application. ThermalkEM operates a waste treatment and storage facility in Rock Hill, South Carolina at which it incinerates both hazardous and non-hazardous waste. The facility is currently operating under interim status. In September of 1990, the Agency's new organic toxicity characteristic (TC) rule became effective. As a result of this rule, many of the wastes incinerated at ThermalkEM's facility that were formerly considered non-hazardous were reclassified as hazardous. In order to continue burning these wastes at the same rate as before the effective date of the TC rule, ThermalkEM sought to revise its Part A permit application to, *inter alia*, increase the incinerator's hazardous waste mass feed rate. The Region denied the proposed amendment on the ground that ThermalkEM had failed to demonstrate that operation of the incinerator at the increased mass feed rate would adequately protect human health and the environment. ThermalkEM has filed an appeal under 40 C.F.R. §124.19.

Held: The Region's denial of the proposed change to ThermalkEM's Part A application did not constitute a final permit decision. The Region's determination is therefore not reviewable under 40 C.F.R. §124.19(a), which by its terms restricts the scope of review to specified actions affecting "final permit decision[s]." Accordingly, the appeal is dismissed.

***Before Environmental Appeals Judges Nancy B. Firestone,
Ronald L. McCallum, and Edward E. Reich.***

Opinion of the Board by Judge McCallum:

By petition dated January 31, 1992, and submitted under 40 C.F.R. §124.19, ThermalkEM, Inc. seeks review of a decision by U.S. Environmental Protection Agency Region IV (the "Region") denying ThermalkEM's proposed amendment to its Part A permit application. ThermalkEM had sought to amend its application to, *inter alia*, increase the mass feed rate for its hazardous waste incinerator in Rock Hill, South Carolina. For the following reasons, ThermalkEM's appeal is dismissed

THERMALKEM, INC.
ROCK HILL, SOUTH CAROLINA

I. BACKGROUND

ThermalKEM owns and operates a hazardous waste treatment and storage facility that is currently operating under interim status.¹ The facility incinerates both hazardous and non-hazardous wastes. Upon promulgation of the Agency's new toxicity characteristics (TC) rule,² many of the wastes incinerated at ThermalKEM's facility that were previously classified as non-hazardous were reclassified as hazardous and thus became subject to regulation under Subtitle C of RCRA. To continue incinerating these previously non-hazardous wastes in the same quantities as before promulgation of the TC rule, ThermalKEM sought to revise its Part A permit application to show an increase in the facility's hazardous waste mass feed rate from 2.85 tons per hour to 5.35 tons per hour. The Region denied the proposed increase on the ground that ThermalKEM had failed to demonstrate that incineration of hazardous wastes at the increased mass feed rate would

¹ On November 17, 1980, ThermalKEM's predecessor, Industrial Chemical Company, Inc., qualified for interim status under RCRA §3005(e) by submitting a notification of hazardous waste management activity as required by RCRA §3010(a) and filing a "Part A" application. See 40 C.F.R. §§270.1(b), 270.10(e). The date for submission of "Part B" of the RCRA permit application, containing the information necessary for issuance of a permit, is set for each existing facility by the Regional Administrator or in accordance with the dates specified in 40 C.F.R. §270.73. See 40 C.F.R. §§270.1(b); 270.10(e)(4). According to ThermalKEM, the Part B permit has been issued but is currently on appeal. Petition for Review at 6, 10-11. Thus, ThermalKEM continues to operate under interim status. See Petition for Review at 10; 40 C.F.R. §270.73(a) (stating that interim status terminates when "[f]inal administrative disposition of a permit application is made."). The Region does not dispute that ThermalKEM is operating under interim status.

² 55 Fed. Reg. 11,798 (March 29, 1990); 40 C.F.R. Part 261, Subpart C. The rule, *inter alia*, establishes a new hazardous waste characteristic based on the leachability of hazardous constituents under the toxicity characteristic leaching procedure and adds 25 new organic constituents to the list of toxic constituents regulated under RCRA. See 55 Fed. Reg. at 11,803; Appendix II to 40 C.F.R. Part 261.

THERMALKEM, INC.
ROCK HILL, SOUTH CAROLINA

3

adequately protect human health and the environment.³ ThermalKEM's petition for review followed.

Region IV has filed a Motion to Dismiss Appeal, dated March 18, 1992. The Region contends that, because the denial of the proposed amendment to ThermalKEM's Part A application did not constitute a final permit decision under 40 C.F.R. §124.15, the Region's determination is not subject to appeal under Section 124.19(a). We agree.

II. ANALYSIS

40 C.F.R. §124.19(a) provides, in part:

Within 30 days after a RCRA, UIC, or PSD *final permit decision* * * * has been issued under §124.15, any person who filed comments on that draft permit or participated in the public hearing may petition the Environmental Appeals Board to review any condition of the permit decision.

(Emphasis added.) Under section 124.15(a), "final permit decision means a final decision to issue, deny, modify, revoke and reissue, or terminate a permit." The term "permit" is defined as:

[A]n authorization, license, or equivalent control document issued by EPA or an "approved State" to implement the requirements of this part * * *. *Permit does not include interim status (§270.70) * * *.*

³ See Letter from James S. Kutzman, Associate Director, Office of RCRA and Federal Facilities, U.S. EPA Region IV, to William J. Ziegler, Vice President of Health, Safety, and Environmental Affairs, ThermalKEM, Inc. (Jan. 8, 1992) (Exh. A to Petition for Review). According to Mr. Kutzman, the proposed increase in the facility's mass feed rate constitutes an increase in design capacity "[a]nd until the South Carolina Department of Health and Environmental Control (DHEC) is authorized for the TC rule, EPA is responsible for any approval of a design capacity increase requested under the TC regulations." *Id.* at 2.

THERMALKEM, INC.
ROCK HILL, SOUTH CAROLINA

40 C.F.R. §124.2 (emphasis added). Thus, decisions affecting a facility's interim status operations are not considered permit decisions. *See In re Shell Oil Company Deer Park Manufacturing Complex*, RCRA Appeal No. 87-19, at 3-4 (Adm'r, Sept. 8, 1988) (holding that interim status is not a permit and decisions regarding interim status will not ordinarily be treated as permit decisions).⁴

In the present case, ThermalkEM is not appealing from a final permit determination within the meaning of the above-cited regulations. By its own account, ThermalkEM sought to revise its Part A permit application "to achieve *interim status* for additional hazardous waste mass feed and to remain in full compliance with the *interim status* standards set forth in Part 265, Subpart O." Petition for Review at 2 (emphasis added). The denial of such a request does not constitute a decision issuing, modifying, revoking and reissuing, or terminating a permit within the meaning of the above-cited regulations and therefore is not reviewable under 40 C.F.R. §124.19(a).⁵ *See Shell Oil, supra*, at 3-4. Accordingly, ThermalkEM's petition for review is hereby dismissed.

So ordered.

⁴ The regulations provide certain exceptions to this rule. *See, e.g.*, 40 C.F.R. §270.10(e)(5) (procedures of Part 124 apply where interim status is terminated for failure to submit a Part B permit application in a timely manner); 40 C.F.R. §265.147(c) (applying informal procedures of §124.5 to variances from interim status financial responsibility requirements). Under the facts of this case, however, nothing in the regulations provides for an appeal under Part 124.

⁵ We also reject ThermalkEM's assertion that the Region's denial amounts to a termination of interim status and should be treated as the functional equivalent of a final permit decision. *See Shell Oil, supra*, at 3 (rejecting the petitioner's argument that denial of an interim status exemption is reviewable under 40 C.F.R. §124.19 because it is "functionally similar" to a permit decision). The Region, in rejecting the proposed modification, determined that ThermalkEM has yet to demonstrate that a higher mass feed rate will be sufficiently protective of human health and the environment. Whatever the merits of this determination (which we do not reach in today's order), it does not prevent the facility from continuing to operate under interim status. Whether ThermalkEM may have to curtail its operations to comply with the TC rule, and if so, to what extent, is not material to this determination.

CERTIFICATE OF SERVICE

I hereby certify that copies of the forgoing Order Dismissing Appeal in the matter of ThermalKEM, Inc., Rock Hill, South Carolina, RCRA Appeal No. 92-4, were sent to the following persons in the manner indicated:

First Class Mail,
Postage Prepaid:

Mita Ghosh
Assistant Regional Counsel
U.S. EPA, Region IV
345 Courtland Street, NE
Atlanta, GA 30365

Angus Macbeth
Sidley & Austin
1722 Eye Street, NW
Washington, DC 20006

Dated: MAR 10 1993


Mildred T. Connelly
Secretary