

US EPA ARCHIVE DOCUMENT

Evaluation of TCLP Data Provided By INMETCO (mg/L)
 -- Calculation of TS (Minus Statistical Outliers)

Samples	Waste	Antimony		Arsenic		Barium		Beryllium		Cadmium	
		Treated	(LN)	Treated	(LN)	Treated	(LN)	Treated	(LN)	Treated	(LN)
1	INMETCO	0.01	-4.6052	0.01	-4.6052	1.26	0.2311	0.01	-4.6052	0.01	-4.6052
2	INMETCO	0.01	-4.6052	0.01	-4.6052	0.23	-1.4697			0.01	-4.6052
3	INMETCO	0.01	-4.6052	0.01	-4.6052	0.58	-0.5447	0.01	-4.6052	0.01	-4.6052
4	INMETCO	0.01	-4.6052	0.01	-4.6052	0.23	-1.4697	0.01	-4.6052	0.01	-4.6052
5	INMETCO	0.01	-4.6052	0.01	-4.6052	1.81	0.5933	0.01	-4.6052	0.05	-2.9957
6	INMETCO	0.01	-4.6052	0.01	-4.6052	0.92	-0.0834			0.1	-2.3026
7	INMETCO	0.01	-4.6052	0.01	-4.6052	1.52	0.4187	0.01	-4.6052		
8	INMETCO	0.01	-4.6052	0.01	-4.6052	1.16	0.1484	0.01	-4.6052		
9	INMETCO	0.01	-4.6052	0.01	-4.6052	0.6	-0.5108	0.01	-4.6052	0.02	-3.9120
10	INMETCO	0.01	-4.6052	0.01	-4.6052	0.81	-0.2107	0.01	-4.6052	0.01	-4.6052
11	INMETCO	0.01	-4.6052	0.01	-4.6052	0.95	-0.0513	0.01	-4.6052	0.05	-2.9957
12	INMETCO	0.01	-4.6052	0.01	-4.6052	0.46	-0.7765	0.01	-4.6052	0.03	-3.5066
13	INMETCO	0.03	-3.5066	0.01	-4.6052	0.68	-0.3857	0.01	-4.6052	0.01	-4.6052
14	INMETCO	0.03	-3.5066	0.01	-4.6052	0.36	-1.0217	0.01	-4.6052	0.01	-4.6052
15	INMETCO	0.02	-3.9120	0.01	-4.6052	0.89	-0.1165	0.01	-4.6052	0.03	-3.5066
16	INMETCO	0.01	-4.6052			0.26	-1.3471	0.01	-4.6052	0.07	-2.6593
17	INMETCO	0.01	-4.6052	0.01	-4.6052	0.26	-1.3471	0.01	-4.6052	0.01	-4.6052
18	INMETCO	0.01	-4.6052	0.01	-4.6052	0.29	-1.2379	0.01	-4.6052	0.03	-3.5066
19	INMETCO	0.01	-4.6052	0.01	-4.6052	0.24	-1.4271	0.01	-4.6052	0.09	-2.4079
20	INMETCO	0.01	-4.6052	0.01	-4.6052	0.45	-0.7985	0.01	-4.6052	0.03	-3.5066
21	INMETCO	0.01	-4.6052	0.01	-4.6052	0.51	-0.6733			0.01	-4.6052
22	INMETCO			0.01	-4.6052	1.1	0.0953	0.01	-4.6052	0.01	-4.6052
23	INMETCO	0.01	-4.6052	0.01	-4.6052	1.2	0.1823	0.01	-4.6052	0.01	-4.6052
24	INMETCO	0.01	-4.6052	0.01	-4.6052	0.63	-0.4620	0.01	-4.6052	0.01	-4.6052
25	INMETCO			0.01	-4.6052	0.33	-1.1087	0.01	-4.6052	0.01	-4.6052
26	INMETCO	0.01	-4.6052	0.01	-4.6052	0.5	-0.6931	0.01	-4.6052	0.01	-4.6052
27	INMETCO	0.01	-4.6052	0.01	-4.6052	0.38	-0.9676	0.01	-4.6052	0.01	-4.6052
28	INMETCO	0.01	-4.6052	0.01	-4.6052	0.63	-0.4620	0.01	-4.6052	0.01	-4.6052
29	INMETCO	0.02	-3.9120	0.01	-4.6052	0.42	-0.8675	0.01	-4.6052	0.02	-3.9120
30	INMETCO	0.02	-3.9120			0.61	-0.4943	0.01	-4.6052	0.02	-3.9120
31	INMETCO	0.01	-4.6052			0.69	-0.3711	0.01	-4.6052	0.01	-4.6052
32	INMETCO	0.02	-3.9120			0.65	-0.4308	0.01	-4.6052	0.05	-2.9957
33	INMETCO	0.01	-4.6052	0.01	-4.6052					0.04	-3.2189
34	INMETCO			0.01	-4.6052			0.01	-4.6052	0.01	-4.6052
35	INMETCO	0.01	-4.6052	0.01	-4.6052	1.59	0.4637	0.01	-4.6052	0.01	-4.6052
36	INMETCO	0.01	-4.6052	0.01	-4.6052	1.45	0.3716	0.01	-4.6052	0.08	-2.5257
37	INMETCO	0.02	-3.9120	0.01	-4.6052	0.59	-0.5276	0.01	-4.6052	0.01	-4.6052
38	INMETCO	0.01	-4.6052	0.01	-4.6052	0.32	-1.1394			0.01	-4.6052
39	INMETCO	0.01	-4.6052	0.01	-4.6052	0.95	-0.0513	0.01	-4.6052	0.01	-4.6052
40	INMETCO	0.01	-4.6052	0.01	-4.6052	0.33	-1.1087	0.01	-4.6052	0.01	-4.6052
41	INMETCO										
42	INMETCO										
43	INMETCO										
44	INMETCO										
45	INMETCO										
46	INMETCO										
47	INMETCO										
48	INMETCO										
49	INMETCO										
50	INMETCO										
51	INMETCO										
52	INMETCO										
53	INMETCO										
54	INMETCO										
55	INMETCO										
56	INMETCO										
57	INMETCO										
58	INMETCO										
59	INMETCO										
60	INMETCO										
61	INMETCO										
62	INMETCO										
63	INMETCO										
64	INMETCO										
65	INMETCO										
66	INMETCO										
67	INMETCO										
68	INMETCO										
69	INMETCO										
70	INMETCO										
71	INMETCO										
72	INMETCO										
73	INMETCO										
74	INMETCO										
75	INMETCO										
76	INMETCO										
77	INMETCO										
78	INMETCO										
79	INMETCO										

US EPA ARCHIVE DOCUMENT

Evaluation of TCLP Data Provided By INMETCO (mg/L)
 -- Calculation of TS (Minus Statistical Outliers)

Samples	Waste	Antimony Treated (LN)		Arsenic Treated (LN)		Barium Treated (LN)		Beryllium Treated (LN)		Cadmium Treated (LN)	
80	INMETCO										
81	INMETCO										
82	INMETCO										
83	INMETCO										
84	INMETCO										
85	INMETCO										
86	INMETCO										
87	INMETCO										
88	INMETCO										
89	INMETCO										
90	INMETCO										
91	INMETCO										
92	INMETCO										
93	INMETCO										
94	INMETCO										
95	INMETCO										
96	INMETCO										
97	INMETCO										
98	INMETCO										
99	INMETCO										
100	INMETCO										
101	INMETCO										
102	INMETCO										
103	INMETCO										
104	INMETCO										
105	INMETCO										
106	INMETCO										
107	INMETCO										
108	INMETCO										
109	INMETCO										
110	INMETCO										
111	INMETCO										
112	INMETCO										
113	INMETCO										
114	INMETCO										
115	INMETCO										
116	INMETCO										
117	INMETCO										
118	INMETCO										
119	INMETCO										
120	INMETCO										
121	INMETCO										
122	INMETCO										
	# of Obs:	37	37	36	36	38	38	35	35	38	38
	# of NDs:	0		0		0		0		0	
	Minimum:	0.0100	-4.6052	0.0100	-4.6052	0.2300	-1.4697	0.0100	-4.6052	0.0100	-4.6052
	Mean:	0.0124	-4.4521	0.0100	-4.6052	0.7063	-0.5171	0.0100	-4.6052	0.0247	-4.0469
	Maximum:	0.0300	-3.5066	0.0100	-4.6052	1.8100	0.5933	0.0100	-4.6052	0.1000	-2.3026
	Std:	0.0055	0.3312	0.0000	0.0000	0.4221	0.5943	0.0000	0.0000	0.0246	0.7774
	VF:	2.03		2.80		3.37		2.80		4.32	
	TS:	0.025		0.028		2.4		0.028		0.11	

Evaluation of TCLP Data Provided By INMETCO (mg/L)
 -- Calculation of TS (Minus Statistical Outliers)

Samples	Waste	Chromium		Lead		Mercury		Nickel	
		Treated	(LN)	Treated	(LN)	Treated	(LN)	Treated	(LN)
1	INMETCO	0.32	-1.1394	0.03	-3.5066			3.54	1.2641
2	INMETCO	0.29	-1.2379	0.02	-3.9120			4.51	1.5063
3	INMETCO	0.01	-4.6052	0.01	-4.6052			2.32	0.8416
4	INMETCO	0.02	-3.9120	0.01	-4.6052			1.7	0.5306
5	INMETCO	0.09	-2.4079	0.05	-2.9957			2.79	1.0260
6	INMETCO	0.11	-2.2073	0.01	-4.6052			3.8	1.3350
7	INMETCO	0.07	-2.6593	0.03	-3.5066			2.77	1.0188
8	INMETCO	0.07	-2.6593	0.04	-3.2189			4.5	1.5041
9	INMETCO	0.04	-3.2189	0.02	-3.9120			2.71	0.9969
10	INMETCO	0.04	-3.2189	0.02	-3.9120			2.85	1.0473
11	INMETCO	0.56	-0.5798					2.3	0.8329
12	INMETCO	0.04	-3.2189	0.02	-3.9120			1.47	0.3853
13	INMETCO	0.04	-3.2189	0.04	-3.2189			0.78	-0.2485
14	INMETCO	0.03	-3.5066	0.03	-3.5066			1.08	0.0770
15	INMETCO	0.07	-2.6593	0.02	-3.9120			2.74	1.0080
16	INMETCO	0.03	-3.5066	0.01	-4.6052			4.55	1.5151
17	INMETCO	0.04	-3.2189	0.01	-4.6052			2.41	0.8796
18	INMETCO	0.11	-2.2073	0.04	-3.2189			2.96	1.0852
19	INMETCO	0.14	-1.9661	0.04	-3.2189			4.91	1.5913
20	INMETCO	0.07	-2.6593	0.03	-3.5066			2.49	0.9123
21	INMETCO			0.05	-2.9957			3.06	1.1184
22	INMETCO	0.01	-4.6052	0.01	-4.6052			2.15	0.7655
23	INMETCO	0.01	-4.6052	0.01	-4.6052			4.22	1.4398
24	INMETCO	0.01	-4.6052	0.01	-4.6052			4.08	1.4061
25	INMETCO	0.07	-2.6593	0.02	-3.9120			4.78	1.5644
26	INMETCO	0.06	-2.8134	0.02	-3.9120			4.49	1.5019
27	INMETCO	0.07	-2.6593	0.02	-3.9120			4.54	1.5129
28	INMETCO	0.07	-2.6593	0.02	-3.9120			3.74	1.3191
29	INMETCO	0.08	-2.5257	0.07	-2.6593			1.48	0.3920
30	INMETCO	0.08	-2.5257	0.05	-2.9957			1.5	0.4055
31	INMETCO	0.16	-1.8326	0.05	-2.9957			1.41	0.3436
32	INMETCO			0.06	-2.8134			1.88	0.6313
33	INMETCO	0.2	-1.6094	0.03	-3.5066			2.79	1.0260
34	INMETCO	0.09	-2.4079	0.03	-3.5066			2.4	0.8755
35	INMETCO	0.08	-2.5257	0.03	-3.5066			2.66	0.9783
36	INMETCO	0.12	-2.1203	0.03	-3.5066			3.74	1.3191
37	INMETCO	0.06	-2.8134	0.01	-4.6052			1.54	0.4318
38	INMETCO	0.29	-1.2379	0.01	-4.6052			2.34	0.8502
39	INMETCO	0.07	-2.6593	0.05	-2.9957			3.97	1.3788
40	INMETCO	0.07	-2.6593	0.01	-4.6052			4.78	1.5644
41	INMETCO							1.16	0.1484
42	INMETCO							0.85	-0.1625
43	INMETCO							0.51	-0.6733
44	INMETCO							1.56	0.4447
45	INMETCO							1.43	0.3577
46	INMETCO							3.32	1.2000
47	INMETCO							1.05	0.0488
48	INMETCO							1.33	0.2852
49	INMETCO							2.53	0.9282
50	INMETCO							3.1	1.1314
51	INMETCO							0.65	-0.4308
52	INMETCO								
53	INMETCO							5.5	1.7047
54	INMETCO							1.97	0.6780
55	INMETCO							0.84	-0.1744
56	INMETCO								
57	INMETCO							0.96	-0.0408
58	INMETCO							1.92	0.6523
59	INMETCO								
60	INMETCO							0.88	-0.1278
61	INMETCO								
62	INMETCO							4.55	1.5151
63	INMETCO							1.28	0.2469
64	INMETCO							1.47	0.3853
65	INMETCO							0.71	-0.3425
66	INMETCO							0.52	-0.6539
67	INMETCO								
68	INMETCO							1.09	0.0862
69	INMETCO							1.03	0.0296
70	INMETCO							1.2	0.1823
71	INMETCO							1	0.0000
72	INMETCO							0.88	-0.1278
73	INMETCO							3.48	1.2470
74	INMETCO							5.78	1.7544
75	INMETCO							4.72	1.5518
76	INMETCO							5.48	1.7011
77	INMETCO							4.63	1.5326
78	INMETCO							2.71	0.9969
79	INMETCO							4.4	1.4816

US EPA ARCHIVE DOCUMENT

Evaluation of TCLP Data Provided By INMETCO (mg/L)
 -- Calculation of TS (Minus Statistical Outliers)

Samples	Waste	Chromium Treated (LN)		Lead Treated (LN)		Mercury Treated (LN)		Nickel Treated (LN)	
80	INMETCO							9.81	2.2834
81	INMETCO							7.3	1.9879
82	INMETCO							5.66	1.7334
83	INMETCO							5.12	1.6332
84	INMETCO							2.82	1.0367
85	INMETCO							2.83	1.0403
86	INMETCO							1.79	0.5822
87	INMETCO							2.34	0.8502
88	INMETCO							2.47	0.9042
89	INMETCO							3.75	1.3218
90	INMETCO							2.77	1.0188
91	INMETCO							4.8	1.5686
92	INMETCO							4.61	1.5282
93	INMETCO							4.4	1.4816
94	INMETCO							2.95	1.0818
95	INMETCO							2.11	0.7467
96	INMETCO							1.18	0.1655
97	INMETCO							2.37	0.8629
98	INMETCO							1.43	0.3577
99	INMETCO							4.34	1.4679
100	INMETCO							2.1	0.7419
101	INMETCO							1.64	0.4947
102	INMETCO							0.46	-0.7765
103	INMETCO							3.92	1.3661
104	INMETCO							1.81	0.5933
105	INMETCO							2	0.6931
106	INMETCO							7.21	1.9755
107	INMETCO							2.36	0.8587
108	INMETCO							4.04	1.3962
109	INMETCO							8.62	2.1541
110	INMETCO							1.3	0.2624
111	INMETCO							1.67	0.5128
112	INMETCO							1.55	0.4383
113	INMETCO							1.37	0.3148
114	INMETCO							3.69	1.3056
115	INMETCO							3.21	1.1663
116	INMETCO							3.75	1.3218
117	INMETCO							1.85	0.6152
118	INMETCO							2.19	0.7839
119	INMETCO							2.87	1.0543
120	INMETCO							4.16	1.4255
121	INMETCO							8.77	2.1713
122	INMETCO							3.01	1.1019
	# of Obs:	38	38	39	39	0	0	117	117
	# of NDs:	0		0				0	
	Minimum:	0.0100	-4.6052	0.0100	-4.6052			0.4600	-0.7765
	Mean:	0.0997	-2.7245	0.0274	-3.7755			2.9198	0.8813
	Maximum:	0.5600	-0.5798	0.0700	-2.6593			9.8100	2.2834
	Std:	0.1075	0.9504	0.0162	0.6234			1.7915	0.6455
	VF:	6.02		3.57				3.72	
	TS:	0.60		0.10				11	

US EPA ARCHIVE DOCUMENT

Evaluation of TCLP Data Provided By INMETCO (mg/L)
 -- Calculation of TS (Minus Statistical Outliers)

Samples	Waste	Selenium		Silver		Thallium		Vanadium		Zinc	
		Treated	(LN)	Treated	(LN)	Treated	(LN)	Treated	(LN)	Treated	(LN)
1	INMETCO	0.09	-2.4079	0.03	-3.5066			0.0100	-4.6052	0.0200	-3.9120
2	INMETCO	0.04	-3.2189	0.03	-3.5066			0.0100	-4.6052	0.2500	-1.3863
3	INMETCO	0.03	-3.5066	0.01	-4.6052			0.0100	-4.6052	0.0100	-4.6052
4	INMETCO	0.05	-2.9957	0.01	-4.6052			0.0100	-4.6052	0.0100	-4.6052
5	INMETCO	0.03	-3.5066	0.02	-3.9120			0.0100	-4.6052	0.2700	-1.3093
6	INMETCO	0.06	-2.8134	0.03	-3.5066			0.0100	-4.6052	1.6500	0.5008
7	INMETCO	0.03	-3.5066	0.02	-3.9120			0.0100	-4.6052	0.1400	-1.9661
8	INMETCO	0.09	-2.4079					0.0100	-4.6052	0.4400	-0.8210
9	INMETCO	0.14	-1.9661	0.02	-3.9120			0.0100	-4.6052	0.3600	-1.0217
10	INMETCO	0.15	-1.8971	0.02	-3.9120			0.0100	-4.6052	0.2900	-1.2379
11	INMETCO	0.1	-2.3026	0.02	-3.9120			0.0100	-4.6052	0.1100	-2.2073
12	INMETCO	0.07	-2.6593	0.02	-3.9120			0.0100	-4.6052	0.0500	-2.9957
13	INMETCO	0.09	-2.4079	0.01	-4.6052			0.0100	-4.6052	0.1100	-2.2073
14	INMETCO	0.05	-2.9957	0.02	-3.9120			0.0100	-4.6052	0.0300	-3.5066
15	INMETCO	0.05	-2.9957	0.01	-4.6052			0.0100	-4.6052	0.0700	-2.6593
16	INMETCO	0.01	-4.6052	0.01	-4.6052			0.0100	-4.6052	0.2900	-1.2379
17	INMETCO	0.04	-3.2189	0.02	-3.9120			0.0100	-4.6052	0.0200	-3.9120
18	INMETCO	0.05	-2.9957	0.02	-3.9120			0.0100	-4.6052	0.1600	-1.8326
19	INMETCO	0.02	-3.9120	0.02	-3.9120			0.0100	-4.6052	0.3700	-0.9943
20	INMETCO	0.03	-3.5066	0.02	-3.9120			0.0100	-4.6052	0.2100	-1.5606
21	INMETCO	0.02	-3.9120	0.02	-3.9120			0.0100	-4.6052	0.0100	-4.6052
22	INMETCO	0.1	-2.3026	0.01	-4.6052			0.0100	-4.6052	0.0100	-4.6052
23	INMETCO	0.09	-2.4079	0.03	-3.5066			0.0100	-4.6052	0.0100	-4.6052
24	INMETCO	0.09	-2.4079	0.02	-3.9120			0.0100	-4.6052	0.0100	-4.6052
25	INMETCO	0.03	-3.5066	0.03	-3.5066			0.0100	-4.6052	0.3200	-1.1394
26	INMETCO	0.05	-2.9957	0.03	-3.5066			0.0100	-4.6052	0.0700	-2.6593
27	INMETCO	0.03	-3.5066	0.03	-3.5066			0.0100	-4.6052	0.2900	-1.2379
28	INMETCO	0.04	-3.2189	0.03	-3.5066			0.0100	-4.6052	0.5500	-0.5978
29	INMETCO	0.08	-2.5257	0.03	-3.5066			0.0100	-4.6052	0.3500	-1.0498
30	INMETCO	0.03	-3.5066	0.04	-3.2189			0.0100	-4.6052	0.2100	-1.5606
31	INMETCO	0.027	-3.6119	0.04	-3.2189			0.0100	-4.6052	0.2500	-1.3863
32	INMETCO	0.009	-4.7105	0.03	-3.5066			0.0100	-4.6052	0.2200	-1.5141
33	INMETCO	0.041	-3.1942	0.03	-3.5066			0.0100	-4.6052	0.3700	-0.9943
34	INMETCO	<	0.01 -4.6052	0.03	-3.5066			0.0100	-4.6052	0.3600	-1.0217
35	INMETCO	<	0.01 -4.6052	0.03	-3.5066			0.0100	-4.6052	0.1700	-1.7720
36	INMETCO	<	0.01 -4.6052	0.04	-3.2189			0.0100	-4.6052	0.6000	-0.5108
37	INMETCO	<	0.01 -4.6052	0.02	-3.9120			0.0100	-4.6052	0.0400	-3.2189
38	INMETCO	<	0.01 -4.6052	0.03	-3.5066					1.3500	0.3001
39	INMETCO	<	0.01 -4.6052	0.03	-3.5066			0.0100	-4.6052	0.2700	-1.3093
40	INMETCO	<	0.01 -4.6052	0.03	-3.5066			0.0100	-4.6052	0.6500	-0.4308
41	INMETCO	0.09	-2.4079	0.07	-2.6593						
42	INMETCO	<	0.01 -4.6052	0.03	-3.5066						
43	INMETCO	<	0.01 -4.6052	0.05	-2.9957						
44	INMETCO	0.04	-3.2189	0.08	-2.5257						
45	INMETCO	0.09	-2.4079	0.06	-2.8134						
46	INMETCO	0.05	-2.9957	0.06	-2.8134						
47	INMETCO	0.05	-2.9957	0.01	-4.6052						
48	INMETCO	0.06	-2.8134								
49	INMETCO	<	0.01 -4.6052	0.04	-3.2189						
50	INMETCO	<	0.01 -4.6052								
51	INMETCO	<	0.01 -4.6052	0.03	-3.5066						
52	INMETCO	<	0.01 -4.6052	0.05	-2.9957						
53	INMETCO	0.12	-2.1203	0.01	-4.6052						
54	INMETCO	0.14	-1.9661	0.01	-4.6052						
55	INMETCO	0.09	-2.4079	0.01	-4.6052						
56	INMETCO	0.09	-2.4079	0.07	-2.6593						
57	INMETCO	0.08	-2.5257	0.01	-4.6052						
58	INMETCO	0.03	-3.5066	0.01	-4.6052						
59	INMETCO	0.05	-2.9957	0.01	-4.6052						
60	INMETCO	0.06	-2.8134	0.02	-3.9120						
61	INMETCO	0.07	-2.6593	0.01	-4.6052						
62	INMETCO	0.14	-1.9661	0.01	-4.6052						
63	INMETCO	0.11	-2.2073	0.01	-4.6052						
64	INMETCO	0.07	-2.6593	0.01	-4.6052						
65	INMETCO	0.12	-2.1203	0.01	-4.6052						
66	INMETCO	0.1	-2.3026	0.01	-4.6052						
67	INMETCO	0.13	-2.0402	0.03	-3.5066						
68	INMETCO	0.16	-1.8326	0.07	-2.6593						
69	INMETCO	0.06	-2.8134	0.05	-2.9957						
70	INMETCO	<	0.01 -4.6052	0.01	-4.6052						
71	INMETCO	<	0.01 -4.6052	0.05	-2.9957						
72	INMETCO	<	0.01 -4.6052	0.09	-2.4079						
73	INMETCO	0.03	-3.5066	0.12	-2.1203						
74	INMETCO	0.07	-2.6593	0.05	-2.9957						
75	INMETCO	0.08	-2.5257	0.10	-2.3026						
76	INMETCO	0.05	-2.9957	0.04	-3.2189						
77	INMETCO	0.09	-2.4079	0.02	-3.9120						
78	INMETCO	0.01	-4.6052	0.04	-3.2189						
79	INMETCO	0.01	-4.6052	0.07	-2.6593						

US EPA ARCHIVE DOCUMENT

Evaluation of TCLP Data Provided By INMETCO (mg/L)
 -- Calculation of TS (Minus Statistical Outliers)

Samples	Waste	Selenium		Silver		Thallium		Vanadium		Zinc	
		Treated	(LN)	Treated	(LN)	Treated	(LN)	Treated	(LN)	Treated	(LN)
80	INMETCO	<	0.01 -4.6052	0.10	-2.3026						
81	INMETCO	<	0.01 -4.6052	0.07	-2.6593						
82	INMETCO	<	0.01 -4.6052	0.02	-3.9120						
83	INMETCO	<	0.01 -4.6052	0.06	-2.8134						
84	INMETCO	<	0.01 -4.6052	0.03	-3.5066						
85	INMETCO	<	0.01 -4.6052	0.07	-2.6593						
86	INMETCO	<	0.01 -4.6052	0.03	-3.5066						
87	INMETCO		0.05 -2.9957	0.01	-4.6052						
88	INMETCO		0.04 -3.2189	0.02	-3.9120						
89	INMETCO		0.06 -2.8134	0.01	-4.6052						
90	INMETCO		0.06 -2.8134	0.01	-4.6052						
91	INMETCO		0.06 -2.8134	0.05	-2.9957						
92	INMETCO		0.05 -2.9957	0.02	-3.9120						
93	INMETCO		0.04 -3.2189	0.05	-2.9957						
94	INMETCO		0.05 -2.9957	0.02	-3.9120						
95	INMETCO		0.04 -3.2189	0.03	-3.5066						
96	INMETCO		0.05 -2.9957	0.01	-4.6052						
97	INMETCO		0.02 -3.9120	0.01	-4.6052						
98	INMETCO		0.02 -3.9120	0.01	-4.6052						
99	INMETCO		0.05 -2.9957	0.01	-4.6052						
100	INMETCO		0.07 -2.6593	0.01	-4.6052						
101	INMETCO		0.06 -2.8134	0.01	-4.6052						
102	INMETCO		0.05 -2.9957	0.01	-4.6052						
103	INMETCO		0.01 -4.6052	0.01	-4.6052						
104	INMETCO	<	0.01 -4.6052	0.01	-4.6052						
105	INMETCO	<	0.01 -4.6052	0.01	-4.6052						
106	INMETCO		0.02 -3.9120	0.04	-3.2189						
107	INMETCO		0.08 -2.5257	0.07	-2.6593						
108	INMETCO		0.05 -2.9957	0.06	-2.8134						
109	INMETCO		0.08 -2.5257	0.01	-4.6052						
110	INMETCO		0.06 -2.8134	0.09	-2.4079						
111	INMETCO		0.08 -2.5257	0.07	-2.6593						
112	INMETCO		0.02 -3.9120	0.01	-4.6052						
113	INMETCO		0.01 -4.6052	0.07	-2.6593						
114	INMETCO		0.05 -2.9957	0.09	-2.4079						
115	INMETCO		0.07 -2.6593								
116	INMETCO		0.07 -2.6593								
117	INMETCO		0.06 -2.8134								
118	INMETCO		0.06 -2.8134								
119	INMETCO		0.01 -4.6052								
120	INMETCO		0.01 -4.6052								
121	INMETCO		0.09 -2.4079								
122	INMETCO		0.07 -2.6593								
	# of Obs:	122	122	111	111	0	0	39	39	40	40
	# of NDs:	24		0				0		0	
	Minimum:	0.0090	-4.7105	0.0100	-4.6052			0.0100	-4.6052	0.0100	-4.6052
	Mean:	0.0501	-3.3300	0.0323	-3.7093			0.0100	-4.6052	0.2743	-2.0500
	Maximum:	0.1600	-1.8326	0.1200	-2.1203			0.0100	-4.6052	1.6500	0.5008
	Std:	0.0368	0.8953	0.0249	0.7457			0.0000	0.0000	0.3339	1.4584
	VF:	5.75		4.32				2.80		14.04	
	TS:	0.29		0.14				0.028		3.8	

US EPA ARCHIVE DOCUMENT