US ERA ARCHIVE DOCUMENT

SESSION 13

RCRA PERMIT TRAINING:

ORGANIZATION OF A HAZARDOUS AND SOLID WASTE AMENDMENT PERMIT



Session 13 Agenda: Organization of a HSWA Permit

- Introduction
- HSWA Permit
 - Title Page
 - Parts
 - Appendices





Introduction

A HSWA permit is typically organized as follows:

- Title page
- Five parts
 - Standard Conditions
 - Corrective Action
 - Waste Minimization
 - Land Disposal Restrictions
 - Air Emission Requirements for Process Vents and Equipment Leaks





Introduction

A HSWA permit is typically organized as follows:

- Common Appendices
 - A. Summary of Solid Waste Management Units and Areas of Concern
 - B. RCRA Facility Investigation (RFI) Work Plan Outline
 - C. Corrective Measures Study (CMS) Plan Outline
 - D. Schedule of Compliance
 - E. Waste Minimization Certification Requirements
 - F. Action Levels



HSWA Permit: Title Page

A HSWA permit title page consists of the following:

- Facility name, address, and EPA ID number
- Duty to investigate any release of hazardous waste or hazardous constituents from the facility, and implementation of any corrective action for those releases
- Permit authority
- Effective dates of permit





Part I: Standard Conditions

- "Boiler plate" language
- Specific items covered include:
 - Effect of permit
 - Permit Actions
 - Severability
 - Duties and requirements
 - Signatory requirement
 - Confidential information
 - Definitions



Part I: Standard Conditions

- Effect of Permit
 - Compliance with HSWA permit constitutes compliance with Subtitle C of RCRA
- Permit Actions
 - Modification, revocation, reissuance and termination
- Severability
 - Provisions of permit are severable





Part I: Standard Conditions

- Duties and Requirements
 - Specific facility duties including

Duty to comply and reapply

Obligation for corrective action

Duty to mitigate

Duty to provide information

Provision for proper operation and maintenance

Provision for inspection and entry





Part I: Standard Conditions

- Duties and Requirements
 - Monitoring and records requirements

Sampling techniques must conform with Region 4 SOP and EPA RCRA protocols

Monitoring information records maintained for three years or termination of corrective action

LDR waste information retained for five years

- Notification of planned changes or anticipated noncompliance
- Permit transfer
- Compliance schedules
- Oral and written release reporting requirements



Part I: Standard Conditions

- Signatory Requirements
 - All information signed and certified in accordance with 40 CFR §270.11
- Confidential Information
 - Information may be claimed RCRA CBI in accordance with 40 CFR §270.12
- Definitions
 - Permit definitions (e.g., AL, AOC, CAMU, facility, SWMU, solid waste)



Part II: Corrective Action

- Corrective Action for Solid Waste Management Units and Areas of Concern
 - "Boiler plate" language
 - Specific items covered include:

Applicability

Notification an assessment for newly identified SWMUs and AOCs

Notification requirement for newly discovered releases at SWMUs

Confirmatory sampling

RCRA Facility Investigation



Part II: Corrective Action

Specific items covered (cont'd)

Interim measures

Corrective measures study

Remedy approval and permit modification

Modification of schedule of compliance

Work plan and report requirements

Approval/disapproval of submittals

Dispute resolution



- Applicability
 - Permit conditions apply to SWMUs and AOCs listed in Appendices and other contamination which has migrated off site
- Notification and assessment for newly identified SWMUs and AOCs
 - Notification to Regional Administrator within 15 days
 - Preparation of SWMUs Assessment Report within 90 days
- Notification requirement for newly discovered releases at SWMUs
 - Notification to Regional Administrator within 15 days



- Confirmatory Sampling
 - Confirmatory Sampling Work Plan submitted within 45 days of permit issuance
 - Approval required prior to implementation
 - Confirmatory Sampling Report
- RCRA Facility Investigation
 - RFI Work Plan submitted within 90 days of permit issuance
 - RFI Work Plan must meet the requirements of Appendix B
 - Approval by the Agency prior to implementation
 - Submittal of draft and final RFI Reports



- Interim Measures
 - If required by the Agency, submittal of IM Work Plan within 30 days of notification
- Corrective Measures Study
 - CMS Work Plan submitted within 90 days after notification by Agency
 - CMS Work Plan must meet the requirements of Appendix C
 - CMS Work Plan requires approval prior to implementation
 - Implementation of CMS to begin within 15 days of agency approval
 - Submittal of draft and final CMS Reports



- Remedy approval and permit modification
 - Remedy selected from the CMS alternatives
 - Statement of Basis
 - Permit modification to incorporate the final remedy
 - Financial assurance within 120 days of permit modification
- CMI Implementation
 - Work Plan within 30 days
 - Operation and maintenance plan
 - Construction report
 - Progress reports
 - Remedy completion reports



- Modification of schedule of compliance
 - Regulatory Authority may modify the compliance schedule
- Work plan and report requirements
 - All work plans, reports and schedules require approval prior to implementation
 - All documents must be submitted in accordance with the approved schedule
- Approval/disapproval of submittals
 - The Agency shall approve/disapprove all of facility submittals
- Dispute resolution
 - Provisions for resolution of permit condition disputes



Other HSWA Permit Parts (III-V)

- Part III: Waste Minimization
 - Permittee must certify that a program is in place to reduce the volume and toxicity of hazardous waste generated to the degree economically practicable
- Part IV: Land Disposal Restrictions
 - Permittee must maintain compliance with the LDR requirements of 40 CFR Part 268
- Part V: Air Emission Requirements for Process Vents and Equipment Leaks
 - Permittee must provide specific Part B information required pursuant to 40 CFR § 270.24 and 270.25 prior to the construction of any equipment with process vents



HSWA Permit: Appendices

The HSWA permit has six appendices

- Appendix A: Summary of SWMUs and AOCs
 - Provides a listing of all SWMUs and AOCs identified at the facility, and specifies which units require no further action, confirmatory sampling, or an RFI.
- Appendix B: RFI Work Plan and Report
 - Outlines the RFI and RFI Work Plan requirements
- Appendix C: CMS Plan
 - Outlines the CMS and CMS Work Plan requirements



HSWA Permit: Appendices

The HSWA permit has six appendices

- Appendix D: Compliance Schedule
 - Provides a schedule of compliance for all required activities at the facility
- Appendix E: Waste Minimization
 - Outlines the waste minimization certification objectives
- Appendix F: Action Levels
 - Specifies the hazardous constituent action levels for the facility

