



US EPA ARCHIVE DOCUMENT


**Distribution of SCIM'd to NoSCIM Ratios, LAU, Tucson
 Concentration Ratios at All Distances
 SCIM Interval = 193 hrs, Wet Hour Sampling Freq = 4**




**Distribution of SCIM'd to NoSCIM Ratios, LAU, Tucson
Concentration Ratios at 1500 m
SCIM Interval = 193 hrs, Wet Hour Sampling Freq = 4**




**Distribution of SCIM'd to NoSCIM Ratios, LAU, Tucson
Concentration Ratios at 2500 m
SCIM Interval = 193 hrs, Wet Hour Sampling Freq = 4**




**Distribution of SCIM'd to NoSCIM Ratios, LAU, Tucson
Concentration Ratios at 3500 m
SCIM Interval = 193 hrs, Wet Hour Sampling Freq = 4**



**Distribution of SCIM'd to NoSCIM Ratios, LAU, Tucson
Concentration Ratios at 4500 m
SCIM Interval = 193 hrs, Wet Hour Sampling Freq = 4**



**Distribution of SCIM'd to NoSCIM Ratios, LAU, Tucson
Concentration Ratios at 5500 m
SCIM Interval = 193 hrs, Wet Hour Sampling Freq = 4**



**Distribution of SCIM'd to NoSCIM Ratios, LAU, Tucson
Concentration Ratios at 6000 m
SCIM Interval = 193 hrs, Wet Hour Sampling Freq = 4**

