

US EPA ARCHIVE DOCUMENT

Table PG1. Chemical-specific Waste Concentrations for Waste Piles (mg/kg)
 Human Receptors -1000 meters; Ecological Receptors - 2000 meters

Chemical Name	CASRN	Protection Group 1			Protection Group 2			Protection Group 3			Protection Group 4		
		HH	Eco	Lowest	HH	Eco	Lowest	HH	Eco	Lowest	HH	Eco	Lowest
Acetonitrile	75-05-8	6	note 1	6	200	note 1	200	200	note 1	200	600	note 1	600
Acrylonitrile	107-13-1	0.005	note 1	0.005	0.009	note 1	0.009	0.09	note 1	0.09	0.3	note 1	0.3
Aniline	62-53-3	0.9	100	0.9	4	100	4	60	100	60	70	100	70
Arsenic	7440-38-2	20	50	20	40	90	40	3000	90	90	4000	7000	4000
Barium	7440-39-3	3000	600	600	80000	2000	2000	80000	2000	2000	100000	100000	100000
Benzene	71-43-2	30	1000	30	50	1000	50	700	1000	700	700	1000	700
Benzo(a)pyrene	50-32-8	1	1	1	1	1	1	1	1	1	1	1	1
Beryllium	7440-41-7	1	1	1	1	1	1	1	1	1	1	1	1
Bis-(2-ethylhexyl) phthalate	117-81-7	100	60	60	100	100	100	100	100	100	100	100	100
Cadmium	7440-43-9	400	40	40	1000	300	300	1000	300	300	1000	1000	1000
Carbon disulfide	75-15-0	40	30	30	700	50	50	700	50	50	1000	100	100
Chlorobenzene	108-90-7	80	100	80	100	100	100	100	100	100	100	100	100
Chloroform	67-66-3	300	700	300	600	3000	600	10000	3000	3000	10000	10000	10000
Dibenz[a,h]anthracene	53-70-3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Dichlorophenoxyacetic acid, 2,4-	94-75-7	20	note 1	20	80	note 1	80	80	note 1	80	90	note 1	90
Divalent Mercury	7439-97-6	10	10	10	10	10	10	10	10	10	10	10	10
Ethylene dibromide	106-93-4	0.006	note 1	0.006	0.06	note 1	0.06	0.6	note 1	0.6	0.8	note 1	0.8
Lead	7439-92-1	note 2	40	40	note 2	70	70	note 2	70	70	note 2	1000	1000
Methyl ethyl ketone	78-93-3	20	1000	20	600	1000	600	600	1000	600	900	1000	900
Methyl methacrylate	80-62-6	80	note 1	80	1000	note 1	1000	1000	note 1	1000	1000	note 1	1000
Methylene chloride	75-09-2	4	6000	4	8	10000	8	400	10000	400	600	10000	600
Nickel [+2]	7440-02-0	2000	4000	2000	9000	8000	8000	10000	8000	8000	10000	10000	10000
Nitrobenzene	98-95-3	50	1000	50	900	1000	900	900	1000	900	1000	1000	1000
Pentachlorophenol	87-86-5	100	200	100	300	700	300	900	700	700	900	1000	900
Phenol	108-95-2	8000	10000	8000	10000	10000	10000	10000	10000	10000	10000	10000	10000
Pyridine	110-86-1	0.4	1000	0.4	7	1000	7	7	1000	7	20	1000	20
Silver	7440-22-4	10	10	10	10	10	10	10	10	10	10	10	10

Table PG1. Chemical-specific Waste Concentrations for Waste Piles (mg/kg)
 Human Receptors -1000 meters; Ecological Receptors - 2000 meters

Chemical Name	CASRN	Protection Group 1			Protection Group 2			Protection Group 3			Protection Group 4		
		HH	Eco	Lowest	HH	Eco	Lowest	HH	Eco	Lowest	HH	Eco	Lowest
Tetrachlorodibenzo-p-dioxin, 2,3,7,8-	1746-01-6	0.002	0.003	0.002	0.004	0.006	0.004	0.01	0.006	0.006	0.01	0.01	0.01
Tetrachloroethylene	127-18-4	700	5000	700	2000	5000	2000	5000	5000	5000	5000	5000	5000
Thallium [+1]	7446-18-6	0.04	6	0.04	0.7	10	0.7	0.7	10	0.7	0.9	100	0.9
Thiram	137-26-8	100	100	100	100	100	100	100	100	100	100	100	100
Toluene	108-88-3	5000	2000	2000	5000	4000	4000	5000	4000	4000	5000	5000	5000
Trichloroethane, 1,1,1-	71-55-6	2000	6000	2000	10000	10000	10000	10000	10000	10000	10000	10000	10000
Trichloroethylene	79-01-6	400	200	200	700	400	400	9000	400	400	10000	2000	2000
Vinyl chloride	75-01-4	0.2	5	0.2	0.4	9	0.4	6	9	6	9	200	9
Zinc	7440-66-6	10000	7000	7000	10000	10000	10000	10000	10000	10000	10000	10000	10000

- note 1: Ecological impacts were not evaluated due to the lack of chronic ecological toxicity values.
- note 2: Human impacts were not evaluated due to the lack of human health toxicity values.
- note 3: The values in the highlighted cells are the same as the highest waste concentration evaluated.
- NA: Not Applicable