

US EPA ARCHIVE DOCUMENT

HSTATE_ACTIVITY5

Business Rules	<ul style="list-style-type: none"> • User must be the implementer of record for Handler information. • Handler ID, Activity Location, Source Type, and Sequence Number must exist in HHANDLER5. • Handler ID, Activity Location, Source Type, Sequence Number, State Activity Owner, and State Activity Type must be unique. • Use of the HSTATE_ACTIVITY5 table is optional. 														
English Name	EPA Handler ID (Primary Key)														
Description	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).														
Data Type and Length	VARCHAR2 (12)														
Allowed Values	Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters. The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. Spaces are not allowed.														
Default Value															
Notes	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.														
English Name	Activity Location (Primary Key)														
Description	Indicates the location of the agency regulating the handler.														
Data Type and Length	CHAR (2)														
Allowed Values	State postal code														
Default Value	Location associated with the current user ID.														
Notes	For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.														
English Name	Source Type (Primary Key)														
Description	Code indicating the source of information for the associated data (activity, wastes, etc.).														
Data Type and Length	CHAR (1)														
Allowed Values	<table style="border: none;"> <tr><td>A</td><td>Part A</td></tr> <tr><td>B</td><td>Annual/Biennial Report updated with Notification</td></tr> <tr><td>E</td><td>Emergency</td></tr> <tr><td>I</td><td>Implementer</td></tr> <tr><td>N</td><td>Notification</td></tr> <tr><td>R</td><td>Annual/Biennial Report</td></tr> <tr><td>T</td><td>Temporary</td></tr> </table>	A	Part A	B	Annual/Biennial Report updated with Notification	E	Emergency	I	Implementer	N	Notification	R	Annual/Biennial Report	T	Temporary
A	Part A														
B	Annual/Biennial Report updated with Notification														
E	Emergency														
I	Implementer														
N	Notification														
R	Annual/Biennial Report														
T	Temporary														
Default Value															
Notes	If the BR Report Cycle >= 2009 then the Source Type must equal 'B'.														
English Name	Handler Sequence Number (Primary Key)														
Description	Sequence number for each source record about a handler.														
Data Type and Length	NUMBER (6.0)														

HSTATE_ACTIVITY5

Allowed Values 1 - 999999

Default Value

English Name State Activity Type Owner **(Primary Key)**

Description Indicates the agency that defined the State Activity Type.

Data Type and Length CHAR (2)

Allowed Values 01 - 10 Region

State postal code

Default Value

English Name State Activity Type **(Primary Key)**

Description Code indicating the type of state activity.

Data Type and Length VARCHAR2 (5)

Allowed Values Implementer-defined value in LU_STATE_ACTIVITY

Default Value

English Name User ID of Last Change

Description Records the user ID of the last person to change the data.

Data Type and Length VARCHAR2 (6)

Allowed Values Valid user ID

Default Value Current user ID

HSTATE_ACTIVITY5

English Name	Date of Last Change
Description	Records the date that the data was last changed.
Data Type and Length	DATE
Allowed Values	Valid date/time stamp
Default Value	Current date and time

*** End of Report ***