

US EPA ARCHIVE DOCUMENT

RCRA REVISION CHECKLIST 99

Amendments to Interim Status Standards
for Downgradient Ground-Water Monitoring Well Locations
56 FR 66365-66369
December 23, 1991
(RCRA Cluster II, Non-HSWA)

FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:		
			EQUIV- ALENT	MORE STRINGENT	BROADER IN SCOPE

PART 260 - HAZARDOUS WASTE MANAGEMENT SYSTEM: GENERAL

SUBPART B - DEFINITIONS

† DEFINITIONS

"qualified ground-water scientist"	260.10
------------------------------------	--------

PART 265 - INTERIM STATUS STANDARDS FOR OWNERS AND OPERATORS OF
HAZARDOUS WASTE TREATMENT, STORAGE, AND DISPOSAL FACILITIES

SUBPART F - GROUND-WATER MONITORING

† GROUND-WATER MONITORING SYSTEM

demonstrate alternate hydraulically down-gradient monitoring well location will meet alternate criteria; in writing and kept at facility; certified by qualified ground-water scientist and establish:	265.91(a)(3)
existing physical obstacle prevents monitoring well installation at hydraulically downgradient limit of the waste management area	265.91(a)(3)(i)

RCRA REVISION CHECKLIST 99: Amendments to Interim Status Standards
for Downgradient Ground-Water Monitoring Well Locations (cont'd)

FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:		
			EQUIV- ALENT	MORE STRINGENT	BROADER IN SCOPE
selected alternate downgradient location is as close to limit of waste management area as practical	265.91(a)(3)(ii)				
location ensures detection that, given alternate location, is as early as possible of any statistically significant amounts of hazardous waste or constituents that migrate from the waste management area to uppermost aquifer	265.91(a)(3)(iii)				
lateral expansion, new or replacement units not eligible for an alternate downgradient location	265.91(a)(3)(iv)				