US ERA ARCHIVE DOCUMENT

RCRA REVISION CHECKLIST 201 Treatment Variance for Radioactively Contaminated Batteries 67 FR 62618 – 62624 October 7, 2002 (RCRA Cluster XIII, HSWA)

| Name of S | tate: | | | | | | | | |
|---|----------------------------|------------------|------------|-------------------------|--|--------------------------------|-------|---------------------------------------|---------------------|
| State Statu | tory Authority: | | | | | | | | |
| Title of Re | egulations: | | | Effective Date | e: | | | | |
| Date Chec | klist Completed: | | | | | | | | |
| | | T | | | | | STATE | ANALOG IS | |
| FEDERAL | REQUIREMENTS | FEDERAI CITAT | | ANALOGOUS STAT | | EQUIV- ALENT STRIN- GENT | | MORE STRIN- GENT | BROADER IN SCOPE |
| | | PART 268 – | LAND DIS | POSAL REST | RICT | IONS | | | |
| | | SUBPART | ΓD – TREA | TMENT STAN | IDAR | DS | | | |
| APPLICA | BILITY OF TREA | | | | | | • | | |
| | Table by adding | 268.40/Tabl | e | | | | | | |
| | ing entries to the | | | | | | | | |
| | ries D006, D009, | | | | | | | | |
| and D011: | | ATMENIT OT | CANDADDC | FOR HAZARI | DOLIG | TWACT | EC | | |
| | IKE | | | ns not applicable] | | o WASI | ES | | |
| | | L ¹ | | ed hazardous | | astewate | | Nonwastewaters: | |
| | Waste description | and treatment/ | 001 | nstituent | | n in mg/kg ⁵ | | | |
| Waste code | Regulatory sul | | | ~. ~2 | Concentration in mg/L, 3 or unless noted as "m | | | | |
| | | <i>C J</i> | Common nar | ne CAS ² No. | technology of | | | CLP", or technology code ⁴ | |
| * | * | * | * | * | | | * | Cou | * |
| D006 ⁹ | * * * | * * | Cadmium | 7740-43-9 | NA | | М | acroencaps | ulation in |
| _ *** ********************************* | Radioactively contaminated | | | accordance with 40 CFR | | | | | |
| | cadmium containing | | | | | | 26 | 58.45. | |
| | (Note: This subcates | | | | | | | | |
| * | of nonwastewaters o | niy) * | * | * | | | * | | * |
| D009 ⁹ | * * * | * * | Mercury | 7439-97-6 | N <i>A</i> | | | acroencaps | ulation in |
| 2007 | Radioactively contar | minated | 1,1010d1 y | 7.107 77 0 | 1 17 | - | | | ith 40 CFR |
| | mercury containing l | | | | | | 26 | 8.45. | |
| | (Note: This subcates | gory consists | | | | | | | |
| * | of nonwastewaters o | only) * | at. | .4. | | | * | | * |
| * | 本 | * | * | * | | | • | | т |

RCRA REVISION CHECKLIST 201: Treatment Variance for Radioactively Contaminated Batteries (Cont'd)

| | | | EEDED AL DODA | | ANALOGOUG GTATE | | STATE ANALOG IS: | | | | | | |
|--|---|---|--------------------------|---|-----------------|---------------------------|------------------|------------------------|------------------------|-----------------------|--|------------|--|
| FEDERAL REQUIREMENTS | | | FEDERAL RCRA CITATION | | | ANALOGOUS STA CITATION | EQUIV- ALENT | LESS STRIN- GENT | MORE STRIN- GENT | BROADER IN SCOPE | | | |
| D011 ⁹ | * | * | * | * | * | Silver | 7440-22-4 | N | 4 | Macroencapsulation in | | | |
| Radioactively contaminated silver containing batteries. (Note: This subcategory consists of nonwastewaters only) | | | | | | | | | | acc 268 | | ith 40 CFR | |
| * | | * | | | * | * | * | | | * | | * | |