

March 27, 2009

Via Overnight Delivery

Mr. Richard Kinch US Environmental Protection Agency Two Potomac Yard 2733 S. Crystal Dr. 5th Floor; N-5783 Arlington, VA 22202 2733



Re: Wood River Power Station Response to Request for Information Under CERCLA Section 104(e)

Dear Mr. Kinch:

Dynegy Midwest Generation, Inc. (DMG), the owner and operator of Wood River Power Station, submits this response to the U.S. EPA's March 9, 2009 Request for Information Under Section 104(e) of the Comprehensive Environmental Response, Compensation, and Liability Act, 42 U.S.C. 9604(e), as received by Wood River Power Station on March 13, 2009.

As an initial matter, DMG objects to each request to the extent it is vague, overly broad or too indefinite for reasonable interpretation, requests information protected by attorney-client privilege, work product doctrine, or any other privilege or protection, or is beyond the scope of EPA's authority pursuant to 42 U.S.C. 9604(e). Without waiving any of these objections, DMG provides below its response to each request for information concerning Wood River Power Station.

In accordance with EPA's request, the information provided regarding Wood River Power Station concerns each surface impoundment or similar diked or bermed management unit(s) or management units designated as landfills which receive liquid-borne material for the storage or disposal of residuals or by-products from the combustion of coal, including, but not limited to, fly ash, bottom ash, boiler slag, or flue gas emission control residuals. This includes units that no longer receive coal combustion residues or by-products, but still contain free liquids.

Specifically, Wood River Power Station has two surface impoundments systems within the scope of EPA's information collection request: the West Ash Pond System, which consists of two active cells (*i.e.*, Cell 2E and Cell 3), and the East Ash Pond System, which consists of two cells.

1. Relative to the National Inventory of Dams criteria for High, Significant, Low, or Lessthan-Low, please provide the potential hazard rating for each management unit and indicate Mr. Richard Kinch US Environmental Protection Agency March 27, 2009 Page 2 of 8

who established the rating, what the basis of the rating is, and what federal or state agency regulates the unit(s). If the unit(s) does not have a rating, please note that fact.

Response to Request No. 1:

Cells 2E and 3 of the West Ash Pond System at the Wood River Power Station are rated as Low in the National Inventory of Dams (NID) database. The Illinois Department of Natural Resources (IDNR) classifies dams in accordance with its own criteria. 17 Ill. Admin. Code § 3702.30(a)(1). The IDNR has determined that the West Ash Pond System at Wood River Power Station is a Class III small dam. IDNR Permit No. DS2003215 (Dec. 1, 2003). The IDNR's Class III rating corresponds to the U.S. Army Corps of Engineers low hazard potential category. 17 Ill. Admin. Code § 3702.30(a)(1)(C).

The East Ash Pond System at the Wood River Power Station is not listed in the NID database. The IDNR has determined the East Ash Pond System at Wood River Power Station is a Class I small dam. IDNR Permit No. DS2005052 (June 21, 2005). The IDNR's Class I rating is similar to the U.S. Army Corps of Engineers high hazard potential category. 17 Ill. Admin. Code § 3702.30(a)(1)(A).

2. What year was each management unit commissioned and expanded?

Response to Request No. 2:

Cells 2E and 3 of the West Ash Pond System were commissioned (*i.e.*, began receiving ash) in 1997.

The East Ash Pond System was commissioned (*i.e.*, began receiving ash) in 2006. The East Ash Pond System has not been expanded.

3. What materials are temporarily or permanently contained in the unit? Use the following categories to respond to this question: (1) fly ash; (2) bottom ash: (3) boiler slag; (4) flue gas emission control residuals; (5) other. If the management unit contains more than one type of material, please identify all that apply. Also, if you identify "other," please specify the other types of materials that are temporarily or permanently contained in the unit(s).

Response to Request No. 3:

Mr. Richard Kinch US Environmental Protection Agency March 27, 2009 Page 3 of 8

Cells 2E and 3 of the West Ash Pond System are intended to permanently contain materials in categories (1) fly ash, (2) bottom ash, (3) boiler slag, and (5) other. The category (5) other materials consist of discharges to the West Ash Pond System of the following materials as identified in the Wood River Power Station's National Pollutant Discharge Elimination System (NPDES) permit:

Fly ash, bottom ash, and coal pyrites sluice water Ash hopper overflow Boiler blowdown Demineralizer regenerant wastes Water treatment clarifier sludge Water treatment filter backwash Units 1-5 turbine rooms and boiler rooms drains Coal pile runoff Coal conveyor drain line Non-chemical metal cleaning wastes Area runoff Dredge spoils Demineralizer brine

The East Ash Pond System is intended to permanently contain materials in categories (1) fly ash, (2) bottom ash, (3) boiler slag, and (5) other. The category (5) other materials consist of discharges to the East Ash Pond System of the following materials as identified in the Wood River Power Station's NPDES permit:

Fly ash, bottom ash, and coal pyrites sluice water Ash hopper overflow Boiler blowdown Demineralizer regenerant wastes Water treatment clarifier sludge Water treatment filter backwash Units 1-5 turbine rooms and boiler rooms drains Coal pile runoff Coal conveyor drain line Non-chemical metal cleaning wastes Area runoff Dredge spoils Demineralizer brine Mr. Richard Kinch US Environmental Protection Agency March 27, 2009 Page 4 of 8

4. Was the management unit(s) designed by a Professional Engineer? Is or was the construction of the waste management unit(s) under the supervision of a Professional Engineer? Is inspection and monitoring of the safety of the waste management unit(s) under the supervision of a Professional Engineer?

Response to Request No. 4:

Cells 2E and 3 of the West Ash Pond System were designed by and constructed under the supervision of a registered Professional Engineer employed by DMG or the previous owner/operator of Wood River Power Station, Illinois Power Company. In 2009, a Professional Engineer employed by URS Corporation inspected and assessed the safety of the West Ash Pond System. Prior to that, beginning in approximately 1998 and through 2005, the West Ash Pond System was inspected every five years by a registered Professional Engineer employed by DMG or Illinois Power Company.

The East Ash Pond System was designed by and constructed under the supervision of a registered Professional Engineer employed by DMG. In 2009, a Professional Engineer employed by URS Corporation inspected and assessed the safety of the East Ash Pond System. Prior to that, beginning in approximately 2007 and through 2008, the East Ash Pond System was inspected annually by a registered Professional Engineer employed by DMG.

5. When did the company last assess or evaluate the safety (i.e., structural integrity) of the management unit(s)? Briefly describe the credentials of those conducting the structural integrity assessments/evaluations. Identify actions taken or planned by facility personnel as a result of these assessments or evaluations. If corrective actions were taken, briefly describe the credentials of those performing the corrective actions, whether they were company employees or contractors. If the company plans an assessment or evaluation in the future, when is it expected to occur?

Response to Request No. 5:

DMG last assessed and evaluated the safety (*i.e.*, structural integrity) of the West Ash Pond System and the East Ash Pond System in March 2009. That assessment/evaluation was conducted by Ken Berry, a registered Professional Engineer employed by URS Corporation. Mr. Berry, a Senior Project Manager in the Geotechnical Engineering Group of URS Corporation, is a geotechnical engineer with experience in landslides, levees, foundations, geotechnical instrumentation, and general construction. His recent experience includes a design project for the New Orleans levees, a load test on an I-wall and levee in New Orleans, Mr. Richard Kinch US Environmental Protection Agency March 27, 2009 Page 5 of 8

and investigations for 30 miles of levee analyses in the counties east of St. Louis, Missouri. Mr. Berry received his BSCE from North Carolina State University in 1989 and his MSCE (geotechnical) from Virginia Polytechnic Institute and State University in 1990. He is registered as a Professional Engineer in Missouri and Illinois and has been employed by URS Corporation since 1991. Prior to 2009 (*i.e.*, beginning in approximately 1998 and through 2005), a registered Professional Engineer employed by DMG or Illinois Power Company (the previous owner/operator of Wood River Power Station) with experience in dam safety inspected the safety of the West Ash Pond System every five years. Similarly, (*i.e.*, beginning in approximately 2005 and through 2008), a registered Professional Engineer employed by DMG with experience in dam safety annually inspected the structural integrity of the East Ash Pond System.

DMG has not yet received URS' report of the March 2009 dam inspections at Wood River Power Station. After receipt of URS' report, DMG will assign a Professional Engineer to ensure that all required corrective actions are implemented. At that time, DMG will determine whether company employees or contractors will be used to perform any identified corrective actions. DMG has not yet had the opportunity to develop or implement any corrective actions.

DMG plans to have a qualified Professional Engineer perform safety (*i.e.*, structural integrity) inspections of both the West Ash Pond System and East Ash Pond System in 2010.

6. When did a State or a Federal regulatory official last inspect or evaluate the safety (structural integrity) of the management unit(s)? If you are aware of a planned state or federal inspection or evaluation in the future, when is it expected to occur? Please identify the Federal or State regulatory agency or department which conducted or is planning the inspection or evaluation. Please provide a copy of the most recent official inspection report or evaluation.

Response to Request No. 6:

To the best of DMG's knowledge, no federal or state agency regulatory official has inspected or evaluated the safety (structural integrity) of the West Ash Pond System. DMG is not aware of a planned state or federal inspection or evaluation of the West Ash Pond System in the future.

The IDNR Office of Water Resources (OWR) last inspected the safety (structural integrity) of the East Ash Pond System prior to filling each cell with water. Specifically, IDNR OWR inspected both cells of the East Ash Pond System in approximately 2006. IDNR did not

Mr. Richard Kinch US Environmental Protection Agency March 27, 2009 Page 6 of 8

provide and DMG does not have copies of those IDNR inspection reports. DMG is not aware of a planned state or federal inspection or evaluation of the East Ash Pond System in the future.

7. Have assessments or evaluations, or inspections conducted by State or Federal regulatory officials conducted within the past year uncovered a safety issue(s) with the management unit(s), and, if so, describe the actions that have been or are being taken to deal with the issue or issues. Please provide any documentation that you have for these actions.

Response to Request No. 7:

No federal or state regulatory officials have conducted any assessment, evaluation or inspection of either the West or East Ash Pond Systems at Wood River Power Station within the past year.

8. What is the surface area (acres) and total storage capacity of each of the management units? What is the volume of material currently stored in each of the management unit(s). Please provide the date that the volume measurement(s) was taken. Please provide the maximum height of the management unit(s). The basis for determining maximum height is explained later in this Enclosure.

Response to Request No. 8:

Cells 2E and 3 of the Ash Pond System have a total surface area of 19 acres. The estimated design storage volume at normal pool elevation is as follows: Cell 2E- 120 acre feet (ac-ft); and Cell 3 - 90 ac-ft. The total estimated design volume of Cells 2E and 3 is 210 ac-ft. The estimated volume of materials currently stored in each cell is as follows: Cell 2E- 119 ac-ft; Cell 3 - 9 ac-ft. Because no volume measurements have been taken for Cells 2E and 3 in the West Ash Pond System, on or around March 23, 2009, a DMG-employed Professional Engineer estimated the material volumes in order to respond to this question.

The maximum dam height of Cells 2E and 3 in the West Ash Pond System is approximately as follows: Cell 2E - 20 feet; and Cell 3 - 20 feet.

The East Ash Pond System has a surface area of 38 acres. The estimated design storage volume of East Ash Pond System is 435 ac-ft. The estimated volume of materials currently stored is 58 ac-ft. Because no volume measurements have been taken for the East Ash Pond,

Mr. Richard Kinch US Environmental Protection Agency March 27, 2009 Page 7 of 8

on or around March 23, 2009, a DMG-employed Professional Engineer estimated the material volumes in order to respond to this question.

The maximum dam height of the East Ash Pond System is approximately 33 feet.

9. Please provide a brief history of known spills or unpermitted releases from the unit within the last ten years, whether or not these were reported to State or federal regulatory agencies. For purposes of this question, please include only releases to surface water or to the land (do not include releases to groundwater).

Response to Request No. 9:

To the best of DMG's knowledge, there have been no spills or unpermitted releases of coal combustion residues or byproducts to surface water or to the land from either Cells 2E or 3 of the West Ash Pond System or the East Ash Pond System at Wood River Power Station in the last ten years.

All discharges from Cells 2E or 3 of the West Ash Pond System or the East Ash Pond System in the last ten years in excess of Wood River Power Station's NPDES permit limitations have been reported to the Illinois Environmental Protection Agency in accordance with NPDES permit reporting requirements. For purposes of responding to this request, DMG did not consider exceedances of NPDES permit pollutant discharge limits to be "unpermitted releases" within the scope of the EPA's request and, thus, they are not identified in this response. To the extent EPA interprets this request differently, DMG objects to the request because it is vague, overly broad, and too indefinite for reasonable interpretation.

10. Please identify all current legal owner(s) and operator(s) at the facility.

Response to Request No. 10:

Dynegy Midwest Generation, Inc. is the current legal owner and operator of Wood River Power Station.

* * * * * *

Mr. Richard Kinch US Environmental Protection Agency March 27, 2009 Page 8 of 8

In accordance with and for purposes of the following certification, all portions of this response are hereby identified as information for which the certifying authorized representative cannot personally verify their accuracy.

I certify that the information contained in this response to EPA's request for information and the accompanying documents is true, accurate, and complete. As to the identified portions of this response for which I cannot personally verify their accuracy, I certify under penalty of law that this response and all attachments were prepared in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

Signature: Robert HCrose Name: Robert H. Crowe Title: Plant Manager

cc: Rich Eimer, Executive Vice President, Generation Operations Keith McFarland, Vice President, Midwest Fleet Operations James Ingram, Vice President & Group General Counsel, Environmental