

US EPA ARCHIVE DOCUMENT

## 7.0 REFERENCES

- ABB Environmental Services, 1995. Estimation of Leachate Rates from Industrial Waste Management Facilities. August, 1995.
- Bonaparte, R., J. P. Giroud, and B.A. Cross, 1989. Rates of leakage through landfill liners. Geosynthetics 1989 Conference, San Diego, California.
- Burnett, R.D. and E.O. Frind, 1987. Simulation of contaminant transport in three dimensions. 2. Dimensionality effects. *Water Resources Research* 23(4): 695-705.
- Carsel, R.F., and R.S. Parrish, 1988. Developing joint probability distributions of soil water retention characteristics. *Water Resources Research* 29:755-770.
- Coburn, J., 1996. Memo to Dana Greenwood on Emission Flux Equations for Showering, July 1.
- Davis, S. N., 1969. Porosity and permeability of natural materials. In *Flow Through Porous Media*, R.J. M. de Wiest, Editor, Academic Press, NY.
- de Marsily, G., 1986. *Quantitative Hydrogeology - Groundwater hydrology for Engineers*. Academic Press, 44 pp.
- EPRI, 1986. *Physiochemical Measurements of Soils at Solid Waste Disposal Sites*. Electric Power Research Institute, prepared by Battelle, Pacific Northwest Laboratories, Richland, WA, EPRI EA-4417.
- Gelhar, L.W., A. Mantoglou, C. Welty, and K.R. Rehfeldt, 1985. A review of field scale physical solute transport processes in saturated and unsaturated porous media. Report EPRI-EA-4190. Electric Power Research Institute, Palo Alto, CA.
- Gintautas, P.A., K.A. Huyck, S.R. Daniel, and D.L. Macalady, 1993. Metal-Organic Interactions in Subtitle D Landfill Leachates and Associated Groundwaters, in *Metals in Groundwaters*, H.E. Allen, E.M. Perdue, and D.S. Brown, eds. Lewis Publishers, Ann Arbor, MI.
- Heath, R.C., 1984. *Ground-Water Regions of the United States*. United States Geological Survey Water-Supply Paper 2242, 78 pp.

- Jeffers, P.M., L.M. Ward, L.M. Woytowitch, and N.L. Wolfe, 1989. "Homogeneous Hydrolysis Rate Constants for Selected Chlorinated Methanes, Ethanes, Ethenes, and Propanes." *Environ. Sci. Technol.* 23, 965-969.
- Jury, W.A., W.R. Gardner, and W.H. Gardner, 1991. *Soil Physics*. J. Wiley and Sons, 327 pp.
- Kollig et al, 1993. *Environmental Fate Constants for Organic Chemicals Under Consideration for EPA's Hazardous Waste Identification Projects*. Report No. EPA/600/R-93/132. Environmental Research Laboratory, Athens, GA 30605.
- Lambe, T.W., and Whitman, R.V., 1969. *Soil Mechanics*. John Wiley and Sons.
- Little, J.C., 1992a. Applying the two resistance theory to constituent volatilization in showers. *Environmental Science and Technology* 26(7):1341-1349.
- Little, J.C., 1992b. Applying the two resistance theory to constituent volatilization in showers. *Environmental Science and Technology* 26(4); 836-837.
- Mathur, S. S., 1995. Development of a Database for Ion Sorption on Goethite Using Surface Complexation Modeling. Master's Thesis, Department of Civil and Environmental Engineering, Carnegie Mellon University, Pittsburgh, PA.
- McKone, T.E., 1987. Human exposure to volatile organic compounds in household tap water: The indoor inhalation pathway. *Environmental Science and Technology* 21:1194-1201.
- McWorther, D. B., and D. K. Sunada, 1977. *Groundwater Hydrology and Hydraulics*, Water Resources Publications, Fort Collins, CO.
- Newell, C., J.M., L. P. Hopkins, and P. B. Bedient, 1989. *Hydrogeologic Database for Ground Water Modeling*. API Publication No. 4476. American Petroleum Institute, Washington, DC 20005.
- Rollin, A.L., M. Marcotte, T. Jacquelin, and L. Chaput, 1999. Leak location in exposed geomembrane liners using an electrical leak detection technique. *Geosynthetics '99: Specifying Geosynthetics and Developing Design Details*, Vol. 2, pp 615-626.

- Schroeder, P.R., T.S., Dozier, P.A. Zappi, B.M. McEnroe, J. W. Sjostrom, and R.L. Peton, 1994. The hydrologic evaluation of landfill performance model (HELP): Engineering Documentation for Version 3. EPA/600/R-94/1686. United States Environmental Protection Agency, Cincinnati, OH.
- Shea, J.H., 1974. Deficiencies of elastic particles of certain sizes, *Journal of Sedimentary Petrology* 44:985-1003.
- Susetyo, W., L.A. Carreira, L.V. Azarraga, and D.M. Grimm, 1991. Fluorescence techniques for metal-humic interactions. *Fresenius J Anal Chem*, 339:624-635.
- TetraTech, Inc., 2001. Characterization of infiltration rate data to support groundwater modeling efforts (Draft). Prepared for the U.S. Environmental Protection Agency, Office of Solid Waste, Contract No. 68-W6-0061, May, 2001.
- Todd, D.K., 1980. *Groundwater Hydrology* (2nd edition), John Wiley & Sons, 535 pages.
- U.S. EPA, 1985. DRASTIC: A Standardized System for Evaluating Ground Water Pollution Potential Using Hydrogeologic Settings. EPA/600-2-85/018, Washington, DC.
- U.S. EPA, 1986. Industrial Subtitle D Facility Study (Telephone Survey), U.S. Environmental Protection Agency, October, 1986.
- U.S. EPA, 1990. Toxicity Characteristic Final Rule. 55 FR 11796. March 29, 1990.
- U.S. EPA, 1991a. *Risk Assessment Guidance for Superfund: Volume 1 - Human Health Evaluation Manual (Part B, Development of Risk-Based Preliminary Goals)*. EPA/540/R-92/003. Interim Draft. Office of Emergency and Remedial Response, U.S. EPA, Washington, DC.
- U.S. EPA, 1991b. MINTEQA2/PRODEFA2, A Geochemical Assessment Model for Environmental Systems: Version 3.0 User's Manual EPA/600/3-91/021, Office of Research and Development, Athens, Georgia 30605.
- U.S. EPA, 1992. 57 Federal Register 22888. Final Guidelines for Exposure Assessment. U.S. Environmental Protection Agency. May 29.
- U.S. EPA, 1995a. *Hazardous Waste: Identification and Listing; Proposed Rule*. 40 CFR Parts 260, 261, 266, and 268.

U.S. EPA, 1995b. *Guidance for Risk Characterization*. Science Policy Council, U.S. Environmental Protection Agency, Washington, DC, February.

U.S. EPA, 1996. *Soil Screening Guidance: Technical Background Document*. EPA/540/R95/128. Office of Solid Waste and Emergency Response. May.

U.S. EPA, 1997a. *Exposure Factors Handbook, Volume I, General Factors*. EPA/600/P-95/002Fa. Office of Research and Development, Washington, DC.

U.S. EPA, 1997b. *Exposure Factors Handbook, Volume II, Food Ingestion Factors*. EPA/600/P-95/002Fb. Office of Research and Development, Washington, DC.

U.S. EPA, 1997c. *Exposure Factors Handbook, Volume III, Activity Factors*. EPA/600/P-95/002Fc. Office of Research and Development, Washington, DC.

U.S. EPA, 2000. *Volatilization Rates from Water to Indoor Air, Phase II*. EPA/600/R-00/096. National Center for Environmental Assessment–Washington Office, Office of Research and Development, Washington, DC. October.

U.S. EPA, 2001. *Industrial Surface Impoundments in the United States*. U.S. EPA Office of Solid Waste, Washington, DC 20460. USEPA 530-R-01-005.

U.S. EPA, 2002a. *EPACMTP Technical Background Document*. Office of Solid Waste, Washington, DC.

U.S. EPA, 2002b. *EPACMTP Parameters/Data Background Document*. Office of Solid Waste, Washington, DC.

U.S. EPA, 2002c. *IWEM User's Guide*. Office of Solid Waste, Washington, DC.