

US EPA ARCHIVE DOCUMENT

References

- Bradley, M.P., and R.B. Landy. 2000. The Mid-Atlantic Integrated Assessment (MAIA). *Environmental Monitoring and Assessment* 63:1-13.
- Browder, J.A., L.N. May, A. Rosenthal, J.G. Gosselink, and R.H. Baumann. 1989. Modeling future trends in wetland loss and brown shrimp production in Louisiana using Thematic Mapper imagery. *Remote Sensing of Environment* 28:45-59.
- Canter, L.W. 1977. *Environmental impact assessment*. McGraw-Hill, NY. 331pp.
- Clark, W.C. 1986. The cumulative impacts of human activities on the atmosphere. Pp. 113-124. IN *Cumulative environmental effects: a binational perspective*. Minister of Supply and Services, Canada.
- Clarke, K.C., L. Gaydos, and S. Hoppen. 1997. A Self-Modifying Cellular Automaton Model of Historical Urbanization in the San Francisco Bay Area. *Environment and Planning B: Planning and Design* 24:247-261.
- Clarke, K.C., S. Hoppen, and L.J. Gaydos. 1996. Methods and techniques for rigorous calibration of a cellular automaton model of urban growth. *Proceedings, Third International Conference/Workshop on Integrating GIS and Environmental Modeling CD-ROM*, Santa Fe, NM, 21 – 26 January.
- Cormier, S., S.B. Norton, G. Suter III, and D. Reed-Judkins. 2000. *Stressor identification guidance document*. EPA-822-B-00-025.
- Eastman, J.R. 1989. *IDRISI: a Grid-Based Geographical Analysis System*. Clark University, Worcester, MA.
- Emery, R.M. 1986. Impact interaction potential: a basin-wide algorithm for assessing cumulative impacts from hydropower projects. *J. Environ. Manage.* 23:341-360.
- Ferenc, S.A. and J.A. Foran (eds.). 2000. *Multiple stressors in ecological risk and impact assessment: approaches to risk estimation*. SETAC Press, Pensacola, FL.
- Foran, J.A. and S.A. Ferenc (eds.). 1999. *Multiple stressors in ecological risk and impact assessment*. SETAC Press, Pensacola, FL.
- Greene, E.A., A.E. LaMotte, and K.A. Cullinan. 2005. *Ground-Water Vulnerability to Nitrate Contamination at Multiple Thresholds in the Mid-Atlantic Region Using Spatial Probability Models*. USGS Scientific Investigations Report 2004-5118.
- Grinnell, J. 1917. The niche-relationships of the California thrasher. *Auk* 34:427-433.
- Johnson, A.R. 1988. Evaluating ecosystem response to toxicant stress: a state space approach. Pages 275-285 in W.J. Adams, G.A. Chapman, and W.G. Landis (eds.), *Aquatic Toxicology and Hazard Assessment: 10th Volume*. ASTM STP 971, American Society for Testing and Materials, Philadelphia.
- Leopold, L.B., F.E. Clarke, B.B. Hanshaw, and J.R. Balsley. 1971. A procedure for evaluating environmental impact. *Geological Survey Circular 645*. U.S. Government Printing Office, Washington, DC.

- Lingafelter S.W. and E.R. Hoebeke. 2002. Revision of *Anoplophora* (Coleoptera: Cerambycidae). Entomological Society of Washington, Washington, DC. 236 pp.
- Lumb, A.M. 1982a. Cumulative impact assessment of surface mining. Pp 145-150. In F. Kilpatrick and D. Matchett (eds.). Proceedings of the eastern conference on water and energy: technical and policy issues. Amer. Soc. of Civil Engineers, NY.
- Lumb, A.M. 1982b. Procedures for assessment of cumulative impacts of surface mining on the hydrologic balance. U.S. Geol. Surv. Open-File Rep. 82-334. 50pp.
- Mahalanobis, P.C. 1936. On the generalized distance in statistics. Proceedings of the National Institute of Science of India 12:49-55.
- Morin, R.S., A.M. Liebhold, E.R. Luzader, A.J. Lister, K.W. Gottschalk, and D.B. Twardus. 2005. Mapping host species abundance of three major exotic forest pests. Res. Pap. NE-726. Newtown Square, PA: U.S. Department of Agriculture, Forest Service, Northeastern Research Station. 11p.
- Moss, D.A. 2002. When all else fails – Government as the ultimate risk manager. Harvard University Press.
- O'Neill, R.V. 1999. Recovery in complex ecosystems. Journal of Aquatic Ecosystem Stress and Recovery 6:181-187.
- Peterson A.T., Papes, M., Kluza, D.A. 2003 Predicting the potential invasive distributions of four alien plant species in North America. Weed Science 51:863-868.
- Phillips Brandt Reddick McDonald and Grefe, Inc. 1978. The cumulative impacts of shorezone development at Lake Tahoe. Report prepared for California State Lands Commission, State of Nevada, Tahoe Regional Planning Agency and U.S. Army Corps of Engineers.
- Pielou, E.C. 1984. The Interpretation of Ecological Data: a Primer on Classification and Ordination. John Wiley and Sons, New York.
- Reckhow, K.H., Beaulac, M.N., and Simpson, J.T. 1980. Modeling phosphorus loading and lake response under uncertainty: A manual and compilation of export coefficients. USEPA 440/5-80-011.
- Riitters, K., J. Wickham, R. O'Neill, B. Jones, and E. Smith. 2000. Global-scale patterns of forest fragmentation. Conservation Ecology 4(2):3.
- Risser, P. G. 1988. General concepts for measuring cumulative impacts on wetland ecosystems. Environ. Manage. 12:585-590.
- Smith, E.R., L.T. Tran, and R.V. O'Neill. 2003. Regional Vulnerability Assessment for the Mid-Atlantic Region: Evaluation of Integration Methods and Assessments Results. EPA/600/R-03/082. Office of Research and Development, United States Environmental Protection Agency, Research Triangle Park, NC. 83 pp.
- Smith, E.R., P.M. McKinnis, L.T. Tran, and R.V. O'Neill. 2006. The effects of uncertainty on estimating the relative environmental quality of watersheds across a region. Landscape Ecology 21:225-231.
- Smith, E.R., R.V. O'Neill, J.D. Wickham, K.B. Jones, L.E. Jackson, J.V. Kilaru, and R.J. Reuter. 2001. The U.S. EPA's Regional Vulnerability Assessment Program: A Research Strategy for 2001-2006. U.S. Environmental Protection Agency, Washington, DC, EPA/600/R-01/008.
- Stockwell, D.R.B. and I.R. Noble. 1991. Induction of sets of rules from animal distribution data: a robust and informative method of data analysis. Mathematics and Computers in Simulation. 32:249-254.

- Stockwell, D.R.B., and D.P. Peters. 1999. The GARP modelling system: Problems and solutions to automated spatial prediction. *International Journal of Geographic Information Systems* 13:143-158.
- Tankersley, R.D. 2004. Migration of birds as an indicator of broad-scale environmental condition. *Environmental Monitoring and Assessment* 94:55-67.
- Tran, L.T., and Duckstein, L. (2002). Comparison of fuzzy numbers using a fuzzy distance measure. *Fuzzy Sets and Systems* 130(3):331-341.
- USEPA. 2000. Principles for the Ecological Restoration of Aquatic Resources. EPA 841-F-00-003. Office of Water (4501F), United States Environmental Protection Agency, Washington, DC. 4 pp.
- USEPA. 2004. Analytical Tools Interface for Landscape Assessments (ATtILA) User Manual, EPA/600/R-04/083. Environmental Protection Agency, Office of Research and Development, Las Vegas, NV. 39 pp.
- U.S. Geological Survey (2002). Project Gigalopolis: Urban and Land Cover Modeling. Web site maintained by the University of California Santa Barbara.
<http://www.ncgia.ucsb.edu/projects/gig/>.
- Wheeler, J.O., P.O. Muller, G.I. Thrall, and T.J. Fik. 1998. *Economic Geography*. John Wiley and Sons, New York, NY.
- Witmer, G., J.S. Irving, and M. Bain. 1985. A review and evaluation of cumulative impact assessment techniques and methodologies. Argonne Nat. Lab. Report.
- Woods & Poole Economics, Inc. 2002. Woods & Poole Complete Economic and Demographic Data Source (CEDDS), <http://www.woodsandpoole.com>, Washington, DC.



Office of Research
And Development (8101R)
Washington, DC 20460

Official Business
Penalty for Private Use
\$300

EPA/600/R-06/088
September 2006
www.epa.gov

Please make all necessary changes on the below label,
detach or copy, and return to the address in the upper
left-hand corner.

If you do not wish to receive these reports CHECK HERE ;
detach, or copy this cover, and return to the address in the
upper left-hand corner.

PRESORTED STANDARD
POSTAGE & FEES PAID
EPA
PERMIT No. G-35

US EPA ARCHIVE DOCUMENT



Recycled/Recyclable
Printed with vegetable-based ink on
paper that contains a minimum of
50% post-consumer fiber content
processed chlorine free