

US EPA ARCHIVE DOCUMENT

All Publications of the Mid-Continent Ecology Division
Sorted by First Author
Updated April 30, 2015

A

Adams, C.E. and H.G. Stefan. 1997. Field data on lake ice covers: Dependence on lake characteristics and climate. Environmental Research Laboratory, USEPA, Duluth, MN. #1997-16

Adams, J.V., M.C. Fabrizio, and G.L. Curtis. 1996. Comparison of prey fish density estimates from acoustic and bottom trawl surveys in northeastern Lake Michigan. National Biological Service, Great Lakes Science Center, Ann Arbor, MI, for Environmental Research Laboratory, USEPA, Duluth, MN. #1996-18

Adams, M.J., B.R. Hossack, R.A. Knapp, P.S. Corn, S.A. Diamond, P.C. Trenham, and D.B. Fagre. 2005. Distribution patterns of lentic-breeding amphibians in relation to ultraviolet radiation exposure in western North America. *Ecosystems* 8:488-500. #2005-5

Adediji, O.B., E.J. Durhan, M.D. Kahl, K.M. Jensen, C.A. LaLone, E.A. Makynen, L. Thomas, D.L. Villeneuve, and G.T. Ankley. 2012. Short-term study investigating the estrogenic potency of diethylstilbesterol in the fathead minnow (*Pimephales promelas*). *Environ. Toxicol. Chem.* 46:7826-7835. #5611

Adelman, I.R. and L.L. Smith Jr. 1976. Standard test fish development. Part I. Fathead minnows (*Pimephales promelas*) and goldfish (*Carassius auratus*) as standard fish in bioassays and their reaction to potential reference toxicants. EPA/600/3-76/061a. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R800940.

Adelman, I.R. and L.L. Smith Jr. 1976. Standard test fish development. Part II. Chronic toxicity of Guthion to the fathead minnow (*Pimephales promelas* Rafinesque). EPA/600/3-76/061b. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R800940.

Ahmad, N., D. Benoit, L. Brooke, D. Call, A. Carlson, D. DeFoe, J. Huot, A. Moriarity, J. Richter, P. Shubat, G. Veith, and C. Walbridge. 1984. Aquatic toxicity tests to characterize the hazard of volatile organic chemicals in water: a toxicity data summary--parts I and II. EPA/600/3-84/009. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (NTIS PB84-141506). #1984-14

Albers, P.H., M.T. Koterba, R. Rossmann, W.A. Link, J.B. French, R.S. Bennett, and W.C. Bauer. 2007. Effects of methylmercury on reproduction in American kestrels. *Environ. Toxicol Chem.* 26:1856-1866. #4739

Allen, K.N. 1991. Seasonal variation of selenium in outdoor experimental stream-wetland systems. *J. Environ. Qual.* 20:865-868. #438

Allison, D.T. 1977. Use of exposure units for estimating aquatic toxicity of organophosphate pesticides. *EPA/600/3-77/077*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Allison, D.T. and R.O. Hermanutz. 1977. Toxicity of diazinon to brook trout and fathead minnows. *EPA/600/3-77/060*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Amato, J.R., S.E. Baker, E. Makynen, and L. Eisenschenk. 1990. Toxicity identification evaluation for Turkey Creek Wastewater Treatment Plant, Joplin, MO. NETAC Tech. Rept. 22-90. National Effluent Toxicity Assessment Center, MED, NHEERL, USEPA, Duluth, MN. #1990-23

Amato, J.R., D.I. Mount, E.J. Durhan, M.T. Lukasewycz, G.T. Ankley, and E.D. Robert. 1992. An example of the identification of diazinon as a primary toxicant in an effluent. *Environ. Toxicol. Chem.* 11:209-216. #464

Anderson, E.B., R. Hedin, R.L. Huss, A. Jarvinen, J.A. Johnson, E.A. Lundmark, and A. Pilli. 1989. Ranking of pesticide inert ingredients using the AQUIRE data base and structure activity relationships. Environmental Research Laboratory, USEPA, Duluth, MN. #1989-45

Anderson, E.B., G.D. Veith, and D. Weininger. 1987. SMILES: A line notation and computerized interpreter for chemical structures. Environmental Research Brief, *EPA/600/M-87/021*. USEPA, Cincinnati, OH. #1987-38

Anderson, R.L. 1990. Laboratory methods for appraising safety of a microbial pest control agent in freshwater systems. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1990-29

Anderson, R.L. 1989. Toxicity of synthetic pyrethroids to freshwater invertebrates. *Environ. Toxicol. Chem.* 8:401-410. #374

Anderson, R.L. 1982. Toxicity of fenvalerate and permethrin to several nontarget aquatic invertebrates. *Environ. Entomol.* 11:1251-1257. #232

Anderson, R.L. 1980. Chironomidae toxicity tests--biological background and procedures. In: *Aquatic invertebrate bioassays*. A.L. Buikema Jr. and J. Cairns Jr., Eds., pp. 70-80. ASTM STP 715, ASTM, Philadelphia, PA. #1980-13

Anderson, R.L. and D.L. DeFoe. 1980. Toxicity and bioaccumulation of endrin and methoxychlor in aquatic invertebrates and fish. *Environ. Pollut. Ser. A* 22:111-121. #197

Anderson, R.L. and J.A. Mutchmor. 1971. Temperature acclimation in *Tribolium* and *Musca* at locomotory, metabolic, and enzyme levels. *J. Insect Physiol.* 17:2205-2219. #48

Anderson, R.L., L. Shannon, and E. Mead. 1989. Distribution, persistence and toxicity of a biological control agent in a freshwater microcosm and natural system. Environmental Research Laboratory, USEPA, Duluth, MN. #1989-52

Anderson, R.L. and P. Shubat. 1984. Toxicity of flucythrinate to *Gammarus lacustris* (Amphipoda), *Pteronarcys dorsata* (Plecoptera) and *Brachycentrus americanus* (Trichoptera): Importance of exposure duration. *Environ. Pollut. Ser. A.* 35:3353-3654. #273

Anderson, R.L. and P. Shubat. 1983. Insecticide effects on normal development and hatch of embryos of *Paratanytarsus parthenogeneticus* (Diptera: Chironomidae). *Great Lakes Entomol.* 16:177-181. #255

Anderson, R.L. and R.L. Spehar. 1976. Freshwater invertebrate bibliography: pollution, biology, methods. Report: Environmental Research Laboratory, USEPA, Duluth, MN. #1976-15

Anderson, R.L., C.T. Walbridge, and J.T. Fiandt. 1980. Survival and growth of *Tanytarsus dissimilis* (Chironomidae) exposed to copper, cadmium, zinc, and lead. *Arch. Environ. Contam. Toxicol.* 9:329-335. #198

Anderson, S.L. and T.J. Norberg-King. 1991. Letter to the editor: Precision of short-term chronic toxicity tests in the real world. *Environ. Toxicol. Chem.* 10:143-145. #439

Andren, A., M. Anderson, N. Loux, and R. Talbot. 1980. Element flow in aquatic systems surrounding coal-fired power plants: Wisconsin power plant impact study. *EPA/600/3-80/076*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803971.

Andresen, N.A., E.F. Stoermer, and R.G. Kreis Jr. 2000. New nomenclatural combinations referring to diatom taxa which occur in the Laurentian Great Lakes of North America. *Diatom Res.* 15:413-418. #2000-10

Andrew, R.W. 1976. Toxicity relationships to copper forms in natural waters. In: *Toxicity to biota of metal forms in natural water*, R.W. Andrew, P.V. Hodson, and D.E. Konasewich, Eds., pp. 127-144. #1976-18

Andrew, R.W. 1975. Inexpensive solid-state modification of the Heathkit polarograph. *Chem. Instrum.* 6:163-172 #114

Andrew, R.W. 1973. Mineralogical and suspended solids measurements of water, sediment and substrate samples for 1972 Lake Superior study: I. Analytical methods. National Water Quality Laboratory, ORD, USEPA, Duluth, MN. #1973-5

Andrew, R.W. 1973. Mineralogical and suspended solids measurements of water, sediment and substrate samples for 1972 Lake Superior study: II. Stream sediments. National Water Quality Laboratory, ORD, USEPA, Duluth, MN. #1973-6

Andrew, R.W. 1970. Distribution of taconite tailings in the sediments of the western basin of Lake Superior. *Lake Superior Enforcement Conference, September 25, 1970*. #1970-1

Andrew, R.W. 1967. Physiological chemistry and toxicity of cadmium to fish. Research seminar. #1967-2

Andrew, R.W., D.A. Benoit, J.G. Eaton, J.M. McKim, and C.E. Stephan. 1977. Evaluation of an application factor hypothesis. Environmental Research Laboratory, USEPA, Duluth, MN. #1977-14

Andrew, R.W., K.E. Biesinger, and G.E. Glass. 1977. Effects of inorganic complexing on the toxicity of copper to *Daphnia magna*. *Water Res.* 11:309-315. #140

Andrew, R.W. and G.E. Glass. 1974. Amperometric titration methods for total residual chlorine, ozone, and sulfite. National Water Quality Laboratory, ORD, USEPA, Duluth, MN. #1974-1

Andrew, R.W. and G.E. Glass. 1970. Effect of taconite tailings on algal growth. National Water Quality Laboratory, ORD, USEPA, Duluth, MN. #1970-2

Angradi, T.R. 2013. An exploratory analysis of Indiana and Illinois biotic assemblage data in support of state nutrient criteria development. *Region 5 WSA Nutrient Criteria Report*, EPA/600/R/13/009. #5660

Angradi, T.R. 2011. An exploratory analysis of regional assessment data in support of nutrient criteria development for EPA Region 5, 7 and 8, *online*:
http://www.waterquality.utah.gov/nutrient/documents/RegionalAssessment_NutrientData.pdf.
Region 5 WSA Nutrient Criteria Report, EPA/600/R-11/205. #5604

Angradi, T.R., D.W. Bolgrien, T.M. Jicha, and M.F. Moffett. 2010. Macroinvertebrate assemblage response to urbanization in three mid-continent USA great rivers. *Fund. Applied Limnol.* 176:183-198. #5153

Angradi, T.R., D.W. Bolgrien, T.M. Jicha, M.S. Pearson, D.L. Taylor, and B.H. Hill. 2009. Multispatial-scale variation in benthic and snag-surface macroinvertebrate assemblages in mid-continent US great rivers. *J. North Amer. Benth. Soc.* 28:122-141. #4879

Angradi, T.R., D.W. Bolgrien, T.M. Jicha, M.S. Pearson, B.H. Hill, D.L. Taylor, E.W. Schweiger, L. Shepard, A.R. Batterman, M.F. Moffett, C.M. Elonen, and L.E. Anderson. 2008. A bioassessment approach for mid-continent great rivers: the Upper Mississippi, Missouri, and Ohio (USA). *Environ. Mon. Assess.* 152:425-442. #4805

Angradi, T.R., D.W. Bolgrien, T.M. Jicha, M.S. Pearson, D.L. Taylor, M.F. Moffett, K.A. Blocksom, D.M. Walters, C.M. Elonen, L.E. Anderson, J.M. Lazorchak, E.D. Reavie, A.R. Kireta, and B.H. Hill. 2011. An assessment of stressor extent and biological condition in the North American mid-continent great rivers (USA). *River Systems* 19:143-163. #5544

Angradi T., D. Bolgrien, R. Meyer, T. Nawrocki, and M. Starry. 2006. GIS Model for Assessing Potential Great River Reference Reaches. In: *Proceedings of the American Water Resources Association Spring Specialty Conference "GIS and Water Resources IV."* D.R. Maidment, J.S. Grounds III, Eds. Houston, Texas, May 8-10, 2006. © 2006/TPS-06-1, ISBN 1-882132-70-X. #4726

Angradi, T.R., D.W. Bolgrien, M.A. Starry, and B.H. Hill. 2012. Modeled summer background concentration nutrients and suspended sediment in the mid-continent (USA) great rivers. *J. Amer. Water Res. Assoc.* 48:1054-1070. #5546

Angradi, T.R., S.M. Hagan, and K.W. Able. 2001. Vegetation type and the intertidal macroinvertebrate fauna of a brackish marsh: *Phragmites* vs. *Spartina*. *Wetlands* 21:75-92. #2001-2

Angradi, T., R. Hood, and D. Tarter. 2001. Vertical, longitudinal and temporal variation in the macrobenthos of an Appalachian Headwater stream system. *Amer. Mid. Natural.* 146:223-242. #2001-10.

Angradi, T.R. and T.M. Jicha. 2010. Mesohabitat-specific macroinvertebrate assemblage responses to water quality variation in mid-continent (North America) great rivers. *Ecol. Indic.* 10:943-954. #5217

Angradi, T.R., M.S. Pearson, T.M. Jicha, D.L. Taylor, D.W. Bolgrien, M.F. Moffett, K.A. Blocksom, and B.H. Hill. 2009. Using stressor gradients to determine reference expectations for great river fish assemblages. *Ecol. Indic.* 9:748-764. #4943

Angradi, T.R., E.W. Schweiger, and D.W. Bolgrien. 2006. Inter-habitat variation in the benthos of the Upper Missouri River (North Dakota, USA): Implications for Great River bioassessment. *River Res. Appl.* 22:755-773. #4429

Angradi, T.R., E.W. Schweiger, D.W. Bolgrien, P. Ismert, and T. Selle. 2004. Bank stabilization, shoreline land-use, and the distribution of large woody debris in a regulated reach of the upper Missouri River, North Dakota, USA. *Reg. Rivers: Res. Manage.* 20:829-846. #4125

Angradi, T.R., E.W. Schweiger, B.H. Hill, D.W. Bolgrien, J.M. Lazorchak, E.B. Emery, T.M. Jicha, J.A. Thomas, D.J. Klemm, S. Peterson, D.M. Walters, B.R. Johnson, and M.A. Bagley. 2006. Environmental Monitoring and Assessment--Great River Ecosystems Program (EMAP-GRE) Field Operations Manual. USEPA, Duluth, MN, EPA/620/R-06/002. #4504

Angradi, T.R., D.L. Taylor, T.M. Jicha, D.W. Bolgrien, M.S. Pearson, and B.H. Hill. 2010. Littoral and shoreline wood in mid-continent great rivers (USA). *River Res. Appl.* 26:261-278. #5054

Angradi, T.R., D.L. Taylor, T.M. Jicha, D.W. Bolgrien, M.S. Pearson, and B.H. Hill. 2009. Littoral and shoreline wood in mid-continent great rivers (USA). *River Res. Appl.* 24:1-18. #5054

Ankley, G.T. and D.L. Villeneuve. 2015. Temporal changes in biological responses and uncertainty in assessing risks of endocrine-disrupting chemicals: Insights from intensive time-course studies with fish. *Toxicological Sciences* 144 (2):259-275.

Ankley, G.T., P. Matthiessen, M.A. Ottinger, and G. Van Der Kraak. SETAC Focused Topic Meeting on endocrine-disrupting chemicals: Overview and outcomes. *SETAC Globe*. 5977 007970

Ankley, G.T. 2013. AOP Wiki: A new tool for developing and documenting adverse outcome pathways. *SETAC Globe* 14:2. #5892

Ankley, G.T. 2009. Doing more with less: effective research and peer review. *IEAM* 5:712-713. #5151

Ankley, G.T. 2002. A short-term test method for assessing the reproductive toxicity of endocrine-disrupting chemicals using the fathead minnow (*Pimephales promelas*). *EPA/600/R-01/067*. Mid-Continent Ecology Division, NHEERL, ORD, USEPA, Duluth, MN. #2002-2

Ankley, G.T. 1997. Session 5: Critical issues in ecological relevance: Laboratory vs. field measurement endpoints: A contaminated sediment perspective. In: *Ecological risk assessment of contaminated sediments*. C.G. Ingersoll, T. Dillon, G.R. Biddinger, Eds., pp.115-122. SETAC Press, Pensacola, FL. #1997-4

Ankley, G.T. 1996. Evaluation of metal/acid-volatile sulfide relationships in the prediction of metal bioaccumulation by benthic macroinvertebrates. *Environ. Toxicol. Chem.* 15:2138-2146. #595

Ankley, G.T. 1996. Research for assessing the ecological risk of endocrine disruptors. *SETAC News* 16:11-12. #1996-14

Ankley, G.T., D.C. Bencic, M.S. Breen, T.W. Collette, R.B. Conolly, N.D. Denslow, S.W. Edwards, D.R. Ekman, N. Garcia-Reyero, K.M. Jensen, J.M. Lazorchak, D. Martinovic, D.H. Miller, E.J. Perkins, E.F. Orlando, D.L. Villeneuve, and R.-L. Wang. 2009. Endocrine-disrupting chemicals in fish: Developing exposure indicators and predictive models of effects based on mechanism of action. *Aquat. Toxicol.* 92:168-178. #5053

Ankley, G.T., D. Bencic, J.E. Cavallin, K.M. Jensen, M.D. Kahl, E.A. Makynen, D. Martinovic, N. Mueller, L.C. Wehmas, and D.L. Villeneuve. 2009. Dynamic nature of alterations in the endocrine system of fathead minnows exposed to the fungicide prochloraz. *Toxicol. Sci.* 112:344-353. #5216

Ankley, G.T., R.S. Bennett, R.J. Erickson, D.J. Hoff, M.W. Hornung, R.D. Johnson, D.R. Mount, J.W. Nichols, C.L. Russom, P.K. Schmieder, J.A. Serrano, J.E. Tiegte, and D.L. Villeneuve. 2010. Adverse outcome pathways: A conceptual framework to support ecotoxicology research and risk assessment. *Environ. Toxicol. Chem.* 29:730-741. #5169

Ankley, G.T., D.A. Benoit, J.C. Balogh, T.B. Reynoldson, K.E. Day, and R.A. Hoke. 1994. Evaluation of potential confounding factors in sediment toxicity tests with three freshwater benthic invertebrates. *Environ. Toxicol. Chem.* 13:627-635. #521

Ankley, G.T., D.A. Benoit, R.A. Hoke, E.N. Leonard, C.W. West, G.L. Phipps, V.R. Mattson, and L.A. Anderson. 1993. Development and evaluation of test methods for benthic invertebrates and sediments: Effects of flow rate and feeding on water quality and exposure conditions. *Arch. Environ. Contam. Toxicol.* 25:12-19. #490

Ankley, G.T., W.J. Berry, D.M. Di Toro, D.J. Hansen, R.A. Hoke, D.R. Mount, M.C. Reiley, R.C. Swartz, and C.S. Zarba. 1996. Letter to the editor: Use of equilibrium partitioning to establish sediment quality criteria for nonionic chemicals: A reply to Iannuzzi et al. *Environ. Toxicol. Chem.* 15:1019-1024. #596

Ankley, G.T., M. Black, J. Garric, T.H. Hutchinson, and T. Iguchi. 2005. A framework for assessing the hazard of pharmaceutical materials to aquatic species. In: *Human pharmaceuticals: assessing the impacts on aquatic ecosystems*, R.T. Williams, Ed., SETAC, Pellston Workshop, Snowbird, UT, June 3-8, 2003, pp.183-236. #2005-10

Ankley, G.T. and V.S. Blazer. 1988. Effects of diet on PCB-induced changes in xenobiotic metabolism in the liver of channel catfish (*Ictalurus punctatus*). *Can. J. Fish Aquat. Sci.* 45:132-137. #1988-2

Ankley, G.T., V.S. Blazer, S.M. Plakas, and R.E. Reinert. 1989. Dietary lipid as a factor modulating xenobiotic metabolism in channel catfish (*Ictalurus punctatus*). *Can. J. Fish. Aquat. Sci.* 46:1141-1146. #375

Ankley, G.T., S.P. Bradbury, J. Hermens, O.G. Mekenyan, and K.-E. Tollefsen. 1997. Current approaches to the use of structure activity relationships (SARs) in identifying the hazards of endocrine modulating chemicals to wildlife. In: *SETAC-Europe/OECD/EC expert workshop on endocrine modulators and wildlife: Assessment and testing*, April 10-13, 1997, Veldhoven, the Netherlands. L. Tattersfield, P. Matthiessen, P. Campbell, N. Grandy, R. Länge, Eds., pp. 19-40. SETAC Press, Pensacola, FL. #1997-9

Ankley, G.T., B. Brooks, D. Huggett, and J. Sumpter. 2007. Repeating history: Pharmaceuticals in the environment. *Environ. Sci. Technol.* 41:8211-8217. #4793

Ankley, G.T. and L.P. Burkhard. 1992. Identification of surfactants as toxicants in a primary effluent. *Environ. Toxicol. Chem.* 11:1235-1248. #465

Ankley, G.T., L.P. Burkhard, P.M. Cook, S.A. Diamond, R.J. Erickson, and D.R. Mount. 2003. Assessing risks from photoactivated toxicity of PAHs to aquatic organisms. In: *PAHS: An ecotoxicological perspective*. P.E.T. Douben, Ed., pp. 275-296. John Wiley & Sons, Ltd., New York, NY. #2003-2

Ankley, G.T., D.J. Call, J.S. Cox, M.D. Kahl, R.A. Hoke, and P.A. Kosian. 1994. Organic carbon partitioning as a basis for predicting the toxicity of chlorpyrifos in sediments. *Environ. Toxicol. Chem.* 13:621-626. #522

Ankley, G.T., J. Cavallin, E.J. Durhan, K.M. Jensen, M.D. Kahl, E.A. Makynen, D. Martinovic-Weigelt, L. Wehmas, and D.L. Villeneuve. 2011. Temporal evaluation of effects of a model 3²-

hydroxysteroid dehydrogenase inhibitor on endocrine function in the fathead minnow. *Environ. Toxicol. Chem.* 30:2094-2102. #5471

Ankley, G.T., J.E. Cavallin, E.J. Durhan, K.M. Jensen, M.D. Kahl, E.A. Makynen, L. Thomas, L.C. Wehmas, and D.L. Villeneuve. 2012. A time-course analysis of effects of the steroidogenesis inhibitor ketoconazole on components of the hypothalamic-pituitary-gonadal axis of fathead minnows. *Aquat. Toxicol.* 114-115:88-95. #5610

Ankley, G.T. and S.A. Collyard. 1995. Influence of piperonyl butoxide on the toxicity of organophosphate insecticides to three species of freshwater benthic invertebrates. *Comp. Biochem. Physiol.* 110C:149-155. #552

Ankley, G.T., S.A. Collyard, P.D. Monson, and P.A. Kosian. 1994. Influence of ultraviolet light on the toxicity of sediments contaminated with polycyclic aromatic hydrocarbons. *Environ. Toxicol. Chem.* 13:1791-1796. #523

Ankley, G.T., P.M. Cook, A.R. Carlson, D.J. Call, J.A. Sorensen, H.F. Corcoran, and R.A. Hoke. 1992. Bioaccumulation of PCBs from sediments by oligochaetes and fishes: Comparison of laboratory and field studies. *Can. J. Fish. Aquat. Sci.* 49:2080-2085. #466

Ankley, G.T., G. Daston, S.J. Degitz, N.D. Denslow, R.A. Hoke, S.W. Kennedy, A.L. Miracle, E. Perkins, J. Snape, D. Tillitt, C.R. Tyler, and D. Versteeg. 2006. Toxicogenomics in regulatory ecotoxicology. *Environ. Sci. Technol.* 40:4055-4065. #894

Ankley, G.T., D.L. DeFoe, M.D. Kahl, K.M. Jensen, E.A. Makynen, A. Miracle, P. Hartig, L.E. Gray, M. Cardon, and V. Wilson. 2004. Evaluation of the model anti-androgen flutamide for assessing the mechanistic basis of responses to an androgen in the fathead minnow (*Pimephales promelas*). *Environ. Sci. Technol.* 38:6322-6327. #842

Ankley, G.T., S.J. Degitz, S.A. Diamond, and J.E. Tietge. 2004. Assessment of environmental stressors potentially responsible for malformations in North American anuran amphibians. *Ecotox. Environ. Safety* 58:7-16. #819

Ankley, G.T., S.A. Diamond, J.E. Tietge, G.W. Holcombe, K.M. Jensen, D.L. DeFoe, and R. Peterson. 2002. Assessment of the risk of solar ultraviolet radiation to amphibians. I. Dose-dependent induction of hindlimb malformations in the northern leopard frog (*Rana pipiens*). *Environ. Sci. Technol.* 36:2853-2858. #774

Ankley, G.T., J.R. Dierkes, D.A. Jensen, and G.S. Peterson. 1991. Piperonyl butoxide as a tool in aquatic toxicological research with organophosphate insecticides. *Ecotox. Environ. Safety* 21:266-274. #440

Ankley, G.T., D.M. Di Toro, D.J. Hansen, and W.J. Berry. 1996. Assessing the ecological risk of metals in sediments. *Environ. Toxicol. Chem.* 15:2053-2055. #597

Ankley, G.T., D.M. Di Toro, D.J. Hansen, and W.J. Berry. 1996. Technical basis and proposal for deriving sediment quality criteria for metals. *Environ. Toxicol. Chem.* 15:2056-2066. #598

Ankley, G.T., R.J. Erickson, G.L. Phipps, V.R. Mattson, P.A. Kosian, B.R. Sheedy, and J.S. Cox. 1995. Effects of light intensity on the phototoxicity of fluoranthene to a benthic macroinvertebrate. *Environ. Sci. Technol.* 29:2828-2833. #553

Ankley, G.T., R.J. Erickson, B.R. Sheedy, P.A. Kosian, V.R. Mattson, and J.S. Cox. 1997. Evaluation of models for predicting the phototoxic potency of polycyclic aromatic hydrocarbons. *Aquat. Toxicol.* 37:37-50. #639

Ankley, G.T. and J.P. Giesy. 1998. Endocrine disruptors in wildlife: a weight-of-evidence perspective. In: *Principles and processes for evaluating endocrine disruption in wildlife*. R. Kendall, R. Dickerson, J. Giesy, W. Suk, Eds., pp. 349-367. SETAC Press, Pensacola, FL. #1998-1

Ankley, G.T. and J. Gorsuch. 2013. First in a special series: Analysis of the impact of papers published in Environmental Toxicology and Chemistry over the past 30 years: An overview and coming attractions. *Environ. Toxicol. Chem.* 32:1-6. #5718

Ankley, G.T. and L.E. Gray. 2013. Cross-species conservation of endocrine pathways: A critical analysis of tier 1 fish and rat screening assays with 12 model chemicals. *Environ. Toxicol. Chem.* 32:1084-1087. #5752

Ankley, G.T., J.R. Hockett, D.I. Mount, and D.R. Mount. 2011. Early evolution of the toxicity identification evaluation process: Contributions from the USEPA effluent testing program. *Effects-Directed Analysis of Complex Environmental Contamination, Handbook Env. Chem.*, Vol. 15, W. Brack, Ed., Springer-Verlag, Berlin Heidelberg, pp. 1-18. #5331

Ankley, G.T., R.A. Hoke, J.P. Giesy, and P.V. Winger. 1989. Evaluation of the toxicity of marine sediments and dredge spoils with the Microtox® bioassay. *Chemosphere* 18:2069-2075. #376

Ankley, G.T. and K.M. Jensen. 2014. A novel framework for interpretation of data from the fish short-term reproduction assay (FSTRA) for the detection of endocrine-disrupting chemicals. *Environmental Toxicology and Chemistry* 33 (11):2529-2540.

Ankley, G.T., K.M. Jensen, E.J. Durhan, E.A. Makynen, B.C. Butterworth, M.D. Kahl, D.L. Villeneuve, A. Linnam, L.E. Gray, M. Cardon, and V.S. Wilson. 2005. Effects of two fungicides with multiple modes of action on reproductive endocrine function in the fathead minnow (*Pimephales promelas*). *Toxicol. Sci.* 86:300-308. #861

Ankley, G.T., K.M. Jensen, M.W. Hornung, M.D. Kahl, J.J. Korte, and E.A. Makynen. 2001. A short-term test method for assessing the reproductive toxicity of endocrine-disrupting chemicals using the fathead minnow (*Pimephales promelas*). EPA/600/R-01/067. MED, NHEERL, ORD, USEPA, Duluth, MN. #3862

Ankley, G.T., K.M. Jensen, M.D. Kahl, E.J. Durhan, E.A. Makynen, J.E. Cavallin, D. Martinovic, L.C. Wehmas, N.D. Mueller, and D.L. Villeneuve. 2010. Use of chemical

mixtures to differentiate mechanisms of endocrine action in a small fish model. *Aquat. Toxicol.* 99:389-396. #4979

Ankley, G.T., K.M. Jensen, M.D. Kahl, J.J. Korte, and E.A. Makynen. 2001. Description and evaluation of a short-term reproduction test with the fathead minnow (*Pimephales promelas*). *Environ. Toxicol. Chem.* 20:1276-1290. #760

Ankley, G.T., K.M. Jensen, M.D. Kahl, E.A. Makynen, L.S. Blake, K.J. Greene, R.D. Johnson, and D.L. Villeneuve. 2007. Ketoconazole in the fathead minnow (*Pimephales promelas*): Reproductive toxicity and biological compensation. *Environ. Toxicol. Chem.* 26:1214-1223. #4672

Ankley, G.T., K.M. Jensen, E.A. Makynen, M.D. Kahl, J.J. Korte, M.W. Hornung, T.R. Henry, J.S. Denny, R.L. Leino, V.S. Wilson, M.C. Cardon, P.C. Hartig, and L.E. Gray. 2003. Effects of the androgenic growth promoter 17- β trenbolone on fecundity and reproductive endocrinology of the fathead minnow. *Environ. Toxicol. Chem.* 22:1350-1360. #4009

Ankley, G.T. and R.D. Johnson. 2004. Small fish models for identifying and assessing the effects of endocrine-disrupting chemicals. *Inst. Lab. Animal Res. J.* 45:469-483. #831

Ankley, G.T., R.D. Johnson, N.E. Detenbeck, and S.P. Bradbury. 1997. Development of a research strategy for assessing the ecological risk of endocrine disruptors. *Rev. Toxicol.* 1:71-106. #666

Ankley, G.T., M.D. Kahl, K.M. Jensen, M.W. Hornung, J.J. Korte, E.A. Makynen, and R.L. Leino. 2002. Evaluation of the aromatase inhibitor fadrozole in a short-term reproduction assay with the fathead minnow (*Pimephales promelas*). *Toxicol. Sci.* 67:121-130. #770

Ankley, G.T., A. Katko, and J.W. Arthur. 1990. Identification of ammonia as an important sediment-associated toxicant in the lower Fox River and Green Bay, Wisconsin. *Environ. Toxicol. Chem.* 9:313-322. #404

Ankley, G.T., D.W. Kuehl, M.D. Kahl, K.M. Jensen, B.C. Butterworth, and J.W. Nichols. 2004. Partial life-cycle toxicity and bioconcentration modeling of perfluorooctanesulfonate in the northern leopard frog (*Rana pipiens*). *Environ. Toxicol. Chem.* 23:2745-2755. #833

Ankley, G.T., D.W. Kuehl, M.D. Kahl, K.M. Jensen, A. Linnam, R.L. Leino, and D.L. Villeneuve. 2005. Reproductive and developmental toxicity and bioconcentration of perfluorooctanesulfonate in a partial life-cycle test with the fathead minnow (*Pimephales promelas*). *Environ. Toxicol. Chem.* 24:2316-2324. #866

Ankley, G.T., E. Leonard, G. Glass, D. Call, P. Kosian, A. Cotter, and J. Dierkes. 1990. Chemical and biological assessment of sediments from Oswego Harbor, 1990. Final report to US Army Corps of Engineers, Buffalo District. USEPA, Duluth, MN; UW-Superior, Superior, WI; and AScI Corporation, Duluth, MN. #1990-19

Ankley, G.T., E.N. Leonard, and V.R. Mattson. 1994. Prediction of bioaccumulation of

metals from contaminated sediments by the oligochaete, *Lumbriculus variegatus*. *Water Res.* 28:1071-1076. #524

Ankley, G.T., K. Liber, D.J. Call, T.P. Markee, T.J. Canfield, and C.G. Ingersoll. 1996. A field investigation of the relationship between zinc and acid volatile sulfide concentrations in freshwater sediments. *J. Aquat. Ecosys. Health.* 5:255-264. #599

Ankley, G.T., K.B. Lodge, D.J. Call, M.D. Balcer, L.T. Brooke, P.M. Cook, R.G. Kreis, A.R. Carlson, R.D. Johnson, G.J. Niemi, R.A. Hoke, C.W. West, J.P. Giesy, P.D. Jones, and Z.C. Fuying. 1992. Integrated assessment of contaminated sediments in the Lower Fox River and Green Bay, Wisconsin. *Ecotox. Environ. Safety* 23:46-63. #467

Ankley, G.T., V.R. Mattson, E.N. Leonard, C.W. West, and J.L. Bennett. 1993. Predicting the acute toxicity of copper in freshwater sediments: Evaluation of the role of acid-volatile sulfide. *Environ. Toxicol. Chem.* 12:315-320. #491

Ankley, G.T., O.G. Mekenyan, V.B. Kamenska, P.K. Schmieder, and S.P. Bradbury. 2002. Reactivity profiles of ligands of mammalian retinoic acid receptors: a preliminary COREPA analysis. *SAR QSAR Environ. Res.* 13:365-377. #768

Ankley, G.T., O.G. Mekenyan, P.A. Kosian, E.A. Makynen, D.R. Mount, P.D. Monson, and D.J. Call. 1996. Identification of phototoxic polycyclic aromatic hydrocarbons in sediments through sample fractionation and QSAR analysis. *SAR QSAR Environ. Res.* 5:177-183. #600

Ankley, G.T., E. Mihaich, R. Stahl, D. Tillitt, T. Colborn, S. McMaster, R. Miller, J. Bantle, P. Campbell, N. Denslow, R. Dickerson, L. Folmar, M. Fry, J. Giesy, L. E. Gray, P. Guiney, T. Hutchinson, S. Kennedy, V. Kramer, G. LeBlanc, M. Mayes, A. Nimrod, R. Patino, R. Peterson, R. Purdy, R. Ringer, P. Thomas, L. Touart, G. Van der Kraak, and T. Zacharewski. 1998. Overview of a workshop on screening methods for detecting potential (anti-) estrogenic/androgenic chemicals in wildlife. *Environ. Toxicol. Chem.* 17:68-87. #664

Ankley, G.T., D.H. Miller, K.M. Jensen, D.L. Villeneuve, and D. Martinovic. 2008. Relationship of plasma sex steroid concentrations in female fathead minnows to reproductive success and population status. *Aquat. Toxicol.* 88:69-74. #4874

Ankley, G.T., A.L. Miracle, and E.J. Perkins. 2007. Chapter 1. Toxicogenomics in ecological risk assessments: Regulatory context, technical background, and workshop overview. *SETAC Pellston Workshop, Pellston, MI, September 18-22, 2005*, SETAC Press, Pensacola, FL. #4876a

Ankley, G.T., A.L. Miracle, E.J. Perkins, and G.P. Daston, Eds. 2007. Genomics in regulatory ecotoxicology: Applications and challenges. *SETAC Pellston Workshop, Pellston, MI, September 18-22, 2005*, SETAC Press, Pensacola, FL. #4876

Ankley, G.T. and D.R. Mount. 1996. Retrospective analysis of the ecological risk of contaminant mixtures in aquatic sediments. *Hum. Ecol. Risk Assess.* 2:434-440. #601

Ankley, G.T., G.J. Niemi, K.B. Lodge, H.J. Harris, D.L. Beaver, D.E. Tillitt, T.R. Schwartz, J.P. Giesy, P.D. Jones, and C.A. Hagley. 1993. Uptake of planar polychlorinated biphenyls and 2,3,7,8-substituted polychlorinated dibenzofurans and dibenzo-*p*-dioxins by birds nesting in the lower Fox River and Green Bay, Wisconsin, USA. *Arch. Environ. Contam. Toxicol.* 24:332-344. #492

Ankley, G.T., G.S. Peterson, J.R. Amato, and J.J. Jenson. 1990. Evaluation of sucrose as an alternative to sodium chloride in the Microtox® assay: Comparison to fish and cladoceran tests with freshwater effluents. *Environ. Toxicol. Chem.* 9:1305-1310. #405

Ankley, G.T., G.S. Peterson, M.T. Lukasewycz, and D.A. Jensen. 1990. Characteristics of surfactants in toxicity identification evaluations. *Chemosphere* 21:3-12. #406

Ankley, G.T., G.L. Phipps, E.N. Leonard, D.A. Benoit, V.R. Mattson, P.A. Kosian, A.M. Cotter, J.R. Dierkes, D.J. Hansen, and J.D. Mahony. 1991. Acid-volatile sulfide as a factor mediating cadmium and nickel bioavailability in contaminated sediments. *Environ. Toxicol. Chem.* 10:1299-1307. #441

Ankley, G.T. and M.K. Schubauer-Berigan. 1995. Background and overview of current sediment toxicity identification evaluation procedures. *J. Aquat. Ecosys. Health.* 4:133-149. #554

Ankley, G.T. and M.K. Schubauer-Berigan. 1994. Comparison of techniques for the isolation of sediment pore water for toxicity testing. *Arch. Environ. Contam. Toxicol.* 27:507-512. #525

Ankley, G.T., M.K. Schubauer-Berigan, and J.R. Dierkes. 1996. Application of toxicity identification evaluation techniques to pore water from Buffalo River sediments. *J. Great Lakes Res.* 22:534-544. #602

Ankley, G.T., M.K. Schubauer-Berigan, and J.R. Dierkes. 1991. Predicting the toxicity of bulk sediments to aquatic organisms with aqueous test fractions: Pore water vs. elutriate. *Environ. Toxicol. Chem.* 10:1359-1366. #442

Ankley, G.T., M.K. Schubauer-Berigan, J.R. Dierkes, and M.T. Lukasewycz. 1991. Sediment toxicity identification evaluation: phase I (characterization), phase II (identification) and phase III (confirmation) modifications of effluent procedures. *EPA/600/6-91/007*. National Effluent Toxicity Assessment Center.

Ankley, G.T., M.K. Schubauer-Berigan, and R.A. Hoke. 1992. Use of toxicity identification evaluation techniques to identify dredged material disposal options: A proposed approach. *Environ. Manage.* 16:1-6. #468

Ankley, G.T., M.K. Schubauer-Berigan, and P.D. Monson. 1995. Influence of pH and hardness on toxicity of ammonia to the amphipod *Hyalella azteca*. *Can. J. Fish. Aquat. Sci.* 52:2078-2083. #555

Ankley, G.T. and N.A. Thomas. 1992. Interstitial water toxicity identification evaluation approach. In: *Sediment classification methods compendium*, pp. 5.1-5.14. EPA/823/R-92/006. USEPA, Washington, DC. #1992-20

Ankley, G.T., N.A. Thomas, D.M. Di Toro, D.J. Hansen, J.D. Mahony, W.J. Berry, R.C. Swartz, R.A. Hoke, A.W. Garrison, H.E. Allen, and C.S. Zarba. 1994. Assessing potential bioavailability of metals in sediments: A proposed approach. *Environ. Manage.* 18:331-337. #526

Ankley, G.T., J.E. Tietge, D.L. DeFoe, K.M. Jensen, G.W. Holcombe, E.J. Durhan, and S.A. Diamond. 1998. Effects of ultraviolet light and methoprene on survival and development of *Rana pipiens*. *Environ. Toxicol. Chem.* 17:2530-2542. #691

Ankley, G.T., J.E. Tietge, G.W. Holcombe, D.L. DeFoe, S.A. Diamond, K.M. Jensen, and S.J. Degitz. 2000. Effects of laboratory ultraviolet radiation and natural sunlight on survival and development of *Rana pipiens*. *Can. J. Zool.* 78:1092-1100. #742

Ankley, G.T., D.E. Tillitt, and J.P. Giesy. 1989. Maternal transfer of bioactive polychlorinated aromatic hydrocarbons in spawning chinook salmon (*Oncorhynchus tshawytscha*). *Mar. Environ. Res.* 28:231-234. #377

Ankley, G.T., D.E. Tillitt, J.P. Giesy, P.D. Jones, and D.A. Verbrugge. 1991. Bioassay-derived 2,3,7,8- tetrachlorodibenzo-*p*-dioxin equivalents in PCB-containing extracts from the flesh and eggs of Lake Michigan chinook salmon (*Oncorhynchus tshawytscha*) and possible implications for reproduction. *Can. J. Fish. Aquat. Sci.* 48:1685-1690. #443

Ankley, G.T., D.E. Tillitt, J.W. Gooch, and J.P. Giesy. 1989. Hepatic enzyme systems as biochemical indicators of the effects of contaminants on reproduction of chinook salmon (*Oncorhynchus tshawytscha*). *Comp. Biochem. Physiol.* 94C:235-242. #378

Ankley, G.T. and C.R. Tyler. 2013. Development of methods to detect occurrence and effects of endocrine-disrupting chemicals: Fueling a fundamental shift in regulatory ecotoxicology. *Environ. Toxicol. Chem.* 32:2661-2662. #5719

Ankley, G.D. Veith, and D.J. Call. 1994. QSARs for photoinduced toxicity: I. Acute lethality of polycyclic aromatic hydrocarbons to *Daphnia magna*. *Chemosphere* 27:567-582. #544

Ankley, G.T. and D.L. Villeneuve. 2006. The fathead minnow in aquatic toxicology: Past, present, and future. *Aquat. Toxicol.* 78:91-102. #882

Anstead, A. 2006. Primary production for the LM2-Toxic. Part 4, App. 4.5.5, pp. 426-429 in R. Rossmann, Ed., Results of the Lake Michigan Mass Balance study: PCBs modeling report. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI, EPA/600/R-04/167. #4345a

Armitage, B.J., T.D. Forsythe, E.B. Rodgers, and W.B. Wrenn. 1978. Browns Ferry Biothermal Research Series. I. Colonization by periphyton, zooplankton, and macroinvertebrates. EPA/600/3-78/020. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, TV-35013A.

Arnold, K.E., A.R. Brown, G.T. Ankley and J.P. Sumpter. 2014. Medicating the environment: Assessing risks of pharmaceuticals to wildlife and ecosystems. *Philosophical Transactions of the Royal Society B: Biological Sciences* 369 (1656):1-11.

Arthur, J.W. 1988. Application of laboratory-derived criteria to an outdoor stream ecosystem. *Int. J. Environ. Stud.* 32:97-110. #360

Arthur, J.W. 1980. Review of freshwater bioassay procedures for selected amphipods. In: *Aquatic invertebrate bioassays*. A.L. Buikema Jr. and J. Cairns Jr., Eds., pp. 98-108. ASTM STP 715. ASTM, Philadelphia, PA. #1980-14

Arthur, J.W. 1970. Chronic effects of linear alkylate sulfonate detergent on *Gammarus pseudolimnaeus*, *Campeloma decisum* and *Physa integra*. *Water Res.* 4:251-257. # 36

Arthur, J.W., R.W. Andrew, V.R. Mattson, D.T. Olson, G.E. Glass, B.J. Halligan, and C.T. Walbridge. 1975. Comparative toxicity of sewage-effluent disinfection to freshwater aquatic life. *EPA/600/3-75/012*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Arthur, J.W. and J.G. Eaton. 1971. Chloramine toxicity to the amphipod *Gammarus pseudolimnaeus* and the fathead minnow (*Pimephales promelas*). *J. Fish. Res. Board Can.* 28:1841-1845. #49

Arthur, J.W. and W.B. Horning II. 1969. The use of artificial substrates in pollution surveys. *Am. Midl. Nat.* 82:83-89. #22

Arthur, J.W., A. Katko, H.W. Read, and C.T. Walbridge. 1989. Ambient toxicity assessments in the upper Illinois River basin. *EPA/600/x-89/089*. USEPA, Duluth, MN. #1989-27

Arthur, J.W., A.E. Lemke, V.R. Mattson, and B.J. Halligan. 1974. Toxicity of sodium nitrilotriacetate (NTA) to the fathead minnow and an amphipod in soft water. *Water Res.* 8:187-193. #98

Arthur, J.W. and E.N. Leonard. 1970. Effects of copper on *Gammarus pseudolimnaeus*, *Physa integra*, and *Campeloma decisum* in soft water. *J. Fish. Res. Board Can.* 27:1277-1283. #37

Arthur, J.W., T. Roush, A.R. Carlson, and C.T. Walbridge. 1993. Application of integrative procedures to evaluate Iowa watershed quality. In: *Agricultural research to protect water quality*. Proceedings, February 21-24, 1993, Minneapolis, MN, pp. 137-139. Soil and Water Conservation Society, Ankeny, IA. #1993-16

Arthur, J.W., T. Roush, J.A. Thompson, F.A. Puglisi, C. Richards, G.E. Host, and L.B. Johnson. 1996. Evaluation of watershed quality in the Saginaw River basin. *EPA/600/R-95/153*. Mid-Continent Ecology Division, National Health and Environmental Effects Research Laboratory, USEPA, Duluth, MN. #1996-6

Arthur, J.W., T. Roush, J.A. Thompson, C.T. Walbridge, and F.A. Puglisi. 1997. Evaluation of low order stream quality in central Iowa. *EPA/600/R-9/009*. Mid-Continent Ecology Division, National Health and Environmental Effects Research Laboratory, ORD, USEPA, Duluth, MN.

Arthur, J.W., C.W. West, K.N. Allen, and S.F. Hedtke. 1987. Seasonal toxicity of ammonia to five fish and nine invertebrate species. *Bull. Environ. Contam. Toxicol.* 38:324-331. #2842

Arthur, J.W. and J.A. Zischke. 1994. Evaluation of watershed quality in the Minnesota River basin. *EPA/600/R-94/143*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Arthur, J.W., J.A. Zischke, K.N. Allen, and R.O. Hermanutz. 1983. Effects of diazinon on macroinvertebrates and insect emergence in outdoor experimental channels. *Aquat. Toxicol.* 4:283-301. #256

Arthur, J.W., J.A. Zischke, and G.L. Ericksen. 1982. Effect of elevated water temperature on macroinvertebrate communities in outdoor experimental channels. *Water Res.* 16:1465-1477. #233

Askegaard, T. and M. Balcer. 1993. Diet analysis of young-of-the-year rainbow smelt from Saginaw Bay. Environmental Research Laboratory, USEPA, Duluth, MN. #1993-19

Auer, M.T. and N.A. Auer. 1990. Chemical suitability of substrates for walleye egg development in the lower Fox River, Wisconsin. *Trans. Am. Fish. Soc.* 119:871-876. #1990-8

Auer, M.T., M.S. Kieser, and R.P. Canale. 1986. Identification of critical nutrient levels through field verification of models for phosphorus and phytoplankton growth. *Can. J. Fish. Aquat. Sci.* 43:379-388. #1986-16

Auer, M.T., J.M. Graham, L.E. Graham, and J.A. Kranzfelder. 1983. Factors regulating the spatial and temporal distribution of *Cladophora* and *Ulothrix* in the Laurentian Great Lakes. In: *Periphyton of freshwater ecosystems*. R.G. Wetzel, Ed., Dr. W. Junk Publishers, The Hague, pp. 135-144. #1983-8

Auer, N.A. and M.T. Auer. 1987. Field evaluation of barriers to walleye egg and larva survival in the lower Fox River, Wisconsin. *Amer. Fish. Soc. Sympos.* 2:93-101. #1987-21

Aulerich, R. J. and R.K. Ringer. 1980. Toxicity of the polychlorinated biphenyl Aroclor 1016 to mink. *EPA/600/3-80/033*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract 68-03-1187.

Aust, A.E., P.M. Cook, and R.F. Dodson. 2011. Morphological and chemical mechanisms of elongated mineral particle toxicities. *J. Toxicol. Environ. Health Part B*, 14: 40-75. #5388

Austin, J.E., J.R. Keough, and W.H. Pyle. 2007. Effects of habitat management treatments on plant community composition and biomass in a montane wetland. *Wetlands* 27:570-587. #4920

- Babeu, L. and D.D. Vaishnav. 1987. Prediction of biodegradability for selected organic chemicals. *J. Indust. Microbiol.* 2:107-115. #1987-12
- Bahnick, D., C.P. Sauer, B.C. Butterworth, and D.W. Kuehl. 1994. A national study of mercury contamination in fish IV: Analytical methods and results. *Chemosphere* 29:537-546 #527
- Bahnick, D.A., W.A. Swenson, T.P. Markee, D.J. Call, C.A. Anderson, and R.T. Morris. 1970. Development of bioassay procedures for defining pollution of harbor sediments, Part I. Final report, Project R804918-01. Center for Lake Superior Environmental Studies, UW-Superior, Superior, WI. #1970-6
- Baker, J.E., P.D. Capel, and S.J. Eisenreich. 1986. Influence of colloids on sediment-water partition coefficients of polychlorobiphenyl congeners in natural waters. *Environ. Sci. Technol.* 20:1136-1143. #1986-14
- Balcer, M.D., D.J. McCauley, G.J. Niemi, and L.T. Brooke. 1986. Ecological assessment of factors affecting walleye ova survival in the lower Fox River. Final report, Coop. Agree. 811723-02-0, to USEPA, Duluth, MN by Center for Lake Superior Environmental Studies, UW-Superior, Superior, WI. #1986-2
- Balducci, R., A. Roda, and R.S. Pearlman. 1989. A theoretical model for the critical micelle concentration of bile salts. *J. Sol. Chem.* 18:355-367. #1989-55
- Bandiera S., S. Safe, and A.B. Okey. 1982. Binding of polychlorinated biphenyls classified as either phenobarbitone-, 3-methylcholanthrene- or mixed-type inducers to cytosolic Ah receptor. *Chem.-Biol. Interact.* 39:259-277. #1982-10
- Baril, S.F., R.J. Luedtke, and G.R. Roemhild. 1978. Environmental effects of western coal combustion. Part II: The aquatic macroinvertebrates of Rosebud Creek, Montana. *EPA/600/3-78/099*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803950.
- Barnidge, D., D. Brooke, G. Elonen, M. Hoglund, M. Kahl, G. Mielke, and J. Thompson. 1990. Toxicity of eight terpenes to fathead minnow (*Pimephales promelas*), daphnids (*Daphnia magna*), and algae (*Selanastrum capricornutum*). ERL, USEPA, Duluth, MN. #1990-1
- Barron, M.G., S. Raimondo, C.L. Russom, D.N. Vivian, and S.H. Yee. 2008. Accuracy of chronic aquatic toxicity estimates determined from acute toxicity data and two time-response models. *Environ. Toxicol. Chem.* 27:2196-2205. #4984
- Barron, M.G., D.N. Vivian, S.H. Yee, S.A. Diamond, and T. Parkin. 2008. Temporal and spatial variation in solar radiation and photoenhanced toxicity risks of spilled oil in Prince William Sound, Alaska, USA. *Environ. Toxicol. Chem.* 27:727-736. #4915
- Bartel, S. 1992. Resistance and resilience of aquatic ecosystems to toxicant stress. #2726
- Bartell, S.M. 1988. Community and ecosystem models for ecological risk assessment-- White paper. *EPA/600/x-88/109*. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-47

Bartone, C.R. and C.L. Schelske. 1982. Lake-wide seasonal changes in limnological conditions in Lake Michigan in 1976. *J. Great Lakes Res.* 8:413-427. #1982-9

Bartsch, A.F. and D.I. Mount. 1970. Thermal effects on ecological systems. National Water Quality Laboratory, Federal Water Pollution Control Administration, Duluth, MN. #1970-7

Basak, S.C., S. Bertelsen, and G.D. Grunwald. 1994. Application of graph theoretical parameters in quantifying molecular similarity and structure-activity relationships. *J. Chem. Info. Comp. Sci.* 34:270-276. #1994-3

Basak, S.C., G.D. Grunwald, G.E. Host, G.J. Niemi, and S.P. Bradbury. 1998. A comparative study of molecular similarity, statistical, and neural methods for predicting toxic modes of action. *Environ. Toxicol. Chem.* 17:1056-1064. #1998-12

Basak, S.C., G.J. Niemi, and G.D. Veith. 1990. Optimal characterization of structure for prediction of properties. *J. Math. Chem.* 4:185-205 #407

Basch, R.E., C.H. Pecor, R.C. Waybrant, and D.E. Kenaga. 1980. Limnology of Michigan's nearshore waters of Lakes Superior and Huron. EPA/600/3-80/059. Environmental Research Laboratory, ORD, USEPA, Duluth, MN and Great Lakes National Program Office, Region 5, USEPA, Chicago, IL, R005146-01.

Basch, R.E. and J.G. Truchan. 1976. Toxicity of chlorinated power plant condenser cooling waters to fish. EPA/600/3-76/009. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R-800700.

Bathelt, R.W. and C.L. Schelske. 1983. Degradation of the peritrophic membrane of fresh-water zooplankton fecal pellets. *Trans. Am. Micros. Soc.* 102:288-299. #1983-6

Batterman, A.R., S.L. Batterman, K.M. Jensen, and F.W. Whiteman. 1999. Data quality objectives in environmental research planning. *Qual. Assur.* 7:181-194. #752

Batterman, A.R. and P.M. Cook. 1981. Determination of mineral fiber concentrations in fish tissues. *Can. J. Fish. Aquat. Sci.* 38:952-959. #214

Batterman, A.R., P.M. Cook, K.B. Lodge, D.B. Lothenbach, and B.C. Butterworth. 1989. Methodology used for a laboratory determination of relative contributions of water, sediment and food chain routes of uptake for 2,3,7,8-TCDD bioaccumulation by lake trout in Lake Ontario. *Chemosphere* 19:451-458. #379

Bauer, C.F. and A.W. Andren. 1988. Variability of particulate trace element emissions from the Columbia coal-fired power plant, Portage, WI. *Sci. Tot. Environ.* 68:251-266. #1988-29

Beaver, D.L. and P.E. Lederle. 1989. Green Bay tree swallow study. Final report submitted to USEPA, Duluth, MN. #1989-3

Beder-Miller, S.E. and R.L. Spehar. 1988. Manual for the Aquatic Toxicity Test Analysis System (ATTAS). Environmental Research Laboratory, USEPA, Duluth, MN. #1988-42

Bedford, K.W. and M. Abdelrhman. 1987. Analytical and experimental studies of the benthic boundary layer and their applicability to near-bottom transport in Lake Erie. *J. Great Lakes Res.* 13:628-648. #1987-11

Bedford, K.W., G. Koltun, O. Wai, C.M. Libicki, and R.V. Evra. 1988. A stochastic/deterministic methodology for estimating resuspension potential and risk and its application to the Trenton Channel of the Detroit River (App. H). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, H.* Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. R.G. Kreis Jr., Ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. #1988-4

Bedford, B. and O.L. Loucks. 1984. Response of Carex-dominated wetlands to altered temperature and flooding patterns: Project Summary. *EPA/600/S3-83/081*. Environmental Research Laboratory, USEPA, Duluth, MN. #1984-17

Beeton, A.M., P.K. Kovacic, and A.S. Brooks. 1976. Effects of chlorine and sulfite reduction on Lake Michigan invertebrates. *EPA/600/3-76/036*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R-801035-01.

Bell, H.L. 1971. Effect of low pH on the survival and emergence of aquatic insects. *Water Res.* 5:313-319. #50

Bell, H.L. 1970. Effects of pH on the life cycle of the midge *Tanytarsus dissimilis*. *Can. Entomol.* 102:636-639. #38

Bell, H.E., K. Liber, D.J. Call, and G.T. Ankley. 2004. Evaluation of bioaccumulation and photo-induced toxicity of fluoranthene in larval and adult life-stages of *Chironomus tentans*. *Arch. Environ. Contam. Toxicol.* 47:297-303. #838

Bell, H.L. and A.V. Nebeker. 1969. Preliminary studies on the tolerance of aquatic insects to low pH. *J. Kans. Entomol. Soc.* 42:230-236. #24

Bellinger, B.J., T.M. Jicha, L.L. Lehto, L. Seifert-Monson, D.W. Bolgrien, M.A. Starry, T.R. Angradi, M.S. Pearson, C.M. Elonen, and B.H. Hill. 2014. Sediment nitrification and denitrification rates in a Lake Superior estuary. *Journal of Great Lakes Research* 40:392-403. 5908 005899

Bellinger, B.J., E. Reavie, T.R. Angradi, D.W. Bolgrien, T.M. Jicha, and B.H. Hill. 2013. Longitudinal variation and response to anthropogenic stress in diatom assemblages of the Lower Mississippi River, USA. *River Systems* 21:29-54. #5755

- Bencic, D., D.L. Villeneuve, A. Biales, E. Durhan, K. Jensen, M. Kahl, E. Makynen, and G.T. Ankley. 2013. Effects of the insecticide fipronil on reproductive endocrinology in the fathead minnow. *Environ. Toxicol. Chem.* 32:1828-1834. #5834
- Bengtsson, B.E., T.J. Norberg-King, and D.I. Mount, Eds. 1987. Effluent and ambient toxicity testing in the Gota Alv and Viskan Rivers, Sweden: A US-Swedish OECD Cooperative Project. Naturvardsverket Rapport 3275, Naturvardsverket, Solna, Sweden. #1987-35
- Bennett, R.S. and M.A. Etterson. 2014. Avian life history profiles for use in the Markov chain nest productivity model (MCnest). *EPA Report, EPA/600/R-14/009*. #5919
- Bennett, R.S. and M.A. Etterson. 2013. Model and User's manual for basic version of MCnest Markov chain nest productivity model, online only:
http://med.dul.epa.gov/Prods_Pubs/mcnest.htm. *EPA Report, EPA/600/R/13/034*. #5813
- Bennett, R.S. and M.A. Etterson. 2013. Technical manual for Basic Version of the Markov chain nest productivity model (MCnest), online only: http://med.dul.epa.gov/Prods_Pubs/mcnest.htm. *EPA Report, EPA600/R/13/033*. #5811
- Bennett, R.S. and M.A. Etterson. 2013. Selecting surrogate endpoints for estimating pesticide effects on avian reproductive success. *Integ. Environ. Assess. Manage.* 9:600-609. #5741
- Bennett, R.S. and M.A. Etterson. 2007. Incorporating results of avian toxicity tests into a model of annual reproductive success. *IEAM* 3:498-507. #4695
- Bennett, R.S. and M.A. Etterson. 2006. Estimating pesticide effects on fecundity rates of wild birds using current laboratory reproduction tests. *Hum. Ecol. Risk Assess.* 12:762-781. #4311
- Bennett, R.S., I. Dewhurst, A. Fairbrother, A.D. Hart, M. Hooper, A. Leopold, P. Mineau, S. Mortensen, R.F. Shore, and T. Springer. 2005. A new interpretation of avian and mammalian reproduction toxicity test data in ecological risk assessment. *Ecotoxicology* 14:801-815. #876
- Bennett, R.S., J.B. French, R. Rossmann, and R. Haebler. 2009. Dietary toxicity and tissue accumulation of methylmercury in American kestrels. *Arch. Environ. Contam. Toxicol.* 56:149-156. # 4909.
- Benoit, D.A. 1981. User's guide for conducting life-cycle chronic toxicity tests with fathead minnows (*Pimephales promelas*). *EPA/600/8-81/011*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.
- Benoit, D.A. 1976. Toxic effects of hexavalent chromium on brook trout (*Salvelinus fontinalis*) and rainbow trout (*Salmo gairdneri*). *Water Res.* 10:497-500. #127
- Benoit, D.A. 1975. Chronic effects of copper on survival, growth, and reproduction of the bluegill (*Lepomis macrochirus*). *Trans. Am. Fish. Soc.* 104:353-358. #115
- Benoit, D.A. 1974. Artificial laboratory spawning substrate for brook trout (*Salvelinus fontinalis* Mitchill). *Trans. Am. Fish. Soc.* 103:144-145. #99

Benoit, D.A. 1971. An evaluation of current procedures used in aquatic toxicology. AAAS/AFS Symposium on Heavy Metals as an Environmental Hazard to Fish, Birds, and Man, December, Philadelphia, PA. #1971-1

Benoit, D.A. 1968. Nutrition study for maintaining yellow perch fingerlings in the laboratory. *Prog. Fish Cult.* 30:234. #15

Benoit, D.A. and R.W. Carlson. 1977. Spawning success of fathead minnows on selected artificial substrates. *Prog. Fish-Cult.* 39:67-69. #141

Benoit, D.A. and G.W. Holcombe. 1978. Toxic effects of zinc on fathead minnows *Pimephales promelas* in soft water. *J. Fish Biol.* 13:701-708. #165

Benoit, D.A., G.W. Holcombe, and R.L. Spehar. 1991. Guidelines for conducting early life stage toxicity tests with Japanese medaka (*Oryzias latipes*). EPA/600/3-91/063. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Benoit, D.A., E.N. Leonard, G.M. Christensen, and J.T. Fiandt. 1976. Toxic effects of cadmium on three generations of brook trout (*Salvelinus fontinalis*). *Trans. Am. Fish. Soc.* 105:550-560. #128

Benoit, D.A., V.R. Mattson, and D.L. Olson. 1982. A continuous-flow mini-diluter system for toxicity testing. *Water Res.* 16:457-464. #234

Benoit, D.A., G.L. Phipps, and G.T. Ankley. 1993. A sediment testing intermittent renewal system for the automated renewal of overlying water in toxicity tests with contaminated sediments. *Water Res.* 27:1403-1412. #493

Benoit, D.A. and F.A. Puglisi. 1973. A simplified flow-splitting chamber and siphon for proportional diluters. *Water Res.* 7:1915-1916. #79

Benoit, D.A., F.A. Puglisi, and D.L. Olson. 1982. A fathead minnow *Pimephales promelas* early life stage toxicity test method evaluation and exposure to four organic chemicals. *Environ. Pollut. Ser. A.* 28:189-197. #235

Benoit, D.A., P.K. Sibley, J.L. Juenemann, and G.T. Ankley. 1997. *Chironomus tentans* life-cycle test: Design and evaluation for use in assessing toxicity of contaminated sediments. *Environ. Toxicol. Chem.* 16:1165-1176. #647

Benoit, D.A., R.F. Syrett, and F.B. Freeman. 1981. Manual for construction of a continuous-flow mini-diluter system for toxicity testing. National Water Quality Laboratory, ORD, USEPA, Duluth, MN. #1981-1

Benoit, D.A., R.F. Syrett, and J.G. Hale. 1969. Automatic live brine shrimp feeder. *Trans. Am. Fish. Soc.* 98:532-533. #25

Berg, D.J., S.W. Fisher, and P.F. Landrum. 1996. Clearance and processing of algal particles by zebra mussels (*Dreissena polymorpha*). *J. Great Lakes Res.* 22:779-788. #1996-25

Berninger, J.P., D. Martinovic-Weigelt, N. Garcia-Reyero, E.J. Perkins, G.T. Ankley, and D.L. Villeneuve. 2014. Using transcriptomic tools to evaluate biological effects across effluent gradients at a diverse set of study sites in Minnesota, USA. *Environ. Sci. Technol.* 48:2404-2412. #5876

Berry, W.J., R.M. Burgess, D.J. Hansen, D.M. Di Toro, L.D. DeRosa, H.E. Bell, M.C. Reilley, F.E. Stancil, Jr., C.S. Zarba, D.R. Mount, and R.L. Spehar. 2002. Procedures for the derivation of equilibrium partitioning sediment benchmarks (ESBs) for the protection of benthic organisms: Endrin. *EPA/600/R-02/009*. Atlantic Ecology Division/Mid-Continent Ecology Division, USEPA, ORD, NHEERL, Narragansett, RI/Duluth, MN

Berry, W.J., R.M. Burgess, D.J. Hansen, D.M. Di Toro, L.D. DeRosa, H.E. Bell, M.C. Reilley, F.E. Stancil Jr., C.S. Zarba, D.R. Mount, and R.L. Spehar. 2002. Procedures for the derivation of equilibrium partitioning sediment benchmarks (ESBs) for the protection of benthic organisms: Dieldrin. *EPA/600/R-02/010*. Atlantic Ecology Division/Mid-Continent Ecology Division, USEPA, ORD, NHEERL, Narragansett, RI/Duluth, MN.

Bertelsen, S.L., A.D. Hoffman, C.A. Gallinat, C.M. Elonen, and J.W. Nichols. 1998. Evaluation of log *K*_{ow} and tissue lipid content as predictors of chemical partitioning to fish tissues. *Environ. Toxicol. Chem.* 17:1447-1455. #684

Besser, J.M., C.G. Ingersoll, E.N. Leonard, and D.R. Mount. 1998. Effect of zeolite on toxicity of ammonia in freshwater sediments: implications for toxicity identification evaluation procedures. *Environ. Toxicol. Chem.* 17:2310-2317. #726

Biales, A.D., D.C. Bencic, D.L. Villeneuve, G.T. Ankley, D.L. Lattier. 2011. Proteomic analysis of zebrafish brain tissue following exposure to the pesticide prochloraz. *Aquat. Toxicol.* 105:618-628. # 5464

Bierman, V.J., J.V. DePinto, T.C. Young, S.C. Martin, and W.L. Richardson. 1998. Development and validation of an integrated exposure model for toxic chemicals in Green Bay, Lake Michigan. #2678

Bierman, V.J. Jr., J.V. DePinto, T.C. Young, P.W. Rodgers, and S.C. Martin. 1992. Development and validation of an integrated exposure model for toxic chemicals in Green Bay, Lake Michigan. Report to Large Lakes Research Station, USEPA, Grosse Ile, MI. #1992-28

Bierman, V.J., Jr., D.W. Dilks, T.J. Feist, J.V. DePinto, and R.G. Kreis Jr. 1998. Coupled phytoplankton-zebra mussel model for Saginaw Bay, Lake Huron. In: *Proceedings of the Workshop on Aquatic Ecosystem Modeling and Assessment Techniques for Application within the US Army Corps of Engineers*. J.B. Waide, L.M. Gandy, comps., pp. 43-67, US Army Corps of Engineers, Washington, DC . #1998-8

Bierman, V.J. Jr. and D.M. Dolan. 1986. Modeling of phytoplankton in Saginaw Bay: I. Calibration phase. *J. Environ. Eng.* 112:400-429. #1986-9

Bierman, V.J. Jr. and D.M. Dolan. 1981. Modeling of phytoplankton-nutrient dynamics in Saginaw Bay, Lake Huron. *J. Great Lakes Res.* 7:409-439. #215

Bierman, V.J. Jr., D.M. Dolan, E.F. Stoermer, J.E. Gannon, and V.E. Smith. 1980. The development and calibration of a spatially simplified multi-class phytoplankton model for Saginaw Bay, Lake Huron. Great Lakes Environmental Planning Study Contrib. #33. #1980-1

Bierman, V.J. Jr. and L.M. McIlroy. 1986. User manual for two-dimensional multi-class phytoplankton model with internal nutrient pool kinetics. *EPA/600/3-86/061*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Biesinger, K.E. 1986. Summary Report of research conducted on the Lower Fox River by staff of the Environmental Research Laboratory-Duluth, and by personnel on cooperative agreements. Environmental Research Laboratory, USEPA, Duluth, MN. #1986-35

Biesinger, K.E. 1971. Suggestions on water quality standards for the state of Washington. National Water Quality Laboratory, ORD, USEPA, Duluth, MN. #1971-2

Biesinger, K.E., R.W. Andrew, and J.W. Arthur. 1974. Chronic toxicity of NTA (nitrilotriacetate) and metal-NTA complexes to *Daphnia magna*. *J. Fish. Res. Board Can.* 31:486-490. #100

Biesinger, K.E., L.E. Anderson, and J.G. Eaton. 1982. Chronic effects of inorganic and organic mercury on *Daphnia magna*: Toxicity, accumulation, and loss. *Arch. Environ. Contam. Toxicol.* 11:769-774. #236

Biesinger, K.E., R.P. Brown, C.R. Bernick, G.A. Flittner, and K.E.F. Hokanson. 1979. A national compendium of freshwater fish and water temperature data. Vol. I: Data management techniques, output examples and limitations. *EPA/600/3-79/056*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803950.

Biesinger, K.E. and G.M. Christensen. 1972. Effects of various metals on survival, growth, reproduction, and metabolism of *Daphnia magna*. *J. Fish. Res. Board Can.* 29:1691-1700. #62

Biesinger, K.E., G.M. Christensen, and J.T. Fiandt. 1986. Effects of metal salt mixtures on *Daphnia magna* reproduction. *Ecotox. Environ. Safety* 11:9-14. #309

Biesinger, K.E. and W.L. Hartman. 1970. The limnetic zooplankton of lakes producing sockeye salmon (*Oncorhynchus nerka*) in southwestern Alaska. #1970-5

Biesinger, K.E., A.E. Lemke, W.E. Smith, and R.M. Tyo. 1976. Comparative toxicity of polyelectrolytes to selected aquatic animals. *J. Water Pollut. Control Fed.* 48:183-187. #129

Biesinger, K.E. and G.N. Stokes. 1986. Effects of synthetic polyelectrolytes on selected aquatic organisms. *J. Water Pollut. Control Fed.* 58:207-213. #310

Billa, N., D. Hubin-Barrows, T. Lahren, and L.P. Burkhard. 2014. Evaluation of micro-colorimetric lipid determination method with samples prepared using sonication and accelerated solvent extraction methods. *Talanta* 119:620-622. #5836

Black, J.J., A.E. Maccubbin, and C.J. Johnston. 1988. Carcinogenicity of benzo[a]pyrene in rainbow trout resulting from embryo microinjection. *Aquat. Toxicol.* 13:297-308. #1988-16

Black, J.J., A.E. Maccubbin, H.K. Myers, and R.F. Zeigel. 1988. Aflatoxin B1 induced hepatic neoplasia in Great Lakes coho salmon. *Bull. Environ. Contam. Toxicol.* 41:742-745. #1988-24

Black, J.J., A.E. Maccubbin, and M. Schiffert. 1985. A reliable, efficient, microinjection apparatus and methodology for the in vivo exposure of rainbow trout and salmon embryos to chemical carcinogens. *J. Natl. Cancer Inst.* 75:1123-1128. #1985-11

Blake, L.S., J.E. Cavallin, D. Martinovic, L.E. Gray Jr., V.S. Wilson, R.R. Regal, D.L. Villeneuve, and G.T. Ankley. 2010. Characterization of the androgen-sensitive MDA-kb2 cell line for assessing complex environmental mixtures. *Environ. Toxicol. Chem.* 29:1367-1376. #5211

Blazer, V.S., G.T. Ankley, and D. Finco-Kent. 1989. Dietary influences on disease resistance factors in channel catfish. *Dev. Comp. Immunol.* 13:43-48. #380

Blazer, V.S., J.C. Hoffman, H.L. Walsh, R.P. Braham, C. Hahn, P. Collins, Z. Jorgenson, and T. Ledder. 2014. Health of white sucker within the St. Louis River area of concern associated with habitat usage as assessed using stable isotopes. *Ecotoxicology* 23:236-251. #5901

Blocksom, K.A., D.M. Walters, T.M. Jicha, J.M. Lazorchak, T.R. Angradi, and D.W. Bolgrien. 2010. Persistent organic pollutants in fish tissue in the mid-continental great rivers of the United States. *Sci. Total Environ.* 408:1180-1189. #5284

Blystone, C.R., C.S. Lambright, K.L. Howdeshell, J. Furr, R.M. Sternberg, B.C. Butterworth, E.J. Durhan, E.A. Makynen, G.T. Ankley, V.S. Wilson, G.A. LeBlanc, and J.L.E. Gray. 2007. Sensitivity of fetal rat testicular steroidogenesis to maternal prochloraz exposure and the underlying mechanism of inhibition. *Toxicol. Sci.* 97:512-519. #4714

Bolgrien, D.W. 2001. Upper Missouri Environmental Monitoring and Assessment Program. *EPA/600/F-01/010*. #3782

Bolgrien, D.W., T.R. Angradi, E.W. Schweiger, and J.R. Kelly. 2005. Contemplating the assessment of great river ecosystems. *Environ. Monit. Assess.* 103:5-20. #859

Bolgrien, D.W., J.V. Scharold, T.R. Angradi, T.D. Corry, E.W. Schweiger, and J.R. Kelly. 2009. Trophic status of three large Missouri River reservoirs. *Lake Reservoir Manage.* 25:176-190. #4694

Bolgrien, D.W. and T.K. Kratz. 2000. Lake riparian. Chapter 6 in: *Riparian Management in Forests of the Continental Eastern United States*, USDA Forestry Sciences Laboratory, Grand Rapids, MN, pp. 207-217. #3332

Bott, T., R. Patrick, R. Larson, and C. Rhyne. 1980. The effect of nitrilotriacetic acid (NTA) on the structure and functioning of aquatic communities in streams. *EPA/600/3-80/050*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R801951.

Bouck, G.R. 1972. Effects of diurnal hypoxia on electrophoretic protein fractions and other health parameters of rock bass (*Ambloplites rupestris*). *Trans. Am. Fish. Soc.* 101:488-493. #63

Bouck, G.R., A.V. Nebeker, and D.G. Stevens. 1976. Mortality, saltwater adaptation and reproduction of fish during gas supersaturation. *EPA/600/3-76/050*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Bourgeau-Chavez, L., R. Lopez, A. Trebitz, T. Hollenhorst, G. Host, B. Huberty, R. Gauthier, and J. Hummer. Chapter 8. Landscape-based indicators. In: *Great Lakes Coastal Wetlands Monitoring Plan*, T.M. Burton, J.C. Brazner, J.J.H. Ciborowski, G.P. Grabas, J. Hummer, J. Schneider, D.G. Uzarski, Eds., Great Lakes Coastal Wetland Consortium Report to US EPA's Great Lakes National Program Office, pp. 143-171. #4975

Boxall, A.B., M.A. Rudd, B.W. Brooks, D.J. Caldwell, K. Choi, S. Hickmann, E. Innes, K. Ostapyk, J.P. Staveley, T. Verslycke, G.T. Ankley, K.F. Beazley, S.E. Belanger, J.P. Berninger, P. Carriquiriborde, A. Coors, P.C. DeLeo, S.D. Dyer, J.F. Ericson, F. Gagne, J.P. Giesy, T. Gouin, L. Hallstrom, M. Karlsson, D.J. Larson, J.M. Lazorchak, F. Mastrocco, A. McLaughlin, M.E. McMaster, R.D. Meyerhoff, R. Moore, J.L. Parrott, J.R. Snape, R. Murray-Smith, M.R. Servos, P.K. Sibley, J.O. Straub, N.D. Szabo, E. Topp, G.R. Tetreault, V.L. Trudeau, and G. Van Der Kraak. 2012. Pharmaceuticals and personal care products in the environment: What are the big questions? *Environ. Health Perspec.* 120:1221-1229. #5547

Bradbury, S.P., C.L. Russom, P.K. Schmieder, T. Schultz, R. Diderich, and C.M. Auer. 2014. Advancing computational toxicology in a regulatory setting: A selected review of the accomplishments of Gilman D. Veith (1944-2013). *Applied In Vitro Toxicology (Invited Review)* 1:11-20. 5959 007379

Bradbury, S.P. 1996. 2,3,7,8-tetrachlorodibenzo-*p*-dioxin. In: *Noninfectious diseases of wildlife*. A. Fairbrother, L.N. Locke, and G.L. Hoff, Eds., pp. 87-98. Iowa State University Press, Ames, IA. #1996-3

Bradbury, S.P. 1995. Ecological risk assessment for chemical stressors: Challenges in predictive ecotoxicology research. *Aust. J. Ecotox.* 1:3-9. #556

Bradbury, S.P. 1995. Quantitative structure-activity relationships and ecological risk assessment: An overview of predictive aquatic toxicology research. *Toxicol. Lett.* 79:229-237. #557

Bradbury, S.P. 1994. Predicting modes of toxic action from chemical structure: An overview. *SAR QSAR Environ. Res.* 2:89-104. #528

Bradbury, S.P. and R.W. Carlson. 1990. Predictive toxicology in risk assessment: Approaches in predicting mechanisms of toxic action from chemical structure. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1990-28

Bradbury, S.P., R.W. Carlson, and T.R. Henry. 1989. Polar narcosis in aquatic organisms. In: *Aquatic toxicology and hazard assessment, 12th vol.* U.M. Cowgill, L.R. Williams, Eds., pp 59-73, ASTM STP 1027, ASTM, Philadelphia, PA. #1989-34

Bradbury, S.P., R.W. Carlson, T.R. Henry, S. Padilla, and J. Cowden. 2008. Chapter 9. Toxic responses of the fish nervous system. *The Toxicology of Fishes*, R.T. DiGiulio, D.E. Hinton, Eds., Taylor & Francis, Boca Raton, FL, pp. 417-455. #3414

Bradbury, S.P., R.W. Carlson, G.J. Niemi, and T.R. Henry. 1991. Use of respiratory-cardiovascular responses of rainbow trout (*Oncorhynchus mykiss*) in identifying acute toxicity syndromes in fish: Part 4. Central nervous system seizure agents. *Environ. Toxicol. Chem.* 10:115-131. #444

Bradbury, S.P. and G.M. Christensen. 1991. Inhibition of alcohol dehydrogenase activity by acetylenic and allylic alcohols: Concordance with in vivo electrophile reactivity in fish. *Environ. Toxicol. Chem.* 10:1155-1160. #445

Bradbury, S.P. and J.R. Coats. 1989. Comparative toxicology of the pyrethroid insecticides. *Rev. Environ. Contam. Toxicol.* 108:133-177. #381

Bradbury, S.P. and J.R. Coats. 1989. Toxicokinetics and toxicodynamics of pyrethroid insecticides in fish. *Environ. Toxicol. Chem.* 8:373-380. #382

Bradbury, S.P., J.R. Coats, and J.M. McKim. 1986. Toxicokinetics of fenvalerate in rainbow trout (*Salmo gairdneri*). *Environ. Toxicol. Chem.* 5:567-576. #311

Bradbury, S.P., J.R. Coats, and J.M. McKim. 1985. Differential toxicity and uptake of two fenvalerate formulations in fathead minnows (*Pimephales promelas*). *Environ. Toxicol. Chem.* 4:533-541. #291

Bradbury, S., P. Cook, M. De Vito, T. Henry, C. Nolt-Helms, P. Cirone, R. Pepin, S. Wharton, T. Kubiak, D. Tillitt, and L. Williams. 2008. Workshop report on the application of 2,3,7,8-TCDD toxicity equivalence factors to fish and wildlife. *Online:* <http://www.epa.gov/osa/raf/tefframework/>, June 1, 2008, EPA/630/R-01/002. #5068

Bradbury, S.P., J.M. Dady, P.N. Fitzsimmons, M.M. Voit, D.E. Hammermeister, and R.J. Erickson. 1993. Toxicokinetics and metabolism of aniline and 4-chloroaniline in medaka (*Oryzias latipes*). *Toxicol. Appl. Pharmacol.* 118:205-214. #494

Bradbury, S.P., T.R. Henry, and R.W. Carlson. 1990. Fish acute toxicity syndromes in the development of mechanism-specific QSARS. In: *Practical applications of quantitative structure-activity relationships (QSAR) in environmental chemistry and toxicology*. W. Karcher, J. Devillers, Eds., pp. 295-315. Kluwer Academic, Boston, MA. #1990-11

Bradbury, S., V. Kamenska, P. Schmieder, G.T. Ankley, and O. Mekenyan. 2000. A computationally based identification algorithm for estrogen receptor ligands: Part 1. Predicting hER α binding affinity. *Toxicol. Sci.* 58:253-269. #750

Bradbury, S.P. and R.L. Lipnick. 1990. Introduction: Structural properties for determining mechanisms of toxic action. *Environ. Health Perspect.* 87:181-182. #408

Bradbury, S.P., O.G. Mekenyan, and G.T. Ankley. 1998. The role of ligand flexibility in predicting biological activity: Structure-activity relationships for aryl hydrocarbon, estrogen, and androgen receptor binding affinity. *Environ. Toxicol. Chem.* 17:15-25. #665

Bradbury, S.P., O.G. Mekenyan, and G.T. Ankley. 1996. Quantitative structure-activity relationships for polychlorinated hydroxybiphenyl estrogen receptor binding affinity: An assessment of conformer flexibility. *Environ. Toxicol. Chem.* 15:1945-1954. #603

Bradbury, S.P., O.G. Mekenyan, G.D. Veith, and N. Zaharieva. 1995. SAR models for futile metabolism: One-electron reduction of quinones, phenols and nitrobenzenes. *SAR QSAR Environ. Res.* 4:109-124. #558

Bradbury, S.P., C.L. Russom, G.T. Ankley, T.W. Schultz, and J.D. Walker. 2003. Overview of data and conceptual approaches for derivation of quantitative structure-activity relationships for ecotoxicological effects of organic chemicals. *Environ. Toxicol. Chem.* 22:1789-1798. #796

Bradbury, S., C. Russom, and G. Veith. 1992. Report on prototype expert system to predict toxic mechanism from chemical structure. Environmental Research Laboratory, Office of Environmental Processes and Effects Research, ORD, USEPA, Duluth, MN. #1992-31

Bradbury, S.P., T.R. Henry, G.J. Niemi, R.W. Carlson, and V.M. Snarski. 1989. Use of respiratory-cardiovascular responses of rainbow trout (*Salmo gairdneri*) in identifying acute toxicity syndromes in fish: Part 3. Polar narcotics. *Environ. Toxicol. Chem.* 8:247-261. #383

Bradbury, S.P., J.M. McKim, and J.R. Coats. 1987. Physiological response of rainbow trout (*Salmo gairdneri*) to acute fenvalerate intoxication. *Pestic. Biochem. Physiol.* 27:275-288. #336

Bradbury, S.P., D.M. Symonik, J.R. Coats, and G.J. Atchison. 1987. Toxicity of fenvalerate and its constituent isomers to the fathead minnow, *Pimephales promelas*, and bluegill, *Lepomis macrochirus*. *Bull. Environ. Contam. Toxicol.* 38:727-735. #337

Brazner, J.C. 1997. Regional, habitat, and human development influences on coastal wetland and beach fish assemblages in Green Bay, Lake Michigan. *J. Great Lakes Res.* 23:36-51. #646

Brazner, J.C. and R.L. Anderson. 1986. Ingestion and adsorption of *Bacillus thuringiensis* subsp. *israelensis* by *Gammarus lacustris* in the laboratory. *Appl. Environ. Microbiol.* 52:1386-1390. #312

Brazner, J.C. and E.W. Beals. 1997. Patterns in fish assemblages from coastal wetland and beach habitats in Green Bay, Lake Michigan: A multivariate analysis of abiotic and biotic forcing factors. *Can. J. Fish. Aquat. Sci.* 54:1743-1761. #661

Brazner, J.C., S.E. Campana, and D.K. Tanner. 2004. Habitat fingerprints for Lake Superior coastal wetlands derived from elemental analysis of yellow perch otoliths. *Trans. Am. Fish. Soc.* 133: 692-704. #824

Brazner, J.C., S.E. Campana, D.K. Tanner, and S.T. Schram. 2004. Reconstructing habitat use and wetland nursery origin of yellow perch from Lake Superior using otolith elemental analysis. *J. Great Lakes Res.* 30:492-507. # 847

Brazner, J.C., N. Danz, G.J. Niemi, R.R. Regal, A. Trebitz, R. Howe, J. Hanowski, L. Johnson, J. Ciborowski, C. Johnson, E. Reavie, V.J. Brady, and G. Sgro. 2007. Evaluation of geographic, geomorphic and human influences on Great Lakes wetland indicators: A multi-assemblage approach. *Ecol. Ind.* 7:610-635. #4438

Brazner, J.C., N.P. Danz, A.S. Trebitz, G.J. Niemi, R.R. Regal, T. Hollenhorst, G.E. Host, E.D. Reavie, T.N. Brown, J.M. Hanowski, C.A. Johnston, L.B. Johnson, R.W. Howe, and J.J. Ciborowski. 2008. Responsiveness of Great Lakes wetland indicators to human disturbances at multiple spatial scales: A multi-assemblage assessment. *J. Great Lakes Res.* 33(SI 3):42-66. #4926

Brazner, J.C. and W.M. DeVita. 1998. PCBs, DDE, and Mercury in young-of-the-year littoral fishes from Green Bay, Lake Michigan. *J. Great Lakes Res.* 24:83-92. #673

Brazner, J.C., L.J. Heinis, and D.A. Jensen. 1989. A littoral enclosure for replicated field experiments. *Environ. Toxicol. Chem.* 8:1209-1216. #384

Brazner, J.C. and D.A. Jensen. 2000. Zebra mussel [*Dreissena polymorpha* (Pallas)] colonization of rusty crayfish [*Orconectes rusticus* (Girard)] in Green Bay, Lake Michigan. *Am. Midl. Nat.* 143:250-256. #727

Brazner, J.C. and E.R. Kline. 1990. Effects of chlorpyrifos on the diet and growth of larval fathead minnows (*Pimephales promelas*) in littoral enclosures. *Can. J. Fish. Aquat. Sci.* 47:1157-1165. #409

Brazner, J.C., S. Lozano, M.L. Knuth, S.L. Bertelsen, L.J. Heinis, D.A. Jensen, E.R. Kline, S.L. O'Halloran, K.W. Sargent, D.K. Tanner, and R.E. Siefert. 1988. The effects of chlorpyrifos on a natural aquatic system: A research design for littoral enclosure studies and final research report. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-1

Brazner, J.C. and J.J. Magnuson. 1994. Patterns of fish species richness and abundance in coastal marshes and other nearshore habitats in Green Bay, Lake Michigan. *Verh. Internat. Verein. Limnol.* 25:2098-2104. #529

Brazner, J.C., M.E. Sierszen, J.R. Keough, and D.K. Tanner. 2000. Assessing the ecological importance of coastal wetlands in a large lake context. *Verh. Internat. Verein. Limnol.* 27:1950-1961. #766

Brazner, J.C., D.K. Tanner, N.E. Detenbeck, S.L. Batterman, S.L. Stark, L.A. Jagger, and V.M. Snarski. 2005. Regional, watershed, and site-specific environmental influences on fish assemblage structure and function in western Lake Superior tributaries. *Can. J. Fish. Aquat. Sci.* 62:1254-1270. #863

Brazner, J.C., D.K. Tanner, N.E. Detenbeck, S.L. Batterman, S.L. Stark, L.A. Jagger, and V.M. Snarski. 2004. Landscape character and fish assemblage structure and function in western Lake Superior streams: General relationships and identification of thresholds. *Environ. Manage.* 33: 855-875. #830

Brazner, J.C., D.K. Tanner, D.A. Jensen, and A. Lemke. 1998. Relative abundance and distribution of Ruffe (*Gymnocephalus cernuus*) in a Lake Superior coastal wetland fish assemblage. *J. Great Lakes Res.* 24:293-303. #682

Brazner, J.C., D.K. Tanner, and J.A. Morrice. 2001. Fish-mediated nutrient and energy exchange between a Lake Superior coastal wetland and its adjacent bay. *J. Great Lakes Res.* 27:98-111. #756

Breen, M., D.L. Villeneuve, G.T. Ankley, D.C. Bencic, M.S. Breen, K.H. Watanabe, A.L. Lloyd, and R.B. Conolly. 2013. Developing predictive approaches to characterize adaptive responses of the reproductive endocrine axis to aromatase inhibition: II. Computational modeling. *Tox. Sci.* 133:234-247. #5814

Breen, M.S., D.L. Villeneuve, M. Breen, G.T. Ankley, and R.B. Conolly. 2007. Mechanistic computational model of ovarian steroidogenesis to predict biochemical responses to endocrine active compounds. *Annals Biomed. Engineer.* 35:970-981. #4698

Breneman, D., C. Richards, and S. Lozano. 2000. Environmental influences on benthic community structure in a Great Lakes embayment. *J. Great Lakes Res.* 26:287-304. #2000-7

Brezonik, P.L., L.A. Baker, J.G. Eaton, T.M. Frost, P.J. Garrison, T.K. Kratz, J.J. Magnuson, W.J. Rose, B.K. Shephard, W.A. Swenson, C.J. Watras, and K.E. Webster. 1986. Experimental acidification of Little Rock Lake, Wisconsin. *Water Air Soil Pollut.* 31:115-121. #313

Brezonik, P.L., J.G. Eaton, T.M. Frost, P.J. Garrison, T.K. Kratz, C.E. Mach, J.H. McCormick, J.A. Perry, W.A. Rose, C.J. Sampson, B.C.L. Shelley, W.A. Swenson, and K.E. Webster. 1993. Experimental acidification of Little Rock Lake, Wisconsin: Chemical and biological changes over the pH range 6.1 to 4.7. *Can. J. Fish. Aquat. Sci.* 50:1101-1121. #495

Bridgham, S.D. 1988. Chronic effects of 2,2'-dichlorobiphenyl on reproduction, mortality, growth, and respiration of *Daphnia pulicaria*. *Arch. Environ. Contam. Toxicol.* 17:731-740. #1988-20

Bridgham, S.D., D.C. McNaught, and C. Meadows. 1988. Effects of complex effluents on photosynthesis in Lake Erie and Lake Huron. In: *Functional testing of aquatic biota for estimating hazards of chemicals*. J. Cairns Jr., J.R. Pratt, Eds. ASTM STP 988. ASTM, Philadelphia, PA, pp.74-85. #1988-21

Broderius, S.J. 1992. Modeling the joint toxicity of xenobiotics to aquatic organisms: Basic concepts and approaches. In: *Aquatic toxicology and risk assessment, 14th vol.* M.A. Mayes, M.G. Barron, Eds., pp. 107-127. ASTM STP 1124, ASTM, Philadelphia, PA. #1992-14

Broderius, S.J. 1981. Determination of hydrocyanic acid and free cyanide in aqueous solution. *Anal. Chem.* 53:1472-1477. #216

Broderius, S.J. 1979. Aqueous chemistry, analytical measurement, and toxicity of cyanide in aquatic ecosystems. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1979-4

Broderius, S.J., R.A. Drummond, J.T. Fiandt, and C.L. Russom. 1985. Toxicity of ammonia to early life stages of the smallmouth bass at four pH values. *Environ. Toxicol. Chem.* 4:87-96. #292

Broderius, S.J. and M.D. Kahl. 1985. Acute toxicity of organic chemical mixtures to the fathead minnow. *Aquat. Toxicol.* 6:307-322. #293

Broderius, S.J., M.D. Kahl, G.E. Elonen, D.E. Hammermeister, and M. Hoglund. 2005. A comparison of the lethal and sublethal toxicity of organic chemical mixtures to the fathead minnow (*Pimephales promelas*). *Environ. Toxicol. Chem.* 24:3117-3127. #875

Broderius, S.J., M.D. Kahl, and M.D. Hoglund. 1995. Use of joint toxic response to define the primary mode of toxic action for diverse industrial organic chemicals. *Environ. Toxicol. Chem.* 14:1591-1605. #559

Broderius, S.J., C.L. Russom, and M. Nendza. 1989. Mode of action-specific QSAR models for predicting acute and chronic toxicity of industrial organic chemicals to aquatic organisms. Environmental Research Laboratory-Duluth, ORD, USEPA, Duluth, MN. #1989-1

Broderius, S.J. and L.L. Smith Jr. 1980. Direct photolysis of hexacyanoferrate complexes: Proposed applications to the aquatic environment. *EPA/600/3-80/003*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R805291.

Broderius, S.J. and L.L. Smith Jr. 1977. Relationship between pH and acute toxicity of free cyanide and dissolved sulfide forms to the fathead minnow. In: *Recent advances in fish toxicology--A symposium*, R.A. Tubb, Ed., pp. 88-117. #1977-16

Broderius, S.J. and L.L. Smith Jr. 1977. Direct determination and calculation of aqueous hydrogen sulfide. *Anal. Chem.* 49:424-428. #1977-17

Broderius, S.J., L.L. Smith. 1976. Effect of hydrogen sulfide on fish and invertebrates. Part II: Hydrogen sulfide determination and relationship between pH and sulfide toxicity. *EPA/600/3-76/062b*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R800992.

Broderius, S.J., L.L. Smith Jr., and D.T. Lind. 1977. Relative toxicity of free cyanide and dissolved sulfide forms to the fathead minnow (*Pimephales promelas*). *J. Fish. Res. Board Can.* 34:2323-2332. #1977-3

Brooke, L.T., G.T. Ankley, D.J. Call, and P.M. Cook. 1996. Gut content weight and clearance rate for three species of freshwater invertebrates. *Environ. Toxicol. Chem.* 15:223-228. #604

Brooke, L.T. and D.J. Call. 1978. Bioconcentration, metabolism and elimination of eight aromatic compounds in the fathead minnow (*Pimephales promelas*). Center for Lake Superior Environmental Studies, UW-Superior, Superior, WI. #1978-1

Brooke, L.T., D.J. Call, S.L. Harting, C.A. Lindberg, T.P. Markee, D.J. McCauley, and S.H. Poirier. 1985. Acute toxicity of selenium (IV) and selenium (VI) to freshwater organisms. Report to: Battelle Memorial Research Institute, Columbus, OH. #1985-29

Brooke, L.T., D.J. Call, C.A. Lindberg, T.P. Markee, S.H. Poirier, and D.J. McCauley. 1986. Acute toxicity of silver to selected freshwater invertebrates. Report to Battelle Memorial Research Institute, Columbus, Ohio. Center for Lake Superior Environmental Studies, UW-Superior, Superior, WI. #1986-1

Brooke, L.T., D.J. Call, S.H. Poirier, and S.L. Harting. 1986. Toxicity of toluene to several freshwater species. Center for Lake Superior Environmental Studies, UW-Superior, Superior, WI. #1986-36

Brooke, L.T., D.J. Call, S.H. Poirier, T.P. Markee, C.A. Lindberg, D.J. McCauley, and P.G. Simonson. 1986. Acute toxicity and chronic effects of bis(tri-N-butyltin) oxide to several species of freshwater organisms. Report to Battelle Memorial Research Institute. #1986-39

Brooke, L.T. and R.L. Spehar. 1994. Nonylphenol analysis. USEPA, Environmental Research Laboratory, Duluth, MN. #1994-19

Brooke, L.T. and R.L. Spehar. 1993. Acute and chronic toxicity of nonylphenol to ten species of aquatic organisms. USEPA, Environmental Research Laboratory, Duluth, MN. #1993-23

Brooke, L.T. and R.L. Spehar. 1993. Nonylphenol toxicity. USEPA, Environmental Research Laboratory, Duluth, MN. #1993-24

Brooks, B.W., G.T. Ankley, A.B. Boxall, and M.A. Rudd. 2013. Towards sustainable environmental quality: A call to prioritize global research needs. *Int. Assess. Manage.* 9:179-180. #5783

Brooks, B.W., G.T. Ankley, J.F. Hobson, J.M. Lazorchak, R.D. Meyerhoff, and K.R. Solomon. 2008. Chapter 5. Assessing the aquatic hazards of veterinary medicines. *Veterinary Medicines in the Environment*, M. Crane, A. Boxall, K. Barrett, Eds., CRC Press, Boca Raton, FL, pp. 97-128. #4908

Brooks, B.W., R.A. Brain, D.B. Huggett, and G.T. Ankley. 2010. Chapter 14. Risk assessment considerations for veterinary medicines in aquatic ecosystems. *Veterinary Pharmaceuticals in the Environment*, K. Henderson, J.R. Coats, Eds., ACS Symposium Series, American Chemical Society, Washington, DC, pp. 205-223. #4899

Brooks, P.D., C.M. O'Reilly, S.A. Diamond, D.H. Campbell, R. Knapp, D. Bradford, P.S. Corn, B. Hossack, and K. Tonnessen. 2005. Spatial and temporal variability in the amount and source of dissolved organic carbon: Implications for ultraviolet exposure in amphibian habitats. *Ecosystems* 8:478-487. #2005-4

Brown, B.S., N.E. Detenbeck, and R. Eskin. 2005. How probability survey data can help integrate 305(b) and 303(d) monitoring and assessment of state waters. *Environ. Monit. Assess.* 103:41-57. #855

Brown, E.J., J.J. Pignatello, M.M. Martinson, and R.L. Crawford. 1986. Pentachlorophenol degradation: A pure bacterial culture and an epilithic microbial consortium. *Appl. Environ. Microb.* 52:92-97. #1986-27

Bruner, K.A., S.W. Fisher, and P.F. Landrum. 1994. The role of the zebra mussel, *Dreissena polymorpha*, in contaminant cycling: I. The effect of body size and lipid content on the bioconcentration of PCBs and PAHs. *J. Great Lakes Res.* 20:725-734. #1994-27

Bruner, K.A., S.W. Fisher, and P.F. Landrum. 1994. The role of the zebra mussel, *Dreissena polymorpha*, in contaminant cycling: II. Zebra mussel contaminant accumulation from algae and suspended particles, and transfer to the benthic invertebrate, *Gammarus fasciatus*. *J. Great Lakes Res.* 20:735-750. #1994-26

Brungs, W.A. 1979. Effects of cyanide and reduced dissolved oxygen concentrations on warmwater fish. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1979-5

Brungs, W.A. 1977. Comments on the criteria for free cyanide, phenols, and mixing zones proposed by the Pennsylvania Department of Environmental Resources for the Monongahela River. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1977-18

Brungs, W.A. 1977. Effects of reduced dissolved oxygen concentrations on warmwater fish. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1977-19

Brungs, W.A. 1976. Effects of wastewater and cooling water chlorination on aquatic life. *EPA/600/3-76/098*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB 257700).

Brungs, W.A. 1976. Short-cut or screening toxicity tests. National Water Quality Laboratory, USEPA, Duluth, MN. #1976-1

Brungs, W.A. 1975. Testimony in the case of Commonwealth of Pennsylvania against West Penn Power Company for a heated waste discharge to Spring Creek. National Water Quality Laboratory, USEPA, Duluth, MN. #1975-2

Brungs, W.A. 1975. Effects of disinfectants on aquatic life. In: *Disinfection of wastewater*. pp. 13-20. ORD, USEPA. #1975-1

Brungs, W.A. 1974. Recommended zinc and copper criteria for aquatic life in Ohio. National Water Quality Laboratory, USEPA, Duluth, MN. #1974-11

Brungs, W.A. 1973. Statement on proposed Wisconsin water quality standards for the April 30, 1973 hearing at Madison, WI. National Water Quality Laboratory, EPA, Duluth, MN. #1973-4

Brungs, W.A. 1973. Comments on the proposed dissolved oxygen standards for the State of New York. National Water Quality Laboratory, USEPA, Duluth, MN. #1973-1

Brungs, W.A. 1973. Continuous-flow bioassays with aquatic organisms: Procedures and applications. In: *Biological methods for the assessment of water quality*. J. Cairns Jr., K.L. Dickson, Eds., pp. 117-126. ASTM STP 528, ASTM, Philadelphia, PA. #1973-19

Brungs, W.A. 1973. Effects of residual chlorine on aquatic life. *J. Water Pollut. Control Fed.* 45:2180-2193. #80

Brungs, W.A. 1973. Statement on Illinois water quality standards for the March 28, 1973 hearing at Chicago, IL. National Water Quality Laboratory, USEPA, Duluth, MN. #1973-2

Brungs, W.A. 1973. Statement on Ohio water quality standards for the March 27, 1973 hearing at Columbus, Ohio. National Water Quality Laboratory, USEPA, Duluth, MN. #1973-3

Brungs, W.A. 1972. Applications and procedures for continuous-flow bioassays with aquatic organisms. Presented at the 1972 Annual Meeting of the ASTM, June 25-29, 1972, Los Angeles, CA. #1972-1

Brungs, W.A. 1972. Effects of pesticides and industrial wastes on surface water use. In: *River ecology and man*, pp. 353-365. Academic Press, Inc., New York, NY. #1972-7

Brungs, W.A. Feb. 15, 1972. Literature review of the effects of residual chlorine on aquatic life. First National Water Quality Laboratory, USEPA, Duluth, MN. #1972-12

Brungs, W.A. 1971. Chronic effects of low dissolved oxygen concentrations on the fathead minnow (*Pimephales promelas*). *J. Fish. Res. Board Can.* 28:1119-1123. #52

Brungs, W.A. 1971. Chronic effects of constant elevated temperature on the fathead minnow (*Pimephales promelas* Rafinesque). *Trans. Am. Fish. Soc.* 100:659-664. #51

Brungs, W.A. 1970. Testimony regarding fish kill in Cordele, Georgia. National Water Quality Laboratory, USEPA, Duluth, MN. #1970-26

Brungs, W.A. 1969. Chronic toxicity of zinc to the fathead minnow, *Pimephales promelas* Rafinesque. *Trans. Am. Fish. Soc.* 98:272-279. #26

Brungs, W.A. 1968. Research plans for the natural stream study at the Newtown Field Laboratory. Cincinnati, OH. #1968-6

Brungs, W.A. 1967. Distribution of cobalt 60, zinc 65, strontium 85, and cesium 137 in a freshwater pond. Pub. Health Ser. Pub. 999-RH-24. 52 pp. US Dept. of Health, Education, and Welfare, Rockville, MD. #1967-4

Brungs, W.A. 1965. Experimental uptake of strontium-85 by freshwater organisms. *Health Physics* 1:41-46. #1965-3

Brungs, W.A. and G.W. Bailey. 1967. Influence of suspended solids on the acute toxicity of endrin to fathead minnows. *Proceedings 21st Industrial Waste Conference, Purdue University* 50:4-12. #8

Brungs, W.A., R.W. Carlson, W.B. Horning II, J.H. McCormick, R.L. Spehar, and J.D. Yount. 1978. Effects of pollution on freshwater fish. *J. Water Pollut. Control Fed.* 50:1582-1637. #166

Brungs, W.A., J.R. Geckler, and M.H. Gast. 1976. Acute and chronic toxicity of copper to the fathead minnow in a surface water of variable quality. *Water Res.* 10:37-43. #130

Brungs, W.A. and B.R. Jones. 1977. Temperature criteria for freshwater fish: protocol and procedures. EPA/600/3-77/061. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Brungs, W.A., E.N. Leonard, and J.M. McKim. 1973. Acute and long-term accumulation of copper by the brown bullhead, *Ictalurus nebulosus*. *J. Fish. Res. Board Can.* 30:583-586. #81

Brungs, W.A., J.H. McCormick, T.W. Neiheisel, R.L. Spehar, C.E. Stephan, and G.N. Stokes. 1977. Effects of pollution on freshwater fish. *J. Water Pollut. Control Fed.* 49:1425-1493. #142

Brungs, W.A. and D.I. Mount. 1978. Introduction to the discussion of the use of aquatic toxicity tests for evaluation of the effects of toxic substances. In: *Estimating the hazard of chemical substances to aquatic life*. J. Cairns Jr., K.L. Dickson, A.W. Maki, Eds., pp. 15-26. ASTM STP 657, ASTM, Philadelphia, PA. #1978-9

Brungs, W.A. and D.I. Mount. 1970. A water delivery system for small fish-holding tanks. *Trans. Am. Fish. Soc.* 99:799-802. #39

Brungs, W.A. and D.I. Mount. 1967. A device for continuous treatment of fish in holding chambers. *Trans. Am. Fish. Soc.* 96:55-57. #9

Brungs, W.A. and D.I. Mount. 1967. Lethal endrin concentration in the blood of gizzard shad. *J. Fish. Res. Board Can.* 24:429-432. #10

Buikema, A.L., Jr., J. Cairns Jr., P.C. Edmunds, and T.H. Krakauer. 1977. Culturing and ecology studies of the rotifer, *Polyarthra vulgaris*. EPA/600/3-77/051. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R800815.

Bukaveckas, P.A., A. MacDonald, A. Aufdenkampe, J. Chick, J.E. Havel, R. Schultz, T.R. Angradi, D.W. Bolgrien, T.M. Jicha, and D.L. Taylor. 2011. Phytoplankton abundance and contributions to suspended particulate matter in the Ohio, Upper Mississippi, and Missouri Rivers. *Ecosystems* 73:419-436. #5382

Burgess, R., C. Chancy, D. Campbell, N.E. Detenbeck, V. Engle, B.H. Hill, K. Ho, M. Lewis, T.J. Norberg-King, P. Pelletier, K. Perez, L. Smith, and V.M. Snarski. 2004. Classification framework for coastal systems. EPA/600/R-04/061. #4366

Burgess, R.M., W.J. Berry, D.R. Mount, G.T. Ankley, D.S. Ireland, D.M. DiToro, D.J. Hansen, J.A. McGrath, L.D. DeRosa, H.E. Bell, F.J. Keating, M.C. Reiley, and C.S. Zarba. 2008. Procedures for the derivation of equilibrium partitioning sediment benchmarks (ESBs) for the protection of benthic organisms: Compendium of Tier 2 values for nonionic organics. EPA/600/R-02/016. #4980

Burgess, R., S. Kane-Driscoll, R. Ozretich, D. Mount, and M. Reiley. 2013. Equilibrium partitioning sediment benchmarks (ESBs) for the protection of benthic organisms: Procedures for the determination of the freely dissolved interstitial water concentrations of nonionic organics. EPA Report, EPA/600/R-02/012. #5729

Burkhard, L.P. 2003. Factors influencing the design of bioaccumulation factor and biota-sediment accumulation factor field studies. *Environ. Toxicol. Chem.* 22:351-360. #781

Burkhard, L.P. 2000. Estimating dissolved organic carbon partition coefficients for nonionic organic chemicals. *Environ. Sci. Technol.* 34:4663-4668. #747

Burkhard, L.P. 1998. Comparison of two models for predicting bioaccumulation of hydrophobic organic chemicals in a Great Lakes food web. *Environ. Toxicol. Chem.* 17:383-393. #668

Burkhard, L.P. and G.T. Ankley. 1989. Identifying toxicants: NETAC's toxicity-based approach. *Environ. Sci. Technol.* 23:1438-1443. #385

Burkhard, L.P., J.A. Arnot, M.R. Embry, K.J. Farley, R.A. Hoke, M. Kitano, H.A. Leslie, G.R. Lotufo, T.F. Parkerton, and K.G. Sappington. 2012. Comparing laboratory and field measured biota-sediment accumulation factors. *IEAM* 8:32-41. #5417

Burkhard, L.P., J.A. Arnot, M.R. Embry, K.J. Farley, R.A. Hoke, M. Kitano, H.A. Leslie, G.R. Lotufo, T.F. Parkerton, K.G. Sappington, and G.T. Tomy. 2012. Comparing laboratory and field measured bioaccumulation endpoints. *IEAM* 8:17-31. #5411

Burkhard, L.P., M. Bonnell, K. Borga, D.E. Powell, P. Leonards, D.C. Muir, T.F. Parkerton, and K.B. Woodburn. 2013. Improving the quality and scientific understanding of Trophic Magnification Factors (TMFs). *Environ. Sci. Technol./Viewpoint* 47:1186-1187. #5750

Burkhard, L.P., J.R. Cannell, K.W. Dowell, W.J. Morrow, B.R. Sheedy, and R. Brandes. 1991. Guidance on assessment and control of bioconcentratable contaminants in surface waters. National Effluent Toxicity Assessment Center, USEPA Environmental Research Laboratory-Duluth; Office of Water Enforcement and Permits; Office of Water Regulations and Standards; Office of Health and Environmental Assessment-Cincinnati; Office of Water, Washington, DC. TD365.G841991

Burkhard, L.P. and P. Cook. 1995. Methods for incorporation of biomagnification and bioavailability into Great Lakes Water Quality Initiative bioaccumulation factors. In: *Abstract Book, 2nd SETAC World Congress*, Vancouver, BC, SETAC, Pensacola, FL. #1995-27

Burkhard, L.P., P.M. Cook, and M.T. Lukasewycz. 2010. Direct application of biota-sediment accumulation factors. *Environ. Toxicol. Chem.* 29:230-236. #4997

Burkhard, L.P., P.M. Cook, and M.T. Lukasewycz. 2008. Organic carbon-water column concentration quotients (IIsocs and Åpocs): Measuring apparent chemical disequilibria and exploring the impact of black carbon in Lake Michigan. *Environ. Sci. Technol.* 42:3615-3621. #4605

Burkhard, L.P., P.M. Cook, and M.T. Lukasewycz. 2006. A hybrid empirical-mechanistic modeling approach for extrapolating BSAFs and BAFs across species, time, and/or ecosystems. *Environ. Toxicol. Chem.* 25:1946-1952. #893

Burkhard, L.P., Cook, P.M., and Lukasewycz, M.T. 2004. Biota-sediment accumulation factors for polychlorinated biphenyls, dibenzo-*p*-dioxins, and dibenzofurans in southern Lake Michigan lake trout (*Salvelinus namaycush*). *Environ. Sci. Technol.* 38:5297-5305. #837

Burkhard, L.P., P.M. Cook, and D.R. Mount. 2003. The relationship of bioaccumulative chemicals in water and sediment to residues in fish: A visualization approach. *Environ. Toxicol. Chem.* 22:2822-2830. #803

Burkhard, L.P., C. Cowan-Ellsberry, M.R. Embry, R.A. Hoke, and K.A. Kidd. 2012. Bioaccumulation data from laboratory and field studies: Are they comparable? *IEAM* 8:13-16. #5470

Burkhard, L.P., E.J. Durhan, and M.T. Lukasewycz. 1991. Identification of nonpolar toxicants in effluents using toxicity based fractionation with gas chromatography/mass spectrometry. *Anal. Chem.* 63:277-283. #446

Burkhard, L.P., D.D. Endicott, P.M. Cook, K.G. Sappington, and E.L. Winchester. 2003. Evaluation of two methods for prediction of bioaccumulation factors. *Environ. Sci. Technol.* 37:4626-4634. #806

Burkhard, L.P. and J.J. Jenson. 1993. Identification of ammonia, chlorine, and diazinon as toxicants in a municipal effluent. *Arch. Environ. Contam. Toxicol.* 25:506-515. #496

Burkhard, L.P. and J.J. Jenson. 1990. Toxicity identification evaluation for Pocatello, Idaho treatment facility. Tech. Rept. 19-90, National Effluent Toxicity Assessment Center, Mid-Continent Ecology Division, NHEERL, USEPA, Duluth, MN. #1990-24

Burkhard, L.P. and D.W. Kuehl. 1986. N-octanol/water partition coefficients by reverse phase liquid chromatography/mass spectrometry for eight tetrachlorinated planar molecules. *Chemosphere* 15:163-167. #314

Burkhard, L.P., D.W. Kuehl, and G.D. Veith. 1985. Evaluation of reverse phase liquid chromatography/mass spectrometry for estimation of n-octanol/water partition coefficients for organic chemicals. *Chemosphere* 14:1551-1560. #294

Burkhard, L.P. and M.T. Lukasewycz. 2008. Toxicity equivalency values for polychlorinated biphenyl mixtures. *Environ. Toxicol. Chem.* 27:529-534. #4811

Burkhard, L.P. and M.T. Lukasewycz. 2000. Some bioaccumulation factors and biota-sediment accumulation factors for polycyclic aromatic hydrocarbons in lake trout. *Environ. Toxicol. Chem.* 19:1427-1429. #734

Burkhard, L.P. and D.R. Mount. 2002. Comments on Eganhouse and Pontolillo: Assessing the reliability of physico-chemical property data (K_{ow} , S_w) for hydrophobic organic compounds: DDT and DDE as a case study. *SETAC Globe*, pp. 40-41. #779

Burkhard, L.P., D.R. Mount, T.L. Highland, J.R. Hockett, T. Norberg-King, N. Billa, S. Hawthorne, D.J. Miller, and C.B. Grabanski. 2013. Evaluation of PCB bioaccumulation by *Lumbriculus variegatus* in field-collected sediments. *Environ. Toxicol. Chem.* 32:1495-1503. #5577

Burkhard, L.P., J.W. Nichols, and P.M. Cook. 2000. Comments on biota-sediment accumulation and trophic transfer factors for extremely hydrophobic polychlorinated biphenyls. *Environ. Toxicol. Chem.* 19:2164-2167. #743

Burkhard, L.P. and B.R. Sheedy. 1995. Evaluation of screening procedures for bioconcentratable organic chemicals in effluents and sediments. *Environ. Toxicol. Chem.* 14:697-711. #560

Burkhard, L.P., B.R. Sheedy, D.J. McCauley, and G.M. DeGraeve. 1997. Bioaccumulation factors for chlorinated benzenes, chlorinated butadienes and hexachloroethane. *Environ. Toxicol. Chem.* 16:1677-1686. #654

Burkhard, L.P., B.R. Sheedy, and D.J. McCauley. 1994. Prediction of chemical residues in aquatic organisms for a field discharge situation. *Chemosphere* 29:141-153. #530

Burkhard, L.P., B.R. Sheedy, and N.A. Thomas. 1993. Field evaluation of residue prediction procedures used in EPA's guidance: Assessment and control of bioconcentratable contaminants: the Louisiana study. *EPA/833/R-93/002*. ORD, USEPA, Duluth, MN and Office of Water, USEPA, Washington, DC.

Burkhard, L.P. and D. Weininger. 1987. Determination of polychlorinated biphenyls using multiple regression with outlier detection and elimination. *Anal. Chem.* 59:1187-1190. #1987-24

Burkhardt, J.G., G. Ankley, H. Bell, H. Carpenter, D. Fort, D. Gardiner, H. Gardner, R. Hale, J.C. Helgen, P. Jepson, D. Johnson, M. Lannoo, D. Lee, J. Lary, R. Levey, J. Magner, C. Meteyer, M.D. Shelby, and G. Lucier. 2000. Strategies for assessing the implications of malformed frogs for environmental health. *Environ. Health Perspec.* 108:83-90. #2000-3

Burle, L. 1995. Time of exposure based toxicity of zinc to the freshwater crustaceans *Ceriodaphnia dubia* and *Hyalella azteca*. Vol. 1: Rept., Vol. 2: Graphs/appendices, Fin. Rept. Ecole Nationale du Génie de l'Eau et de l'Environnement de Strasbourg, France. #1995-16

Burman, B. and K.R. Rygwelski. 2006. Derivation of a hypothetical Lake Michigan lake trout fish consumption criteria for PCBs. Part 3, App. 3.4.1, pp. 212-215 in R. Rossmann, Ed., *Results of the Lake Michigan Mass Balance study: PCBs modeling report*. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Grosse Ile, MI. *EPA/600/R-04/167*.

Burton, G.A. Jr., T.J. Norberg-King, C.G. Ingersoll, D.A. Benoit, G.T. Ankley, P.V. Winger, J. Kubitz, J.M. Lazorchak, M.E. Smith, E. Greer, F.J. Dwyer, D.J. Call, K.E. Day, P. Kennedy, and M. Stinson. 1996. Interlaboratory study of precision: *Hyalella azteca* and *Chironomus tentans* freshwater sediment toxicity assays. *Environ. Toxicol. Chem.* 15:1335-1343. #605

Busse, S.C. and E.H. Abbott. 1989. Cobalt-59 nuclear magnetic resonance studies of chloro-, bromo-, and iodo-substituted tris(acetylacetonato) cobalt (III) complexes. *Inorg. Chem.* 28:488-491. #1989-21

Butterworth, B.C. and D.W. Kuehl, et al. 1990. Analytical procedures and quality assurance plan for the determination of xenobiotic chemical contaminants in fish. USEPA National Dioxin Study--Phase II. *EPA/600/3-90/023*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Butterworth, B.C. and D.W. Kuehl, et al. 1990. Analytical procedures and quality assurance plan for the determination of PCDD/PCDF in fish. USEPA National Dioxin Study--Phase II. *EPA/600/3-90/022*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

C

Cairns, J. Jr. and D.I. Mount. 1990. Aquatic toxicology: Part 2 of a four-part series. *Environ. Sci. Technol.* 24:154-161. #410

Cairns, J. Jr., K.W. Thompson, and A.C. Hendricks. 1981. Effects of fluctuating, sublethal applications of heavy metal solutions upon the gill ventilation response of bluegills (*Lepomis macrochirus*). EPA/600/3-81/003. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB81-150997): R805274.

Call, D.J. 1993. Validation study of a protocol for testing the acute toxicity of pesticides to invertebrates using the apple snail (*Pomacea paludosa*). Report to USEPA from Lake Superior Research Institute, UW-Superior, Superior, WI. #1993-29

Call, D.J., T.P. Markee, D.L. Geiger, L.T. Brooke, F.A. VandeVenter, D.A. Cox, K.I. Genisot, K.A. Robillard, J.W. Gorsuch, T.F. Parkerton, M.C. Reiley, G.T. Ankley, and D.R. Mount. 2001. An assessment of the toxicity of phthalate esters to freshwater benthos. 1. Aqueous exposures. *Environ. Toxicol. Chem.* 20:1798-1804. #2001-6

Call, D.J., D.A. Cox, D.L. Geiger, K.I. Genisot, T.P. Markee, L.T. Brooke, C.N. Polkinghorne, F.A. VandeVenter, J.W. Gorsuch, K.A. Robillard, T.F. Parkerton, M.C. Reiley, G.T. Ankley, and D.R. Mount. 2001. An assessment of the toxicity of phthalate esters to freshwater benthos. 2. Sediment exposures. *Environ. Toxicol. Chem.* 20:1805-1815. #2001-7

Call, D.J., K. Liber, F.W. Whiteman, T.D. Dawson, and L.T. Brooke. 1999. Observations on the 10-day *Chironomus tentans* survival and growth bioassay in evaluating Great Lakes sediments. *J. Great Lakes Res.* 25:171-178. #1999-6

Call, D.J., L.T. Brooke, G.T. Ankley, D.A. Benoit, and R.A. Hoke. 1994. App. G: Biological effects testing procedures. In: *Great Lakes dredged material testing and evaluation manual*. Great Lakes National Program Office/USEPA and North Central Division/US Army Corps of Engineers. #1994-10

Call, D.J., M.D. Balcer, L.T. Brooke, S.J. Lozano, and D.D. Vaishnav. 1991. Sediment quality evaluation in the lower Fox River and southern Green Bay of Lake Michigan. Fin. Rept. for Coop. Agree. 815232. USEPA, Environmental Research Laboratory, Duluth, MN. #1991-26

Call, D.J. and J. Hyland. 1989. Ambient water quality criteria for methyl parathion, 1988. #2184

Call, D.J., L.T. Brooke, R.J. Kent, M.L. Knuth, S.H. Poirier, J.M. Huot, and A.R. Lima. 1987. Bromacil and diuron herbicides: Toxicity, uptake, and elimination in freshwater fish. *Arch. Environ. Contam. Toxicol.* 16:607-613. #338

Call, D.J., S.H. Poirier, M.L. Knuth, S.L. Harting, and C.A. Lindberg. 1987. Toxicity of 3,4-dichloroaniline to fathead minnows, *Pimephales promelas*, in acute and early life stage exposures. *Bull. Environ. Contam. Toxicol.* 38:352-358. #339

Call, D.J., L.T. Brooke, N. Ahmad, and J.E. Richter. 1986. Toxicity and metabolism studies with EPA priority pollutants and related chemicals in freshwater organisms. Submitted to ERL, USEPA, Duluth, MN, by Center for Lake Superior Environmental Studies, UW-Superior, Superior, WI. #1986-4

Call, D.J., L.T. Brooke, R.J. Kent, S.H. Poirier, M.L. Knuth, P.J. Shubat, and E.J. Slick. 1984. Toxicity, uptake, and elimination of the herbicides alachlor and dinoseb in freshwater fish. *J. Environ. Qual.* 13:493-498. #1984-19

Call, D.J., L.T. Brooke, C.A. Lindberg, T.P. Markee, D.J. McCauley, and S.H. Poirier. 1984. Toxicity of aluminum to freshwater organisms in water of pH 6.5-8.5. Center for Lake Superior Environmental Studies, UW-Superior, Superior, WI. #1984-23

Call, D.J., L.T. Brooke, C. Northcott, and D.E. Hammermeister. 1984. Site-specific acute and chronic aquatic toxicity testing--Western Lake Superior Sanitary District treatment plant effluent studies. In: *Chemical and biological studies related to the water quality of St. Louis Bay of Lake Superior*. A.R. Carlson and N.A. Thomas, Eds., pp. 96-111. EPA/600/3-84/064. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1984-15

Call, D.J., L.T. Brooke, N. Ahmad, and J.E. Richter. 1983. Toxicity and metabolism studies with EPA priority pollutants and related chemicals in freshwater organisms. EPA/600/3-83/095. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB83-263665): Grant R880020/CR 806864.

Call, D.J., L.T. Brooke, and R.J. Kent. 1983. Toxicity, bioconcentration, and metabolism of five herbicides in freshwater fish. EPA/600/3-83/096. ERL, ORD, USEPA, Duluth, MN, (PB83-263681): Grant R806196.

Call, D.J., L.T. Brooke, R.J. Kent, N. Ahmad, and J.E. Richter. 1982. Toxicological studies with herbicides, selected EPA priority pollutants and related chemicals in aquatic organisms. Proj. summ., Grants R806196-01/R880020010, Coop. Agrees. CR806864-02/CR880020010. Sub. to ERL, USEPA, Duluth, MN, by Center for Lake Superior Environmental Studies, UW-Superior, Superior, WI. #1982-2

Call, D.J., L.T. Brooke, and R.J. Kent. 1982. Toxicity, bioconcentration, and metabolism of five herbicides in freshwater fish. Grant R-806196-01. Sub. to ERL, USEPA, Duluth, MN, by Center for Lake Superior Environmental Studies, UW-Superior, Superior, WI. #1982-11

Call, D.J., L.T. Brooke, N. Ahmad, and D.D. Vaishnav. 1981. Aquatic pollutant hazard assessments and development of a hazard prediction technology by quantitative structure-activity relationships. Report for the USEPA by the Center for Lake Superior Environmental Studies, UW-Superior, Superior, WI. #1981-22a

Call, D.J., L.T. Brooke, and N. Ahmad. 1980. Estimates of "no effect" concentrations of selected pesticides in freshwater organisms. *3rd Quarterly Progress Report* sub. to USEPA/ERL, Duluth, MN by UW-Superior, Superior, WI. #1980-2

Campbell, D.E., K.T. Ho, J.C. Kurtz, V.D. Engle, M. Pelletier, N.E. Detenbeck, B.H. Hill, R. Burgess, K.T. Perez, and V.M. Snarski. 2006. Conceptual models and methods to guide diagnostic research. USEPA, Research Triangle Park, NC, EPA/600/R-06/024. #4632

Canale, R.P. and M.T. Auer. 1987. Personal computers and environmental engineering, Part II: Applications. *Environ. Sci. Technol.* 21:936-942. #1987-17

Canale, R.P., L.M. DePalma, and W.F. Powers. 1980. Sampling strategies for water quality in the Great Lakes. *EPA/600/3-80/055*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803754021.

Canton, S.P. and J.V. Ward. 1979. Environmental effects of western coal surface mining. Part I: Limnology and biota of mine spoils ponds in northwest Colorado. *EPA/600/3-79/124*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803950.

Canton, S.P. and J.V. Ward. 1978. Environmental effects of western coal surface mining. Part II: The aquatic macroinvertebrates of Trout Creek, Colorado. *EPA/600/3-78/095*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803950.

Caple, R. 1984. Characterization of the organic nature of the Western Lake Superior Sanitary District effluent--summary. In: *Chemical and biological studies related to the water quality of St. Louis Bay of Lake Superior*. A.R. Carlson, N.A. Thomas, Eds., pp.112-114. *EPA/600/3-84/064*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1984-15

Cardenas, M. and W. Lick. 1996. Modeling the transport of sediments and hydrophobic contaminants in the lower Saginaw River. *J. Great Lakes Res.* 22:669-682. #1996-24

Cardenas, M., J. Gailani, C.K. Ziegler, and W. Lick. 1995. Sediment transport in the lower Saginaw River. *Mar. Freshwater Res.* 46:337-347. #1995-21

Cardwell, R.D., D.G. Foreman, T.R. Payne, and D.J. Wilbur. 1978. Acute and chronic toxicity of four organic chemicals to fish. Environmental Research Laboratory, USEPA, Duluth, MN. #1978-15

Cardwell, R.D., D.G. Foreman, T.R. Payne, D.J. Wilbur. 1977. Acute and chronic toxicity of chlordane to fish and invertebrates. *EPA/600/3-77/019*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract 68-01-0187.

Cardwell, R.D., D.G. Foreman, T.R. Payne, D.J. Wilbur. 1976. Acute toxicity of selected toxicants to six species of fish. *EPA/600/3-76/008*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract 68-01-0748.

Carey, A.E., N.S. Shifrin, A.P. Briefer, and P.M. Cook. 1990. Derivation of a Lake Ontario bioaccumulation factor for 2,3,7,8-TCDD. In: Lake Ontario TCDD bioaccumulation study, final report. Chapter 9. USEPA, NY State Dept. of Env'tl. Conserv., NY State Dept. of Health, and Occidental Chemical Corporation. #1990-18

Carlson, A.R. 1987. Effects of lowered dissolved oxygen concentration on the toxicity of 1,2,4-trichlorobenzene to fathead minnows. *Bull. Environ. Contam. Toxicol.* 38:667-673. #340

Carlson, A.R. 1973. Induced spawning of largemouth bass (*Micropterus salmoides* [Lacepede]). *Trans. Am. Fish. Soc.* 102:442-444. #82

Carlson, A.R. 1972. Effects of long-term exposure to carbaryl (Sevin) on survival, growth, and reproduction of the fathead minnow (*Pimephales promelas*). *J. Fish. Res. Board Can.* 29:583-587. #64

Carlson, A.R., G.L. Phipps, and V.R. Mattson. 1991. The role of acid-volatile sulfide in determining cadmium bioavailability and toxicity in freshwater sediments. *Environ. Toxicol. Chem.* 10:1309-1319. #447

Carlson, A.R. and P.A. Kosian. 1987. Toxicity of chlorinated benzenes to fathead minnows (*Pimephales promelas*). *Arch. Environ. Contam. Toxicol.* 16:129-135. #341

Carlson, A.R., H. Nelson, and D. Hammermeister. 1986. Evaluation of site-specific criteria for copper and zinc: An integration of metal addition toxicity, effluent and receiving water toxicity, and ecological survey data. *EPA/600/3-86/026*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB86-183928).

Carlson, A.R., H. Nelson, and D.E. Hammermeister. 1986. Development and validation of site-specific water quality criteria for copper. *Environ. Toxicol. Chem.* 5:997-1012. #315

Carlson, A.R., W.A. Brungs, G.A. Chapman, and D.J. Hansen. 1984. Guidelines for deriving numerical aquatic site-specific water quality criteria by modifying national criteria. *EPA/600/3-84/099*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN (PB85-121101).

Carlson, A.R. and N.A. Thomas. 1984. Chemical and biological studies related to the water quality of St. Louis Bay of Lake Superior. *EPA/600/3-84/064*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN (PB84-195379). #1984-15

Carlson, A.R., J.A. Tucker, V.R. Mattson, G.L. Phipps, P.M. Cook, G.F. Olson, and F.A. Puglisi. 1982. Cadmium and endrin toxicity to fish in waters containing mineral fibers. *EPA/600/3-82/053*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN (PB82-225038).

Carlson, A.R., J. Blocher, and L.J. Herman. 1980. Growth and survival of channel catfish and yellow perch exposed to lowered constant and diurnally fluctuating dissolved oxygen concentrations. *Prog. Fish-Cult.* 42:73-78. #199

Carlson, A.R. and L.J. Herman. 1978. Effect of long-term reduction and diel fluctuation in dissolved oxygen on spawning of black crappie *Pomoxis nigromaculatus*. *Trans. Am. Fish. Soc.* 107:742-746. #167

Carlson, R.M. and R. Caple. 1977. Chemical/biological implications of using chlorine and ozone for disinfection. *EPA 600/3-77/066*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R800675.

Carlson, A.R. and R.E. Siefert. 1974. Effects of reduced oxygen on the embryos and larvae of lake trout (*Salvelinus namaycush*) and largemouth bass (*Micropterus salmoides*). *J. Fish. Res. Board Can.* 31:1393-1396. #101

Carlson, A.R., R.E. Siefert, and L.J. Herman. 1974. Effects of lowered dissolved oxygen concentrations on channel catfish (*Ictalurus punctatus*) embryos and larvae. *Trans. Am. Fish. Soc.* 103:623-626. #102

Carlson, A.R. and J.G. Hale. 1973. Early maturation of brook trout in the laboratory. *Prog. Fish-Cult.* 35:150-153. #83

Carlson, A.R. and J.G. Hale. 1972. Successful spawning of largemouth bass, *Micropterus salmoides* (Lacepede) under laboratory conditions. *Trans. Am. Fish. Soc.* 101:539-542. #65
Carlson, R.M. 1990. Assessment of the propensity for covalent binding of electrophiles to biological substrates. *Environ. Health Perspec.* 87:227-232. #1990-17

Carlson, R.M., A.R. Oyler, E.H. Gerhart, R. Caple, K.J. Welch, H.L. Kopperman, D. Bodenner, and D. Swanson. 1979. Implications to the aquatic environment of polynuclear aromatic hydrocarbons liberated from northern Great Plains coal. *EPA/600/3-79/093*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803952.

Carlson, R.W. 1990. Ventilatory patterns of bluegill (*Lepomis macrochirus*) exposed to organic chemicals with different mechanisms of toxic action. *Comp. Biochem. Physiol.* 89C:181-196. #411

Carlson, R.W. 1984. The influence of pH, dissolved oxygen, suspended solids or dissolved solids upon ventilatory and cough frequencies in the bluegill *Lepomis macrochirus* and brook trout *Salvelinus fontinalis*. *Environ. Pollut. Ser. A.* 34:149-169. #274

Carlson, R.W. 1982. Some characteristics of ventilation and coughing in the bluegill *Lepomis macrochirus* Rafinesque. *Environ. Pollut. Ser. A.* 29:35-56. #237

Carlson, R.W. and J.M. McKim. 2001. Aquatic animal respiration and cough response applied to innovative environmental biomonitoring: a bibliography. *EPA/600/R-00/080*. National Health and Environmental Effects Research Laboratory, ORD, USEPA, Duluth, MN. 3688

Carlson, R.W., S.P. Bradbury, R.A. Drummond, and D.E. Hammermeister. 1998. Neurological effects on startle response and escape from predation by medaka exposed to organic chemicals. *Aquat. Toxicol.* 43:51-68. #698

Carlson, R.W., G.J. Lien, and B.A. Holmen. 1989. An automated monitoring system for fish physiology and toxicology. EPA Project Summary, *EPA/600/S3-89/011*. USEPA, Cincinnati, OH. #1989-37

Carlson, R.W. and R.A. Drummond. 1978. Fish cough response--a method for evaluating quality of treated complex effluents. *Water Res.* 12:1-6. #168

Carpenter, S.R., T.M. Frost, D. Heisey, and T.K. Kratz. 1989. Randomized intervention analysis and the interpretation of whole-ecosystem experiments. *Ecology* 70:1142-1152. #1989-14

Cary, G.A., G.F. Doebbler, A. Spacie, and A.G. Vilkas. 1976. Acute and chronic toxicity of di-2-ethylhexyl phthalate and di-n-butyl phthalate to fish and invertebrates. Office of Research and Monitoring, USEPA, Washington, DC. #1976-19

Caulfield, D.D. and J.C. Filkins. 1999. Acoustic techniques for the mapping of the distribution of contaminated sediments. *Northeast. Geol. Environ. Sci.* 21:130-135. #1999-13

Caulfield, D.D., J. Filkins, and R. McGee. 1996. Calibration and multiple sound sources in marine geotechnical pollution surveys in rivers. In: *Oceans 96 MTS/IEEE Conference Proc.:* The Coastal Ocean--Prospects for the 21st Century, September 23-26, 1996, Fort Lauderdale FL. Institute of Electrical and Electronics Engineers, Inc., Piscataway, NJ, pp. 176-187. #1996-12

Cavallin, J.E., E. Durhan, N. Evans, K.M. Jensen, M.D. Kahl, D. Kolpin, C.A. LaLone, E.A. Makynen, S.M. Seidl, L.M. Thomas, D.L. Villeneuve, M.A. Weberg, V. Wilson, and G.T. Ankley. 2014. Integrated assessment of runoff from livestock farming operations: Analytical chemistry, in vitro bioassays, and in vivo fish exposures. *Environmental Toxicology and Chemistry* 33:1849-1857. 5897 005589

Champlin, J.G. and H.G. Stefan. 1996. Field study of the ice cover of a lake: Implications for winter water quality modeling. Environmental Research Laboratory, USEPA, Duluth, MN. #1996-31

Chapman, G.A. (chair), B.S. Anderson, A.J. Bailer, R.B. Baird, R. Berger, D.T. Burton, D.L. Denton, W.L. Goodfellow Jr., M.A. Heber, L.L. McDonald, T.J. Norberg-King, and P.J. Ruffier. 1996. Methods and appropriate endpoints: Discussion synopsis. In: *Whole effluent toxicity testing: An evaluation of methods and prediction of receiving system impacts.* D.R. Grothe, K.L. Dickson, D.K. Reed-Judkins, Eds., pp. 51-78. SETAC Press, Pensacola, FL. #1996-5

Chapra, S.C. and R.P. Canale. 1987. Personal computers and environmental engineering, Part I: Trends and perspectives. *Environ. Sci. Technol.* 21:832-837. #1987-16

Chin, Y.-P., G. Aiken, and E. O'Loughlin. 1994. Molecular weight, polydispersity, and spectroscopic properties of aquatic humic substances. *Environ. Sci. Technol.* 28:1853-1858. #1994-25

Chipps, S.R., D.E. Hubbard, K.B. Werlin, N.J. Haugerud, K.A. Powell, J.A. Thompson, and T. Johnson. 2006. Association between wetland disturbance and biological attributes in floodplain wetlands. *Wetlands* 26:497-408. #899

Chittim, B.G., J.A. Madge, and S.H. Safe. 1986. Pentachlorodibenzofurans: Synthesis, capillary gas chromatography and gas chromatographic/mass spectrometric characteristics. *Chemosphere* 15:1931-1934. #1986-18

Chopra, K.S., D. Beaman, and P.M. Cook. 1982. Interlaboratory measurements of the chrysotile asbestos fiber and mass concentrations in water samples. In: *Asbestos standards: Materials and analytical methods*. NBS Spec. Pub. 619, pp. 121-131. National Bureau of Standards, Gaithersburg, MD. #1982-20

Chowdhury, M.J., D.G. McDonald, and C.M. Wood. 2004. Gastrointestinal uptake and fate of cadmium in rainbow trout acclimated to sublethal dietary cadmium. *Aquat. Toxicol.* 69:149-163. #2004-8

Chowdhury, M.J., M. Grosell, D.G. McDonald, and C.M. Wood. 2003. Plasma clearance of cadmium and zinc in non-acclimated and metal-acclimated trout. *Aquat. Toxicol.* 64:259-275. #2003-13

Choy, C.A., P.C. Davison, J.C. Drazen, A. Flynn, E.J. Gier, J.C. Hoffman, J.P. McClain-Counts, T.W. Miller, B.N. Popp, S.W. Ross, T.T. Sutton. 2012. Global trophic position comparison of two dominant mesopelagic fish families (Myctophidae, Stomiidae) using amino acid nitrogen isotopic analyses. *PLOS ONE* 7(11): e50133. doi:10.1371/journal.pone.0050133. #5572

Christensen, G.M. 1975. Biochemical effects of methylmercuric chloride, cadmium chloride, and lead nitrate on embryos and alevins of the brook trout, *Salvelinus fontinalis*. *Toxicol. Appl. Pharmacol.* 32:191-197. #116

Christensen, G.M. 1971. Effects of metal cations and other chemicals upon the *in vitro* activity of two enzymes in the blood plasma of the white sucker, *Catostomus commersoni* (Lacepede). *Chem.-Biol. Interact.* 4:351-361. #53

Christensen, G.M., D.L. Olson, and B.L. Riedel. 1982. Chemical effects on the activity of eight enzymes: A review and a discussion relevant to environmental monitoring. *Environ. Res.* 29:247-255. #238

Christensen, G.M. and D.L. Olson. 1981. Effect of water pollutants and other chemicals upon ribonuclease activity *in vitro*. *Environ. Res.* 26:274-280. #217

Christensen, G.M. and B.L. Riedel. 1981. Effect of water pollutants and other chemicals upon the activity of lipase *in vitro*. *Arch. Environ. Contam. Toxicol.* 10:357-363. #218

Christensen, G.M. and B.L. Riedel. 1980. An enzyme-immobilization procedure for the analysis of enzyme-inhibiting chemicals in water. *Int. J. Environ. Anal. Chem.* 8:277-282. #200

Christensen, G.M., J.T. Fiandt, and B.A. Poeschl. 1978. Cells, proteins, and certain physical-chemical properties in brook trout (*Salvelinus fontinalis*) blood. *J. Fish Biol.* 12:51-60. #169

Christensen, G.M., J.T. Fiandt, and D.A. Benoit. 1977. Estimation of live fish weight by photography. *Prog. Fish-Cult.* 39:41-42. #143

Christensen, G.M., E.P. Hunt, and J.T. Fiandt. 1977. The effect of methylmercuric chloride, cadmium chloride, and lead nitrate on six biochemical factors of the brook trout (*Salvelinus fontinalis*). *Toxicol. Appl. Pharmacol.* 42:523-530. #144

Christensen, G.M. and J.H. Tucker. 1976. Effects of selected water toxicants on the in vitro activity of fish carbonic anhydrase. *Chem.-Biol. Interact.* 13:181-192. #131

Christensen, G.M., J.M. McKim, W.A. Brungs, and E.P. Hunt. 1972. Changes in the blood of the brown bullhead (*Ictalurus nebulosus* [Lesueur]) following short- and long-term exposure to copper (II). *Toxicol. Appl. Pharmacol.* 23:417-427. #66

Clement, J., A. Sigford, R. Drummond, and N. Novy. 1996. World of fresh water: A resource for studying issues of freshwater research. *EPA/600/K-96/001*. Mid-Continent Ecology Division, NHEERL, ORD, USEPA, Duluth, MN. #2774

Coffin, D.L., P.M. Cook, and J.P. Creason. 1992. Relative mesothelioma induction in rats by mineral fibers: Comparison with residual pulmonary mineral fiber number and epidemiology. *Inhal. Toxicol.* 4:273-300. #469

Coffin, D.L., L.D. Palekar, and P.M. Cook. 1982. Tumorigenesis by a ferroactinolite mineral. *Toxicol. Lett.* 13:143-150. #239

Coffin, D.L., L.D. Palekar, P.M. Cook, and J.P. Creason. 1989. Comparison of mesothelioma induction in rats by asbestos and nonasbestos mineral fibers: possible correlation with human exposure data. In: *Biological Interaction of Inhaled Mineral Fibers and Cigarette Smoke*, Battelle Press, Columbus, OH, 1989, pp. 347-354. #1989-58

Cole, R.A. 1978. Entrainment at a once-through cooling system on western Lake Erie. Vol. I. *EPA/600/3-78/070*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, R801188.

Cole, R.A. 1978. Larval fish distributions in southwestern Lake Erie near the Monroe Power Plant. *EPA/600/3-78/069*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, R804517010.

Collette, B.B., M.A. Ali, K.E.F. Hokanson, M. Nagiec, S.A. Smirnov, J.E. Thorpe, A.H. Weatherley, and J. Willemsen. 1977. Biology of percids. *J. Fish. Res. Board Can.* 34:1890-1899. #145

Collette, T.W., Q. Teng, K.M. Jensen, M.D. Kahl, E.A. Makynen, E.J. Durhan, D.L. Villeneuve, D. Martinovic-Weigelt, G.T. Ankley, and D.R. Ekman. 2010. Impacts of an anti-androgen and an androgen/anti-androgen mixture on the metabolite profile of male fathead minnow urine. *Environ. Sci. Technol.* 44:6881-6886. #5334

Collins, H.L., W. Brown, and A. Edwards. 1996. Spatial changes in the distribution and abundance of ruffe (*Gymnocephalus cernuus*) and native fishes in the St. Louis River estuary, 1989-1994. *Final report to ERL, USEPA, Duluth, MN.* #1996-10

Collins, H.L., W. Brown, and A. Edwards. 1996. The early life history of ruffe (*Gymnocephalus cernuus*) in the St. Louis River estuary, 1992-1994. *Final report to ERL, USEPA, Duluth, MN.* #1996-9

Collyard, S.A., G.T. Ankley, R.A. Hoke, and T.A. Goldenstein. 1994. Influence of age on the relative sensitivity of *Hyalella azteca* to diazinon, alkylphenol ethoxylates, copper, cadmium, and zinc. *Arch. Environ. Contam. Toxicol.* 26:110-113. #531

Compton, J.E., B. Hill, and R. Dennis. 2013. Connecting nitrogen deposition and ecosystem services. *Climate Vulnerability* 5:22-33. #5677

Compton, J.E., J.A. Harrison, R.L. Dennis, T.L. Greaver, B.H. Hill, S.J. Jordan, H. Walker, and H.V. Campbell. 2011. Ecosystem services altered by human changes in the nitrogen cycle: A new perspective for US decision making. *Ecol. Lett.* 14:804-815. # 5501

Connolly, J.P. and R.V. Thomann. 1982. Calculated contribution of surface microlayer PCB to contamination of Lake Michigan lake trout. *J. Great Lakes Res.* 8:367-375. #1982-15

Connors, K.A., B. Du, P.N. Fitzsimmons, A.D. Hoffman, C.K. Chambliss, J.W. Nichols, and B.W. Brooks. 2013. Comparative pharmaceutical metabolism by rainbow trout (*Oncorhynchus mykiss*) liver S9 fractions. *Environ. Toxicol. Chem.* 32:1810-1818. #5873

Connors, K., J.J. Korte, G. Anderson, and S.J. Degitz. 2010. Characterization of thyroid hormone transporter protein expression during tissue-specific metamorphic events in *Xenopus tropicalis*. *Gen. Compar. Endocrin.* 168:149-159. #5228

Consoer, D.M., A.D. Hoffman, P.N. Fitzsimmons, P.A. Kosian and J.W. Nichols. 2014. Toxicokinetics of perfluorooctanoate (PFOA) in rainbow trout (*Oncorhynchus mykiss*). *Aquatic Toxicology* 156C:65-73.

Cook, P.M. 1990. Bioaccumulation of PCBs, PCDDs, and PCDFs. In: *Making a Great Lake Superior*. J. Vander Wal, P.D. Watts, Eds., pp. 244-248, Occ. Paper 9. Lakehead University Centre for Northern Studies, Thunder Bay, ON. #1990-13

Cook, P.M. 1983. Review of published studies on gut penetration by ingested asbestos fibers. *Environ. Health Perspect.* 53:121-130. #257

Cook, P.M. 1979. Preparation of extrapulmonary tissues and body fluids for quantitative transmission electron microscope analysis of asbestos and other mineral particle concentrations. *Ann. NY Acad. Sci.* 330:717-724. #185

Cook, P.M. 1975. Semi-quantitative determination of asbestiform amphibole mineral concentrations in western Lake Superior water samples. In: *Advances in x-ray analysis*, Vol. 18. W.L. Pickles, C.S. Barrett, J.B. Newkirk, C.O. Ruud, Eds., pp. 557-567, Plenum Publishing, New York, NY. #1975-8

Cook, P.M., A.R. Batterman, and B.C. Butterworth. 1990. Laboratory study of TCDD bioaccumulation by lake trout from Lake Ontario sediments, food chain and water. In: *Lake Ontario TCDD bioaccumulation study, final report*. Chapter 6. USEPA, NY State Dept. of Env'tl. Conserv., NY State Dept. of Health, and Occidental Chemical Corporation. #1990-18

Cook, P.M. and L.P. Burkhard. 1998. Development of bioaccumulation factors for protection of fish and wildlife in the Great Lakes. In: *EPA/823/R-98/002*. Office of Water, USEPA, Washington, DC. #1998-3

Cook, P.M., A.R. Carlson, and H. Lee II. 1992. Tissue residue approach. In: *Sediment classification methods compendium*, pp. 7.1-7.10. *EPA/823/R-92/006*. USEPA, Washington, DC. #1992-18

Cook, P.M., R.J. Erickson, R.L. Spehar, S.P. Bradbury and G.T. Ankley. 1993. Interim report on data and methods for assessment of 2,3,7,8-tetrachlorodibenzo-p-dioxin risks to aquatic life and associated wildlife. *EPA/600/R-93/055*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Cook, P.M., G.E. Glass, D.R. Marklund, and J.H. Tucker. 1978. Evaluation of cartridge filters for removal of small fibers from drinking water. *Am. Water Works Assoc. J.* 70:459-464. #170

Cook, P.M., G.E. Glass, and J.H. Tucker. 1974. Asbestiform amphibole minerals: Detection and measurement of high concentrations in municipal water supplies. *Science* 185:853-855. #103

Cook, P.M. and T.R. Henry. 2003. A conceptual model for evaluating relative potency data for use in ecological risk assessments. *Organohal. Cmpds.* 65:304-307. #801

Cook, P.M., R.D. Johnson, G.T. Ankley, S.P. Bradbury, R.J. Erickson, and R.L. Spehar. 1992. Research to characterize risks associated with 2,3,7,8-tetrachlorodibenzo-p-dioxin and related chemicals in aquatic ecosystems. In: *Proceedings of the 12th International Symposium on Dioxins and Related Compounds*, University of Tampere, Finland, pp. 305-310. Finnish Institute of Occupational Health, Helsinki, Finland. #1992-19

Cook, R.B., C.A. Kelley, J.C. Kingston, and R.G. Kreis Jr. 1987. Chemical limnology of soft water lakes in the Upper Midwest. *Biogeochem.* 4:97-117. #1987-45

Cook, P.M., D.W. Kuehl, M.K. Walker, and R.E. Peterson. 1991. Bioaccumulation and toxicity of TCDD and related compounds in aquatic ecosystems. In: *Biological basis for risk assessment of dioxins and related compounds*. M.A. Gallo et al., Eds., pp. 143-167. Banbury Report 35. Cold Spring Harbor Laboratory Press, Plainview, NY. #1991-20

Cook, P.M. and D.L. Longrie. 1980. Determination of asbestos and other inorganic particle concentrations in urine. In: *Electron microscopy and x-ray applications to environmental and occupational health analysis, Vol. 2*. P.A. Russell, Ed., pp. 219-231, Ann Arbor Science, Ann Arbor, MI. #1980-17

Cook, P.M. and D.R. Marklund. 1982. Sample preparation for quantitative electron microscope analysis of asbestos fiber concentrations in air, In: *Asbestos standards: Materials & analytical methods*, pp. 53-67, Spec. Pub. 619, National Bureau of Standards, Gaithersburg, MD. #1982-17

Cook, P.M. and G.F. Olson. 1979. Ingested mineral fibers: Elimination in human urine. *Science* 204:195-198. #186

Cook, P.M., L.D. Palekar, and D.L. Coffin. 1982. Interpretation of the carcinogenicity of amosite asbestos and ferroactinolite on the basis of retained fiber dose and characteristics in vivo. *Toxicol. Lett.* 13:151-158. #240

Cook, P.M. and R.E. Peterson. 2003. Use of the TEQ model for assessing AHR mediated toxicity risks to populations of lake trout and other species in Lake Ontario. *Organohal. Cmpds.* 65:308-311. #802

Cook, P.M., J.A. Robbins, D.D. Endicott, K.B. Lodge, P.D. Guiney, M.K. Walker, E.W. Zabel, and R.E. Peterson. 2003. Effects of aryl hydrocarbon receptor-mediated early life stage toxicity on lake trout populations in Lake Ontario during the 20th century. *Environ. Sci. Technol.* 37: 3864-3877. #799

Cook, P.M., I.B. Rubin, C.J. Maggiore, and W.J. Nicholson. 1976. X-ray diffraction and electron beam analysis of asbestiform minerals in Lake Superior waters. *Annals Inst. Elect. Electron. Eng.* 75CH1004-I 34-1, 9 pp. #1976-4

Cook, P.M., P.L. Smith, and D.G. Wilson. 1978. Amphibole fiber concentration determination for a series of community air samples: Use of x-ray diffraction to supplement electron microscope analysis. In: *Electron microscopy and x-ray applications to environmental and occupational health analysis*. P.A. Russell, A.E. Hutchings, Eds., pp. 107-119. Ann Arbor Science, Ann Arbor, MI. #1978-10

Cook, P.M., E.W. Zabel, and R.E. Peterson. 1997. The TCDD toxicity equivalence approach for characterizing risks for early life-stage mortality in trout. In: *Chemically induced alterations in functional development and reproduction of fishes*. R.M. Rolland, M. Gilbertson, R.E. Peterson, Eds., pp. 9-27. SETAC Press, Pensacola, FL. #1997-8

Cook, R.B. and J.J. Ameal. 1984. Water chemistry in St. Louis Bay. In: *Chemical and biological studies related to the water quality of St. Louis Bay of Lake Superior*. A.R. Carlson, N.A. Thomas, Eds., pp. 1-56. EPA/600/3-84/064. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1984-15

Cook, W.M., R.M. Anderson, and E.W. Schweiger. 2004. Is the matrix really inhospitable? Vole runway distribution in an experimentally fragmented landscape. *Oikos* 104:5-14. #2004-1

Cooper, C.L., W.C. Bartholomew, C.E. Herdendorf, J.M. Reutter, and F.L. Snyder. 1981. Limnetic larval fish of the Maumee and Sandusky River estuaries. *J. Great Lakes Res.* 7:51-54. #1981-11

Cormier, S.M., J.F. Paul, and R.L. Spehar. 2009. Estimation of effect thresholds for the development of water quality criteria. In: *Real-Time and Deliberative Decision Making*, I. Linkov, E. Ferguson, V. Magar, Eds., Springer, the Netherlands, pp.159-178. #5116

Cormier, S.M., J.F. Paul, R.L. Spehar, P. Shaw-Allen, W.J. Berry, and G.W. Suter. 2008. Using field data and weight of evidence to develop water quality criteria. *IEAM* 4:490-504. #5090

Cotter, A.M., P.A. Kosian, R.A. Hoke, and G.T. Ankley. 1996. Extraction and analysis of low concentrations of DDT, DDE and DDD in small volumes of sediment pore water. *Chemosphere* 33:1341-1354. #606

Coward, N.A., J.W. Horton, R.G. Koch, and R.D. Morden. 1980. Static coal storage: biological and chemical effects on the aquatic environment. *EPA/600/3-80/083a*. ERL, ORD, USEPA, Duluth, MN, Grant NERC-R-803937-02-0.

Cowen, W.F. and G.F. Lee. 1976. Algal nutrient availability and limitation in Lake Ontario during IFYGL. *EPA/600/3-76/094a*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract R80053702.

Cowen, W.F. and G.F. Lee. 1976. Algal nutrient availability and limitation in Lake Ontario during IFYGL. Appendices to Part I: available phosphorus in urban runoff and Lake Ontario tributary waters. *EPA/600/3-76/094b*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB 265040): Contract R80053702.

Cowen, W.F., K. Sirisinha, and G.F. Lee. 1977. Algal nutrient availability and limitation in Lake Ontario during IFYGL. Part II. Nitrogen available in Lake Ontario tributary water samples and urban runoff from Madison, Wisconsin. *EPA/600/3-77/045*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract R-800537-02.

Cowles, E.J., G.M. Christensen, and A.C. Hilding. 1968. Detection of indoleamines and catecholamines on chromatograms by heating with paraformaldehyde. *J. Chromatog.* 35:389-395. #16

Crane, J.L. 1999. Assessment of contaminated sediments in slip C, Duluth Harbor, Minnesota. *EPA/905/R-99/007*. Great Lakes National Program Office, USEPA, Chicago, IL.

Crane, M., M. Gross, P. Matthiessen, G.T. Ankley, S. Axford, P. Bjerregaard, R. Brown, P. Chapman, M. Dorgeloh, M. Galay-Burgos, J. Green, C. Hazlerigg, J. Janssen, K. Lorenzen, J. Parrott, H. Rufli, C. Schafers, M. Seki, H.-C. Stolzenberg, N. van der Hoeven, D. Vethaak, I.J. Winfield, S. Zok, and J. Wheeler. 2010. Multi-criteria decision analysis of test endpoints for detecting the effects of endocrine active substances in fish full life cycle tests. *IEAM* 6:378-389. #5223

Crane, J.L., A. Pilli, and R.C. Russo. 1984. CETIS: Complex Effluents Toxicity Information System: Data encoding guidelines and procedures. *EPA/600/8-84/029*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, CR 807240.

Crane, J.L., C. Richards, D. Breneman, S. Lozano, and J.A. Schuldt. 2005. Evaluating methods for assessing sediment quality in a Great Lake embayment. *Aquat. Ecosys. Health Manage.* 8:323-349. #2005-6

Crane, J.L., M. Schubauer-Berigan, and K. Schmude. 1997. Sediment assessment of hotspot areas in the Duluth/Superior harbor. *EPA/905/R97/020*. Great Lakes National Program Office, USEPA, Chicago, IL.

Crane, J.L., D.E. Smorong, D.A. Pillard, and D.D. MacDonald. 2002. Sediment remediation scoping project in Minnesota Slip, Duluth Harbor. Final report. *EPA/905/R-02/002*. Great Lakes National Program Office, USEPA, Chicago, IL.

Custer, C.M., T.W. Custer, P.M. Dummer, M.A. Etterson, W.E. Thogmartin, Q. Wu, K. Kannan, A. Trowbridge, and P.C. McKann. 2013. Exposure and effects of perfluoroalkyl substances in tree swallows nesting in Minnesota and Wisconsin, USA. *Archives Environ. Contam. Toxicol.* 66:120-138 #5808

Custer, T.W., C.M. Custer, W.E. Thogmartin, P.M. Dummer, R. Rossmann, K.P. Kenow, and M.W. Meyer. 2012. Mercury and other element exposure in tree swallows nesting at low pH and neutral pH lakes in northern Wisconsin USA. *Environ. Pollut.* 163:68-76. #5663

D

Dady, J.M., S.P. Bradbury, A.D. Hoffman, M.M. Voit, and D.L. Olson. 1991. Hepatic microsomal N-hydroxylation of aniline and 4-chloroaniline by rainbow trout (*Oncorhynchus mykiss*). *Xenobiotica* 21:1605-1620. #448

Dady, J.M., M.M. Voit, and S.P. Bradbury. 1992. Formation of hydroquinone from the o-dealkylation of p-methoxyphenol by rainbow trout microsomes (abstract only). *The Toxicologist* 12:327. #1992-6

Danielsen, K.M., Y.-P. Chin, J.S. Buterbaugh, T.L. Gustafson, and S.J. Traina. 1995. Solubility enhancement and fluorescence quenching of pyrene by humic substances: The effect of dissolved oxygen on quenching processes. *Environ. Sci. Technol.* 29:2162-2165. #1995-20

Danz, N., G.J. Niemi, R.R. Regal, T. Hollenhorst, L. Johnson, J. Hanowski, R.P. Axler, J. Ciborowski, T. Hrabik, V.J. Brady, J.R. Kelly, J.A. Morrice, J.C. Brazner, R. Howe, C.A. Johnson, and G.E. Host. 2007. Integrated measures of anthropogenic stress in the U.S. Great Lakes Basin. *Environ. Manage.* 39:631-647. #4511

Danz, N.P., R.R. Regal, G.J. Niemi, V.J. Brady, T. Hollenhorst, L.B. Johnson, G.E. Host, J.M. Hanowski, C.A. Johnston, T. Brown, J. Kingston, and J.R. Kelly. 2005. Environmentally stratified sampling design for the development of Great Lakes environmental indicators. *Environ. Monit. Assess.* 102:41-65. #2005-3

Daston, G.P., A.L. Miracle, E.J. Perkins, and G.T. Ankley. 2007. Chapter 7. Toxicogenomics in ecological risk assessments: A prospectus. *SETAC Workshop, Pellston, MI, September 18-22, 2005*, SETAC Press, Pensacola, FL. #4876c

Dave, G. 1981. Influence of diet and starvation on toxicity of endrin to fathead minnows (*Pimephales promelas*). EPA/600/3-81/048. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB81-244436): Grant CR806860.

Davis, J.M., T.W. Collette, D.L. Villeneuve, J.E. Cavallin, Q. Teng, K.M. Jensen, M.D. Kahl, J. Mayasich, G.T. Ankley, and D.R. Ekman. 2013. A field-based approach for assessing the impact of pulp and paper mill discharge on endogenous metabolites of fathead minnows (*Pimephales promelas*). *Environ. Sci. Technol.* 47:10628-10636. #5842

Davis, W.S., L.A. Fay, and C.E. Herdendorf. 1987. Overview of USEPA/CLEAR Lake Erie sediment oxygen demand investigations during 1979. *J. Great Lakes Res.* 13:731-737. #1987-14

Dawley, E., B. Monk, M. Schiewe, F. Osslander, and W. Ebel. 1976. Salmonid bioassay of supersaturated dissolved air in water. EPA/600/3-76/056. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, EPA-IAG-0155(D).

Dawson, T.D., J.J. Jenson, and T.J. Norberg-King. 2000. Laboratory culture of *Chironomus tentans* for use in toxicity testing: Optimum initial egg-stocking densities. *Hydrobiologia* 438:251-256. #754

Dawson, T.D., J.J. Jenson, and T.J. Norberg-King. 1998. Laboratory culture of *Chironomus tentans* for use in toxicity testing: Optimum initial egg stocking densities. Environmental Research Laboratory, USEPA, Duluth, MN. #1998-6

Dawson, T.D., K.G. Lott, E.N. Leonard, and D.R. Mount. 2003. Time course of metal loss in *Lumbriculus variegatus* following sediment exposure. *Environ. Toxicol. Chem.* 22:886-889. #787

Dawson, D.A., T.W. Schultz, L.L. Baker, and T.S. Wilke. 1990. Comparative developmental toxicity of acetylenic alcohols on embryos and larvae of *Xenopus laevis*. In: *Aquatic toxicology and risk assessment, 13th vol.* W.G. Landis, W.H. van der Schalie, Eds. ASTM STP 1096. ASTM, Philadelphia, PA. #1990-2

DeFoe, D.L. 1977. Temperature safety device for aquatic laboratory systems. *Prog. Fish-Cult.* 39:131 #146

DeFoe, D.L. 1975. Multichannel toxicant injection system for flow-through bioassays. *J. Fish. Res. Board Can.* 32:544-546. #117

DeFoe, D.L. and G.T. Ankley. 2003. Evaluation of time-to-effects as a basis for quantifying the toxicity of contaminated sediments. *Chemosphere* 51:1-5. #782

DeFoe, D.L. and G.T. Ankley. 1998. Influence of storage time on toxicity of freshwater sediments to benthic macroinvertebrates. *Environ. Pollut.* 99:123-131. #683

DeFoe, D.L., G.W. Holcombe, D.E. Hammermeister, and K.E. Biesinger. 1990. Solubility and toxicity of eight phthalate esters to four aquatic organisms. *Environ. Toxicol. Chem.* 9:623-636. #412

DeFoe, D.L., G.D. Veith, and R.W. Carlson. 1978. Effects of Aroclor 1248 and 1260 on the fathead minnow (*Pimephales promelas*). *J. Fish. Res. Board Can.* 35:997-1002 #171

Degitz, S.J., E.J. Durhan, J.E. Tietge, P.A. Kosian, G.W. Holcombe, and G.T. Ankley. 2003. Developmental toxicity of methoprene and several degradation products in *Xenopus laevis*. *Aquat. Toxicol.* 64:97-105. #795

Degitz, S.J., R.A. Hoke, S.P. Bradbury, R. Brennan, L. Ferguson, R. Klaper, L. Orban, D. Spurgeon, and S. Tilton. 2007. Chapter 4. Application of genomics to regulatory ecological risk assessments for pesticides. *SETAC Pellston Workshop, Pellston, MI, September 18-22, 2005*, SETAC Press, Pensacola, FL. # 4876b

Degitz, S.J., G.W. Holcombe, P.A. Kosian, J.E. Tietge, E.J. Durhan, and G.T. Ankley. 2003. Comparing the effects of stage and duration of retinoic acid exposure on amphibian limb development: chronic exposure results in mortality, not limb malformations. *Toxicol. Sci.* 74:139-146. #793

Degitz, S.J., P.A. Kosian, E.A. Makynen, K.M. Jensen, and G.T. Ankley. 2000. Stage- and species-specific development toxicity of all-trans retinoic acid in four native North American ranids and *Xenopus laevis*. *Toxicol. Sci.* 57:264-274. #746

DeGraeve, G.M., W.H. Clement, and M.F. Arthur. 1989. A method for conducting laboratory toxicity degradation evaluations of complex effluents. Report to USEPA, Environmental Research Laboratory, Duluth, MN by Battelle, Columbus Division, Columbus, OH. #1989-20

Degraeve, G.M., W.H. Clement, M.F. Arthur, R.B. Gillespie, and G.K. O'Brien. 1988. Environmental persistence/degradation of toxicity in complex effluents: Laboratory simulations of field conditions. In: *Aquatic toxicology and hazard assessment, 10th vol.* W.J. Adams, G.A. Chapman, W.G. Landis, Eds. STP 971. ASTM, Philadelphia, PA, pp.177-189. #1988-13

DeLaune, R.D., W.H. Patrick Jr., C.W. Lindau, J.H. Pardue, and P.H. Masscheleyn. 1993. Capacity of lower Mississippi valley wetlands to transform and assimilate anthropogenic substances. Final report for Coop. Agree. CR816805-1, to USEPA, ERL, Duluth, MN. #1993-18

Delumyea, R.G. and R.L. Petel. 1977. Atmospheric inputs of phosphorus to southern Lake Huron, April-October 1975. *EPA/600/3-77/038*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803086.

Denny, J.S. 1988. Guidelines for the culture of fathead minnows, *Pimephales promelas* for use in toxicity tests. *EPA/600/3-87/001*. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-38

Denny, J.S., R.L. Spehar, K.E. Mead, and S.C. Yousuff. 1991. Guidelines for culturing the Japanese medaka (*Oryzias latipes*). EPA/600/3-91/064. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Denny, J.S., M.A. Tapper, P.K. Schmieder, M.W. Hornung, K.M. Jensen, G.T. Ankley, and T.R. Henry. 2005. Comparison of relative binding affinities of endocrine active compounds to fathead minnow and rainbow trout estrogen receptors. *Environ. Toxicol. Chem.* 24:2948-2953. #4349

Denton, D.L. and T.J. Norberg-King. 1996. Whole effluent toxicity statistics: A regulatory perspective. In: *Whole effluent toxicity testing: An evaluation of methods and prediction of receiving system impacts*. D.R. Grothe, K.L. Dickson, D.K. Reed-Judkins, Eds. SETAC Press, Pensacola, FL, Chapter 4, pp. 83-102. #2994

DePinto, J.V., V.J. Bierman Jr., and F.H. Verhoff. 1976. Seasonal phytoplankton succession as a function of species competition for phosphorus and nitrogen. In: *Modeling biochemical processes in aquatic ecosystems*. R.P. Canale, Ed., pp. 141-169, Ann Arbor Science, Ann Arbor, MI. #1976-8

DePinto, J.V., T.L. Theis, T.C. Young, and S.T. Leach. 1994. Predicting metals partitioning during resuspension events. In: *Transport and transformation of contaminants near the sediment-water interface*. J.V. DePinto, W. Lick, J.F. Paul, Eds. Lewis Publishers, Boca Raton, FL, pp. 177-203. #1994-4

DePinto, J.V., T.L. Theis, T.C. Young, D. Vanetti, M. Waltman, and S. Leach. 1988. Exposure and biological effects of in-place pollutants: Sediment exposure potential and particle-contaminant interactions (App. A). In: Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. R.G. Kreis Jr., Ed. USEPA, ERL, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. #1988-4

DePinto, J.V. and F.H. Verhoff. 1977. Nutrient regeneration from aerobic decomposition of green algae. *Environ. Sci. Technol.* 11:371-377. #1977-5

DePinto, J.V., T.C. Young, J.S. Bonner, and P.W. Rodgers. 1986. Microbial recycling of phytoplankton phosphorus. *Can. J. Fish. Aquat. Sci.* 43:336-342. #1986-25

DePinto, J.V., T.C. Young, and L.M. McIlroy. 1986. Great Lakes water quality improvement. *Environ. Sci. Technol.* 20:752-759. #1986-11

Detenbeck, N.E. 1994. Ecological risk assessment case study: Effects of physical disturbance on water quality status and water quality improvement function of urban wetlands. In: *A review of ecological assessment case studies for a risk assessment perspective, Vol. II*, pp. 4.1-4.58. EPA/630/R-94/003. ORD, USEPA, Washington, DC. #1994-17

Detenbeck, N.E., S.L. Batterman, V.J. Brady, J.C. Brazner, V.M. Snarski, D.K. Taylor, J.A. Thompson, and J.W. Arthur. 2000. A test of watershed classification systems for ecological risk assessment. *Environ. Toxicol. Chem.* 19:1174-1181. #731

Detenbeck, N.E., V.J. Brady, D.L. Taylor, V.M. Snarski, and S.L. Batterman. 2005. Relationship of stream flow regime in the western Lake Superior basin to watershed type characteristics. *J. Hydrology* 309: 259-276. #860

Detenbeck, N.E. and P.L. Brezonik. 1991. Phosphorus sorption by sediments from a soft-water seepage lake: 1. An evaluation of kinetic and equilibrium models. *Environ. Sci. Technol.* 25:395-403. #1991-31

Detenbeck, N.E. and P.L. Brezonik. 1991. Phosphorus sorption by sediments from a soft-water seepage lake: 2. Effects of pH and sediment composition. *Environ. Sci. Technol.* 25:403-409. #1991-15

Detenbeck, N.E., D. Cincotta, J.M. Denver, S.K. Greenlee, A.R. Olsen, and A.M. Pitchford. 2005. Watershed-based survey designs. *Environ. Monit. Assess.* 103:59-81. #851

Detenbeck, N.E., P.W. DeVore, and G.J. Niemi. 1992. Recovery of temperate-stream fish communities from disturbance: A review of case studies and synthesis of theory. *Environ. Manage.* 16:33-53. #1992-8

Detenbeck, N.E., C.M. Elonen, D.L. Taylor, L.E. Anderson, T.M. Jicha, and S.L. Batterman. 2003. Effects of hydrogeomorphic region, catchment storage and mature forest on baseflow and snowmelt stream water quality in second-order Lake Superior Basin tributaries. *Fresh. Biol.* 48:912-927. #791

Detenbeck, N.E., C.M. Elonen, D.L. Taylor, A.M. Cotter, F.A. Puglisi, and W.D. Sanville. 2002. Effects of agricultural activities and best management practices on water quality of seasonal prairie pothole wetlands. *Wet. Ecol. Manage.* 10:335-354. #778

Detenbeck, N.E., S.M. Galatowitsch, J. Atkinson, and H. Ball. 1999. Evaluating perturbations and developing restoration strategies for inland wetlands in the Great Lakes Basin. *Wetlands* 19:789-820. #725

Detenbeck, N.E., R. Hermanutz, K. Allen, and M.C. Swift. 1996. Fate and effects of the herbicide atrazine in flow-through wetland mesocosms. *Environ. Toxicol. Chem.* 15:937-946. #607

Detenbeck, N.E., C.A. Johnston, and G.J. Niemi. 1993. Wetland effects on lake water quality in the Minneapolis/St. Paul metropolitan area. *Landscape Ecol.* 8:39-61. #497

Detenbeck, N.E., C.A. Johnston, and G.J. Niemi. 1990. Use of a geographic information system to assess the effect of wetlands on lake water quality in the Minneapolis/St. Paul metropolitan area. In: *Proc. of Minnesota Lake Management Conference*, October 7-9, 1990, Brainerd, MN, pp. 81-85. #1990-5

Detenbeck, N.E., M.F. Moffett, M.S. Pearson, T.P. Simon, and D. Albert. 2007. Hydrologic regime classification of Lake Michigan coastal riverine wetlands based on watershed characteristics. Chapter 4. In: *Coastal Wetlands of the Laurentian Great Lakes: Health, Habitat, and Indicators*, T.P. Simon, P.M. Stewart, Eds., AuthorHouse, Bloomington, IN, pp. 115-136. #4187

Detenbeck, N.E., G.J. Niemi, D.L. Taylor, and A. Lima. 1992. Assessing recovery of freshwater wetland water-quality from disturbance. Final report to ERL, USEPA, Duluth, MN. #1992-2

Detenbeck, N.E., D.K. Taylor, A.R. Lima, and C.A. Hagley. 1996. Temporal and spatial variability in water quality of wetlands in the Minneapolis/St. Paul, MN metropolitan area: Implications for monitoring strategies and designs. *Environ. Monit. Assess.* 40:11-40. #608

Devlin, E.W., J.D. Brammer, R.L. Puyear, and J.M. McKim. 1996. Prehatching development of the fathead minnow *Pimephales promelas* Rafinesque. *EPA/600/R-96/079*. NHEERL, USEPA, Duluth, MN. #1996-7

de Vlaming, V. and T.J. Norberg-King. 1997. A review of single species toxicity tests: Are the tests reliable predictors of aquatic ecosystem community responses? *EPA/600/R-97/114*. ORD, USEPA, Duluth, MN.

DeVore, P.W. and J.G. Eaton. 1983. An investigation of spinal deformity of trout (*Salmo* sp.) in the Brule River, Wisconsin. *J. Great Lakes Res.* 9:69-73. #258

Diamond, S.A. 2003. Photoactivated toxicity in aquatic environments. In: *UV Effects in Aquatic Organisms and Ecosystems*, E.W. Helbling, H. Zagarese, Eds., pp. 219-250. The Royal Society of Chemistry, Cambridge, UK. #2003-1

Diamond, S.A., N.J. Milroy, V.R. Mattson, L.J. Heinis, and D.R. Mount. 2003. Photoactivated toxicity in amphipods collected from polycyclic aromatic hydrocarbon-contaminated sites. *Environ. Toxicol. Chem.* 22:2752-2760. #804

Diamond, S.A., D.R. Mount, V.R. Mattson, L.J. Heinis, T.L. Highland, A. Adams, and M. Simcik. 2006. Photoactivated polycyclic aromatic hydrocarbon toxicity in medaka (*Oryzias latipes*) embryos: Relevance to environmental risk in contaminated sites. *Environ. Toxicol. Chem.* 25:3015-3023. 4557

Diamond, S.A., D.R. Mount, L.P. Burkhard, G.T. Ankley, E.A. Makynen, and E.N. Leonard. 2000. Effect of irradiance spectra on the photoinduced toxicity of three polycyclic aromatic hydrocarbons. *Environ. Toxicol. Chem.* 19:1389-1396. #733

Diamond, S.A., G.S. Peterson, J.E. Tietge, and G.T. Ankley. 2002. Assessment of the risk of solar ultraviolet radiation to amphibians. III. Prediction of impacts in selected northern midwestern wetlands. *Environ. Sci. Technol.* 36:2866-2874. #776

Diamond, S.A., P.C. Trenham, M.J. Adams, B.R. Hossack, R.A. Knapp, S.L. Stark, D. Bradford, P.S. Corn, K. Czarnowski, P.D. Brooks, D. Fagre, B. Breen, N.E. Detenbeck, and K. Tonnessen.

2005. Estimated ultraviolet radiation doses in wetlands in six national parks. *Ecosystems* 8:462-477. #869

Dias, E., P. Morias, C. Antunes and J. Hoffman. 2014. Linking terrestrial and benthic estuarine ecosystems: Organic matter sources supporting the high secondary production of a non-indigenous bivalve. *Biological Invasions* 16:2163-2179.

Dickson, K.L., W.T. Waller, J.H. Kennedy, and L.P. Ammann. 1992. Assessing the relationship between ambient toxicity and instream biological response. *Environ. Toxicol. Chem.* 11:1307-1322. #1992-11

Dickson, K.L., W.T. Waller, J.H. Kennedy, L.P. Ammann, R. Guinn, and T.J. Norberg-King. 1996. Relationships between effluent toxicity, ambient toxicity, and receiving system impacts: Trinity River dechlorination case study. In: *Whole effluent toxicity testing: An evaluation of methods and prediction of receiving system impacts*. D.R. Grothe, K.L. Dickson, D.K. Reed-Judkins, Eds., pp. 287-308. SETAC Press, Pensacola, FL. #1996-11

Diedrich, D.J., R.M. Sofield, J.F. Ranville, D.J. Hoff, D.V. Wall and S.F. Brinkman. The effects of chronological age and size on toxicity of zinc to juvenile brown trout. *Aquatic Toxicology*.

Dierkes, J.R., G.T. Ankley, and M.K. Berigan. 1990. Results of pore water, sediment and elutriate toxicity assessment in Oswego Bay, Toronto Harbor. USEPA, Duluth, MN. #1990-20

Dilks, D.W., J.S. Helfand, V.J. Bierman, Jr., and L.P. Burkhard. 1993. Field application of a steady-state mass balance model for hydrophobic organic chemicals in an estuarine system. *Wat. Sci. Tech.* 28:263-271. #655

Dill, D.C., W.M. McCarty, H.C. Alexander, and E.A. Bartlett. 1980. Toxicity of 1,1-dichloroethylene (vinylidene chloride) to aquatic organisms. *EPA/600/3-80/057*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

DiToro, D.M. and J.P. Connolly. 1980. Mathematical models of water quality in large lakes. Part 2: Lake Erie. *EPA/600/3-80/065*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803030.

DiToro, D.M., J.P. Connolly, R.P. Winfield, and J.R. Newton. 1988. Development, verification, and application of interconnecting channel models (App.U). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. R.G. Kreis Jr., Ed. USEPA, ERL, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. #1988-4

Di Toro, D.M., J.D. Mahony, D.J. Hansen, K.J. Scott, A.R. Carlson, and G.T. Ankley. 1992. Acid volatile sulfide predicts the acute toxicity of cadmium and nickel in sediments. *Environ. Sci. Technol.* 26:96-101. #470

DiToro, D.M. and W.F. Matystik Jr. 1980. Mathematical models of water quality in large lakes. Part 1: Lake Huron and Saginaw Bay. *EPA/600/3-80/056*. ERL, ORD, USEPA, Duluth, MN, Grant R803030.

Di Toro, D.M., N.A. Thomas, C.E. Herdendorf, R.P. Winfield, and J.P. Connolly. 1987. A post audit of a Lake Erie eutrophication model. *J. Great Lakes Res.* 13:801-825. #342

DiToro, D.M., C.S. Zarba, D.J. Hansen, W.J. Berry, R.C. Swartz, C.E. Cowan, S.P. Pavlou, H.E. Allen, and P.R. Paquin. 1991. Technical basis for establishing sediment quality criteria for nonionic organic chemicals using equilibrium partitioning. *Environ. Toxicol. Chem.* 10:1541-1583. #449

Doerger, J.U., J.R. Meier, R.A. Dobbs, R.D. Johnson, and G.T. Ankley. 1992. Toxicity reduction evaluation at a municipal wastewater treatment plant using mutagenicity as an endpoint. *Arch. Environ. Contam. Toxicol.* 22:384-388. #471

Dolan, D.M. and V.J. Bierman Jr. 1982. Mass balance modeling of heavy metals in Saginaw Bay, Lake Huron. *J. Great Lakes Res.* 8:676-694. #1982-7

Dolan, D.M., A.K. Yui, and R.D. Geist. 1981. Evaluation of river load estimation methods for total phosphorus. *J. Great Lakes Res.* 7:207-214. #219

Dorward-King, E.J., G.W. Suter II, L.A. Kapustka, D.R. Mount, D.K. Reed-Judkins, S.M. Cormier, S.D. Dyer, M.G. Luxon, R. Parrish, and G.A. Barton Jr. 2005. Chapter 1. Distinguishing among factors that influence ecosystems. In: *Ecological Variability: Separating Natural from Anthropogenic Causes of Ecosystem Impairment*, D.J. Baird, G.A. Barton Jr., Eds., SETAC Press, pp. 1-26.

Doudoroff, P. 1976. Toxicity to fish of cyanides and related compounds: A review. *EPA/600/3-76/038*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R802459.

Dougherty, R.C., M.J. Whitaker, L.M. Smith, D.L. Stalling, and D.W. Kuehl. 1980. Negative chemical ionization studies of human and food chain contamination with xenobiotic chemicals. *Environ. Health Perspect.* 36:103-118. #201

Dougherty, R.C., M.J. Whitaker, S.Y. Tang, R. Bottcher, M. Keller, and D.W. Kuehl. 1981. Sperm density and toxic substances: A potential key to environmental health hazards. In: *Environmental health chemistry--the chemistry of environmental agents as potential human hazards*. J.D. McKinney, Ed., pp. 263-278. Ann Arbor Science, Ann Arbor, MI. #1981-16

Drevnick, P.E., D.R. Engstrom, C.T. Driscoll, E.B. Swain, S.J. Balogh, N.C. Kamman, D.T. Long, D. Muir, M.J. Parsons, K.R. Rolfhus, and R. Rossmann. 2012. Spatial and temporal patterns of mercury accumulation in lacustrine sediments across the Great Lakes region. *Environ. Pollut.* 161:252-260. #5491

Drummond, R.A. 1984. Ventilatory response of bluegill sunfish exposed to final treated WLSSD effluent--summary. In: *Chemical and biological studies related to the water quality of St. Louis Bay of Lake Superior*. A.R. Carlson, N.A. Thomas, Eds., pp. 93-95. EPA/600/3-84/064. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1984-15

Drummond, R.A. 1980. Rapid assessment methods (fish cough response, etc.). In: *Proceedings of the Seminar on Biological Monitoring and its Use in the NPDES Permit Program, October 2, 1979, Chicago, IL*. EPA/600/9-80/026. Center for Environmental Research Information, ORD, USEPA, Cincinnati, OH, pp. 95-96. #1980-7

Drummond, R.A. 1977. Disposable electrode chamber for measuring opercular movements of fathead minnows. *Prog. Fish-Cult.* 39:94. #147

Drummond, R.A. 1970. Fish coughs--a promising endpoint for evaluating the quality of treated effluents. National Water Quality Laboratory, USEPA, Duluth, MN. #1970-10

Drummond, R.A. and D.A. Benoit. 1976. Importance of test procedures on the toxicity of cadmium to brook trout (*Salvelinus fontinalis*). National Water Quality Laboratory, USEPA, Duluth, MN. #1976-12

Drummond, R.A. and R.W. Carlson. 1978. Fish cough response--a method for evaluating quality of treated complex effluents. *Water Res.* 12:1-6. #1978-13

Drummond, R.A. and R.W. Carlson. 1977. Procedures for measuring cough (gill purge) rates of fish. EPA/600/3-77/133. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Drummond, R.A. and W.F. Dawson. 1974. An inexpensive solid-state amplifier for detecting movements and electrical potentials of fish. *Trans. Am. Fish. Soc.* 103:391-392. #104

Drummond, R.A. and W.F. Dawson. 1970. An inexpensive method for simulating diel patterns of lighting in the laboratory. *Trans. Am. Fish. Soc.* 99:434-435. #40

Drummond, R.A., G.F. Olson, and A.R. Batterman. 1974. Cough response and uptake of mercury by brook trout, *Salvelinus fontinalis*, exposed to mercuric compounds at different hydrogen-ion concentrations. *Trans. Am. Fish. Soc.* 103:244-249. #105

Drummond, R.A. and C.L. Russom. 1990. Behavioral toxicity syndromes: A promising tool for assessing toxicity mechanisms in juvenile fathead minnows. *Environ. Toxicol. Chem.* 9:37-46. #413

Drummond, R.A., C.L. Russom, D.L. Geiger, and D.L. DeFoe. 1986. Behavioral and morphological changes in fathead minnow (*Pimephales promelas*) as diagnostic endpoints for screening chemicals according to mode of action. In: *Aquatic toxicology and environmental fate, 9th vol.* T.M. Poston, R. Purdy, Eds., pp. 415-435, STP 921, ASTM, Philadelphia, PA. #1986-29

Drummond, R.A., W.A. Spoor, and G.F. Olson. 1973. Some short-term indicators of sublethal effects of copper on brook trout, *Salvelinus fontinalis*. *J. Fish. Res. Board Can.* 30:698-701 #84

Dukerschein, T.J., A.D. Bartels, B.S. Ickes, and M.S. Pearson. 2013. Are two systemic fish assemblage sampling programmes on the upper Mississippi River telling us the same thing? *River Res. Applic.* 29:79-89. #5288

Duncan, K.E., P.M. Cook, S.H. Gavett, L.A. Dailey, R.K. Mahoney, A.J. Ghio, V.L. Roggi, and R.B. Devlin. 2014. In vitro determinants of asbestos fiber toxicity: Effect on the relative toxicity of Libby amphibole in primary human airway epithelial cells. *Particle Fibre Tox.* 11:1-14. #5835

Dunn, B.P., J.J. Black, and A. Maccubbin. 1987. ³²P-postlabeling analysis of aromatic DNA adducts in fish from polluted areas. *Cancer Res.* 47:6543-6548. #1987-15

Durhan, E.J. 1992. Methods for aquatic toxicity identification evaluation Phase II: Toxicity identification procedures for samples exhibiting acute and chronic toxicity. *EPA/600/R-92/080*. #2742

Durhan, E.J., C.S. Lambricht, E.A. Makynen, J. Lazorchak, P. Hartig, V. Wilson, L. Gray, and G.T. Ankley. 2006. Identification of metabolites of trenbolone acetate in androgenic runoff from a beef feedlot. *Environ. Health Perspec.* 114:65-68. #885

Durhan, E.J., C. Lambricht, V. Wilson, B.C. Butterworth, D.W. Kuehl, E.F. Orlando, L.J. Guillette, Jr., L.E. Gray, and G.T. Ankley. 2002. Evaluation of androstenedione as an endrogenic component of river water downstream of a pulp and paper mill effluent. *Environ. Toxicol. Chem.* 21:1973-1976. #777

Durhan, E.J., M.T. Lukasewycz, and J.R. Amato. 1990. Extraction and concentration of nonpolar organic toxicants from effluents using solid phase extraction. *Environ. Toxicol. Chem.* 9:463-466. #414

Durhan, E.J., M.T. Lukasewycz, and S.E. Baker. 1993. Alternatives to methanol-water elution of solid-phase extraction columns for the fractionation of high log K_{ow} organic compounds in aqueous environmental samples. *J. Chromatog.* 629:67-74. #498

Durhan, E.J., T.J. Norberg-King, L.P. Burkhard, G.T. Ankley, M.T. Lukasewycz, M.K. Schubauer-Berigan, and J.A. Thompson. 1992. Methods for aquatic toxicity identification evaluations: Phase II toxicity identification procedures for samples exhibiting acute and chronic toxicity. *EPA/600/R-92/080*. ERL, ORD, USEPA, Duluth, MN.

Dwyer, F., D. Hardesty, C. Henke, C.G. Ingersoll, D. Whites, T. Augspurger, T. Canfield, D.R. Mount, and F.L. Mayer. 2005. Assessing contaminant sensitivity of endangered and threatened aquatic species: Part III. Effluent toxicity tests. *Arch. Environ. Contam. Toxicol.* 48:174-183. #2005-8

Dwyer, F., F.L. Mayer, L. Sappington, D. Buckler, C. Bridges, I. Greer, D. Hardesty, C. Henke, C.G. Ingersoll, J. Kunz, D. Whites, T. Augspurger, D.R. Mount, K. Hattala, and G. Neuderfer. 2005. Assessing contaminant sensitivity of endangered and threatened aquatic species: Part I. Acute toxicity of five chemicals. *Arch. Environ. Contam. Toxicol.* 48:143-154. # 2005-9

Dyer, S.D., J.R. Coats, S.P. Bradbury, G.J. Atchison, and J.M. Clark. 1989. Effects of water hardness and salinity on the acute toxicity and uptake of fenvalerate by bluegill (*Lepomis macrochirus*). *Bull. Environ. Contam. Toxicol.* 42:359-366. #1989-40

E

Eadie, B.J. and S. Lozano. 1999. Grain size distribution of the surface sediments collected during the Lake Michigan mass balance and environmental mapping and assessment programs. Tech. Memo, ERL/GLERL-111. Environmental Research Laboratories, NOAA, US Dept. of Commerce, Ann Arbor, MI. #1999-4

Eaton, J.G. 1974. Chronic cadmium toxicity to the bluegill (*Lepomis macrochirus* Rafinesque). *Trans. Am. Fish. Soc.* 103:729-735. #106

Eaton, J.G. 1973. Organophosphate and carbamate pesticides and their relation to freshwater fish and aquatic invertebrates. In: *Proceedings of the 53rd Annual Conference of Western Association of State Game and Fish Commissioners*, July 11-13, 1973, Salt Lake City, UT, pp. 472-479. #1973-21

Eaton, J.G. 1973. Recent developments in the use of laboratory bioassays to determine "safe" levels of toxicants for fish. In: *Bioassays techniques and environmental chemistry*. G.E. Glass, Ed., pp. 107-115. Ann Arbor Science, Ann Arbor, MI. #1973-18

Eaton, J.G. 1973. Chronic toxicity of a copper, cadmium, and zinc mixture to the fathead minnow (*Pimephales promelas* Rafinesque). *Water Res.* 7:1723-1736. #85

Eaton, J.G. 1970. Recommendations of the National Water Quality Laboratory on oxygen and temperature standards for the State of Virginia. National Water Quality Laboratory, Duluth, MN. #1970-21

Eaton, J.G. 1970. Stomach analyses of fourhorn, *Myoxocephalus quadricornis* (Linnaeus), and slimy, *Cottus cognatus* Richardson, sculpins from four areas along the north shore of Lake Superior. National Water Quality Laboratory, USEPA, Duluth, MN. #1970-22

Eaton, J.G. 1970. Chronic malathion toxicity to the bluegill (*Lepomis macrochirus* Rafinesque). *Water Res.* 4:673-684. #41

Eaton, J.G., J.W. Arthur, R.O. Hermanutz, R. Kiefer, L.H. Mueller, R.L. Anderson, R.J. Erickson, B.R. Nordling, J.W. Rogers, and H. Pritchard. 1985. Biological effects of continuous and intermittent dosing of outdoor experimental streams with chlorpyrifos. In: *Aquatic toxicology and hazard assessment: 8th symposium*. R.C. Bahner, D.J. Hansen, Eds., pp. 85-118. STP 891, ASTM, Philadelphia, PA. #1985-23

Eaton, J. and B. Coffin. 1978. Impacts of acidification on aquatic ecosystems. Environmental Research Laboratory, Duluth, MN. #1978-5

Eaton, J.G., J.H. McCormick, H.G. Stefan, and M. Hondzo. 1995. Extreme value analysis of a fish/temperature field database. *Ecol. Eng.* 4:289-305. #562

Eaton, J.G., J.H. McCormick, B.E. Goodno, D.G. O'Brien, H.G. Stefan, M. Hondzo, and R.M. Scheller. 1995. A field information-based system for estimating fish temperature tolerances. *Fisheries* 20:10-18. #561

Eaton, J.G., J.M. McKim, and G.W. Holcombe. 1978. Metal toxicity to embryos and larvae of seven freshwater fish species. I: Cadmium. *Bull. Environ. Contam. Toxicol.* 19:95-103. #172

Eaton, J.G., V.R. Mattson, L.H. Mueller, and D.K. Tanner. 1983. Effects of suspended clay on bioconcentration of Kelthane® in fathead minnows. *Arch. Environ. Contam. Toxicol.* 12:439-445. #259

Eaton, J.G. and R.M. Scheller. 1996. Effects of climate warming on fish thermal habitat in streams of the United States. *Limnol. Oceanog.* 41:1109-1115. #609

Eaton, J.G., W.A. Swenson, J.H. McCormick, T.D. Simonson, and K.M. Jensen. 1992. A field and laboratory investigation of acid effects on largemouth bass, rock bass, black crappie and yellow perch. *Trans. Am. Fish. Soc.* 121:644-658. #472

Echols, K.R., D.E. Tillitt, J.W. Nichols, A.L. Secord, and J.P. McCarty. 2004. Accumulation of PCB congeners in nestling tree swallows (*Tachycineta bicolor*) on the Hudson River, New York. *Environ. Sci. Technol.* 38:6240-6246. #2004-9

Edwardson, K.J., W.B. Bowden, C. Dahm, and J. Morrice. 2003. The hydraulic characteristics and geochemistry of hyporheic and parafluvial zones in Arctic tundra streams, north slope, Alaska. *Adv. Water Res.* 26:907-923. #2003-12

Effler, S.W. and M.T. Auer. 1987. Optical heterogeneity in Green Bay. *Water Res. Bull.* 2:937-941. #1987-44

Eilers, J.M., G.E. Glass, A.K. Pollack, and J.A. Sorensen. 1989. Changes in conductivity, alkalinity, calcium, and pH during a 50-year period in selected northern Wisconsin lakes. *Can. J. Fish. Aquat. Sci.* 46:1929-1944. #386

Eilers, J.M., G.E. Glass, K.E. Webster, and J.A. Rogalla. 1983. Hydrological control of lake susceptibility to acidification. *Can. J. Fish. Aquat. Sci.* 40:1896-1904. #260

Eilers, J.M., G.J. Lien, and R.G. Berg. 1984. Aquatic organisms in acidic environments: A literature review. Tech. Bull. #150, Dept. of Natural Resources, Madison, WI. #1984-13

Eisenreich, S.J., P.J. Emmling, and A.M. Beeton. 1980. Determination of atmospheric phosphorus addition to Lake Michigan. *EPA/600/3-80/063*. ERL, ORD, USEPA, Duluth, MN, Grant # R803238.

Ekman, D., D.M. Skelton, J.M. Davis, D.L. Villeneuve, J.E. Cavallin, A. Schroeder, K.M. Jensen, G.T. Ankley and T.W. Collette. 2015. Metabolite profiling of fish skin mucus: A novel approach for minimally-invasive environmental exposure monitoring and surveillance. *Environmental Science & Technology* 49 (5):3091-3100.

Ekman, D.R., G.T. Ankley, V.S. Blazer, T.W. Collette, N. Garcia-Reyero, L.R. Iwanowicz, Z.G. Jorgenson, K.E. Lee, Mazik Pat M, D.H. Miller, E.J. Perkins, E.T. Smith, J.E. Tietge, and D.L. Villeneuve. 2013. Biological effects-based tools for monitoring impacted surface waters in the Great Lakes: A multi-agency program in support of the GLRI. *Environ. Prac.* 15:409-426. #5867

Ekman, D., P. Hartig, M. Cardon, D.M. Skelton, Q. Teng, E. Durhan, K.M. Jensen, M.D. Kahl, D.L. Villeneuve, L. Gray, T. Collette, and G.T. Ankley. 2012. Metabolite profiling and a transcriptional activation assay provide direct evidence of androgen receptor antagonism by bisphenol A in fish. *Environ. Sci. Technol.* 46:9673-9680. #5626

Ekman, D., Q. Teng, K. Jensen, D. Martinovic, D. Villeneuve, G. Ankley, and T. Collette. 2007. NMR analysis of male fathead minnow urinary metabolites: A potential approach for studying impacts of chemical exposures. *Aquat. Toxicol.* 85:104-112. #4791

Ekman, D.R., Q. Teng, D.L. Villeneuve, M.D. Kahl, K.M. Jensen, E.J. Durhan, G.T. Ankley, and T.W. Collette. 2009. Profiling lipid metabolites yields unique information on sex- and time-dependent responses of fathead minnows (*Pimephales promelas*) exposed to 17 α -ethynylestradiol. *Metabolomics* 5:22-32. #5046

Ekman, D.R., Q. Teng, D.L. Villeneuve, M.D. Kahl, K.M. Jensen, E.J. Durhan, G.T. Ankley, and T.W. Collette. 2008. Investigating compensation and recovery of fathead minnow (*Pimephales promelas*) exposed to 17 α -ethynylestradiol with metabolite profiling. *Environ. Sci. Technol.* 42:4188-4194. #4928

Ekman, D.R., D.L. Villeneuve, Q. Teng, K.J. Ralston-Hooper, D. Martinovic-Weigelt, M.D. Kahl, K.M. Jensen, E.J. Durhan, E.A. Makynen, G.T. Ankley, and T.W. Collette. 2011. Use of gene expression, biochemical and metabolite profiles to enhance exposure and effects assessment of the model androgen 17 β -trenbolone in fish. *Environ. Toxicol. Chem.* 30:319-329. #5324

Ellis, B.K. and J.A. Stanford. 1988. Nutrient subsidy in montane lakes: Fluvial sediments versus volcanic ash. *Very. Infernal. Verdin. Limno.* 23:327-340. #1988-31

Ellis, B.K. and J.A. Stanford. 1988. Phosphorus bioavailability of fluvial sediments determined by algal assays. *Hydrobiologia* 160:9-18. #1988-5

Elonen, C.M., R. L. Spehar, G.W. Holcombe, R.D. Johnson, J.D. Fernandez, R.J. Erickson, J.E. Tietge, and P.M. Cook. 1998. Comparative toxicity of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin to seven freshwater fish species during early life-stage development. *Environ. Toxicol. Chem.* 17:472-483. #669

Elser, A.A. and J.C. Schreiber. 1980. Environmental effects of western coal combustion. Part I: The fishes of Rosebud Creek, Montana. *EPA/600/3-78/098*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803950.

El-Shaarawi, A.H. and D.M. Dolan. 1989. Maximum likelihood estimation of water quality concentrations from censored data. *Can. J. Fish. Aquat. Sci.* 46:1033-1039. #1989-12

Endicott D.D. 2005. 2002 Lake Michigan Mass Balance Project: Modeling total polychlorinated biphenyls using the MICHTOX model. Part 2, pp. 84-140 in R. Rossmann, Ed., MICHTOX: A mass balance and bioaccumulation model for toxic chemicals in Lake Michigan. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Grosse Ile, MI, *EPA/600/R-05/158*.

Endicott, D.D. and J.P. Connolly. 1992. Process parameterization uncertainty in models of toxics in the Great Lakes. Part 1: Process parameterization in chemical mass balance models. Prepared for the *Workshop on Reducing Uncertainty in Mass Balance Models of Toxics in the Great Lakes, February 3-5, 1992, Buffalo, NY*. #1992-26

Endicott, D.D. and P.M. Cook. 1994. Modeling the partitioning and bioaccumulation of TCDD and other hydrophobic organic chemicals in Lake Ontario. *Chemosphere* 28:75-87. #532

Endicott, D.D., T.J. Feist, G. Gerstner, and K.R. Rygwelski. 2006. Level 1 models. Part 3, pp. 183-211 in R. Rossmann, Ed., Results of the Lake Michigan Mass Balance study: PCBs modeling report. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Grosse Ile, MI, *EPA/600/R-04/167*.

Endicott, D.D., R.G. Kreis Jr., L. Mackelburg, and D. Kandt. 1998. Modeling PCB bioaccumulation by the zebra mussel (*Dreissena polymorpha*) in Saginaw Bay, Lake Huron. *J. Great Lakes Res.* 24:411-426. #1998-5

Endicott, D.D., W.L. Richardson, and D.M. DiToro. 1990. Lake Ontario TCDD modeling report. In: Lake Ontario TCDD bioaccumulation study, final report. Chapter 8. USEPA, NY State Dept. of Environ. Conserv., NY State Dept. of Health, Occidental Chem. Corp. #1990-18

Endicott, D.D., W.L. Richardson, and D.M. Di Toro. 1980. Lake Ontario TCDD modeling report. USEPA Research Laboratory, Duluth, MN. #1980-6

Endicott, D.D., W.L. Richardson, T.F. Parkerton, and D.M. DiToro. 1990. A steady state mass balance and bioaccumulation model for toxic chemicals in Lake Ontario: Report to the Lake Ontario Fate of Toxics Committee. *EPA/X-90/290*. ERL, ORD, USEPA, Duluth, MN. #1990-26

Endicott D.D., W.L. Richardson, and D.J. Kandt. 2005. 1992 MICHTOX: A mass balance and bioaccumulation model for toxic chemicals in Lake Michigan. Part 1, pp. 1-83 in R. Rossmann, Ed., MICHTOX: A mass balance and bioaccumulation model for toxic chemicals in Lake Michigan. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Grosse Ile, MI, *EPA/600/R-05/158*.

Endicott, D.D., W.L. Richardson, and D.J. Kandt. 1992. MICHTOX: A mass balance and bioaccumulation model for toxic chemicals in Lake Michigan. ERL, ORD, USEPA, Duluth, MN. #1992-29

Endicott, D.D., W.B. Richardson, and R. Rossmann. 2006. PCBs modeling overview. Part 1, Chapter 2, pp. 16-25 in R. Rossmann, Ed., Results of the Lake Michigan Mass Balance study: PCBs modeling report. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Grosse Ile, MI, *EPA/600/R-04/167*.

Endicott, D.D., M. Velleux, and K. Freeman. 1992. Development and calibration of a mass balance model for estimating the export of in-place pollutants from the lower Fox River to Green Bay. USEPA Large Lakes Research Station, ORD, USEPA, Grosse Ile, MI. #1992-27

Erickson, R.J. 2013. The biotic ligand model approach for addressing effects of exposure water chemistry on aquatic toxicity of metals: Genesis and challenges. *Environ. Tox. Chem.* 32:1212-1214. #5778

Erickson, R.J. 2012. Proposed methodology for specifying atrazine levels of concern for protection of plant communities in freshwater ecosystems. USEPA, *EPA/600/R-12/019*. #5342

Erickson, R.J. 2011. Extrapolation factors for derivation of acute aquatic life screening values: Acetylcholinesterase inhibitors. *EFED/OW Harmonization Project*, *EPA/600/X-13/002*. #5601

Erickson, R.J. 2011. Quantification of toxic effects for water concentration-based aquatic life criteria--part B. USEPA, *EPA/600/R-09/146*. #5249

Erickson, R.J. 2010. Toxicity Relationship Analysis Program (TRAP) Version 1.21. Online at: http://www.epa.gov/med/Prods_Pubs/trap.htm. #5427

Erickson, R.J. 2007. Quantification of toxic effects for water concentration-based aquatic life criteria, Part A. USEPA, Duluth, MN, *EPA/600/R-07/065*. #4716

Erickson, R.J. 2002. Toxic effect analysis model VO.03. *Help Menu*. #3949

Erickson, R.J. 1989. Report on aquatic effects models for fluctuating transient exposures. Environmental Research Laboratory, USEPA, Duluth, MN. #1989-43

Erickson, R.J. 1988. Recommendations concerning revision of the: Guidelines for deriving numerical national water quality criteria for the protection of aquatic organisms and their uses. ERL, USEPA, Duluth, MN. #1988-56

Erickson, R.J. 1985. Analysis of major ionic content of selected U.S. waters and application to experimental design for the evaluation of the effect of water chemistry on the toxicity of copper. USEPA, Environmental Research Laboratory, Duluth, MN. #1985-26

Erickson, R.J. 1985. An evaluation of mathematical models for the effects of pH and temperature on ammonia toxicity to aquatic organisms. *Water Res.* 19:1047-1058. #295

Erickson, R.J. 1985. Evaluation of a model for the prediction of the effect of fluctuating concentrations on the lethality of copper to fathead minnows. Environmental Research Laboratory, USEPA, Duluth, MN. #1985-7

Erickson, R.J., G.T. Ankley, D.L. DeFoe, P.A. Kosian, and E.A. Makynen. 1999. Additive toxicity of binary mixtures of phototoxic polycyclic aromatic hydrocarbons to the oligochaete *Lumbriculus variegatus*. *Toxicol. Appl. Pharmacol.* 154:97-105 #694

Erickson, R.J., D.A. Benoit, V.R. Mattson, H.P. Nelson Jr., and E.N. Leonard. 1996. The effects of water chemistry on the toxicity of copper to fathead minnows. *Environ. Toxicol. Chem.* 15:181-193. #610

Erickson, R.J., D.A. Benoit, and V.R. Mattson. 1987. A prototype toxicity factors model for site-specific copper water quality criteria (9/5/96 rev.). ERL, USEPA, Duluth, MN. #1987-2

Erickson, R.J., D.A. Benoit, and V.R. Mattson. 1987. Effects of physical and chemical parameters of test water on acute toxicity of copper to larval fathead minnows. Presented before the Division of Environmental Chemistry, ACS, New Orleans, LA, August 30-September 4, 1987. #1987-1

Erickson, R.J., T.D. Bills, J.R. Clark, D.J. Hansen, J. Knezoich, F.L. Mayer Jr., and A.E. McElroy. 1994. Synopsis of discussion session on physiological factors affecting toxicity. In: *Bioavailability: Physical, chemical, and biological interactions*. J.L. Hamelink, P.F. Landrum, H.L. Bergman, W.H. Benson, Eds., pp. 31-38, Lewis Publishers, Boca Raton, FL. #1994-8

Erickson, R.J., L.T. Brooke, M.D. Kahl, F. Vende Venter, S.L. Harting, T.P. Markee, and R.L. Spehar. 1998. Effects of laboratory test conditions on the toxicity of silver to aquatic organisms. *Environ. Toxicol. Chem.* 17:572-598. #672

Erickson, R.J., C.F. Kleiner, J.T. Fiandt, and T.L. Highland. 1997. Effect of acclimation period on the relationship of acute copper toxicity to water hardness for fathead minnows. *Environ. Toxicol. Chem.* 16:813-815. #643

Erickson, R.J., C. Kleiner, J. Fiandt, and T. Highland. 1991. Use of toxicity models to reduce uncertainty in aquatic hazard assessments: Effects of exposure conditions on pentachloroethane toxicity to fathead minnows. ERL, ORD, USEPA, Duluth, MN. #1991-30

Erickson, R.J., C. Kleiner, J. Fiandt, and T. Highland. 1989. Report on the feasibility of predicting the effects of fluctuating concentrations on aquatic organisms and possible application to water quality criteria. Environmental Research Laboratory, USEPA, Duluth, MN. #1989-2

Erickson, R.J. and J.M. McKim. 1990. A simple flow-limited model for exchange of organic chemicals at fish gills. *Environ. Toxicol. Chem.* 9:159-165. #416

Erickson, R.J. and J.M. McKim. 1990. A model for exchange of organic chemicals at fish gills: Flow and diffusion limitations. *Aquat. Toxicol.* 18:175-197. #415

Erickson, R.J., J.M. McKim, G.J. Lien, A.D. Hoffman, and S.L. Batterman. 2006. Uptake and elimination of ionizable organic chemicals at fish gills: Part I. Model formulation, parameterization, and behavior and Part II. Observed and predicted effects of pH, alkalinity, and chemical properties. *Environ. Toxicol. Chem.* 25:1522-1532. #887

Erickson, R.J., D.R. Mount, T.L. Highland, J.R. Hockett, and C.T. Jenson. 2011. The relative importance of waterborne and dietborne arsenic exposure on survival and growth of juvenile rainbow trout. *Aquatic Tox.* 104:108-115. #5412

Erickson, R.J., D.R. Mount, T.L. Highland, J.R. Hockett, E.N. Leonard, V.R. Mattson, T.D. Dawson, and K.G. Lott. 2010. Effects of copper, cadmium, lead, and arsenic in a live diet on juvenile fish growth. *Can. J. Fish. Aquat. Sci.* 67:1816-1826. #5262

Erickson, R.J., D.R. Mount, T.L. Highland, J.R. Hockett, E.N. Leonard, V.R. Mattson, T.D. Dawson, and K.G. Lott. 2010. Effects of copper, cadmium, lead, and arsenic in a live diet on juvenile fish growth. *Can. J. Fish. Aquat. Sci.* 67:1816-1826. #5262

Erickson, R.J., J.W. Nichols, P.M. Cook, and G.T. Ankley. 2008. Chapter 2. Bioavailability of chemical contaminants in aquatic systems. In: *The Toxicology of Fishes*, R.T. DiGiulio, D.E. Hinton, Eds., Taylor & Francis, Boca Raton, FL, pp. 9-54. #3444

Erickson, R.J. and C.E. Stephan. 1980. Calculation of the final acute value for water quality criteria for aquatic organisms. *EPA/600/3-88/018*. ERL, ORD, USEPA, Duluth, MN, (PB88-214994).

Erickson, T.R., O. Mohseni, and H.G. Stefan. 1998. Estimation of an upper bound for weekly stream temperatures. Grazing Lands Research Laboratory, Agricultural Research Service, USDA, El Reno, OK. #1998-17

Erickson, T.R., O. Mohseni, and H.G. Stefan. 1999. Required record length for a nonlinear weekly air/stream temperature regression model. Grazing Lands Research Laboratory, Agricultural Research Service, USDA, El Reno, OK. #1999-22

Erickson, T.R. and H.G. Stefan. 1996. Correlations of Oklahoma stream temperatures with air temperatures. Environmental Research Laboratory, USEPA, Duluth, MN. #1996-33

Escher, B.I., C.E. Cowan-Ellsberry, S. Dyer, M.R. Embry, S. Erhardt, M. Halder, J.-H. Kwon, K. Johanning, M.T. Oosterwijk, S. Rutishauser, H. Segner, and J. Nichols. 2011. Protein and

lipid binding parameters in rainbow trout (*Oncorhynchus mykiss*) blood and liver fractions to extrapolate from an *in vitro* metabolic degradation assay to *in vivo* bioaccumulation potential of hydrophobic organic chemicals. *Chem. Res. Toxicol.* 24:1134-1143. # 5598

Eskuri, J., T.J. Norberg-King, and L. Anderson. 1991. Toxicity evaluation of artificial wetland discharge samples. NETAC Tech. Rept. 19-91. National Effluent Toxicity Assessment Center, Mid-Continent Ecology Division, NHEERL, USEPA, Duluth, MN. #1991-27

Etterson, M.A. 2013. Hidden Markov models for estimating animal mortality from anthropogenic hazards. *Ecol. Applic.* 23:1915-1925. #5676

Etterson, M.A. 2013. Technical Manual for MCestimate. *EPA Report, EPA/600/B-13/164.* #5879

Etterson, M.A. 2013. User's Guide for MCestimate. *EPA report, EPA/600/R-13/270.* #5917

Etterson, M.A. 2011. Appendix C. Analyses of sensitivity distributions for estimation of acute hazard concentrations to aquatic animals. *EFED/OW Harmonization Project, EPA/600/R-13/004.* #5624

Etterson, M.A. 2004. Parentage in an Oklahoma population of loggerhead shrikes assessed using nuclear microsatellites. *The Condor* 106:401-404. #4111

Etterson, M.A. 2003. Conspecific attraction in loggerhead shrikes: Implications for habitat conservation and reintroduction. *Biol. Conserv.* 114:199-205. #2003-4

Etterson, M.A. 2003. An observation of singing by a female-plumaged Canada warbler. *Southeast. Natural.* 2:419-422. #4112

Etterson, M.A. and R. Bennett. 2013. Quantifying the effects of pesticide exposure on annual reproductive success of birds. *IEAM* 9:590-599. #5737

Etterson, M.A. and R.S. Bennett. 2006. On the use of published demographic data for population-level risk assessment in birds. *Hum. Ecol. Risk Assess.* 12:1074-1093. #4492

Etterson, M.A. and R.S. Bennett. 2006. The effects of uncertainty about age at transition on bias in the Mayfield family of estimators. *Ecol. Model.* 199:253-260. #4401

Etterson, M.A. and R.S. Bennett. 2005. Including transition probabilities in nest-survival estimation: a Mayfield Markov Chain. *Ecology* 86:1414-1421. #4258

Etterson, M.A., R.S. Bennett, E.L. Kershner, and J.W. Walk. 2009. Markov chain estimation of avian seasonal fecundity. *Ecol. Appl.* 19:622-630. #4878

Etterson, M.A., S.N. Ellis-Felege, D. Evers, G. Gauthier, J.A. Gryzbowski, B.J. Mattsson, L.R. Nagy, B.J. Olsen, C.M. Pease, M. Post van der Burg, and A. Potvien. 2011. Modeling fecundity in birds: Conceptual overview, current models, and considerations for future developments. *Ecol. Model.* 222:2178-2190. #5347

Etterson, M.A., J.R. Etterson, and F.J. Cuthbert. 2007. A robust new method for analyzing community change and an example using 83 years of avian response to forest succession. *Biol. Conserv.* 138:381-389. #4312

Etterson, M.A., R. Greenberg, and T.P. Hollenhorst. 2014. Landscape and regional context differentially affect nest parasitism and nest predation for Wood Thrush in central Virginia, USA. *The Condor: Ornith. Applic.* 116:205-214. #5725

Etterson, M.A. and L.R. Nagy. 2008. Is mean squared error a consistent indicator of accuracy for spatially structured demographic models? *Ecol. Model.* 211:202-208. #4517

Etterson, M.A., L.R. Nagy, and T.R. Robinson. 2007. Partitioning risk among different causes of nest failure. *The Auk* 124:432-443. #4402

Etterson, M.A., G.J. Niemi, and N.P. Danz. 2009. Estimating the effects of detection heterogeneity and overdispersion on trends estimated from avian point counts. *Ecol. Appl.* 19:2049-2066. #5157

Etterson, M.A., B. Olsen, and R. Greenberg. 2007. The analysis of covariates in multi-fate Markov chain nest failure models. *Stud. Avian Biol.* 34:55-64. #4671

Etterson, M.A. and T.R. Stanley. 2008. Incorporating classification uncertainty in competing-risks nest-failure analysis. *The Auk* 125:687-699. #4638

Ettinger, M.B. and D.I. Mount. 1967. A wild fish should be safe to eat. *Environ. Sci. Technol.* 1:203-205. #1967-5

Evans, D.L., G.J. Niemi, and M.A. Etterson. 2012. Autumn raptor banding at hawk Ridge, Duluth, Minnesota USA, 1972-2009: An overview. *J. Raptor Res.* 46:36-49. #5418

Evans, M.S. and D.C. McNaught. 1988. The effects of toxic substances on zooplankton populations: A Great Lakes perspective. In: *Toxic contaminants and ecosystem health: A Great Lakes focus*. M.S. Evans, Ed. John Wiley & Sons, Inc., New York, NY, pp. 53-76. #1988-22 F

Faber-Langendoen, D., C. Hedge, M. Kost, S. Thomas, L. Smart, R. Smyth, J. Drake, and S. Menard. 2012. Assessment of wetland ecosystem condition across landscape regions-A multi-metric approach. *NatureServe Final Report, EPA/600/R-12/21a (report), and b (protocols)*. #5645

Faber-Langendoen, D., C. Hedge, M. Kost, and A. Trebitz. 2013. Testing NatureServe's ecological integrity assessment model in Michigan and Indiana. *Region 5 Water Quality Monitoring Newsletter*. #5843

Fairbrother, A., G.T. Ankley, L.S. Birnbaum, S.P. Bradbury, B. Francis, L.E. Gray, D. Hinton, L.L. Johnson, R.E. Peterson, and G. Van Der Kraak. 1999. Reproductive and developmental toxicology of contaminants in oviparous animals. In: *Reproductive and Developmental Effects*

of *Contaminants in Oviparous Vertebrates*, R.T. Di Giulio, D.E. Tillitt, Eds., pp. 283-361. SETAC Press, Pensacola, FL. #1999-7

Fairbrother, A. and R.S. Bennett. 1999. Ecological risk assessment and the precautionary principle. *Hum. Ecol. Risk Assess.* 5:943-949. #1999-9

Fairbrother, A. and J. Fowles. 1989. Selenium immunotoxicity in mallards. Environmental Research Laboratory, USEPA, Corvallis, OR. #1989-60

Fairchild, D.J. and J.H. McCormick. 1996. Effects of temperature on hatching and development of ruffe (*Gymnocephalus cernuus*). *J. Great Lakes Res.* 22:89-94. #611

Fairchild, J., M. Ort, S. Ruessler, A. Carlson, W. Donald, and J. Hatfield. 1993. Bioavailability and toxicity of agricultural chemicals in runoff from MSEA sites: Ecological impacts on non-target aquatic organisms. In: *Agricultural research to protect water quality*. Proceedings, February 21-24, 1993, Minneapolis, MN, pp. 133-136. Soil and Water Conservation Society, Ankeny, IA. #1993-17

Fairchild, J.F., D.S. Ruessler, and A.R. Carlson. 1998. Comparative sensitivity of five species of macrophytes and six species of algae to atrazine, metribuzin, alachlor, and metolachlor. *Environ. Toxicol. Chem.* 17:1830-1834. #688

Fairchild, J.F., D.S. Ruessler, P.S. Haverland, and A.R. Carlson. 1997. Comparative sensitivity of *Selenastrum capricornutum* and *Lemna minor* to sixteen herbicides. *Arch. Environ. Contam. Toxicol.* 32:353-357. #651

Fairchild, J., S. Ruessler, M. Nelson, and P. Haverland. 1994. Bioavailability and toxicity of agricultural chemicals in runoff from MSEA sites: Potential impacts on non-target aquatic organisms: An aquatic hazard assessment of four herbicides using six species of algae and five species of aquatic macrophytes. Final rpt., IAG DW14935600-01-2, ERL, EPA, Duluth, MN. #1994-15

Fang, X. and H.G. Stefan. 1996. Development and validation of the water quality model MINLAKE96 with winter data. Environmental Research Laboratory, USEPA, Duluth, MN. #1996-32

Fang, X. and H.G. Stefan. 1994. Modeling of dissolved oxygen stratification dynamics in Minnesota lakes under different climate scenarios. Proj. Rept. 339, St. Anthony Falls Hydraulic Laboratory, UM, Minneapolis, MN; for ERL, USEPA, Duluth, MN. #1994-12

Fang, X. and H.G. Stefan. 1994. Temperature and dissolved oxygen simulations for a lake with ice cover. Environmental Research Laboratory, USEPA, Duluth, MN. #1994-29

Fang, X., H.G. Stefan, and M.B. Davis. 1993. Status of climate change effect simulations for Mirror Lake, New Hampshire. ERL, USEPA, Duluth, MN. #1993-31

Fang, X., H.G. Stefan, J.G. Eaton, J.H. McCormick, and S.R. Alam. 2004. Simulation of thermal/dissolved oxygen habitat for fishes in lakes under different climate scenarios. Part I: Cool-water fish in the contiguous US. *Ecol. Model.* 172:13-37. #813

Fang, X., H.G. Stefan, J.G. Eaton, J.H. McCormick, and S.R. Alam. 2004. Simulation of thermal/dissolved oxygen habitat for fishes in lakes under different climate scenarios. Part II: Cold-water fish in the contiguous US. *Ecol. Model.* 172:39-54. #814

Fang, X., H.G. Stefan, J.G. Eaton, J.H. McCormick, and S.R. Alam. 2004. Simulation of thermal/dissolved oxygen habitat for fishes in lakes under different climate scenarios. Part III: Warm-water fish in the contiguous US. *Ecol. Model.* 172:55-68. #815

Fay, K.A., R.T. Mingoia, I. Goeritz, D.L. Nabb, A.D. Hoffman, B.D. Ferrell, H.M. Peterson, J.W. Nichols, H. Segner, and X. Han. 2014. Intra- and inter-laboratory reliability of a cryopreserved trout hepatocyte assay for the prediction of chemical bioaccumulation potential. *Environmental Science & Technology* 48:8170-8178. 5964 007559

Fay, K.A., P.N. Fitzsimmons, A.D. Hoffman, and J.W. Nichols. 2014. Optimizing the use of rainbow trout hepatocytes for bioaccumulation assessments with fish. *Xenobiotica* 44:345-351. #5870

Fay, K.A., P.N. Fitzsimmons, A.D. Hoffman, and J.W. Nichols. 2013. Optimizing the use of rainbow trout hepatocytes for bioaccumulation assessments with fish. *Xenobiotica*. #5870

Fay, L.A., M. Gessner, P.C. Strombert, and J. Hageman. 1987. Effects of toxic substances on growth, mortality, and pathology of larval fishes in the River Raisin, Michigan. CLEAR Tech. Rept. 303. Center for Lake Erie Area Research, Ohio State University, Columbus, OH. #1987-3

Featherstone, D., C.D. Drewes, and J.R. Coats. 1991. Noninvasive detection of electrical events during the startle response in larval medaka. *J. Exp. Biol.* 158:583-589. #1991-12

Featherstone, D., C.D. Drewes, J.R. Coats, and S.P. Bradbury. 1993. A non-invasive neurotoxicity assay using larval medaka. In: *Environmental toxicology and risk assessment*, 2nd vol. J.W. Gorsuch, F.J. Dwyer, C.G. Ingersoll, T.W. La Point, Eds., pp. 275-288. ASTM STP 1216. ASTM, Philadelphia, PA. #1993-12

Feist, T.J. and K.R. Rygwelski. 2006. Comparison of model results. Part 6, pp. 544-551 in R. Rossmann, Ed., Results of the Lake Michigan Mass Balance study: PCBs modeling report. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Grosse Ile, MI. *EPA/600/R-04/167*.

Fernandez, J.D., P.M. Cook, B.C. Butterworth, and S.P. Bradbury. 1999. Temporal changes in purity and specific activity of tritium-labeled 2,3,7,8-tetrachlorodibenzo-*p*-dioxin: Radiopurity model for toxicology. *Environ. Sci. Technol.* 33:3558-3567. #722

Fernandez, J.D., J.S. Denny, and J.E. Tietge. 1998. A simple apparatus for administering 2,3,7,8-tetrachlorodibenzo-*p*-dioxin to commercially available pelletized fish food. *Environ. Toxicol. Chem.* 17:2058-2062. #686

Filkins, J.C., V.E. Smith, and S.G. Rood. 1994. Sediment sampling surveys. In: *Assessment and Remediation of Contaminated Sediments Program, Assessment Guidance Document*, pp. 33-56, Great Lakes National Prog. Office/EPA, Chicago, IL, EPA/905/B-94/002. #1994-23

Fisher, J.B., R.L. Petty, and W. Lick. 1983. Release of polychlorinated biphenyls from contaminated lake sediments: Flux and apparent diffusivities of four individual PCBs. *Environ. Poll. (Ser. B)* 5:121-132. #1983-4

Fitzsimmons, P.N., J.D. Fernandez, A.D. Hoffman, B.C. Butterworth, and J.W. Nichols. 2001. Branchial elimination of superhydrophobic organic compounds by rainbow trout (*Oncorhynchus mykiss*). *Aquat. Toxicol.* 55:23-34. #764

Fitzsimmons, P.N., G.J. Lien, and J.W. Nichols. 2007. A compilation of in vitro rate and affinity values for xenobiotic biotransformation in fish, measured under physiological conditions. *Comp. Biochem. Physiol. Part C* 145:485-506. #4679

Flexner, M.C. 1988. A diel study of the impact of water quality on larval yellow perch *Perca flavescens* (Mitchell) and other biota in the Trenton Channel of the Detroit River, 1986 (App. 0). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. R.G. Kreis Jr., Ed. USEPA, ERL, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. #1988-4

Flum, T.F. and L.J. Shannon. 1987. The effects of three related amides on microecosystem stability. *Ecotox. Environ. Safety* 13:239-252. #1987-29

Flynn, K., J. Swintek, and R. Johnson. 2013. Use of gene expression data to determine effects on gonad phenotype in Japanese medaka after exposure to trenbolone or estradiol. *Environ. Toxicol. Chem.* 32:1344-1353. # 5682

Freeman, J.A., J.V. Johnson, M.E. Hail, R.A. Yost, and D.W. Kuehl. 1990. Estimation of mutagenic/carcinogenic potential of environmental contaminants by ion-molecule reactions and tandem mass spectrometry. *Am. Soc. Mass Spectrom.* 1:110-115. #417

Freeman, J.A., J.V. Johnson, R.A. Yost, and D.W. Kuehl. 1994. Gas-phase ion-molecule reactions: A model for the determination of biologically reactive electrophilic contaminants in the environment. *Anal. Chem.* 66:1902-1910. #533

French, J.B. Jr., R.S. Bennett, and R. Rossmann. 2010. Mercury in the blood and eggs of American kestrels fed methylmercury chloride. *Environ. Toxicol. Chem.* 29:2206-2210. #5233

French, J.B., Jr., S.P. Bradbury, H. Krueger, E. McGee, and B.E. Sample. 2000. Group A discussions of endpoint selection, study design, and extrapolation. In: *Environmental Contaminants and Terrestrial Vertebrates: Effects on Populations, Communities, and*

Ecosystems. P.H. Albers, G.H. Heinz, H.M. Ohlendorf, Eds. pp. 189-201. SETAC Press, Pensacola, FL. #2000-11

Froese, K.L., D.A. Verbrugge, G.T. Ankley, G.J. Niemi, C.P. Larsen, and J.P. Giesy. 1998. Bioaccumulation of polychlorinated biphenyls from sediments to aquatic insects and tree swallow eggs and nestlings in Saginaw Bay, Michigan USA. *Environ. Toxicol. Chem.* 17:484-492. #671

Fromm, P.O. 1977. Toxic effects of water soluble pollutants on freshwater fish. *EPA/600/3-77/057*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant 801034.

Frost, T.M. and P.K. Montz. 1988. Early zooplankton response to experimental acidification in Little Rock Lake, Wisconsin, USA. *Verh. Internat. Ver. Limnol.* 23:2279-2285. #1988-58

Frumin, G.T., G.M. Chuiko, D.F. Pavlov, and O.V. Menzykova. 1992. New rapid method to evaluate the median effect concentrations of xenobiotics in hydrobionts. *Bull. Environ. Contam. Toxicol.* 49:361-367. #1992-24

Fryer, J.L., K.S. Pilcher, J.E. Sanders, J.S. Rohovec, J.L. Zinn, W.J. Groberg, and R.H. McCoy. 1976. Temperature, infectious diseases, and the immune response in salmonid fish. *EPA/600/3-76/021*. ERL, ORD, USEPA, Duluth, MN, Grant R800171.

Furlong, E.T., D.S. Carter, and R.A. Hites. 1988. Organic contaminant measurements in Detroit River sediments (App. E). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. R.G. Kreis Jr., Ed., USEPA, ERL, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. #1988-4

Furlong, E.T., D.S. Carter, and R.A. Hites. 1988. Organic contaminants in sediments from the Trenton Channel of the Detroit River, Michigan. *J. Great Lakes Res.* 14:489-501. #1988-9

G

Gailani, J., W. Lick, C.K. Ziegler, and D. Endicott. 1996. Development and calibration of a fine-grained sediment transport model for the Buffalo River. *J. Great Lakes Res.* 22:765-778. #1996-8

Gao, S. and H.G. Stefan. 1998. Observed and simulated ice characteristics of five freshwater lakes and extrapolation to a projected 2xCO₂ climate scenario. ORD, USEPA, Washington, DC and ERL, ORD, Mid-Continent Ecology Division, USEPA, Duluth, MN. #1998-16

Garcia-Reyero, N., K.J. Kroll, L. Liu, E.F. Orlando, K.H. Watanabe, M.S. Sepulveda, D.L. Villeneuve, E.J. Perkins, G.T. Ankley, and N.D. Denslow. 2009. Gene expression responses in male fathead minnows exposed to binary mixtures of an estrogen and antiestrogen. *BMC Genomics*, doi:10.186/1471-2164-10-308. #5201

Garcia-Reyero, N., D.L. Villeneuve, K.J. Kroll, L. Liu, E. Orlando, K. Watanabe, M. Sepúlveda, G.T. Ankley, and N.D. Denslow. 2009. Expression signatures for a model androgen and antiandrogen in the fathead minnow (*Pimephales promelas*) ovary. *Environ. Sci. Technol.* 43:2614-2619. #5040

Gast, M.H. and W.A. Brungs. 1973. A procedure for separating eggs of the fathead minnows. *Prog. Fish-Cult.* 35:54. #86

Geckler, J.R., W.B. Horning, T.M. Neiheisel, Q.H. Pickering, E.L. Robinson, and C.E. Stephan. 1976. Validity of laboratory tests for predicting copper toxicity in streams. *EPA/600/3-76/116*. Environmental Research Laboratory, USEPA, Duluth, MN. #1976-9

Gensemer, R.W., R.B. Naddy, W.A. Stubblefield, J.R. Hockett, R. Santore, and P. Paquin. 2002. Evaluating the role of ion composition on the toxicity of copper to *Ceriodaphnia dubia* in very hard waters. *Comp. Biochem. Physiol. Part C* 133:87-97. #2002-9

Genthner, F.J., M.A. Lewis, J.A. Nestlerode, C.M. Elonen, C.A. Chancy, A. Teague, M.C. Harwell, M.F. Moffett, and B.H. Hill. 2013. Relationships among habitat quality and measured condition variables in Gulf of Mexico mangroves. *Wetlands Ecol. Manage.* 21:173-191. #5829

Gerhart, E.H., R.J. Liukkonen, R.M. Carlson, G.N. Stokes, M.T. Lukasewycz, and A.R. Oyler. 1981. Histological effects and bioaccumulation potential of coal particulate-bound phenanthrene in the fathead minnow *Pimephales promelas*. *Environ. Pollut. Ser. A* 25:165-180. #220

Gerhart, D.Z., J.E. Richter, S.J. Curran, and T.E. Robertson. 1980. Algal bioassays with leachates and distillates from western coal. *EPA/600/3-80/051*. ERL, ORD, USEPA, Duluth, MN, Grant R803932.

Gerloff, G.C. and G.P. Fitzgerald. 1976. The nutrition of Great Lakes *Cladophora*. *EPA/600/3-76/044*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R802464.

Gessner, M. and W. Richardson. 1984. A framework for modeling fate and effects of toxic substances in Monroe Harbor, Michigan. *EPA/734/R-08/001*. #5658

Giesy, J.P., R.L. Graney, J.L. Newsted, and C.J. Rosiu. 1989. Toxicity of sediments in the Detroit River, Michigan: 1986. Environmental Research Laboratory, Duluth, MN. #1989-49

Giesy, J.P., R.L. Graney, J.L. Newsted, C.J. Rosiu, and A. Benda. 1988. A comparison of three sediment bioassay methods for Detroit River sediments (App. J). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. R.G. Kreis Jr., Ed. USEPA, ERL, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. #1988-4

Giesy, J.P., R.L. Graney, J.L. Newsted, C.J. Rosiu, A. Benda, R.G. Kreis Jr., and F.J. Horvath. 1988. Comparison of three sediment bioassay methods using Detroit River sediments. *Environ. Toxicol. Chem.* 7:483-498. #1988-25

Giesy, J.P. and R.A. Hoke. 1989. Freshwater sediment toxicity bioassessment: Rationale for species selection and test design. *J. Great Lakes Res.* 15:539-569. #1989-9

Giesy, J.P., C.J. Rosiu, and R.L. Graney. 1990. Benthic invertebrate bioassays with toxic sediment and pore water. *Environ. Toxicol. Chem.* 9:233-248. #1990-6

Giesy, J.P., C.J. Rosiu, R.L. Graney, J.L. Newsted, and A. Benda. 1988. Detroit River sediment toxicity (App. I). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. R.G. Kreis Jr., Ed. USEPA, ERL, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. #1988-4

Giesy, J.P., C.J. Rosiu, R.L. Graney, J.L. Newsted, A. Benda, R.G. Kreis, Jr., and F.J. Horvath. 1988. Toxicity of Detroit River sediment interstitial water to the bacterium *Photobacterium phosphoreum*. *J. Great Lakes Res.* 14:502-513. #1988-26

Gingerich, W.H. and L.J. Weber. 1979. Assessment of clinical procedures to evaluate liver intoxication in fish. *EPA/600/3-79/088*. ERL, ORD, USEPA, Duluth, MN, Grant R803090.

Glass, G.E. 1990. Assessing municipal impacts on a Lake Superior estuary. In: *Making a Great Lake Superior*. J. Vander Wal and P.D. Watts, Eds. pp. 201-217. Occ. Paper 9, Lakehead University Centre for Northern Studies, Thunder Bay, ON. #1990-14

Glass, G.E. 1978. Ecological effects of coal-fired steam-electric generating stations. In: *EPA/600/9-78/022. Decision series: Energy Environment III*. ORD, USEPA, Washington, DC. pp.121-149. #1978-16

Glass, G.E. 1977. Identification and distribution of inorganic components in water: What to measure? *Ann. N.Y. Acad. Sci.* 298:31-46. #148

Glass, G.E. 1977. Organic contaminants. In: *The waters of Lake Huron and Lake Superior, vol. II (part B): Lake Huron, Georgian Bay, and the North Channel*. G.E. Glass, W.M.I. Strachan, W.A. Willford, F.A.I. Armstrong, K.L.E. Kaiser, A. Lutz, Eds., pp. 577-590; 667-670. International Joint Commission, Windsor, ON. #1977-9

Glass, G.E. 1973. Analysis and laboratory experiments with taconite tailings report. Data report. National Water Quality Laboratory, USEPA, Duluth, MN. #1973-9

Glass, G.E. 1973. Residue analysis of Lake Superior sculpins. National Water Quality Laboratory, USEPA, Duluth, MN. #1973-8

Glass, G.E. 1973. A study of western Lake Superior: Surface sediments, interstitial water and exchange of dissolved components across the water-sediment interface. National Water Quality Laboratory, USEPA, Duluth, MN. #1973-7

Glass, G.E. 1970. The dissolution of taconite tailings in Lake Superior. National Water Quality Laboratory, Federal Water Quality Administration, Duluth, MN. #1970-3

Glass, G.E. and T.G. Brydges. 1982. Problem complexity in predicting impacts from altered precipitation chemistry. In: *Acid Rain/Fisheries*, R.E. Johnson, Ed., pp. 265-286, American Fisheries Society, Bethesda, MD. #1982-24

Glass, N.R., G.E. Glass, and P.J. Rennie. 1980. Effects of acid precipitation in North America. *Environ. Int.* 4:443-452. #202

Glass, N.R., G.E. Glass, and P.J. Rennie. 1979. Effects of acid precipitation. *Environ. Sci. Technol.* 13:1350-1355. #1979-6

Glass, G.E., E.N. Leonard, W.H. Chan, and D.B. Orr. 1986. Airborne mercury in precipitation in the Lake Superior region. *J. Great Lakes Res.* 12:37-51. #316

Glass, G.E. and O.L. Loucks. 1986. Implications of a gradient in acid and ion deposition across the northern Great Lakes states. *Environ. Sci. Technol.* 20:35-43. #317

Glass, G.E. and O.L. Loucks, Eds. 1980. Impacts of airborne pollutants on wilderness areas along the Minnesota-Ontario border. *EPA/600/3-80/044*. ERL, ORD, USEPA, Duluth, MN.

Glass, G.E. and J.E. Poldoski. 1975. Interstitial water components and exchange across the water sediment interface of western Lake Superior. *Int. Ver. Theor. Angew.-Limno. Very.* 19:405-420. #118

Glass, G.E. and J.E. Poldoski. 1974. Interstitial water components and exchange across the water sediment interface of western Lake Superior. Presented at *XIX Congress, International Association of Limnology, Winnipeg, Canada, August 22-29, 1974*. #1974-2

Glass G.E. and J. A. Sorensen. 1999. Six-year trend (1990-1995) of wet mercury deposition in the Upper Midwest, U.S.A. *Environ. Sci. Technol.* 33:3303-3312. #719

Glass, G.E., J.A. Sorensen, B.W. Liukkonen, G.R. Rapp Jr., and O.L. Loucks. 1986. Ionic composition of acid lakes in relation to airborne inputs and watershed characteristics. *Water Air Soil Pollut.* 31:1-15. #318

Glass, G.E., J.A. Sorensen, and G.R. Rapp Jr. 2001. Methylmercury bioaccumulation dependence on northern pike age and size in 20 Minnesota lakes. In: *Persistent, Bioaccumulative, and Toxic Chemicals I: Fate and exposure*. R.L. Lipnick, J.L.M. Hermens, K.C. Jones, D.C.G. Muir, Eds., pp.150-163, ACS, Washington, DC. #2001-1

Glass, G.E., J.A. Sorensen, and G.R. Rapp Jr. 1992. Mercury sources and distribution in Minnesota's aquatic resources: Precipitation, surface water, sediments, plants, plankton, and fish. Executive summary. In: *Mercury in the St. Louis River, Mississippi River, Crane Lake, and Sand Point Lake: Cycling, distribution, and sources*, pp.1-6. Rpt. to Legislative Comm. on MN Resources, Water Quality Division, MPCA, St. Paul, MN. #1992-15

Glass, G.E., J.A. Sorensen, G.R. Rapp Jr., M. Balcer, and L. Schwarzkopf. 1999. Mercury subsurface maxima in sediments: A diagnostic for anthropogenic origins. In: *Mercury contaminated sites: characterization, risk assessment, and remediation*. R. Ebinghaus, et al., Eds., pp. 467-485. Springer-Verlag, Berlin, Heidelberg. #1999-1

Glass, G.E., J.A. Sorensen, K.W. Schmidt, J.K. Huber, and G.R. Rapp Jr. 1992. Mercury sources and distribution in Minnesota's aquatic resources: Surface water, sediments, plants, plankton and fish. In: *Mercury in the St. Louis River, Mississippi River, Crane Lake, and Sand Point Lake: Cycling, distribution, and sources*, pp. 3.1-3.48. Rpt. To Legislative Comm. on MN Resources, Water Quality Division, MPCA, St. Paul, MN. #1992-16

Glass, G.E., J.A. Sorensen, K.W. Schmidt, and G.R. Rapp Jr. 1990. New source identification of mercury contamination in the Great Lakes. *Environ. Sci. Technol.* 24:1059-1069. #418

Glass, G.E., J.A. Sorensen, K.W. Schmidt, G.R. Rapp Jr., D. Yap, and D. Fraser. 1992. Mercury sources and distribution in Minnesota's aquatic resources: Deposition. In: *Mercury in the St. Louis River, Mississippi River, Crane Lake, and Sand Point Lake: Cycling, distribution, and sources*, pp. 4.1-4.23+. Rpt. to Legislative Comm. on MN Resources, Water Quality Division, MPCA, St. Paul, MN. #1992-17

Glass, G.E., J.A. Sorensen, K.W. Schmidt, G.R. Rapp Jr., D. Yap, and D. Fraser. 1991. Mercury deposition and sources from the upper Great Lakes region. *Water Air Soil Pollut.* 56:235-249. #450

Glass, G.E., W.M.I. Strachan, W.A. Willford, F.A.I. Armstrong, K.L.E. Kaiser, and A. Lutz. 1977. Organic contaminants. In: *The waters of Lake Huron and Lake Superior, vol. III (part B): Lake Superior*. M.P. Bratzel Jr., M.E. Thompson, R.J. Bowden, Eds., pp. 417-429; 499-502. International Joint Commission, Windsor, ON. #1977-8

Goettl, J.P. Jr. and J.W. Edde. 1980. Fish distribution in Trout Creek, Colorado, 1975-1976. *EPA/600/3-80/070*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (Environmental effects of western coal surface mining. Part VIII): Grant R803950.

Goettl, J.P. Jr. and J.W. Edde. 1978. Environmental effects of oil shale mining and processing. Part I--Fishes of Piceance Creek, Colorado, prior to oil shale processing. *EPA/600/3-78/096*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803950.

Goodfellow, W.L., L.W. Ausley, D.T. Burton, D.L. Denton, P.B. Dorn, D.R. Grothe, M.A. Heber, T.J. Norberg-King, and J.H. Rodgers Jr. 2000. Major ion toxicity in effluents: A review with permitting recommendations. *Environ. Toxicol. Chem.* 19:175-182. #2000-15

Goran, D. and P. Kosian. 1983. Influence of diet and body lipids on the bioconcentration of endrin from water in the fathead minnow (*Pimephales promelas*). EPA/600/3-83/077. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, PB83254300: Grant CR806860.

Gore, J.A., J.R. Kelly, and J.D. Yount. 1990. Application of ecological theory to determining recovery potential of disturbed lotic ecosystems: Research needs and priorities. *Environ. Manage.* 14:755-762. #419

Gorski, P.R., L.B. Cleckner, J.P. Hurley, M.E. Sierszen, and D.E. Armstrong. 2003. Factors affecting enhanced mercury bioaccumulation in inland lakes of Isle Royale National Park, USA. *Science Total Environ.* 304:327-348. #2003-3

Gray, J.L., V. Wilson, T. Stoker, C. Lambright, J. Furr, N. Noriega, K. Howdeshell, G.T. Ankley, and L. Guillette. 2006. Adverse effects of environmental antiandrogens and androgens on reproductive development in mammals. *Intl. J. Androl.* 29:96-104. #2006-4

Gray, L.E. Jr., J. Ostby, V. Wilson, C. Lambright, K. Bobseine, P. Hartig, A. Hotchkiss, C. Wolf, J. Furr, M. Price, L. Parks, R.L. Cooper, T.E. Stoker, S.C. Laws, S.J. Degitz, K.M. Jensen, M.D. Kahl, J.J. Korte, E.A. Makynen, J.E. Tietge, and G.T. Ankley. 2002. Xenoendocrine disruptors-tiered screening and testing filling key data gaps. *Toxicology* 181-182: 371-382. #780

Gray, L.J. and J.V. Ward. 1978. Environmental effects of oil shale mining and processing. Part II--The aquatic macroinvertebrates of the Piceance basin, Colorado, prior to oil shale processing. EPA/600/3-78/097. ERL, ORD, USEPA, Duluth, MN, Grant R803950.

Great Lakes Laboratory, State University College. 1980. Lake Erie nutrient control: Effectiveness regarding assessment in eastern basin. EPA/600/3-80/067. ERL, ORD, USEPA, Duluth, MN, Grant R802706.

Gray, L.E. Jr., V. Wilson, T. Stoker, C. Lambright, J. Furr, N. Noriega, P. Hartig, M. Cardon, M. Rosen, G. Ankley, A. Hotchkiss, E.F. Orlando, L.J. Guillette, and W.R. Kelce. 2004. Environmental androgens and antiandrogens: An expanding chemical universe. In: *Endocrine Disruptors: Effects on Male and Female Reproductive Systems*, R.K. Naz, Ed., pp. 313-343, CRC Press, Boca Raton, FL. #2004-11

Great Lakes Laboratory. 1976. An investigation of the nearshore region of Lake Ontario IFYGL. EPA/600/3-76/115. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R800701.

Green, J.C., C.D. Grant, and B.A. Neubert. 1974. Bibliography of water, land and socioeconomic information. Lake Superior Basin Studies Center, UM, Duluth, MN. #1974-4

Greenberg, E. and C.J. Watras. 1989. Field evaluation of a micro-extraction technique for measuring chlorophyll in lakewater without filtration. *Hydrobiologia* 173:193-197. #1989-28

Greenberg, M., S. Ells, and L. Burkhard. 2008. SAMS #1: Using fish tissue data to monitor remedy effectiveness. USEPA, OSRTI/ORD, EPA/600/X-07/014. #4801

Greenberg, R., M.A. Etterson, and R.M. Danner. 2013. Seasonal dimorphism in the horny bills of sparrows. *Ecol. Evol.* 3:389-398. #5724

Greenberg, R., B.J. Olsen, and M.A. Etterson. 2010. Patterns of seasonal abundance and social segregation in inland and coastal plain swamp sparrows in a Delaware tidal marsh. *The Condor* 112:159-167. #5238

Griesmer, D.A. 2006. Congener pattern matching of data collected for the Lake Michigan Mass Balance Project. Part 1, Chapter 6, pp. 93-109 in R. Rossmann, Ed., *Results of the Lake Michigan Mass Balance study: PCBs modeling report*. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Grosse Ile, MI, EPA/600/R-04/167. #4345g

Griesmer, D.A. 2006. Information management. Part 1, Chapter 3, pp. 26-54 in R. Rossmann, Ed., *Results of the Lake Michigan Mass Balance study: PCBs modeling report*. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Grosse Ile, MI, EPA/600/R-04/167. #4345f

Griffith, M.B., B.H. Hill, A.T. Herlihy and P.R. Kaufmann. 2002. Multivariate analysis of periphyton assemblages in relation to environmental gradients in Colorado Rocky Mountain streams. *J. Phycology* 38:83-95. #4769

Griffith, M.B., P. Husby, R.K. Hall, P.R. Kaufmann and B.H. Hill. 2003. Analysis of macroinvertebrate assemblages in relation to environmental gradients among lotic habitats of California's Central Valley. *Environ. Mon. Assess.* 82:281-309. #4768

Griffith, M.B., P.R. Kaufmann, A.T. Herlihy and B.H. Hill. 2000. Analysis of macroinvertebrate assemblages in relation to environmental gradients in Rocky Mountain streams. *Ecol. Appl.* 11:489-505. #4717

Grigorovich, I.A., T.R. Angradi, E.B. Emery, and M.S. Wooten. 2008. Invasion of the Upper Mississippi River system by saltwater amphipods. *Fund. Applied Limn.* 173:67-77. #4890

Grigorovich, I.A., T.R. Angradi, and C.A. Stepien. 2008. Occurrence of the quagga mussel (*Dreissena bugensis*) and the zebra mussel (*Dreissena polymorpha*) in the upper Mississippi River System. *J. Fresh. Ecol.* 23:429-435. #4916

Grigorovich, I.A., J.R. Kelly, J. Darling, and C.W. West. 2008. The quagga mussel invades the Lake Superior basin. *J. Great Lakes Res.* 32:342-350. #4885

Grim, C.K., M. Wolfe, T. Braunbeck, T. Iguchi, Y. Ohta, O. Tooi, L. Touart, D.C. Wolf, and J.E. Tietge. 2009. Thyroid histopathology assessments for the amphibian metamorphosis assay to detect thyroid-active substances. *Toxicol. Path.* 37:415-424. #5170

Gueldner, D.R., A. Pilli, J.L. Crane, and D.J. Sivertson. 1984 CETIS: Complex Effluents Toxicity Information System: CETIS retrieval system user's manual. EPA/600/8-84/030. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, CR 807240.

Guiney, P.D., P.M. Cook, J.M. Casselman, J.D. Fitzsimmons, H.A. Simonin, E.W. Zabel, and R. E. Peterson. 1996. Assessment of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin induced sac fry mortality in lake trout (*Salvelinus namaycush*) from different regions of the Great Lakes. *Can. J. Fish. Aquat. Sci.* 53:2080-2092 #637

Gulliver, J.S. and H.G. Stefan. 1984. Stream productivity analysis with DORM-I: development of computational model. *Water Res.* 18:1569-1576. #1984-20

Gulliver, J.S. and H.G. Stefan. 1984. Stream productivity analysis with DORM-II: parameter estimation and sensitivity. *Water Res.* 18:1577-1588. #1984-21

Gulliver, J.S. and H.G. Stefan. 1984. Stream productivity analysis with DORM-III: productivity of experimental streams. *Water Res.* 18:1589-1595. #1984-22

Gurka, D.F., R. Titus, K. Robins, A. Wong, C.J. Wurrey, J.R. Durig, Z. Shen, and L.P. Burkhard. 1996. Environmental analysis by *ab initio* quantum mechanical computation and gas chromatography/Fourier transform infrared spectrometry. *Anal. Chem.* 68:4221-4227. #638

H

Hagley, C.A. and D.L. Taylor. 1991. An approach for evaluating numeric water quality criteria for wetlands protection. Submitted to USEPA Research Laboratory, Duluth, MN by ASCI Corporation, Duluth, MN. #1991-1

Hahn, M.G., J.S. Gulliver, and H.G. Stefan. 1978. Physical characteristics of the experimental field channels at the USEPA Ecological Research Station in Monticello, MN. Submitted to USEPA Research Laboratory, Duluth, MN by St. Anthony Falls Hydraulic Lab., UM. #1978-2

Hale, J.G. 1970. Culture of lake herring in the laboratory. *Prog. Fish-Cult.* 32:217-221. #42

Hale, J.G. 1970. White sucker spawning and culture of the young in the laboratory. *Prog. Fish-Cult.* 32:169. #43

Hale, J.G. 1968. Observations on brook trout, *Salvelinus fontinalis* spawning in 10-gallon aquaria. *Trans. Am. Fish. Soc.* 97:299-300. #17

Hale, J.G. and A.R. Carlson. 1972. Culture of the yellow perch in the laboratory. *Prog. Fish-Cult.* 34:195-198. #67

Hale, J.G. and D.A. Hilden. 1970. The influence of flow on the spawning of brook trout in the laboratory. *Trans. Am. Fish. Soc.* 99:595-597. #44

Hale, J.G. and D.A. Hilden. 1969. Spawning and some aspects of early life history of brook trout, *Salvelinus fontinalis* (Mitchill), in the laboratory. *Trans. Am. Fish. Soc.* 98:473-477. #27

Hall, R.J., C.T. Driscoll, and G.E. Likens. 1987. Importance of hydrogen ions and aluminum in regulating the structure and function of stream ecosystems: An experimental test. *Fresh. Biol.* 18:17-43. #1987-28

Hall, L.H. and L.B. Kier. 1989. Estimation of environmental and toxicological properties: Approach and methodology. *Environ. Toxicol. Chem.* 8:19-24. #1989-25

Hall, L.H. and L.B. Kier. 1986. Structure-activity relationship studies on the toxicities of benzene derivatives: II. An analysis of benzene substituent effects on toxicity. *Environ. Toxicol. Chem.* 5:333-337. #1986-23

Hall, L.H. and L.B. Kier. 1986. A molecular connectivity study of phenols and their toxicity to fish. In: *QSAR Phenolic Tox.*, pp. 53-59. #1986-21

Hall, L.H. and L.B. Kier. 1984. Molecular connectivity of phenols and their toxicity to fish. *Bull. Environ. Contam. Toxicol.* 32:354-362. #1984-9

Hall, L.H., L.B. Kier, and G.L. Phipps. 1984. Structure-activity relationship studies on the toxicities of benzene derivatives: I. An additivity model. *Environ. Toxicol. Chem.* 3:355-365. #275

Hall, L.H., E.L. Maynard, and L.B. Kier. 1989. QSAR investigation of benzene toxicity to fathead minnow using molecular connectivity. *Environ. Toxicol. Chem.* 8:783-788. #1989-23

Hall, L.H., E.L. Maynard, and L.B. Kier. 1989. Structure-activity relationship studies on the toxicities of benzene derivatives: III. Predictions and extension to new substituents. *Environ. Toxicol. Chem.* 8:431-436. #1989-24

Hall, R.J. and G.E. Likens. 1982. Experimental acidification of a stream tributary to Hubbard Brook. Proj. Sum., Coop. Agree. CR807104. Submitted to USEPA Research Laboratory, Duluth, MN by Cornell University, Ithaca, NY. #1982-1

Hall, R.J. and G.E. Likens. 1981. Chemical flux in an acid-stressed stream. *Nature* 292:329-331. #1981-10

Hall, R.J. and G.E. Likens. 1980. Ecological effects of experimental acidification on a stream ecosystem. In: *Ecological impact of acid precipitation*. D. Drablos, A. Tollan, Eds., SNSF Project, Oslo, pp. 375-376. #1980-11

Hall, R.J., G.E. Likens, S.B. Fiancé, and G.R. Hendrey. 1980. Experimental acidification of a stream in the Hubbard Brook Experimental Forest, New Hampshire. *Ecology* 61:976-989. #1980-10

Halligan, B.J. and J.G. Eaton. 1978. Survival and reproduction of *Gammarus lacustris* and *G. pseudolimnaeus* under two experimental conditions. *Prog. Fish-Cult.* 40:59-62. #173

Hamilton, M.A., R.C. Russo, and R.V. Thurston. 1977. Trimmed Spearman-Kärber method for estimating median lethal concentrations in toxicity bioassays. *Environ. Sci. Technol.* 11:714-719. #1977-2

Hammermeister, D.E., J. Serrano, P. Schmieder, and D.W. Kuehl. 2000. Characterization of dansylated glutathione, glutathione disulfide, cysteine and cystine by narrow bore liquid chromatography/electrospray ionization mass spectrometry. *Rap. Comm. Mass Spec.* 14:503-508. #3547

Hanratty, M.P. 1997. Sensitivity analysis of the soil and water assessment tool (SWAT) for simulation of climate change effects. Grazing Lands Research Laboratory, Agricultural Research Service, USDA, El Reno, OK. #1997-18

Hanratty, M.P. and F.S. Stay. 1994. Field evaluation of the Littoral Ecosystem Risk Assessment Model's prediction of the effects of chlorpyrifos. *J. Appl. Ecol.* 31:439-453. #534

Hansch, C., J.P. Bjorkroth, and A. Leo. 1987. Hydrophobicity and central nervous system agents: On the principle of minimal hydrophobicity in drug design. *J. Pharm. Sci.* 76:663-687. #1987-13

Hansch, C., D. Kim, A.J. Leo, E. Novellino, C. Silipo, and A. Vittoria. 1989. Toward a quantitative comparative toxicology of organic compounds. *CRC Crit. Rev. Toxicol.* 19:185-225. #1989-17

Hansen, D.J., W.J. Berry, J.D. Mahony, W.S. Boothman, D.M. Di Toro, D.L. Robson, G.T. Ankley, D. Ma, Q. Yan, and C. E. Pesch. 1996. Predicting the toxicity of metal-contaminated field sediments using interstitial concentration of metals and acid-volatile sulfide normalizations. *Environ. Toxicol. Chem.* 15:2080-2094. #612

Hansen, D.J., W.J. Berry, and C.E. Stephan. 1989. Internal report on the relative acute sensitivities of benthic and water-column species. *EPA/600/x-89/132*. Environmental Research Laboratory, USEPA, Duluth, MN. #1989-48

Hargis, J.R. 1984. Seasonal primary production and plankton dynamics in the St. Louis River and harbor. In: *Chemical and biological studies related to the water quality of St. Louis Bay of Lake Superior*. A.R. Carlson, N.A. Thomas, Eds., pp. 73-92, *EPA/600/3-84/064*, Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1984-15

Haring, H.J., K.A. Blocksom, M.E. Smith, T.R. Angradi, M.C. Wratschko, B. Armstrong, D.W. Bolgrien, and J.M. Lazorchak. 2010. Sediment toxicity in mid-continent great rivers (USA). *Arch. Environ. Contam. Toxicol.* 60:57-67. #5381

Haselman, J.T., A.W. Olmstead and S.J. Degitz. 2015. Global gene expression during early differentiation of *Xenopus (Silurana) tropicalis* gonad tissues. *General and Comparative Endocrinology* 214:103-113.

Harris, H.J., T.C. Erdman, G.T. Ankley, and K.B. Lodge. 1993. Measures of reproductive success and polychlorinated biphenyl residues in eggs and chicks of Forster's terns on Green Bay, Lake Michigan, Wisconsin--1988. *Arch. Environ. Contam. Toxicol.* 25:304-314. #499

Hassan, S.M., A.W. Garrison, H.E. Allen, D.M. Di Toro, and G.T. Ankley. 1996. Estimation of partition coefficients for five trace metals in sandy sediments and application to sediment quality criteria. *Environ. Toxicol. Chem.* 15:2198-2208. #613

Havel, J., K.A. Medley, K.D. Dickerson, T.R. Angradi, D.W. Bolgrien, P.A. Bukaveckas, and T.M. Jicha. 2009. Effect of main-stem dams on zooplankton communities of the Missouri River (USA). *Hydrobiologia* 628:121-135. #5167

Hecker, M., M.B. Murphy, K.K. Coady, D.L. Villeneuve, P.D. Jones, J.A. Carr, K.R. Solomon, E.E. Smith, G. Van der Kraak, T. Gross, L. Du Preez, R.J. Kendall, and J.P. Giesy. 2006. Terminology of gonadal anomalies in fish and amphibians resulting from chemical exposures. *Rev. Environ. Contam. Toxicol.* 187:103-131. #891

Hedtke, S.F. 1984. Structure and function of copper-stressed aquatic microcosms. *Aquat. Toxicol.* 5:227-244. #276

Hedtke, S.F. and J.W. Arthur. 1985. Evaluation of a site-specific water quality criterion for pentachlorophenol using outdoor experimental streams. In: *Aquatic toxicology and hazard assessment: 7th symposium*. Cardwell, Purdy, Bahner, Eds., pp. 551-564. ASTM STP 854. ASTM, Philadelphia, PA. #1985-21

Hedtke, S.F. and F.A. Puglisi. 1982. Short-term toxicity of five oils to four freshwater species. *Arch. Environ. Contam. Toxicol.* 11:425-430. #241

Hedtke, S.F. and F.A. Puglisi. 1980. Effects of waste oil on the survival and reproduction of the American flagfish, *Jordanella floridae*. *Can. J. Fish. Aquat. Sci.* 37:757-764. #203

Hedtke, S.F., C.W. West, K.N. Allen, T.J. Norberg-King, and D.I. Mount. 1986. Toxicity of pentachlorophenol to aquatic organisms under naturally varying and controlled environmental conditions. *Environ. Toxicol. Chem.* 5:531-542. #319

Heidtke, T.M., M.T. Auer, and R.P. Canale. 1986. Microcomputers and water quality models: Access for decision makers. *J. Water Poll. Control Fed.* 58:960-966. #1986-26

Heinis, L.J., T.L. Highland, and D.R. Mount. 2004. Method for testing the aquatic toxicity of sediment extracts for use in identifying organic toxicants in sediments. *Environ. Sci. Technol.* 38: 6256-6262. #841

Heinis, L.J. and M.L. Knuth. 1992. The mixing, distribution and persistence of esfenvalerate within littoral enclosures. *Environ. Toxicol. Chem.* 11:11-25. #473

Heinis, L.J., M.L. Knuth, K. Liber, B.R. Sheedy, R.L. Tunell, and G.T. Ankley. 1999. Persistence and distribution of 4-nonylphenol following repeated application to littoral enclosures. *Environ. Toxicol. Chem.* 18:363-375. #701

Heinis, L.J. and J.A. Rogalla. 1985. Documentation of the ERLD-UMD Acid Rain Data Base III: Methodology and quality assurance summary for the laboratory analysis of conductivity, pH, alkalinity, color, turbidity and acidity of surface and ground waters of northern Minnesota, Wisconsin, Michigan and southwestern Ontario. ERL, USEPA, Duluth, MN. #1985-6

Heinrich, J., W. Lick, and J. Paul. 1981. Temperatures and currents in a stratified lake: A two-dimensional analysis. *J. Great Lakes Res.* 7:264-275. #1981-14

Helbing, C.C., C.M. Bailey, L. Ji, M. Gunderson, F. Zhang, N. Veldhoen, R.C. Skirrow, R. Mu, M. Lesperance, G.W. Holcombe, P.A. Kosian, J.E. Tietge, J.J. Korte, and S.J. Degitz. 2007. Identification of gene expression indicators for thyroid axis disruption in a *Xenopus laevis* metamorphosis screening assay. Part 1. Effects on the brain. *Aquat. Toxicol.* 82:222-241. #4687

Helbing, C.C., L. Ji, C.M. Bailey, N. Veldhoen, F. Zhang, G.W. Holcombe, P.A. Kosian, J.E. Tietge, J.J. Korte, and S.J. Degitz. 2007. Identification of gene expression indicators for thyroid axis disruption in a *Xenopus laevis* metamorphosis screening assay. Part 2. Effects on the tail and hindlimb. *Aquat. Toxicol.* 82:215-226. #4689

Helgen, J.C., N.J. Larson, and R.L. Anderson. 1988. Responses of zooplankton and *Chaoborus* to temephos in a natural pond and in the laboratory. *Arch. Environ. Contam. Toxicol.* 17:459-471. #363

Helmy, M., A.E. Lemke, P.G. Jacob, and B.L. Oostdam. 1978. Effects of some trace elements on the blood of Kuwait mullets, *Liza macrolepis* (Smith). *J. Exp. Mar. Biol. Ecol.* 34:151-161. #174

Henneman, H.E. and H.G. Stefan. 1997. Measurements and models of snow and ice albedo on a lake: Reports from the 1996 to 1997 Ryan Lake winter field studies. ERL/USEPA/Duluth, MN, #1997-17

Henry, T.R. and S.P. Bradbury. 1999. Fish tissue residue-based toxicity reference values for chlordane, DDT, dieldrin, endrin, hexachlorobenzene, mercury and PCSs for piscivorous wildlife. *ACS Pesticides and Wildlife Symposium, August 22-26, 1999, New Orleans, LA.* #1999-18

Henry, T., P. Cirone, P.M. Cook, M. DeVito, B. Duncan, R. Pepin, and S. Wharton. 2008. Framework for application of the toxicity equivalence methodology for polychlorinated dioxins, furans, and biphenyls in ecological risk assessment. Online at; <http://www.epa.gov/osa/raf/tefframework/>, June 1, 2008, *EPA/100/R-08/004.* #5067

Henry, T., P. Cook, P. Cirone, M. DeVito, B. Duncan, R. Pepin, S. Schwenk, and S. Wharton. 2003. Framework for application of the toxicity equivalence methodology for polychlorinated dioxins, furans, and biphenyls in ecological risk assessment. *Organ. Compds.* 65:300-303. #800

Henry, T.R., D.J. Nesbit, W. Heideman, and R.E. Peterson. 2001. Relative potencies of polychlorinated dibenzo-*p*-dioxin, dibenzofuran, and biphenyl congeners to induce cytochrome P4501A mRNA in a zebrafish liver cell line. *Environ. Toxicol. Chem.* 20:1053-1058. #759

Henszey, R.J., K. Pfeiffer, and J.R. Keough. 2004. Linking surface- and ground-water levels to riparian grassland species along the Platte River in central Nebraska, USA. *Wetlands* 24:665-687. #834

Herdendorf, C.E., Ed. 1980. Lake Erie nutrient control program: An assessment of its effectiveness in controlling lake eutrophication. *EPA/600/3-80/062*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R802543.

Herman, L.J. 1995. Water-conditioning tank to control supersaturation and temperature. *Prog. Fish-Cult.* 57:164-165. #563

Herman, L.J. 1992. Inexpensive environmental control chamber for holding fish. *Prog. Fish-Cult.* 54:132. #474

Herman, L.J. 1989. Inexpensive method for repair of YSI model 403 thermistor probes. *Prog. Fish-Cult.* 51:170-171. #387

Hermanutz, R.O. 1992. Malformation of the fathead minnow (*Pimephales promelas*) in an ecosystem with elevated selenium concentrations. *Bull. Environ. Contam. Toxicol.* 49:290-294. #475

Hermanutz, R.O. 1978. Endrin and malathion toxicity to flagfish (*Jordanella floridae*). *Arch. Environ. Contam. Toxicol.* 7:159-168. #175

Hermanutz, R. and K. Allen. 1993. Effects and fate of atrazine in MERS wetland streams during spring-summer of 1992. USEPA Research Laboratory, Duluth, MN. #1993-3

Hermanutz, R.O., K.N. Allen, and S.F. Hedtke. 1990. Toxicity and fate of total residual chlorine in outdoor experimental streams. In: *Water chlorination chemistry, environmental impact and health effects*, Vol. 6. R.L. Jolley, L.W. Condie, D.J. Johnson, S. Katz, R.A. Minear, J.S. Mattice, V.A. Jacobs, Eds., pp. 463-477. Lewis Publishers, Chelsea, MI. #1990-10

Hermanutz, R.O., K.N. Allen, T.H. Roush, and S.F. Hedtke. 1992. Effects of elevated selenium concentrations on bluegills (*Lepomis macrochirus*) in outdoor experimental streams. *Environ. Toxicol. Chem.* 11:217-224. #476

Hermanutz, R.O., J.G. Eaton, and L.H. Mueller. 1985. Toxicity of endrin and malathion mixtures to flagfish (*Jordanella floridae*). *Arch. Environ. Contam. Toxicol.* 14:307-314. #296

Hermanutz, R.O., S.F. Hedtke, J.W. Arthur, R.W. Andrew, and K.N. Allen. 1987. Ammonia effects on microinvertebrates and fish in outdoor experimental streams. *Environ. Pollut.* 47:249-283. #343

Hermanutz, R.O., L.H. Mueller, and K.D. Kempfert. 1973. Captan toxicity to fathead minnows (*Pimephales promelas*), bluegills (*Lepomis macrochirus*), and brook trout (*Salvelinus fontinalis*). *J. Fish. Res. Board Can.* 30:1811-1817. #87

Hermens, J.L.M., G.T. Ankley, and J.P. Sumpter. 2004. Ecotoxicology--a multidisciplinary, problem-driven science. Guest Comment. *Environ. Sci. Technol.* 38(4446A-447A). #2004-12

Hermens, J.L., S.P. Bradbury, and S.J. Broderius. 1990. Influence of cytochrome P450 mixed-function oxidase induction on the acute toxicity to rainbow trout (*Salmo gairdneri*) of primary aromatic amines. *Ecotox. Environ. Safety* 20:156-166. #420

Herzberg, A.M. 1988. Toxicity and accumulation of permethrin in the tilapia *Oreochromis aureus*. *Isr. J. Aquacult.-Bamidgeh* 40:35-39. #1988-30

Heuschele, A.S. 1982. Vertical distribution of profundal benthos in Lake Superior sediments. *J. Great Lakes Res.* 8:603-613. #1982-8

Highland, T. and C. Curtis, compilers. Freshwater findings: 1979-1982. Research publications of the Environmental Research Laboratory, Duluth, Minnesota. *EPA/600/x-84/003*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Hill, B.H., C.M. Elonen, L.E. Anderson, and J.C. Lehrter. 2014. Microbial respiration and extracellular enzyme activity in sediments from the Gulf of Mexico hypoxic zone. *Aquatic Microbial Ecology* 72:105-116. 5662 000439

Hill, B.H., C.M. Elonen, T.M. Jicha, R. Kolka, L.L. Lehto, S. Sebestyen, and L. Seifert-Monson. 2014. Ecoenzymatic stoichiometry and microbial processing of organic matter in northern bogs and fens reveals a common P-limitation among peatland types. *Biogeochemistry* 120:203-224. 5933 006926

Hill, B.H. and R. Blair. 2005. Monitoring the condition of our nation's streams and rivers: From the mountains to the coasts. *Environ. Monit. Assess.* 103:1-4. #862

Hill, B.H. and D.W. Bolgrien. 2011. Nitrogen removal by streams and rivers of the Upper Mississippi River basin. *Biogeochemistry* 102:183-194. #5204

Hill, B.H., D.W. Bolgrien, A.T. Herlihy, T.M. Jicha, and T.R. Angradi. 2011. A synoptic survey of nitrogen and phosphorus in tributary streams and great rivers of the Upper Mississippi River basin. *Water Air Soil Poll.* 216:605-619. #5309

Hill, B.H., C.M. Elonen, T.M. Jicha, D.W. Bolgrien, and M.F. Moffett. 2010. Sediment microbial enzyme activity as an indicator of nutrient limitation in the great rivers of the Upper Mississippi River basin. *Biogeochemistry* 97:195-209. #5088

Hill, B.H., C.M. Elonen, T.M. Jicha, A.M. Cotter, A.S. Trebitz, and N. Danz. 2006. Sediment microbial enzyme activity as an indicator of nutrient limitation in Great Lakes coastal wetlands. *Fresh. Biol.* 51:1670-1683. #897

Hill, B.H., C.M. Elonen, L.R. Seifert, A.A. May, and E. Tarquinio. 2012. Microbial enzyme stoichiometry and nutrient limitation in US streams and rivers. *Ecol. Indic.* 18:540–551. #5548

Hill, B.H., A.T. Herlihy, and P.R. Kaufmann. 2002. Benthic microbial respiration in Appalachian Mountain, Piedmont, and Coastal Plains streams of the eastern U.S.A. *Fresh. Biol.* 47:185-194. #2002-5

Hill, B.H., A.T. Herlihy, P.R. Kaufmann, S.J. DeCelles, and M.A. Vander Borgh. 2003. Assessment of streams of the eastern United States using a periphyton index of biotic integrity. *Ecol. Indic.* 2:325-338. #789

Hill, B.H., A. Herlihy, P. Kaufmann, F. Stevenson, F. McCormick, and C.B. Johnson. 2000. Use of periphyton assemblage data as an index of biotic integrity. *J. N. Am. Benthol. Soc.* 19:50-67. #3885

Hill, B.H., R.K. Kolka, F.H. McCormick, and M.A. Starry. 2014. A synoptic survey of ecosystem services from headwater catchments in the United States. *Eco. Serv.* 7:106-115. #5830

Hill, B.H. and J.P. Kurtenbach. 2001. Correlations of sedimentary diatoms with catchment basin land-use and physico-chemical conditions in New Jersey lakes. *Lake Res. Manage.* 17:105-120.

Hill, B.H. and F. McCormick. 2004. Nutrient uptake and community metabolism in streams draining harvested and old-growth watersheds: A preliminary assessment. In: Ouachita and Ozark Mountains Symposium: Ecosystem Management Research, Gen. Tech. Rep. SRS74, USDA, Forest Service, Southern Research Station, Asheville, NC, pp. 214-220. #4309

Hill, B.H., F.H. McCormick, B.C. Harvey, S.L. Johnson, M.L. Warren, and C.M. Elonen. 2010. Microbial enzyme activity, nutrient uptake, and nutrient limitation in forested streams. *Fresh. Biol.* 55:1005-1019. #5206

Hill, B.H., R.J. Stevenson, Y. Pan, A.T. Herlihy, P.R. Kaufmann, and C. B. Johnson. 2001. Comparison of correlations between environmental characteristics and stream diatom assemblages characterized at genus and species levels. *J. N. Am. Benthol. Soc.* 20:299-310. #2001-14

Hoadley, A.W. 1968. On the significance of *Pseudomonas aeruginosa* in surface waters. *J. New Engl. Water Works Assoc.* 99-111. #18

Hockett, R.J. and D.R. Mount. 1996. Use of metal chelating agents to differentiate among sources of acute aquatic toxicity. *Environ. Toxicol. Chem.* 15:1687-1693. #614

Hoff, D.J. 2011. The use of interspecies correlation estimation (ICE) in the derivation of aquatic life screening values (ALSVs). *EFED/OW Harmonization Project, EPA/600/X-13/005*. #5600

Hoff, D.J., D.A. Goeldner, and M.J. Hooper. 2010. Chapter 14. Integrated laboratory and field investigations: Assessing contaminant risk to American badgers. *Environmental Risk Assessment and Management from a Landscape Perspective*, John Wiley & Sons, Inc., Hoboken, NJ, pp. 303-327. #4942

Hoffman, A.D., S.L. Bertelsen, and M.L. Gargas. 1992. An *in vitro* gas equilibration method for determination of chemical partition coefficients in fish. *Comp. Biochem. Physiol.* 101A:47-51. #477

Hoffman, J.C., C. Bonzek, and R. Latour. 2009. Estimation of bottom trawl catch efficiency for two demersal fishes, Atlantic croaker and white perch, in Chesapeake Bay. *Marine Coastal Fish.* 1:255-269. #5041

Hoffman, J.C. and D. Bronk. 2006. Interannual variation in stable carbon and nitrogen isotope biogeochemistry of the Mattaponi River, Virginia. *Limn. Ocean.* 51:2319-2332. #4861

Hoffman, J.C., D.A. Bronk, and J.E. Olney. 2008. Organic matter sources supporting lower food web production in the tidal freshwater portion of the York River estuary, Virginia. *Est. Coasts* 31:898-911. #4761

Hoffman, J.C., D.A. Bronk, and J.E. Olney. 2008. Does terrestrial carbon subsidize production of estuarine fish larvae? In: *Aquatic ecosystem production in waters linking forests, rivers and coasts*, Y. Yamashita, Ed., Fisheries Science Series, Koseisha-koseikaku, Tokyo, Japan, Vol. 157, pp. 35-45. #4864

Hoffman, J.C., D.A. Bronk, and J.E. Olney. 2007. Contribution of allochthonous carbon to American shad production in the Mattaponi River, Virginia, using stable isotopes. *Est. Coasts* 30:1034-1048. #4686

Hoffman, J.C., D.A. Bronk, and J.E. Olney. 2007. Tracking nursery habitat use in the York River estuary, Virginia, by young American shad using stable isotopes. *Trans. Am. Fish. Soc.* 136:1285-1297. #4711

Hoffman, J.C., A.M. Cotter, G.S. Peterson, T.D. Corry, and J.R. Kelly. 2011. Rapid stable isotope turnover of larval fish in a Lake Superior coastal wetland: Implications for diet and life history studies. *Aquat. Eco. Health Manage.* 14(SI):403-413. #5407

Hoffman, A.D., J.J. Jenson, G.J. Lien, and J.M. McKim. 1999. Individual tissue weight to total body weight relationships and total, polar, and nonpolar lipids in tissues of hatchery lake trout. *Trans. Am. Fish. Soc.* 128:178-181. #718

Hoffman, J.C., J.R. Kelly, G.S. Peterson and A.M. Cotter. Landscape-scale food webs of fish nursery habitat along a river-coast mixing zone. *Estuaries and Coasts*

Hoffman, J.C., J.R. Kelly, G.S. Peterson, A.M. Cotter, M. Starry, and M.E. Sierszen. 2012. Using $\delta^{15}\text{N}$ in fish larvae as an indicator of watershed sources of anthropogenic nitrogen: Response at multiple spatial scales. *Est. Coasts* 35:1453-1467. #5594

Hoffman, J.C., J.R. Kelly, A.S. Trebitz, G.S. Peterson, and C.W. West. 2011. Effort and potential efficiencies for aquatic non-native species early detection. *Can. J. Fish. Aquat. Sci.* 68:2064-2079. #5299

Hoffman, J.C., K.E. Limburg, D.A. Bronk, and J.E. Olney. 2008. Overwintering habitats of migratory juvenile American shad in Chesapeake Bay. *Env. Biol. Fishes* 81:329-345. # 4931

Hoffman, J.C., G.S. Peterson, A.M. Cotter, and J.R. Kelly. 2010. Using stable isotope mixing in a Great Lakes coastal tributary to determine food web linkages in young fishes. *Est. Coasts* 33:1391-1405. #5099

Hoffman, J.C., and T. Sutton. 2010. Lipid correction for carbon stable isotope analysis of deep-sea fishes. *Deep-Sea Res. Part I* 57:956-964. #5149

Hoheisel, S.M., S.A. Diamond, and D.R. Mount. 2012. Comparison of nanosilver and ionic silver toxicity in *Daphnia magna* and *Pimephales promelas*. *Environ. Toxicol. Chem.* 31:2557-63. #5717

Hokanson, K.E.F. 1980. A national compendium of freshwater fish and water temperature data. Volume II: Temperature requirement data for thirty fishes. Environmental Research Laboratory, USEPA, Duluth, MN. #1980-7

Hokanson, K.E.F. 1979. A national compendium of freshwater fish and water temperature data. Volume II: Temperature requirement data for thirty fishes. *EPA/600/3-79/056*, Part II. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Hokanson, K.E.F. 1977. Temperature requirements of some percids and adaptations to the seasonal temperature cycle. *J. Fish. Res. Board Can.* 34:1524-1550. #149

Hokanson, K.E.F. 1969. Aquatic life temperature requirements. Presented at 69th Meeting, FWPCA, Orsanco Engineering Committee, May 13-14, 1969, Cincinnati, OH. #1969-1

Hokanson, K.E.F. 1969. Biological effects of heated waters. Presented at the *Technical Seminar on Thermal Pollution*, Jan. 6-7, 1969, Ada, OK; Jan. 9-10, 1969, Athens, GA; and Feb. 10-11, 1969, Charlottesville, VA. #1969-2

Hokanson, K.E.F. and C.F. Kleiner. 1974. Effects of constant and rising temperatures on survival and developmental rates of embryonic and larval yellow perch, *Perca flavescens* (Mitchill). In: *Early life history of fish* J.H.S. Blaxter, Ed., pp. 437-448, Springer-Verlag, New York, NY. #1974-14

Hokanson, K.E.F., C.F. Kleiner, and T.W. Thorslund. 1977. Effects of constant temperatures and diel temperature fluctuations on specific growth and mortality rates and yield of juvenile rainbow trout, *Salmo gairdneri*. *J. Fish. Res. Board Can.* 34:639-648. #150

Hokanson, K.E.F. and W.M. Koenst. 1986. Revised estimates of growth requirements and lethal temperature limits of juvenile walleyes. *Prog. Fish-Cult.* 48:90-94. #320

Hokanson, K.E.F. and G.J. Lien. 1986. Effects of diet on growth and survival of larval walleyes. *Prog. Fish-Cult.* 48:250-258. #321

Hokanson, K.E.F. and G.J. Lien. 1980. Effects of organic contaminants in ova upon growth and survival of larval walleye from the lower Fox River and Sturgeon Bay areas of Green Bay, Wisconsin. Environmental Research Laboratory, USEPA, Duluth, MN. #1980-3

Hokanson, K.E.F., J.H. McCormick, and B.R. Jones. 1973. Temperature requirements for embryos and larvae of the northern pike, *Esox lucius* (Linnaeus). *Trans. Am. Fish. Soc.* 102:89-100. #88

Hokanson, K.E.F., J.H. McCormick, B.R. Jones, and J.H. Tucker. 1973. Thermal requirements for maturation, spawning, and embryo survival of the brook trout, *Salvelinus fontinalis*. *J. Fish. Res. Board Can.* 30:975-984. #89

Hokanson, K.E.F. and L.L. Smith Jr. 1971. Some factors influencing toxicity of linear alkylate sulfonate (LAS) to the bluegill. *Trans. Am. Fish. Soc.* 100:1-12. #54

Hoke, R.A. and G.T. Ankley. 2005. Application of frog embryo teratogenesis assay-*Xenopus* to ecological risk assessment. *Environ. Toxicol. Chem.* 24:2677-2690. #868

Hoke, R.A., G.T. Ankley, A.M. Cotter, T.A. Goldenstein, P.A. Kosian, G.L. Phipps, and F.M. VanderMeiden. 1994. Evaluation of equilibrium partitioning theory for predicting acute toxicity of field-collected sediments contaminated with DDT, DDE and DDD to the amphipod *Hyaella azteca*. *Environ. Toxicol. Chem.* 13:157-166. #535

Hoke, R.A., G.T. Ankley, P.A. Kosian, A.M. Cotter, F.M. Vandermeiden, M. Balcer, G.L. Phipps, C.W. West, and J.S. Cox. 1997. Equilibrium partitioning as the basis for an integrated laboratory and field assessment of the impacts of DDT, DDE and DDD in sediments. *Ecotoxicology* 6:101-125. #641

Hoke, R.A., G.T. Ankley, and J.R. Peters. 1995. Use of a freshwater sediment quality database in an evaluation of sediment quality criteria based on equilibrium partitioning and screening-level concentrations. *Environ. Toxicol. Chem.* 14:451-459. #564

Hoke, R.A., W.R. Gala, J.B. Drake, J.P. Giesy, and S. Flegler. 1992. Bicarbonate as a potential confounding factor in cladoceran toxicity assessments of pore water from contaminated sediments. *Can. J. Fish. Aquat. Sci.* 49:1633-1640. #478

Hoke, R.A., J.P. Giesy, G.T. Ankley, J.L. Newsted, and J.R. Adams. 1990. Toxicity of sediments from western Lake Erie and the Maumee River at Toledo, Ohio, 1987: Implications for current dredged material disposal practices. *J. Great Lakes Res.* 16:457-470. #421

Hoke, R.A., J.P. Giesy, and R.G. Kreis Jr. 1992. Sediment pore water toxicity identification in the Lower Fox River and Green Bay, Wisconsin, using the Microtox assay. *Ecotoxicol. Environ. Safety* 23:343-354. #479

Hoke, R.A., J.P. Giesy, M. Zabik, and M. Unger. 1993. Toxicity of sediments and sediment pore waters from the Grand Calumet River-Indiana Harbor, Indiana area of concern. *Ecotox. Environ. Safety* 26:86-112. #500

Hoke, R.A., P.A. Kosian, G.T. Ankley, A.M. Cotter, F.M. VanderMeiden, G.L. Phipps, and E.J. Durhan. 1995. Check studies with *Hyalella azteca* and *Chironomus tentans* in support of the development of a sediment quality criterion for dieldrin. *Environ. Toxicol. Chem.* 14:435-443. #565

Holcombe, G.W. and R.W. Andrew. 1978. The acute toxicity of zinc to rainbow and brook trout: Comparisons in hard and soft water. *EPA/600/3-78/094*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1978-11

Holcombe, G.W., D.A. Benoit, D.E. Hammermeister, E. N. Leonard, and R. D. Johnson. 1995. Acute and long-term effects of nine chemicals on the Japanese medaka (*Oryzias latipes*). *Arch. Environ. Contam. Toxicol.* 28:287-297. #566

Holcombe, G.W., D.A. Benoit, and E.N. Leonard. 1979. Long-term effects of zinc exposures on brook trout (*Salvelinus fontinalis*). *Trans. Am. Fish. Soc.* 108:76-97. #187

Holcombe, G.W., D.A. Benoit, E.N. Leonard, and J.M. McKim. 1976. Long-term effects of lead exposure on three generations of brook trout (*Salvelinus fontinalis*). *J. Fish. Res. Board Can.* 33:1731-1741. #132

Holcombe, G.W., J T. Fiandt, and G.L. Phipps. 1980. Effects of pH increases and sodium chloride additions on the acute toxicity of 2,4-dichlorophenol to the fathead minnow. *Water Res.* 14:1073-1077. #204

Holcombe, G.W., M.S. Pasha, K M. Jensen, J.E. Tietge, and G.T. Ankley. 2000. Effects of photoperiod manipulation on brook trout reproductive development, fecundity, and circulating sex steroid concentrations. *N. Am. J. Aqua.* 62:1-11. #728

Holcombe, G.W., G L. Phipps, and J.T. Fiandt. 1983. Toxicity of selected priority pollutants to various aquatic organisms. *Ecotox. Environ. Safety* 7:400-409. #261

Holcombe, G.W., G.L. Phipps, and J.T. Fiandt. 1982. Effects of phenol, 2,4-dimethylphenol, 2,4-dichlorophenol, and pentachlorophenol on embryo, larval, and early-juvenile fathead minnows (*Pimephales promelas*). *Arch. Environ. Contam. Toxicol.* 11:73-78. #242

Holcombe, G.W., G.L. Phipps, M.L. Knuth, and T. Felhaber. 1984. The acute toxicity of selected substituted phenols, benzenes and benzoic acid ester to fathead minnows *Pimephales promelas*. *Environ. Pollut. Ser. A* 35:367-381. #277

Holcombe, G.W., G.L. Phipps, and J.W. Marier. 1984. Methods for conducting snail (*Aplexa hypnorum*) embryo through adult exposures: Effects of cadmium and reduced pH levels. *Arch. Environ. Contam. Toxicol.* 13:627-634. #278

Holcombe, G.W., G.L. Phipps, A.H. Sulaiman, and A.D. Hoffman. 1987. Simultaneous multiple species testing: Acute toxicity of 13 chemicals to 12 diverse freshwater amphibian, fish, and invertebrate families. *Arch. Environ. Contam. Toxicol.* 16:697-710. #344

Holcombe, G.W., G.L. Phipps, and D.K. Tanner. 1982. The acute toxicity of kelthane, dursban, disulfoton, pydrin, and permethrin to fathead minnows *Pimephales promelas* and rainbow trout *Salmo gairdneri*. *Environ. Pollut. (Ser. A)* 29:167-178. #243

Holcombe, G.W., G.L. Phipps, and G.D. Veith. 1989. Use of aquatic lethality tests to estimate safe toxicant concentrations for initial ecological risk assessments. In: *Aquatic toxicology and environmental fate, 11th vol.* G.W. Suter II, M.A. Lewis, Eds., pp. 442-458, ASTM STP 1007, ASTM, Philadelphia, PA. #1989-32

Holland, R.E. 1980. Seasonal fluctuations of major diatom species at five stations across Lake Michigan, May 1970-October 1972. *EPA/600/3-80/066*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R805133-01-1.

Hollenhorst, T.P., L.B. Johnson, and J. Ciborowski. 2011. Monitoring land cover change in the Lake Superior basin. *Aquat. Eco. Health Manage.* 14(SI):433-442. #5422

Hondzo, M., C.R. Ellis, and H.G. Stefan. 1993. Vertical diffusion in small stratified lake: Data and error analysis. *EPA/600/A-93/003*. #2728

Hondzo, M. and H.G. Stefan. 1993. Regional water temperature characteristics of lakes subjected to climate change. *Climatic Change* 24:187-211. #1993-8

Hondzo, M. and H.G. Stefan. 1993. Lake water temperature simulation model. *J. Hydraulic Eng.* 119:1251-1273. #1993-2

Hondzo, M. and H.G. Stefan. 1992. Water temperature characteristics of lakes subjected to climate change. Project Report #329, St. Anthony Falls Hydraulic Laboratory, UM, Minneapolis, MN. Prepared for ERL, USEPA, Duluth, MN. #1992-4

Hondzo, M. and H.G. Stefan. 1991. Three case studies of lake temperature and stratification response to warmer climate. *Water Resour. Res.* 27:1837-1846. #1991-9

Hooper, M.J., G.T. Ankley, D.A. Cristol, L.A. Maryoung, P.D. Noyes, and K.E. Pinkerton. 2013. Interactions between chemical and climate stressors: A role for mechanistic toxicology in assessing climate change risks. *Environ. Toxicol. Chem.* 32:32-48. #5649

Horning, W.B. II and T.W. Neiheisel. 1979. Chronic effect of copper on the bluntnose minnow, *Pimephales notatus* (Rafinesque). *Arch. Environ. Contam. Toxicol.* 8:545-522. #188

Horning, W.B. II and R.E. Pearson. 1973. Growth temperature requirements and lower lethal temperatures for juvenile smallmouth bass (*Micropterus dolomieu*). *J. Fish. Res. Board Can.* 30:1226-1230. #90

Hornung, M.W., G.T. Ankley, and P.K. Schmieder. 2003. Induction of an estrogen-responsive reporter gene in rainbow trout hepatoma cells (RTH 149) at 11 or 18C. *Environ. Toxicol. Chem.* 22:866-871. #788

Hornung, M.W., P.M. Cook, P.N. Fitzsimmons, D.W. Kuehl, and J.W. Nichols. 2007. Tissue distribution and metabolism of benzo[a]pyrene in embryonic and larval medaka (*Oryzias latipes*). *Toxicol. Sci.* 100:393-405. #4688

Hornung, M.W., P.M. Cook, K.M. Flynn, D.B. Lothenbach, R.D. Johnson, and J.W. Nichols. 2004. Use of multi-photon laser-scanning microscopy to describe the distribution of xenobiotic chemicals in fish early life stages. *Aquat. Toxicol.* 67:1-11. #817

Hornung, M.W., S.J. Degitz, J.J. Korte, J.J. Korte, L.M. Korte, J.M. Olson, P.A. Kosian, A.L. Linnum, and J.E. Tietge. 2010. Inhibition of thyroid hormone release from cultured amphibian thyroid glands by methimazole, 6-propylthiouracil, and perchlorate. *Toxicol. Sci.* 118:42-51. #4701

Hornung, M.W., K.M. Flynn, R.D. Johnson, P.M. Cook, and J.W. Nichols. 2004. Use of multiphoton laser scanning microscopy to image benzo[a]pyrene and metabolites in fish eggs. In: *Multiphoton Microscopy in the Biomedical Sciences IV*, A. Periasamy, P.T.C. So, Eds., SPIE, Bellingham, WA, pp. 400-407. #2004-5

Hornung, M.W., K.M. Jensen, J.J. Korte, M.D. Kahl, E.J. Durhan, J.S. Denny, T.R. Henry, and G.T. Ankley. 2004. Mechanistic basis for estrogenic effects in fathead minnow (*Pimephales promelas*) following exposure to the androgen 17 $\pm$ -methyltestosterone: Conversion of 17 $\pm$ -methyltestosterone to 17 $\pm$ -methylestradiol. *Aquat. Toxicol.* 66:15-23. #816

Hossack, B., S.A. Diamond, and P.S. Corn. 2006. Distribution of boreal toad populations in relation to estimated UV-B dose in Glacier National Park, Montana, USA. *Can. J. Zool.* 84:98-107. #2006-1

Host, G.E., R.R. Regal, and C.E. Stephan. 1990. Analyses of acute and chronic data for aquatic life. Office of Environmental Processes and Effects Research. ORD, USEPA, Washington, DC. #1990-22

Hotchkiss, A.K., G.T. Ankley, V.S. Wilson, P. Hartig, E.J. Durhan, K.M. Jensen, D. Martinovic, and L. Gray. 2008. Of mice and men (and mosquitofish): Antiandrogens and androgens in the environment. *BioScience* 58:1037-1050. #4936

Hotchkiss, A.K., J. Furr, E.A. Makynen, G.T. Ankley, and L.E. Gray Jr. 2007. In utero exposure to the environmental androgen trenbolone masculinizes female Sprague-Dawley rats. *Toxicol. Lett.* 174:31-41. #4833

Hotchkiss, A.K., C. Rider, C.R. Blystone, V.S. Wilson, P. Hartig, G.T. Ankley, P. Foster, and L. Gray. 2008. Fifteen years after "Wingspread"--Environmental endocrine disrupters and human and wildlife health: Where we are today and where we need to go. *Toxicol. Sci.* 105:235-259. #4912

Hudec, T., J. Thean, D.W. Kuehl, and R.C. Dougherty. 1981. Tris(dichloropropyl)phosphate, a mutagenic flame retardant: Frequent occurrence in human seminal plasma. *Science* 211:951-952. #221

Hughes, R.A., G.D. Veith, and G.F. Lee. 1970. Gas chromatographic analysis of toxaphene in natural waters, fish and lake sediments. *Water Res.* 4:547-558. #1970-14

Hughes, R.M., T.R. Whittier, S.A. Thiele, J.E. Pollard, D.V. Peck, S.G. Paulsen, D. McMullen, J. Lazorchak, D.P. Larsen, W.L. Kinney, P.R. Kaufmann, S. Hedtke, S.S. Dixit, G.B. Collins, and J.R. Baker. 1992. Lake and stream indicators for the USEPA's environmental monitoring and assessment program. In: *Ecological Indicators, Vol. 1*. D.H. McKenzie, D.E. Hyatt, V.J. McDonald, Eds., pp. 305-335. Elsevier Applied Science, New York, NY. #1992-33

Hunt, E.P. and G.E. Glass, Eds. 1990. The Environmental Research Laboratory--Duluth bibliography of research products in the fields of freshwater ecology and toxicology 1967-1990. *EPA/600/3-90/071*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Hunter, R.S., F.D. Culver, and A. Fitzgerald. 1987. SMILES user manual: A simplified molecular input line entry system; includes extended SMILES for defining fragments. Environmental Research Laboratory, USEPA, Duluth, MN. #1987-5

Hunter, R.S., F.D. Culver, J.R. Hill, III, and A. Fitzgerald. 1988. QSAR System user manual: A structure-activity based chemical modeling and information system. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-52

Hunter, R.S., F.D. Culver, and G.D. Veith. 1988. Version 1.0 of the QSAR System: Computer system for estimation of physicochemical properties and ecotoxicological effects from chemical structure. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-65

Hunter, R.S., G.J. Niemi, A. Pilli, and G.D. Veith. 1990. Aquatic information and retrieval (AQUIRE) database system. In: *Envirotech Vienna 1990: Computer applications for environmental impact analysis*. W. Pillman, Ed., pp. 42-48. International Society for Environmental Protection, Vienna, Austria. #1990-12

Hutchinson, T.C. and H. Czyrska. 1972. Cadmium and zinc toxicity and synergism to floating aquatic plants. Institute of Environmental Sciences and Engineering, Publ. No. EI-3. In: *Water Pollution Research in Canada 1972*, pp. 59-65. #1972-10

Hutchinson, T.H., G.T. Ankley, H. Segner, and C.R. Tyler. 2006. Screening and testing for endocrine disruption in fish—biomarkers as "signposts," not "traffic lights," in risk assessment. *Environ. Health Perspec.* 114:106-114. #881

I

Imlay, M.J. 1973. Effects of potassium on survival and distribution of freshwater mussels. *Malacologia* 12:97-113. #91

Imlay, M.J. 1972. Reproduction of *Amblema costata* (Rafinesque) in Moose River, Minnesota. *Nautilus* 85:146. #69

Imlay, M.J. 1972. Greater adaptability of fresh-water mussels to natural than artificial displacement. *Bull. Am. Malacol. Union Inc.* February 1972:43-44. #68

Imlay, M.J. 1969. A dual behavioral interpretation of a single environmental stimulus with freshwater mussels. *Am. Malacol. Union Inc. Ann. Rep.* 21-22. #28

Imlay, M.J. 1969. Some research needs and methods for protecting naiads from extinction. *Am. Malacol. Union Inc. Ann. Rep.* 49-51. #29

Imlay, M.J. and M.L. Paige. 1972. Laboratory growth of freshwater sponges, unionid mussels, and sphaeriid clams. *Prog. Fish-Cult.* 34:210-216. #70

Ingersoll, C.G., G.T. Ankley, R. Baudo, G.A. Burton, W. Lick, S.N. Luoma, D.D. MacDonald, T.B. Reynoldson, K.R. Solomon, R.C. Swartz, and W.J. Warren-Hicks. 1997. Session 6: Critical issues in methodological uncertainty: Workgroup summary report on uncertainty evaluation of measurement endpoints used in sediment ecological risk assessment. In: *Ecological risk assessment of contaminated sediments*. C.G. Ingersoll, T. Dillon, G.R. Biddinger, Eds., pp. 297-352. SETAC Press, Pensacola, FL. #1997-2

Ingersoll, C.G., G.T. Ankley, D.A. Benoit, E.L. Brunson, G.A. Burton, F.J. Dwyer, R.A. Hoke, P.F. Landrum, T.J. Norberg-King, and P.V. Winger. 1995. Toxicity and bioaccumulation of sediment-associated contaminants using freshwater invertebrates: A review of methods and applications. *Environ. Toxicol. Chem.* 14:1885-1894. #567

Ingersoll, C.G., G.T. Ankley, G.A. Burton, F.J. Dwyer, R.A. Hoke, T.J. Norberg-King, and P.V. Winger. 1994. Methods for measuring the toxicity and bioaccumulation of sediment-associated contaminants with freshwater invertebrates. *EPA/600/R-94/024*. ORD, USEPA, Duluth, MN.

Ingersoll, C.G., E.L. Brunson, N. Wang, F.J. Dwyer, G.T. Ankley, D.R. Mount, J. Huckins, J. Petty, and P.F. Landrum. 2003. Uptake and depuration of nonionic organic contaminants from sediment by the oligochaete, *Lumbriculus variegatus*. *Environ. Toxicol. Chem.* 22:872-885. #786

Institute of Paper Chemistry. 1973. Effects of pulp and paper mill effluents on fresh water fish: An annotated bibliography. Prepared by The Institute of Paper Chemistry, Appleton, WI for USEPA, Duluth, MN. #1973-16

Isensee, A.R. and R.S. Yockim. 1980. Freshwater micro-ecosystem development and testing of substitute chemicals. *EPA/600/3-80/008*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Cont. EPAIA6055811. #131

Ivanov, J., O. Mekenyan, S.P. Bradbury, and G. Schuurmann. 1998. A kinetic analysis of the conformational flexibility of steroid hormones. *Quant. Struct.-Act. Relat.* 17:437-449. #1998-9

J

Jackson, H.W. and W.A. Brungs Jr. 1967. Biomonitoring of industrial effluents. *Proc. 21st Ind. Waste Conf., Purdue Univ., May 3-5, 1966*. Part 1, 50:117-124. #1967-1

Jackson, A.K., D.C. Evers, M.A. Etterson, A.M. Condon, S.B. Folsom, J. Detweiler, J. Schmerfeld, and D.A. Cristol. 2011. Mercury exposure affects the reproductive success of a free-living terrestrial songbird, the Carolina wren (*Thryothorus ludovicianus*). *The Auk* 128:759-769. #5487

Jackson, L.J., A.S. Trebitz, and K.L. Cottingham. 2000. An introduction to the practice of ecological modeling. *Bioscience* 50:694-706. #2000-4

Jacobs, M., W. Janssens, U. Bernauer, E. Brandon, S. Coecke, R. Combes, P. Edwards, A. Freidig, A. Freyberger, R. Kolanczyk, C. Mc Ardle, O. Mekenyan, P.K. Schmieder, T. Schrader, M. Takeyoshi, and B. van der Burg. 2008. The use of metabolising systems for *in vitro* testing of endocrine disruptors. *Current Drug Metab.* 9:796-826. #5258

Jacobs, M.N., S.C. Laws, K. Willett, P.K. Schmieder, J. Odum, and T.F. Bovee. 2013. In vitro metabolism and bioavailability tests for endocrine active substances: What is needed next for regulatory purposes? *Altex* 30:331-351. #5880

Jacobson, J.L., S.W. Jacobson, and G.G. Fein. 1985. Intrauterine exposure to environmental toxins: The significance of subtle behavioral effects. In: *Beyond the individual environmental stressors*. The Haworth Press, Inc., pp. 125-137. #1985-10

Jacobson, S.W., G.G. Fein, J.L. Jacobson, P.M. Schwartz, and J.K. Dowler. 1985. The effect of intrauterine PCB exposure on visual recognition memory. *Child Develop.* 56:853-860. #1985-12

Jaeger, M.J. 1980. Predicting effects of an electric generating station on wetland passerine birds: Wisconsin power plant impact study. *EPA/600/3-80/020*. ERL/ORD/USEPA/Duluth, MN, Grant R803971.

Jaffe, R., E.A. Stemmler, B.D. Eitzer, and R.A. Hites. 1985. Anthropogenic, polyhalogenated, organic compounds in sedentary fish from Lake Huron and Lake Superior tributaries and embayments. *J. Great Lakes Res.* 11:156-162. #1985-14

Jahoda, J.R. 1977. Instrumentation to monitor location of fish continuously in experimental channels. *EPA/600/3-77/035*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Cont. 68010752

Janz, D.M., D.K. DeForest, M.L. Brooks, P.M. Chapman, G. Gilron, D.J. Hoff, W.A. Hopkins, D.O. McIntyre, C.A. Mebane, V.P. Palace, J.P. Skorupa, and M. Wayland. 2010. Chapter 6: Selenium toxicity to aquatic organisms. *Ecological Assessment of Selenium in the Aquatic Environment*, SETAC Pellston Workshop, February 22–28, 2009, Pensacola, FL; P.M. Chapman, W.J. Adams, M.L. Brooks, et al., Eds.; CRC Press/Taylor and Francis, Boca Raton, FL, pp. 141-231. #5246

Jarvinen, A.W., M.J. Hoffman, and T.W. Thorslund. 1977. Long-term effects of DDT food and water exposure on fathead minnows (*Pimephales promelas*). *J. Fish. Res. Board Can.* 34:2089-2103. #151

Jarvinen, A.W., Hoffman, M.J., and Thorslund, T.W. 1976. Toxicity of DDT food and water exposure to fathead minnows. *EPA/600/3-76/114*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Jarvinen, A.W., D.R. Mount, and G.T. Ankley. 1998. Development of tissue residue threshold values. In: *EPA/823/R-98/002*. Office of Water, USEPA, Washington, DC. #1998-2

Jarvinen, A.W., B.R. Nordling, and M.E. Henry. 1983. Chronic toxicity of Dursban chlorpyrifos to the fathead minnow (*Pimephales promelas*) and the resultant acetylcholinesterase inhibition. *Ecotox. Environ. Safety* 7:423-434. #262

Jarvinen, A.W., R.L. Spehar, and C.E. Stephan. 1990. Chesapeake Bay Pesticide Index and Registry project: Report to Region III, *EPA/600/x-90/117*. Environmental Research Laboratory, USEPA, Duluth, MN. #1990-3

Jarvinen, A.W. and D.K. Tanner. 1982. Toxicity of selected controlled release and corresponding unformulated technical grade pesticides to the fathead minnow *Pimephales promelas*. *Environ. Pollut. Ser. A* 27:179-195. #244

Jarvinen, A.W., D.K. Tanner, and E.R. Kline. 1988. Toxicity of chlorpyrifos, endrin, or fenvalerate to fathead minnows following episodic or continuous exposure. *Ecotox. Environ. Safety* 15:78-95. #364

Jarvinen, A.W., D.K. Tanner, E.R. Kline, and M.L. Knuth. 1988. Acute and chronic toxicity of triphenyltin hydroxide to fathead minnows (*Pimephales promelas*) following brief or continuous exposure. *Environ. Pollut.* 52:289-301. #365

Jarvinen, A.W. and R.M. Tyo. 1978. Toxicity to fathead minnows of endrin in food and water. *Arch. Environ. Contam. Toxicol.* 7:409-421. #176

Jarvinen, A.W. and R.M. Tyo. 1978. Partial chronic food and water endrin toxicity to fathead minnows. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1978-14

Jaworski, N.A. 1981. Sources of nutrients and the scale of eutrophication problems in estuaries. In: *Estuaries and nutrients*. B.J. Neilsen, L.E. Cronin, Eds., pp. 83-110, Humana Press, Clifton, NJ. #1981-18

Jaworski, N.A. and D.I. Mount. 1985. Use of statistical information to improve compatibility between the various components of the water quality based approach. In: *Aquatic toxicology and hazard assessment: 7th symposium*. R.D. Cardwell, R. Purdy, R.C. Bahner, Eds., pp. 565-573. ASTM STP 854, ASTM, Philadelphia, PA. #1985-20

Jaworski, N.A. and O. Villa Jr. 1981. A suggested approach for developing estuarine water quality criteria for management of eutrophication. In: *Estuaries and nutrients*. B.J. Neilsen, L.E. Cronin, Eds., pp. 499-516, Humana Press, Clifton, NJ. #1981-19

Jayaraman, S., M.L. Knuth, M. Cantwell, and A. Santos. 2011. High performance liquid chromatographic analysis of phytoplankton pigments using a C₁₆-Amide column. *J. Chromatog. A* 1218:3432-3438. #4751

Jensen, A.L. 1982. Impact of a once-through cooling system on the yellow perch stock in the western basin of Lake Erie. *Ecol. Model.* 15:127-144. #1982-4

Jensen, A.L. and T.A. Hamilton. 1982. Application of a conventional fishery model for assessment of entrainment and impingement impact. *Env. Biol. Fish.* 7:181-185. #1982-3

Jensen, D.A. and J.C. Brazner. 1988. Effects of chlorpyrifos on macroinvertebrates in littoral enclosures. In: *Proceedings of the Fourteenth Annual Aquatic Toxicity Workshop*, Nov. 2-4, 1987, Toronto, ON, A.J. Niimi and K.R. Solomon, Eds., pp. 101-107. Canadian Tech. Rept. 1607. Dept. of Fisheries and Oceans, Burlington, ON. #1988-37

Jensen, K.M. and G.T. Ankley. 2006. Evaluation of a commercial kit for measuring vitellogenin in the fathead minnow (*Pimephales promelas*). *Ecotox. Environ. Safety* 64:101-105. #890

Jensen, K.M., Kahl, M.D., Makynen, E.A., Korte, J.J., Leino, R.L., Butterworth, B.C., and Ankley, G.T. 2004. Characterization of responses to the antiandrogen flutamide in a short-term reproduction assay with the fathead minnow. *Aquat. Toxicol.* 70:99-110. #835

Jensen, K.M., J.J. Korte, M.D. Kahl, M.S. Pasha, and G.T. Ankley. 2001. Aspects of basic reproductive biology and endocrinology in the fathead minnow (*Pimephales promelas*). *Comp. Biochem. Physiol. Part C.* 128:127-141. #753

Jensen, K.M., E.A. Makynen, M.D. Kahl, and G.T. Ankley. 2006. Effects of the feedlot contaminant 17 β -trenbolone on reproductive endocrinology of the fathead minnow. *Environ. Sci. Tech.* 40:3112-3117. #884

Jensen, O.P., P.M. Yurista, T.R. Hrabik, and J.D. Stockwell. 2009. Densities and diel vertical migration of *Mysis relicta* in Lake Superior: a comparison of optical plankton counter and net-based approaches. *Verh. Internat. Verein. Limnol.* 30:957-963. #4875

Jepsen, R., S. Borglin, W. Lick, and D.L. Swackhamer. 1995. Parameters affecting the adsorption of hexachlorobenzene to natural sediments. *Environ. Toxicol. Chem.* 14:1487-1497. #1995-19

Jepsen, R. and W. Lick. 1996. Parameters affecting the adsorption of PCBs to suspended sediments from the Detroit River. *J. Great Lakes Res.* 22:341-353. #1996-28

Jicha, T.M., L. Johnson, B.H. Hill, R. Regal, C.M. Elonen, and M.S. Pearson. 2014. Spatial and temporal patterns of nitrification rates in forested floodplain wetland soils of Upper Mississippi River Pool 8. *River Research and Applications* 30:650-662. 5035

Johanning, K., G. Hancock, B. Escher, A. Adekola, M.J. Bernhard, C. Cowan-Ellsberry, J. Domoradzki, S. Dyer, C. Eickhoff, M. Embry, S. Erhardt, P. Fitzsimmons, M. Halder, J. Hill, D. Holden, R. Johnson, S. Rutishauser, H. Segner, I. Schultz, and J. Nichols. 2012. Assessment of metabolic stability using the rainbow trout (*Oncorhynchus mykiss*) liver S9 fraction. *Curr.Prot. Toxicol.* 53:4.10.1–14.10.28. #5727

Johns, S., M. Kane, N. Denslow, K. Watanabe, E. Orlando, D.L. Villeneuve, G.T. Ankley, and M. Sepúlveda. 2009. Characterization of ontogenetic changes in gene expression in the fathead minnow (*Pimephales promelas*). *Environ. Toxicol. Chem.* 28:873-880. #4994

Johnson, L.B., C. Richards, G. E. Host, and J. W. Arthur. 1997. Landscape influences on water chemistry in midwestern stream ecosystems. *Freshwater Biol.* 37:193-208 #635

Johnson, R., S. Degitz, K. Flynn, D. Lothenbach, D. Hammermeister, F. Whiteman, J. Korte, J. Haselman, and P. Kosian. 2014. EDSP Tier 2 test (T2T) guidances and protocols are delivered, including web-based guidance for diagnosing and scoring, and evaluating EDC-induced pathology in fish and amphibian. *EPA Integrated Summary Report*, <http://www.epa.gov/scipoly/sap/meetings/2013/062513meeting.html#materials>. #5903

Johnson, R.D., M.J. Mac, G.N. Stokes, J.E. Tietge, and F. Zhang. 1990. Absence of liver tumors in bullheads (*Ictalurus* spp.) collected from the lower Fox River and Green Bay, Wisconsin. *EPA/600/X-90/140*. ERL, ORD, USEPA, Duluth, MN. #1990-25

Johnson, R.D., J.E. Tietge, K.M. Jensen, J.D. Fernandez, A.L. Linnun, D.B. Lothenbach, G.W. Holcombe, P.M. Cook, S.A. Christ, D.L. Lattier, and D.A. Gordon. 1998. Toxicity of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin to early life stage brook trout (*Salvelinus fontinalis*) following parental dietary exposure. *Environ. Toxicol. Chem.* 17:2408-2421. #692

Johnson, R.D., J.E. Tietge, and G.N. Stokes. 1993. Validation of the medaka assay for chemical carcinogens. In: *Compendium of the FY1988-89 Research Reviews for the Research Methods Branch*, pp. 45-60. US Army Biomedical Research and Development Laboratory, Fort Detrick, Frederick, MD. #1993-13

Johnson, R.D., J.E. Tietge, G.N. Stokes, and D.B. Lothenbach. 1993. The medaka carcinogenesis model. In: *Compendium of the FY1988-89 Research Reviews for the Research Methods Branch*.

pp. 147-172. US Army Biomedical Research and Development Laboratory, Fort Detrick, Frederick, MD. #1993-14

Johnson, T.N., P.L. Kennedy, and M.A. Etterson. 2012. Nest success and cause-specific nest failure of grassland passerines breeding in prairie grazed by livestock. *J. Wild. Manage.* 76:1607-1616. #5502

Johnson, W.W. and A.M. Julin. 1980. Acute toxicity of toxaphene to fathead minnows, channel catfish, and bluegills. EPA/600/3-80/005. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract EPAIAG141(D).

Johnston, C.A. 1992. Land-use activities and western Lake Superior water quality. In: *Making a Great Lake Superior*. J. Vander Wal, P.D. Watts, Eds., pp. 146-162. Occ. Paper 9. Lakehead University Centre for Northern Studies, Thunder Bay, ON. #1992-23

Johnston, C.A. 1989. Human impacts to Minnesota wetlands. *J. Minn. Acad. Sci.* 55:120-124. #1989-57

Johnston, C.A. 1989. Ecological research applications of Geographic Information Systems. EPA/600/D-89/179. Presented at GIS/LIS '89, American Society for Photogrammetry and Remote Sensing, November 26-30, 1989, Orlando, FL. #1989-1

Johnston, C.A., N.E. Detenbeck, and G.J. Niemi. 1990. The cumulative effect of wetlands on stream water quality and quantity: A landscape approach. *Biogeochemistry* 10:105-141. #1990-4

Johnston, C.A., T. Johnson, M. Kuehl, D. Taylor, and J. Westman. 1990. The effects of freshwater wetlands on water quality: a compilation of literature values. Natural Resources Research Institute, UM, Duluth, MN and ASCI Corporation, Duluth, MN. #1990-34

Jones, B.R., K.E.F. Hokanson, and J.H. McCormick. 1977. Winter temperature requirements for maturation and spawning of yellow perch *Perca flavescens* (Mitchell). In: *Proceedings of the World Conference--Towards a Plan of Actions for Mankind, Vol. 3: Biological balance and thermal modifications*. M. Marois, Ed., pp.189-192. Pergamon Press, New York, NY. #1977-11

Jones, B.R. and R.F. Syrett. 1974. Effects of constant winter temperatures on maturation and spawning of largemouth bass (*Micropterus salmoides*). National Environmental Research Center, USEPA, Corvallis, OR. #1974-6

Jones, P.D., G.T. Ankley, D.A. Best, R.A. Crawford, N. DeGalan, J.P. Giesy, T.J. Kubiak, J.P. Ludwig, J.L. Newsted, D.E. Tillitt, and D.A. Verbrugge. 1993. Biomagnification of bioassay derived 2,3,7,8-tetrachlorodibenzo-*p*-dioxin equivalents. *Chemosphere* 26:1203-1212. #501

Jones, P.D., J.P. Giesy, J.L. Newsted, D.A. Verbrugge, D.L. Beaver, G.T. Ankley, D.E. Tillitt, K. B. Lodge, and G.J. Niemi. 1993. 2,3,7,8-tetrachlorodibenzo-*p*-dioxin equivalents in tissues of birds at Green Bay, Wisconsin, USA. *Arch. Environ. Contam. Toxicol.* 24:345-354. #502

Jude, D.J., D. Albert, D.G. Uzarski, and J.C. Brazner. 2005. Lake Michigan's coastal wetlands: Distribution, biological components with emphasis on fish, and threats. In: *Ecovision World*

Monograph Series, *State of Lake Michigan: Ecology, Health and Management*, T. Edsall, M. Munawar, Eds., pp. 439-477. #4884

Jude, D.J. and S.F. DeBoe. 1996. Possible impact of gobies and other introduced species on habitat restoration efforts. *Can. J. Fish. Aquat. Sci.* 53:136-141. #1996-1

Jude, D., M. Flexner, R. Moll, P. Mansfield, D.S. White, and S. Hendricks. 1989. Water quality changes along the Detroit River and effects on entrained zooplankton and larval fish. *Coop. agree. project report*. Large Lakes Research Station, USEPA, Grosse Ile, MI. #1989-44

Jude, D.J., J. Janssen, and G. Crawford. 1995. Ecology, distribution, and impact of the newly introduced round tubenose gobies on the biota of the St. Clair & Detroit Rivers. In: *The Lake Huron ecosystem: Ecology, fisheries and management*. M. Munawar, T. Edsall, J. Leach, Eds., pp. 447-460. Academic Publishing, Amsterdam, the Netherlands. #1995-6

K

Kahl, M.D., D.L. Villeneuve, K.E. Stevens, A. Schroeder, E.A. Makynen, C.A. LaLone, K.M. Jensen, M. Hughes, B.A. Holmen, E. Eid, E.J. Durhan, J.E. Cavallin, J. Berninger, and G.T. Ankley. 2014. An inexpensive, temporally-integrated system for monitoring occurrence and biological effects of aquatic contaminants in the field. *Environmental Toxicology and Chemistry* 33:1584-1595. 5916 006186

Kahl, M.D., K.M. Jensen, J.J. Korte, and G.T. Ankley. 2001. Effects of handling on endocrinology and reproductive performance of the fathead minnow (*Pimephales promelas*). *J. Fish Biol.* 59:515-523. #765

Kahl, M.D., E.A. Makynen, P.A. Kosian, and G.T. Ankley. 1997. Toxicity of 4-nonylphenol in a life-cycle test with the midge *Chironomus tentans*. *Ecotox. Environ. Safety* 38:155-160. #663

Kahl, M.D., C.L. Russom, D.L. DeFoe, and D.E. Hammermeister. 1999. Saturation units for use in aquatic bioassays. *Chemosphere* 39:539-551. #712

Kamlet, M.J., R.M. Doherty, G.D. Veith, R.W. Taft, and M.H. Abraham. 1986. Solubility properties in polymers and biological media: (7). An analysis of toxicant properties that influence inhibition of bioluminescence in *Photobacterium phosphoreum* (the Microtox test). *Environ. Sci. Technol.* 20:690-695. #322

Karabunarliev, S., O.G. Mekenyan, W. Karcher, C.L. Russom, and S.P. Bradbury. 1996. Quantum-chemical descriptors for estimating the acute toxicity of electrophiles to the fathead minnow (*Pimephales promelas*): An analysis based on molecular mechanisms. *Quant. Struct.-Act. Relat.* 15:302-310. #615

Karabunarliev, S., O.G. Mekenyan, W. Karcher, C.L. Russom, and S. Bradbury. 1996. Quantum-chemical descriptors for estimating the acute toxicity of substituted benzenes to the guppy (*Poecilia reticulata*) and fathead minnow (*Pimephales promelas*). *Quant. Struct.-Act. Relat.* 15:311-320. #616

Katopodes, N.D. and M. Piasecke. 1996. Site and size optimization of contaminant sources in surface water systems. *J. Environ. Eng.* 122:917-923. #1996-23

Kavlock, R.J. and G.T. Ankley. 1996. A perspective on the risk assessment process for endocrine-disruptive effects on wildlife and human health. *Risk Anal.* 16:731-739. #617

Kavlock, R.J., G.T. Ankley, J. Blancato, M.S. Breen, R.B. Conolly, D. Dix, K. Houck, E. Hubal, R. Judson, J. Rabinowitz, A.M. Richard, R.W. Setzer, I. Shah, D.L. Villeneuve, and E. Weber. 2008. Computational toxicology: A state of the science mini review. *Toxicol. Sci.* 103:14-27. #4893

Kavlock, R.J., G.T. Ankley, T. Collette, E. Francis, K. Hammerstrom, J. Fowle, H. Tilson, G. Toth, P. Schmieder, G. Veith, E. Weber, D. Wolf, and D. Young. 2005. Computational toxicology: framework, partnerships, and program development, 9/29-30, 2003, RTP, NC. *Reprod. Toxicol.* 19:265-280. #849

Keen, R.E. and D.I. Mount. 1980. Culturing aquatic crustaceans in dilute bottled mineral water (Hannibal's medium): A new twist for Perrier. ERL, USEPA, Duluth, MN. #1980-9

Kelly, J.R. 2011. Ecology of Lake Superior: Preface and prospectus. *Aquat. Eco. Health Manage.* 14(SI):329-331. #5582

Kelly, J.R. 2009. Chapter 5.1. Nutrients and the Great Lakes nearshore, circa 2002-2007. SOLEC 2008 Meeting, Niagara Falls, ON, Canada, October 22-23, 2008, Section in: *Report on Nearshore Areas of the Great Lakes 2009*, USEPA and Environment Canada, pp. 49-56. #5073

Kelly, J.R. 2008. Nitrogen effects on coastal marine ecosystems. In: *Nitrogen in the Environment: Sources, Problems, and Management*, 2nd Ed., J.L. Hatfield, R.F. Follett, Eds., Elsevier, Amsterdam, the Netherlands, pp. 271-332. #4866

Kelly, J.R. 2001. Nitrogen effects on coastal marine ecosystems. In: *Nitrogen in the Environment: Sources, Problems, and Management*. R.F. Follett, J.L. Hatfield, Eds., pp. 207-251. Elsevier Science, New York, NY. #2001-11

Kelly, J.R. 1999. Excerpt from web page. *Missouri River Basin Conference*, week of March 22, 1999. #3476

Kelly, J.R. 1998. Quantification and potential role of ocean nutrient loading to Boston Harbor, Massachusetts, USA. *Mar. Ecol. Prog. Ser.* 173:53-65. #693

Kelly, J.R. 1998. Nitrogen and phosphorus budgets for Boston Harbor, Massachusetts, USA: *Synopsis and Study of Global Change of the International Council of Scientific Unions*. Land-Ocean Interactions in the Coastal Zone Project, International Geosphere-Biosphere Programme. #3386

Kelly, J.R. 1997. Nutrients and human-induced change in the Gulf of Maine--"one, if by land, and two, if by sea." In: *Proceedings of the Gulf of Maine Ecosystem Dynamics Scientific*

Symposium and Workshop. G.T. Wallace, E.F. Brasch, Eds., pp.169-181. RARGOM report, 97-1. Hanover, NH. #1997-12

Kelly, J.R. and P.H. Doering. 1999. Seasonal deepening of the pycnocline in a shallow shelf ecosystem and its influence on near-bottom dissolved oxygen. *Mar. Ecol. Prog. Ser.* 178:151-168. #707

Kelly, J.R., R. Kropp, A. Uhler, M. Zielinski, and S. Tawatchai. 1998. Environmental response and recovery at drilling platforms in the Gulf of Thailand. Published proceedings: *SPE International Conference on Health, Safety and Environment in Oil and Gas Exploration and Production*, Caracas, Venezuela, June 7-10, 1998. #3354

Kelly, J.R., P.M. Yurista, S.E. Miller, A.C. Cotter, T.C. Corry, J.S. Scharold, M.E. Sierszen, E.J. Isaac, and J. Stockwell. 2011. Challenges to Lake Superior's condition, assessment, and management: A few observations across a generation of change. *Aquat. Eco. Health Manage.* 14(SI):332-344. #5424

Kelly, J.R., P.M. Yurista, and C.W. West. 2005. Continuous spatial mapping from vessels: Results and experience using various sensors for water and sediments in the Great Lakes. *Council of Great Lakes Research Managers December 2004 Workshop*, Ann Arbor, MI at: <http://www.canamglass.org/workshop/pdf/FOWOTr.pdf>. #4489

Kemble, N.E., F.J. Dwyer, C.G. Ingersoll, T.D. Dawson, and T.J. Norberg-King. 1999. Tolerance of freshwater test organisms to formulated sediments for use as control materials in whole-sediment toxicity tests. *Environ. Toxicol. Chem.* 18:222-230. #1999-21

Kemp, J.R. and K.B. Wallace. 1990. Molecular determinants of the species-selective inhibition of brain acetylcholinesterase. *Toxicol. Appl. Pharm.* 104:246-258. #1990-9

Kenaga, D.E., W.S. Creal, and R.E. Basch. 1983. Limnology of Michigan's nearshore waters of Lake Michigan. *EPA/905/3-83/003*. Great Lakes National Program Office, USEPA Region 5, Chicago, IL/ORD, USEPA, Duluth, MN, Project R00514601.

Kennel, S.J., G. Mason, and S. Safe. 1986. Monoclonal antibodies to chlorinated dibenzo-*p*-dioxins. *Chemosphere* 15:2007-2010. #1986-15

Kenow, K.P., M.W. Meyer, R. Rossmann, A. Gendron-Fitzpatrick, and B.R. Gray. 2011. Effects of injected methylmercury on the hatching of common loon (*Gavia immer*) eggs. *Ecotoxicol.* 20(SI):1684-1693. #5444

Keough, J.R. 1994. Understanding Great Lakes food webs using stable isotope signatures. *Great Lakes Wetlands* 5:1-2, 9-10. #1994-9

Keough, J.R. and J. Griffin. 1994. Technical workshop on EMAP indicators for Great Lakes Coastal Wetlands. #1994-20

Keough, J.R., C.A. Hagley, E. Ruzicky, and M.E. Sierszen. 1998. $\delta^{13}\text{C}$ composition of primary producers and role of detritus in a freshwater coastal ecosystem. *Limnol. Oceanogr.* 43:734-740. #685

Keough, J.R., M.E. Sierszen, and C.A. Hagley. 1996. Analysis of a Lake Superior coastal food web with stable isotope techniques. *Limnol. Oceanogr.* 41:136-146. #618

Kerfoot, W.C., S.L. Harting, R. Rossmann, and J.A. Robbins. 2002. Elemental mercury in copper, silver and gold ores: An unexpected contribution to Lake Superior sediments with global implications. *Geochem.: Explor. Environ. Anal.* 2:185-202. #2002-10

Kerfoot, W.C., S. Harting, R. Rossmann, and J.A. Robbins. 1999. Anthropogenic copper inventories and mercury profiles from Lake Superior: evidence for mining impacts. *J. Great Lakes Res.* 24:663-682. #1999-14

Kimball, G. 1978. The effects of lesser known metals and one organic to fathead minnow (*Pimephales promelas*) and *Daphnia magna*. #1978-3

Kimble, P.F. and K.L. Temple. 1980. Microbial effect on the quality of leach water from eastern Montana coal mine spoils. EPA/600/3-80/046. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (Environmental effects of western coal surface mining. Part VII): Grant R803950.

King, R.S. and J.C. Brazner. 1999. Coastal wetland insect communities along a trophic gradient in Green Bay, Lake Michigan. *Wetlands* 19:426-437. #713

Kingston, J.C., B.F. Cumming, A.J. Uutala, J.P. Smol, K.E. Camburn, D.F. Charles, S.S. Dixit, and R.G. Kreis Jr. 1992. Biological quality control and quality assurance: a case study in paleolimnological biomonitoring. In: *Ecological Indicators*, Vol. 2. D.H. McKenzie, D.E. Hyatt, V.J. McDonald, Eds., pp.1542-1544. Elsevier Applied Sciences, New York, NY. #1992-32

Kireta, A.R., E.D. Reavie, G.V. Sgro, T.R. Angradi, D.W. Bolgrien, B.H. Hill, and T.M. Jicha Terri M. 2012. Planktonic and periphytic diatoms as indicators of stress on great rivers of the United States: Testing water quality and disturbance models. *Ecol. Indic.* 13:222-231. #5685

Kireta, A.R., E.D. Reavie, G.V. Sgro, T.R. Angradi, D.W. Bolgrien, T.M. Jicha, and B.H. Hill. 2012. Assessing the condition of the Missouri, Ohio, and Upper Mississippi rivers (USA) using diatom-based indicators. *Hydrobiologia* 691:171-188. #5684

Kleiner, C.F., R.L. Anderson, and D.K. Tanner. 1984. Toxicity of fenitrothion to fathead minnows (*Pimephales promelas*) and alternative exposure duration studies with fenitrothion and endosulfan. *Arch. Environ. Contam. Toxicol.* 13:573-578. #279

Kleinow, K., J. Baker, J. Nichols, F. Gobas, T. Parkerton, D. Muir, G. Monteverdi, and P. Mastrodone. 1999. Exposure, uptake, and disposition of chemicals in reproductive and developmental stages of selected oviparous vertebrates. In: *Reproductive and Developmental*

Effects of Contaminants in oviparous vertebrates, R.T. Di Guilio, D.E. Tillitt, Eds., pp. 9-111. SETAC Press, Pensacola, FL. #1999-15

Kleinow, K.M., J.W. Nichols, W.L. Hayton, J.M. McKim, and M.G. Barron. 2008. Chapter 3. Toxicokinetics in fishes. In: *The Toxicology of Fishes*, R.T. DiGiulio, D.E. Hinton, Eds., Taylor & Francis, Boca Raton, FL, pp. 55-152. #4970

Klemm, D.J., G.E. Morrison, T.J. Norberg-King, W.H. Peltier, and M.A. Heber. 1991. Short-term methods for estimating the chronic toxicity of effluents and receiving waters to marine and estuarine organisms (2nd Ed.). *EPA/600/4-91/003*. Environmental Monitoring Systems Laboratory, ORD, USEPA, Cincinnati, OH.

Kletti, L.L. and H.G. Stefan. 1995. Empirical relationships between runoff and climate parameters: an analysis for Minnesota. Environmental Research Laboratory, USEPA, Duluth, MN. #1995-25

Kline, E.R., A.W. Jarvinen, and M.L. Knuth. 1989. Acute toxicity of triphenyltin hydroxide to three cladoceran species. *Environ. Pollut.* 56:11-17. #388

Kline, E.R., V.R. Mattson, Q.H. Pickering, D.L. Spehar, and C.E. Stephan. 1987. Effects of pollution on freshwater organisms. *J. Water Pollut. Control Fed.* 59:539-572. #345

Klump, J.V., J.L. Kaster, and M.E. Sierszen. 1991. *Mysis relicta* assimilation of hexachlorobiphenyl from sediments. *Can J. Fish. Aquat. Sci.* 48:284-289. #451

Knuth, M.L. 1989. Determination of the insect growth regulator methoprene in natural waters by capillary gas-liquid chromatography. *Chemosphere* 18:2275-2281. #389

Knuth, M.L., Ed. 1992. Effects, persistence and distribution of azinphos-methyl in littoral enclosures. ERL, USEPA, Duluth, MN and Lake Superior Research Institute, UW-Superior, Superior, WI. #1992-3

Knuth, M.L., L.J. Heinis, and L.E. Anderson. 2000. Persistence and distribution of azinphos-methyl following application to littoral enclosure mesocosms. *Ecotox. Environ. Safety* 47:167-177. #745

Knuth, M.L. and L.J. Heinis. 1995. Distribution and persistence of diflubenzuron within littoral enclosure mesocosms. *J. Ag. Food Chem.* 43:1087-1097. #568

Knuth, M.L. and L.J. Heinis. 1992. Dissipation and persistence of chlorpyrifos within littoral enclosures. *J. Ag. Food Chem.* 40:1257-1263. #480

Knuth, M.L. and J.R. Kelly. 2011. Denitrification rates in a Lake Superior coastal wetland. *Aquat. Eco. Health Manage.* 14(SI):414-421. #5423

Koenst, W.M. and L.L. Smith. 1982. Factors influencing growth and survival of white sucker, *Catostomus commersoni*. EPA/600/3-82/051. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, PB82-221474: Grant R804501.

Kolanczyk, R.C., P.N. Fitzsimmons, J.M. McKim Sr., R.J. Erickson, and P.K. Schmieder. 2003. Effects of anesthesia (tricaine methanesulfonate, MS222) on liver biotransformation in rainbow trout (*Oncorhynchus mykiss*). *Aquat. Toxicol.* 64:177-184. #792

Kolanczyk, R.C., H.R. Gutmann, and I.R. Rutks. 1992. Effect of bovine serum albumin on the extent of ortho rearrangement of N-(Sulfooxy)-2-fluorenylacetamide and of enzymatically activated N-Hydroxy-2-fluorenylacetamide and on the binding of reactive esters to nucleic acids. *Chem. Res. Toxicol.* 5:274-279. #1992-30

Kolanczyk, R.C. and P.K. Schmieder. 2002. Rate and capacity of hepatic microsomal ring-hydroxylation of phenol to hydroquinone and catechol in rainbow trout (*Oncorhynchus mykiss*). *Toxicology* 176:77-90. #773

Kolanczyk, R., P. Schmieder, S. Bradbury, and T. Spizzo. 1999. Biotransformation of 4-methoxyphenol in rainbow trout (*Oncorhynchus mykiss*) hepatic microsomes. *Aquat. Toxicol.* 45:47-61. #705

Kolanczyk, R.C., I.R. Rutks, and H.R. Gutmann. 1991. The catalytic effect of bovine serum albumin on the ortho rearrangement of the potential ultimate carcinogen, N-(Sulfooxy)-2-(acetylamino)fluorene, generated enzymatically from N-Hydroxy-2-(acetylamino)fluorene and evidence for substrate specificity of the enzymatic sulfonation of arylhydroxamic acids. *Chem. Res. Toxicol.* 4:187-194. #1991-32

Kolanczyk, R.C., P. Schmieder, W.J. Jones, O.G. Mekenyan, A. Chapkanov, S. Temelkov, S. Kotov, M. Velikova, V. Kamenska, K. Vasilev, M. Manibusan, C. Olinger, R. Kent, P. Shah, A. Khasawinah, and G.D. Veith. 2012. MetaPath: An electronic knowledge base for collating, exchanging and analyzing case studies of xenobiotic metabolism. *Reg. Toxicol. Pharmacol.* 63:84-96. #5550

Koonce, J.F., T.B. Bagenal, R.F. Carline, K.E.F. Hokanson, and M. Nagiec. 1977. Factors influencing year-class strength of percids: A summary and model of temperature effects. *J. Fish. Res. Board Can.* 34:1900-1909. #152

Kopperman, H.L., D.W. Kuehl, and G.E. Glass. 1976. Chlorinated compounds found in waste-treatment effluents and their capacity to bioaccumulate. In: *Proceedings of the Conference on the Environmental Impact of Water Chlorination*, October 22-24, 1975, Oak Ridge, TN, R.L. Jolley, Ed., pp. 327-345. #1976-5

Korner-Nievergelt, F., O. Behr, R. Brinkmann, M.A. Etterson, M.M. Huso, D. Dalthorp, P. Korner-Nievergelt, T. Roth and I. Niermann. 2015. Mortality estimation from carcass searches using the R-package carcass – a tutorial. *Wildlife Biology* 21 (1):30-43.

Korte, J.J., K.M. Jensen, M.D. Kahl, E.A. Makynen, and G.T. Ankley. 2000. Androgen receptor expression in fathead minnow. Article Data Set: *Internet Genbank Accession No. Bankit 347210*. #3693

Korte, J.J., K.M. Jensen, M.D. Kahl, E.A. Makynen, and G.T. Ankley. 2000. Aromatase expression in fathead minnow. Article Data Set: *Internet Genbank Accession No. Bankit 347195*. #3694

Korte, J.J., M.D. Kahl, K.M. Jensen, M.S. Pasha, and G.T. Ankley. 1999. Expression of fathead minnow vitellogenin mRNA and protein after estradiol treatment. Article Data Set: *Internet Genbank Accession No. AF 130354*. # 3453

Korte, J.J., M.D. Kahl, K.M. Jensen, M.S. Pasha, L.G. Parks, G.A. LeBlanc, and G.T. Ankley. 2000. Fathead minnow vitellogenin: complementary DNA sequence and messenger RNA and protein expression after 17 β -estradiol treatment. *Environ. Toxicol. Chem.* 19:972-981. #730

Korte, J.J., E. Mylchreest, and G.T. Ankley. 2004. Comparative evaluation of ELISAs for detecting vitellogenin in the fathead minnow (*Pimephales promelas*)--a response to Tyler et al. *Comp. Biochem. Physiol. Part C* 138:533-536. #839

Korte, J.J., R.M. Sternberg, J.A. Serrano, K.R. Thoemke, S.M. Moen, K.E. Lillegard, M.W. Hornung, J.E. Tietge, and S.J. Degitz. 2011. Thyroid-stimulating hormone (TSH): Measurement of intracellular, secreted, and circulating hormone in *Xenopus laevis* and *Xenopus tropicalis*. *Gen. Compar. Endocrin.* 171:319-325. #5380

Kosian, P.A. and G.T. Ankley. 1991. A summary of proposed methods for assessing contaminated sediments and deriving sediment quality criteria. Background document for the OECD Workshop on Contaminated Sediments, May 13-15, 1991, Copenhagen, Denmark. #1991-2

Kosian, P.A., R.A. Hoke, G.T. Ankley, and F.M. VanderMeiden. 1995. Determination of dieldrin binding to dissolved organic material in sediment pore water using a reverse-phase separation technique. *Environ. Toxicol. Chem.* 14:445-450. #569

Kosian, P., A. Lemke, K. Studders, and G. Veith. 1981. The precision of the ASTM bioconcentration test. *EPA/600/3-81/022*. ERL, ORD, USEPA, Duluth, MN (PB81-168932).

Kosian, P.A., E.A. Makynen, G.T. Ankley, and S.J. Degitz. 2003. Uptake and metabolism of all-*trans* retinoic acid by three native North American ranids. *Toxicol. Sci.* 74:47-156. #794

Kosian, P.A., E.A. Makynen, P.D. Monson, D.R. Mount, A. Spacie, O.G. Mekenyan, and G.T. Ankley. 1998. Application of toxicity-based fractionation techniques and structure-activity relationship models for the identification of phototoxic polycyclic aromatic hydrocarbons in sediment pore water. *Environ. Toxicol. Chem.* 17:1021-1033. #677

- Kosian, P.A., C.W. West, M.S. Pasha, J.S. Cox, D.R. Mount, R.J. Huggett, and G.T. Ankley. 1999. Use of nonpolar resin for reduction of fluoranthene bioavailability in sediment. *Environ. Toxicol. Chem.* 18:201-206. #697
- Kramer, V.J., M.A. Etterson, M. Hecker, C.A. Murphy, G. Roesijadi, D.J. Spade, J.A. Spromberg, M. Wang, and G.T. Ankley. 2011. Adverse outcome pathways and ecological risk assessment: Bridging to population-level effects. *Environ. Toxicol. Chem.* 30:64-76. #5229
- Kratz, T.K., R.B. Cook, C.J. Bowser, and P.L. Brezonik. 1987. Winter and spring pH depressions in northern Wisconsin lakes caused by increases in $p\text{CO}_2$. *Can. J. Fish. Aquat. Sci.* 44:1082-1088. #1987-40
- Kratz, T.K., T.M. Frost, and J.J. Magnuson. 1987. Inferences from spatial and temporal variability in ecosystems: Long-term zooplankton data from lakes. *Amer. Naturalist* 129:830-846. #1987-41
- Krausse, G.L., Schelske C.L., and C.O. Davis. 1983. Comparison of three wet-alkaline methods of digestion of biogenic silica in water. *Fresh. Biol.* 13:73-81. #1983-1
- Kreis, R.G. Jr. 2012. Technologies for better decisions in the Huron-Erie corridor. 5.1: *Keynote Address, State of the Strait: Use of Remote Sensing and GIS to Better Manage the Huron-Erie Corridor*. S. Francoeur, L. Cargnelli, A. Cook, J. Hartig, J. Gannon, G. Norwood, Eds. Great Lakes Institute for Environmental Research, Occ. Pub. No. 7, University of Windsor, ON, Canada, ISSN 1715-3980. Based on the 2011 State of the Strait Conference, Eastern Michigan University, Ypsilanti, Michigan, USA, pp. 5-1--5-4. #5647
- Kreis, R.G. 2006. The Lake Michigan Mass Balance Study Update: PCBs and atrazine. *Lake Michigan Lakewide Management Plan*. #4629
- Kreis, R.G. 2006. Subgoal 7: Are sediments, air, land, and water sources or pathways of contamination that affect the integrity of the ecosystem? *Lake Michigan LaMP 2006, GLNPO*. #5145
- Kreis, R.G. Jr. 2002. Beneficial use impairment #13: Degradation of phytoplankton and zooplankton populations. *Detroit River De-listing Workshop, Detroit, MI, April 26-27, 2002*. #3976
- Kreis, R.G. Jr. 2000. Integrated ecosystem response models for Lake Erie. In: *Great Lakes Modeling Summit: Focus on Lake Erie*, App. B, pp. 6-11. #2000-2
- Kreis, R.G. Jr. 1999. Trenton Channel/Detroit River sediment assessment and remediation. In: *Deciding when to intervene: Data interpretation tools for making sediment management decisions beyond source control*. App. 10, pp. 57-59. #1999-16
- Kreis, R.G. Jr. 1995. Data and summary report for zebra mussel analyses from the Smithland Lock and Dam, Ohio River, and the Black Rock Lock, Niagara River. *Report to Waterway Experiment Station, US Army Corps of Engineers, Vicksburg, MI*. #1995-15

Kreis, R.G. Jr. Ed. 1988. Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. #1988-4

Kreis, R.G. Jr, N. Andresen, J.P. Kocielek, M. Julius, R.J. Stevenson, E.C. Theriot, M. Tuchman, and J. Wolin. 2013. Eugene Filmore Stoermer. *J. Great Lakes Res.* 39:1-2. #5763

Kreis, R.G. Jr., G. Haffner, and M. Tomczak. 2002. Contaminants in water and sediment. In: *State of the Strait, Detroit River, Windsor, ON, Canada, March 27, 2001*, Great Lakes Institute for Environmental Research, Occ. Pub. 3, University of Windsor, ON, Canada, 47:20-22. #3860

Kreis, R.G., J. Rathbun, K.A. Freeman, Huellmantel, K.A. Ahlgren, E.L. Lancaster, J. Mac Michael, J.C. Filkins, M.D. Mullin, and V.E. Smith. 1992. Confined disposal facility biomonitoring study: channel/shelter island diked facility, Saginaw Bay, Bay City, MI 1988. *USEPA, Grosse Ile, MI.* #2669

Kreis, R.G. Jr., J.E. Rathbun, A.E. Maccubbin, R.A. Hites, V.E. Smith, M.J. Mac, J.C. Filkins, S.A. Rudolph, M.D. Mullin, K.A. Vargo, and K.P. McGunagle. 1989. An investigation of neoplasia in Detroit River fish and its relationship to sediment contamination. Large Lakes Research Station, USEPA, Grosse Ile, MI. #1989-46

Kreis, R.G., K.R. Rygwelski, and V.E. Smith. 1991. Procedures for the assessment of contaminated sediments in the Laurentian Great Lakes as developed in the Detroit River-Trenton Channel, in-place pollutants study, 1985-1988. Michigan Department of Natural Resources, Lansing, MI. #2465

Kreis, R.G. Jr., D. Woodring, and A.G. Kizlauskas. 1980. Conceptual framework for ranking hazardous sediments in the Laurentian Great Lakes. Large Lakes Research Station, USEPA, Grosse Ile, MI. #1980-2

Krezoski, J.R. 1989. Sediment reworking and transport in eastern Lake Superior: *In situ* rare earth element tracer studies. *J. Great Lakes Res.* 15:26-33. #1989-22

Krezoski, J.R. and J.A. Robbins. 1981. Radiotracer studies of interactions between sediments and freshwater macrobenthos (abstract only). *Very. Infernal. Verdin. Limnol.* 21:382. #1981-6

Kuehl, D.W. 1981. Unusual polyhalogenated chemical residues identified in fish tissue from the environment. *Chemosphere* 10:231-242. #222

Kuehl, D.W. 1977. Identification of trace contaminants in environmental samples by selected ion summation analysis of gas chromatographic-mass spectral data. *Anal. Chem.* 49:521-522. #153

- Kuehl, D.W., G.T. Ankley, L.P. Burkhard, and D.A. Jensen. 1990. Bioassay directed characterization of the acute aquatic toxicity of a creosote leachate. *Hazard. Waste Hazard. Mater.* 7:283-291. #422
- Kuehl, D.W., G.T. Ankley, L.P. Burkhard, D.A. Jensen, and J.J. Jenson. 1989. Toxicity profiles for aquatic impacts as waste leachate characteristics: Toxicity characteristics of creosote and latex paint leachates. Environmental Research Laboratory, USEPA, Duluth, MN. #1989-51
- Kuehl, D.W., B.C. Butterworth, W.M. DeVita, and C.P. Sauer. 1987. Environmental contamination by polychlorinated dibenzo-*p*-dioxins and dibenzofurans associated with pulp and paper mill discharge. *Biomed. Environ. Mass Spectrom.* 14:443-447. #346
- Kuehl, D.W., B.C. Butterworth, and K.L. Johnson. 1986. Supplemental quality assurance criteria for high-resolution gas chromatography/high resolution mass spectrometric determination of 2,3,7,8- tetrachlorodibenzo-*p*-dioxin in biological tissue. *Anal. Chem.* 58:1598-1599. #323
- Kuehl, D.W., B.C. Butterworth, J.J. Libal, and P.J. Marquis. 1991. An isotope dilution high resolution gas chromatographic-high resolution mass spectrometric method for the determination of coplanar polychlorinated biphenyls: Application to fish and marine mammals. *Chemosphere* 22:849-858. #452
- Kuehl, D.W., B.C. Butterworth, A. McBride, S. Kroner, and D. Bahnick. 1989. Contamination of fish by 2,3,7,8-tetrachlorodibenzo-*p*-dioxin: A survey of fish from major watersheds in the United States. *Chemosphere* 18:1997-2014. #390
- Kuehl, D.W., B.C. Butterworth, and P.J. Marquis. 1994. A national study of chemical residues in fish III: Study results. *Chemosphere* 29:523-535. #536
- Kuehl, D.W. and J. Christensen. 1999. Determination of *kow* values for a series of aryl glucuronides. *Bull. Environ. Contam. Toxicol.* 63:109-116. #715
- Kuehl, D.W., P.M. Cook, and A.R. Batterman. 1986. Uptake and depuration studies of PCDDs and PCDFs in freshwater fish. *Chemosphere* 15:2023-2026. #324
- Kuehl, D.W., P.M. Cook, and A.R. Batterman. 1985. Studies on the bioavailability of 2,3,7,8-TCDD from municipal incinerator flyash to freshwater fish. *Chemosphere* 14:871-872. #297
- Kuehl, D.W., E.J. Durhan, B.C. Butterworth, and D. Linn. 1984. Tetrachloro-9H-carbazole, a previously unrecognized contaminant in sediments of the Buffalo River. *J. Great Lakes Res.* 10:210-214. #281
- Kuehl, D.W., P.M. Cook, A.R. Batterman, and D.B. Lothenbach. 1985. Bioavailability of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin from municipal incinerator fly ash to freshwater fish. *Chemosphere* 14:427-437. #298

Kuehl, D.W., P.M. Cook, A.R. Batterman, and B.C. Butterworth. 1987. Isomer-dependent bioavailability of polychlorinated dibenzo-*p*-dioxins and dibenzofurans from municipal incinerator fly ash to carp. *Chemosphere* 16:657-666. #347

Kuehl, D.W., P.M. Cook, A.R. Batterman, D.B. Lothenbach, and B.C. Butterworth. 1987. Bioavailability of polychlorinated dibenzo-*p*-dioxins and dibenzofurans from contaminated Wisconsin river sediment to carp. *Chemosphere* 16:667-679. #348

Kuehl, D.W. and R.C. Dougherty. 1980. Screening of human and food chain samples for contamination with toxic substances using negative chemical ionization mass spectrometry. In: *Advances in mass spectrometry*, vol. 8B. A. Quayle, Ed., pp. 1451-1459. Heydon and Son, Ltd., London. #1980-15

Kuehl, D.W. and R.C. Dougherty. 1980. Pentachlorophenol in the environment. Evidence for its origin from commercial pentachlorophenol by negative chemical ionization mass spectrometry. *Environ. Sci. Technol.* 14:447-449. #205

Kuehl, D.W., R.C. Dougherty, Y. Tondeur, D.L. Stalling, L.M. Smith, and C. Rappe. 1981. Negative chemical ionization studies of polychlorinated dibenzo-*p*-dioxins, dibenzofurans, and naphthalenes in environmental samples. In: *Environmental health chemistry: The chemistry of environmental agents as potential human hazards*. J. D. McKinney, Ed., pp. 245-261. Ann Arbor Science, Ann Arbor, MI. #1981-15

Kuehl, D.W., E.J. Durhan, B.C. Butterworth, and D. Linn. 1984. Identification of polychlorinated planar chemicals in fishes from major watersheds near the Great Lakes. *Environ. Int.* 10:45-49. #280

Kuehl, D.W., L. Eisenschenk, S. Naumann, R.D. Johnson, R.R. Regal, P. Barnidge, and J.M. McKim. 1991. Comparison of nucleoside concentration in blood of fish with and without tumors. *Bull. Environ. Contam. Toxicol.* 46:713-719. #453

Kuehl, D.W., G.E. Glass, and F.A. Puglisi. 1974. Automatic high temperature vent system for a gas chromatograph/mass spectrometer interface. *Anal. Chem.* 46:804-805. #107

Kuehl, D.W. and R. Haebler. 1995. Organochlorine, organobromine, metal, and selenium residues in bottlenose dolphins (*Tursiops truncatus*) collected during an unusual mortality event in the Gulf of Mexico, 1990. *Arch. Environ. Contam. Toxicol.* 28:494-499. #570

Kuehl, D.W., R. Haebler, and C. Potter. 1994. Coplanar PCB and metal residues in dolphins from the U.S. Atlantic coast including Atlantic bottlenose obtained during the 1987/88 mass mortality. *Chemosphere* 28:1245-1253. #537

Kuehl, D.W., R. Haebler, and C. Potter. 1991. Chemical residues in dolphins from the U.S. Atlantic coast including Atlantic bottlenose obtained during the 1987/88 mass mortality. *Chemosphere* 22:1071-1084. #454

Kuehl, D.W., K.L. Johnson, B.C. Butterworth, E.N. Leonard, and G.D. Veith. 1981. Quantification of octachlorostyrene and related compounds in Great Lakes fish by gas chromatography-mass spectrometry. *J. Great Lakes Res.* 7:330-335. #223

Kuehl, D.W., H.L. Kopperman, G.D. Veith, and G.E. Glass. 1976. Isolation and identification of polychlorinated styrenes in Great Lakes fish. *Bull. Environ. Contam. Toxicol.* 16:127-132. #133

Kuehl, D.W. and E.N. Leonard. 1977. Isolation of xenobiotic chemicals from tissue samples by gel permeation chromatography. *Anal. Chem.* 50:182-185. #154

Kuehl, D.W., E.N. Leonard, B.C. Butterworth, and K.L. Johnson. 1983. Polychlorinated chemical residues in fish from major watersheds near the Great Lakes, 1979. *Environ. Int.* 9:293-99. #263

Kuehl, D.W., E.N. Leonard, K.J. Welch, and G.D. Veith. 1980. Identification of hazardous organic chemicals in fish from the Ashtabula River, Ohio, and Wabash River, Indiana. *J. Assoc. Off. Anal. Chem.* 63:1238-1244. #206

Kuehl, D.W. and B. Rozynov. 2003. Chromatographic and mass spectral studies of perfluorooctanesulfonate and three perfluorooctanesulfonamides. *Rap. Comm. Mass Spec.* 17: 2364-2369. #805

Kuehl, D.W., J. Serrano, and S. Naumann. 1994. Identification of potentially mutagenic contaminants in the aquatic environment by liquid chromatographic-thermospray mass spectrometric characterization of in vitro DNA adducts. *J. Chromatog. A* 684:113-119. #538

Kuehl, D.W., G.D. Veith, and E.N. Leonard. 1978. Brominated compounds found in waste-treatment effluents and their capacity to bioaccumulate. In: *Water chlorination environmental impact and health effects*, vol. 2. R.L. Jolley, H. Gorchev, D.H. Hamilton Jr., Eds. pp. 175-192. Ann Arbor Science, Ann Arbor, MI. #1978-8

Kuehl, D.W., M.J. Whitaker, and R.C. Dougherty. 1980. Micromethods for toxic residue screening by negative chemical ionization mass spectrometry. *Anal. Chem.* 52:935-940. #207

Kurtz, J., N.E. Detenbeck, V. Engle, K. Ho, L.M. Smith, S.J. Jordan, and D. Campbell. 2006. Classifying coastal waters: Current necessity and historical perspective. *Est. Coasts* 29:107-123. #886

L

Lahvis, G.P., R.S. Wells, D.W. Kuehl, J.L. Stewart, H.L. Rhinehart, and C.S. Via. 1995. Decreased lymphocyte response in free-ranging bottlenose dolphins (*Tursiops truncatus*) are associated with increased concentrations of PCBs and DDT in peripheral blood. *Environ. Health Perspect.* 103:67-72. #571

LaLone, C.A., J.P. Berninger, D.L. Villeneuve and G.T. Ankley. 2014. Leveraging existing data for prioritization of the ecological risks of human and veterinary pharmaceuticals to aquatic

organisms. *Philosophical Transactions of the Royal Society B: Biological Sciences* 369 (1656):1-10.

LaLone, C.A., D.L. Villeneuve, L.D. Burgoon, C.L. Russom, H.W. Helgen, J.P. Berninger, J.E. Tietge, M.N. Severson, J.E. Cavallin, and G.T. Ankley. 2013. Molecular target sequence similarity as a basis for species extrapolation to assess the ecological risk of chemicals with known modes of action. *Aquat. Toxicol.* 144-145:141-154 . #5730

LaLone, C.A., D.L. Villeneuve, J.E. Cavallin, M.D. Kahl, E.J. Durhan, E.A. Makynen, K.M. Jensen, K.E. Stevens, M.N. Severson, C.A. Blanksma, K.M. Flynn, J. Woodard, J.P. Berninger, T.J. Norberg-King, R.D. Johnson, and G.T. Ankley. 2013. Cross species sensitivity to a novel androgen receptor agonist of potential environmental concern, spironolactone. *Environ. Toxicol. Chem.* 32:2528-2541. #5801

LaLone, C.A., D.L. Villeneuve, A.W. Olmstead, E.K. Medlock, M.D. Kahl, K.M. Jensen, E.J. Durhan, E.A. Makynen, C.A. Blanksma, J.E. Cavallin, L.M. Thomas, S. Seidl, S.Y. Skolness, L.C. Wehmas, R.D. Johnson, and G.T. Ankley. 2012. Effects of a glucocorticoid receptor agonist, dexamethasone, on fathead minnow reproduction, growth, and development. *Environ. Toxicol. Chem.* 31:611-622. #5558

Landrum, P.F. and R. Poore. 1988. Toxicokinetics of selected xenobiotics in *Hexagenia limbata*. *J. Great Lakes Res.* 14:427-437. #1988-17

Lapin, C.N., M.A. Etterson, and G.J. Niemi. 2013. Occurrence of the Connecticut Warbler increases with size of patches of coniferous forest. *The Condor* 115:168-177. #5723

Larkin, P., D.L. Villeneuve, I. Knoebl, A.L. Miracle, B.J. Carter, L. Liu, N.D. Denslow, and G.T. Ankley. 2007. Development and validation of a 2,000 gene microarray in the fathead minnow (*Pimephales promelas*). *Environ. Toxicol. Chem.* 26:1497-1506. #4692

Larocque, G.R., D. Mailly, T.-X. Yue, M. Anand, C. Peng, C. Kazanci, M.A. Etterson, P. Goethals, S. Jorgensen, J. Schramski, E. McIntire, D. Marceau, B. Chen, G. Chen, Z. Yang, B. Novotna, N. Luckai, J. Bhatti, J. Liu, A. Munson, A. Gordon, and J. Ascough Jr. 2011. Common challenges for ecological modelling: Synthesis of facilitated discussions held at the symposia organized for the 2009 conference of the International Society for Ecological Modelling in Quebec City, QC, Canada, (October 6-9, 2009). *Ecol. Model.* 222:2456-2468. #5428

Larsen, D.P., F. DeNoyelles Jr., F. Stay, and T. Shiroyama. 1986. Comparisons of single-species, microcosm and experimental pond responses to atrazine exposure. *Environ. Toxicol. Chem.* 5:179-190. #325

Larson, J.H., A.S. Trebitz, A.D. Steiman, M.J. Wiley, M. Carlson-Mazur, V. Pebbles, H. Braun, and P. Seelbach. 2013. Great Lakes rivermouth ecosystems: Scientific synthesis and management implications. *J. Great Lakes Res.* 32:2528-2541. # 5732

Larson, G.L., C.E. Warren, F.E. Hutchins, L.P Lamperti, D.A. Schlesinger, and W.K. Seim. 1978. Toxicity of residual chlorine compounds to aquatic organisms. *EPA/600/3-78/023*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R802286.

Lauritsen, D.D., S.C. Mozley, and D.S. White. 1985. Distribution of oligochaetes in Lake Michigan and comments on their use as indices of pollution. *J. Great Lakes Res.* 11:67-76. #1985-15

Lech, J. and M. Melancon. 1980. Uptake, metabolism and disposition of xenobiotic chemicals in fish: Wisconsin Power Plant Impact Study. *EPA/600/3-80/082*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant #R803971.

Lee, D.Y., W. Lick, and S.W. Kang. 1981. The entrainment and deposition of fine-grained sediments in Lake Erie. *J. Great Lakes Res.* 7:224-233. #1981-5

Lee, G.F. 1980. An evaluation of hazardous chemicals in Lake Ontario during IFYGL. *EPA/600/3-80/060*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant #R-803187.

Lee, G.F. and G.D. Veith. 1971. Effects of thermal discharges on the chemical parameters of water quality and eutrophication. *Proceedings of the International Symposium for Identification and Measurements of Pollution in the Environment, Ottawa, Canada, June 1971*. #1971-3

Leet, J.K., S. Sassman, J.J. Amberg, A.W. Olmstead, L.S. Lee, G.T. Ankley and M.S. Sepulveda. 2015. Environmental hormones and their impacts on sex differentiation in fathead minnows. *Aquatic Toxicology* 158:98-107.

Leet, J.K., K. Lesteberg, H.L. Schoenfuss, A.W. Olmstead, J.J. Amberg, G.T. Ankley, and M.S. Sepulveda. 2013. Sex-specific gonadal and gene expression changes throughout development in fathead minnow. *Sexual Develop.* 7:303-307. #5766

Lehto, L.L. and B.H. Hill. 2013. The effect of catchment urbanization on nutrient uptake and biofilm enzyme activity in Lake Superior (USA) tributary streams. *Hydrobiologia* 713:35-51. #5595

Leino, R.L. 1991. Histopathological effects of acidification on largemouth bass, rock bass, and yellow perch from Little Rock Lake. Final report to the USEPA for CR814582012. Environmental Research Laboratory, USEPA, Duluth, MN. #1991-6

Leino, R.L. 1991. Histomorphological changes and ionoregulatory physiology in largemouth bass exposed to overwintering conditions and elevated aluminum in acid water. Final report, Contract CR814582013, Environmental Research Laboratory, USEPA, Duluth, MN. #1991-7

Leino, R.L., J.G. Anderson, and J.H. McCormick. 1983. Development of apical pits in chloride cells of the gills of *Pimephales promelas* after chronic exposure to acid water. In: *Proc. of 41st Annual Meeting of the Electron Microscopy Society of America*. G.W. Bailey, Ed. pp. 462-463. San Francisco Press, San Francisco, CA. #1983-12

Leino, R.L., K.M. Jensen, and G.T. Ankley. 2005. Gonadal histology and characteristic histopathology associated with endocrine disruption in the adult fathead minnow (*Pimephales promelas*). *Environ. Toxicol. Pharm.* 19:85-98. #4185

Leino, R.L. and J.H. McCormick. 1997. Reproductive characteristics of the ruffe, *Gymnocephalus cernuus*, in the St. Louis River estuary on western Lake Superior: A histological examination of the ovaries over one annual cycle. *Can. J. Fish. Aquat. Sci.* 54:256-263. #649

Leino, R.L. and J.H. McCormick. 1993. Histopathological effects of experimental acidification on largemouth bass, rock bass, and yellow perch from Little Rock Lake, Wisconsin. In: *Proceedings of the 19th Annual Aquatic Toxicity Workshop*, October 4-7, 1992, Edmonton, Alberta. E.G. Baddaloo, S. Ramamoorthy, J.W. Moore, Eds., pp. 201-223. Canadian Tech. Rept. of Fisheries and Aquatic Sciences 1942. Dept. of Fisheries and Oceans, Canada. #1993-15

Leino, R.L. and J.H. McCormick. 1993. Responses of juvenile largemouth bass to different pH and aluminum levels at overwintering temperatures: Effects on gill morphology, electrolyte balance, scale calcium, liver glycogen, and depot fat. *Can. J. Zool.* 71:531-543. #503

Leino, R.L. and J.H. McCormick. 1990. Histopathological effects of experimental acidification on largemouth bass, rock bass, and yellow perch from Little Rock Lake, Wisconsin. #1990-4

Leino, R.L. and J.H. McCormick. 1984. Morphological and morphometrical changes in chloride cells of the gills of *Pimephales promelas* after chronic exposure to acid water. *Cell Tissue Res.* 236:121-128. #282

Leino, R.L., J.H. McCormick, and K.M. Jensen. 1992. Long-term effects of an acute acid pulse on juvenile black crappie, *Pomoxis nigromaculatus*. In: *Proc. of 18th Annual Aquatic Toxicity Workshop*, Sept. 30-Oct. 3, 1991, Ottawa, ON., pp. 369-371. (Presented at 16th Annual Aquatic Toxicity Workshop, Nov. 6-8, 1989, Winnipeg, Manitoba.). #1992-13

Leino, R.L., J.H. McCormick, and K.M. Jensen. 1990. Multiple effects of acid and aluminum on brood stock and progeny of fathead minnow, with emphasis on histopathology. *Can. J. Zool.* 68:234-244. #423

Leino, R.L., J.H. McCormick, and K.M. Jensen. 1988. Effects of acid and aluminum on swim bladder development and yolk absorption in the fathead minnow, *Pimephales promelas*. In: *Proc. of 24th Annual Aquatic Toxicity Workshop*, Nov. 2-4, 1987, Toronto, ON. A.J. Niimi, K.R. Solomon, Eds., pp. 37-41, Canadian Tech. Report of Fisheries and Aquatic Sciences 1607. Dept. of Fisheries and Oceans, Burlington, ON. #1988-39

Leino, R.L., J.H. McCormick, and K.M. Jensen. 1987. Changes in gill histology of fathead minnows and yellow perch transferred to soft water or acidified soft water with particular reference to chloride cells. *Cell Tissue Res.* 250:389-399. #349

Leino, R.L., P. Wilkinson, and J.G. Anderson. 1987. Histopathological changes in the gills of pearl dace, *Semotilus margarita*, and fathead minnows, *Pimephales promelas*, from experimentally acidified Canadian lakes. *Can. J. Fish. Aquat. Sci.* 44:126-134/1987-42

Lemke, A.E. 1984. Interlaboratory comparison of continuous flow, early life stage testing with fathead minnows. *EPA/600/3-84/005*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, PB84129493.

Lemke, A.E. 1983. Agrochemical hazards in aquatic systems and evaluation of such hazards with emphasis on developing countries. In: *Proceedings of the International Conference on Environmental Hazards of Agrochemicals in Developing Countries, Vol. 1*, Nov. 8-12, 1983, Alexandria, Egypt, pp. 417-433. Alexandria University, Egypt. #1983-13

Lemke, A.E. 1981. Interlaboratory comparison acute testing set. *EPA/600/3-81/005*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, PB81160772.

Lemke, A.E. 1979. Round-robin fish acutes test group. #1979-1

Lemke, A.E. 1977. Optimum temperature for growth of juvenile bluegills. *Prog. Fish-Cult.* 39:55-57. #155

Lemke, A.E. 1969. A water hardener for experimental use. *J. Am. Water Works Assoc.* 61:415-416. #30

Lemke, A.E. 1964. A new design for constant-flow test chambers. *Prog. Fish-Cult.* 26:136-138. #1964-2

Lemke, A.E. and R.L. Anderson. 1984. Insect interlaboratory toxicity test comparison study for the Chironomid (*Paratanytarsus* sp.) procedure. *EPA/600/3-84/054*, ERL/ORD/USEPA, Duluth, MN, PB84180025.

Lemke, A.E., W.A. Brungs, and B.J. Halligan. 1978. Manual for construction and operation of toxicity-testing proportional diluters. *EPA/600/3-78/072*. ERL, ORD, USEPA, Duluth, MN.

Lemke, A.E. and W.F. Dawson. 1979. Temperature-monitoring and safety-control device. *Prog. Fish-Cult.* 41:165-166. #189

Lemke, A.E., E. Durhan, and T. Felhaber. 1983. Evaluation of a fathead minnow *Pimephales promelas* embryo-larval test guideline using acenaphthene and isophorone. *EPA/600/3-83/062*. ERL, ORD, USEPA, Duluth, MN, PB832434360.

Lemke, A.E. and V.R. Mattson. 1969. An emergence trap for aquatic insects. *Mich. Entomol.* 2:19-21. #31

Lemke, A.E. and D.I. Mount. 1963. Some effects of alkyl benzene sulfonate on the bluegill, *Lepomis macrochirus*. *Trans. Am. Fish. Soc.* 92:372-378. #1963-1

Leo, A.J. 1989. Increasing the accuracy of computer calculated log P (oct/water) values. In: *QSAR: Quantitative structure-activity relationships in drug design*. Alan R. Liss, Inc., pp. 53-58. #1980-4

Leonard, E.N. 1971. The determination of copper in fish tissues by atomic absorption spectrophotometry. *Atomic Absorp. News*. 10:84-85. #55

Leonard, E.N., G.T. Ankley, and R.A. Hoke. 1996. Evaluation of metals in marine and freshwater surficial sediments from the environmental monitoring and assessment program relative to proposed sediment quality criteria for metals. *Environ. Toxicol. Chem.* 15:2221-2232. #619

Leonard, E.N., A.M. Cotter, and G.T. Ankley. 1996. Modified diffusion method for analysis of acid volatile sulfides and simultaneously extracted metals in freshwater sediment. *Environ. Toxicol. Chem.* 15:1479-1481. #620

Leonard, E.N., V.R. Mattson, and G.T. Ankley. 1995. Horizon-specific oxidation of acid volatile sulfide in relation to the toxicity of cadmium spiked into a freshwater sediment. *Arch. Environ. Contam. Toxicol.* 28:78-84. #572

Leonard, E.N., D.R. Mount, and G.T. Ankley. 1999. Modification of metal partitioning by supplementing acid volatile sulfide in freshwater sediments. *Environ. Toxicol. Chem.* 18:858-864. #708

Leonard, E.N., V.R. Mattson, D.A. Benoit, R.A. Hoke, and G.T. Ankley. 1993. Seasonal variation of acid volatile sulfide concentration in sediment cores from three northeastern Minnesota lakes. *Hydrobiologia* 271:87-95. #504

Lewis, M.J. 1972. A core collection in water supply and pollution control. *Spec. Libraries Assoc. News*. 3:8-11. #1972-9

Li, S., X. Pan, L.K. Wallis, Z. Fan, Z. Chen, and S.A. Diamond. 2014. Comparison of TiO₂ nanoparticle and graphene-TiO₂ nanoparticle composite phototoxicity to *Daphnia magna* and *Oryzias latipes*. *Chemosphere* 112:62-69. 5902 005682

Li, S., L.K. Wallis, H. Ma, S.A. Diamond, and D.J. Hoff. 2014. Species sensitivity and dependence on exposure conditions impacting the phototoxicity of TiO₂ nanoparticles to benthic organisms. *Environmental Toxicology and Chemistry*. 5868 004869

Li, S., F. Irin, F.O. Atore, M.J. Green, and J.E. Canas-Carrell. 2013. Determination of multi-walled carbon nanotube bioaccumulation in earthworms measured by a microwave-based detection technique. *Science Total Environ.* 445:9-13. #5767

Li, S., L.K. Wallis, H. Ma, and S.A. Diamond. 2014. Phototoxicity of TiO₂ nanoparticles to a freshwater benthic amphipod: Are benthic systems at risk? *Science Total Environ.* 466-467:800-808. #5858

- Li, Z., K.J. Kroll, K.M. Jensen, D.L. Villeneuve, G.T. Ankley, J.V. Brian, M.S. Sepulveda, E.F. Orlando, J.M. Lazorchak, M. Kostich, B. Armstrong, N.D. Denslow, and K.H. Watanabe. 2011. A computational model of the hypothalamic--pituitary--gonadal axis in female fathead minnows (*Pimephales promelas*) exposed to 17 alpha-ethynylestradiol and 17 beta-trenbolone. *BMC Systems Biology* 5:63. #5438
- Li, Z., D.L. Villeneuve, K.M. Jensen, G.T. Ankley, and K.H. Watanabe. 2011. A computational model for asynchronous oocyte growth dynamics in a batch-spawning fish. *Can. J. Fish. Aquat. Sci.* 68:1528-1538. #5305
- Liber, K., D.J. Call, T.D. Dawson, F.W. Whiteman, and T.M. Dillon. 1996. Effects of *Chironomus tentans* larval growth retardation on adult emergence and ovipositing success: Implications for interpreting freshwater sediment bioassays. *Hydrobiologia* 323:155-167. #621
- Liber, K., D.J. Call, T.P. Markee, K.L. Schmude, M.D. Balcer, F.W. Whiteman, and G.T. Ankley. 1996. Effects of acid-volatile sulfide on zinc bioavailability and toxicity to benthic macroinvertebrates: A spiked-sediment field experiment. *Environ. Toxicol. Chem.* 15:2113-2125. #622
- Liber, K., J A. Gangl, T.D. Corry, L.J. Heinis, and F.S. Stay. 1999. Lethality and bioaccumulation of 4-nonylphenol in bluegill sunfish in littoral enclosures. *Environ. Toxicol. Chem.* 18:394-400. #704
- Liber, K., M.L. Knuth, and F.S. Stay. 1999. An integrated evaluation of the persistence and effects of 4-nonylphenol in an experimental littoral ecosystem. *Environ. Toxicol. Chem.* 18:357-362. #703
- Lick, W. 1986. Modeling the transport of fine-grained sediments in aquatic systems. *Sci. Total Environ.* 55:219-228. #1986-19
- Lick, W. 1982. Entrainment, deposition, and transport of fine-grained sediments in lakes. *Hydrobiologia* 91:31-40. #1982-6
- Lick, W. 1976. Numerical models of lake currents. *EPA/600/3-76/020*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R802359.
- Lick, W. and S.W. Kang. 1987. Entrainment of sediments and dredged materials in shallow lake waters. *J. Great Lakes Res.* 13:619-627. #1987-9
- Lick, W. and J. Lick. 1988. Aggregation and disaggregation of fine-grained lake sediments. *J. Great Lakes Res.* 14:514-523. #1988-8
- Lick, W., J. Lick, and C.K. Ziegler. 1994. The resuspension and transport of fine-grained sediments in Lake Erie. *J. Great Lakes Res.* 20:599-612. #1994-28

Lick, W. and V. Rapaka. 1996. A quantitative analysis of the dynamics of the sorption of hydrophobic organic chemicals to suspended sediments. *Environ. Toxicol. Chem.* 15:1038-1048. #1996-21

Lick, W., Y.-J. Xu, and J. McNeil. 1995. Resuspension properties of sediments from the Fox, Saginaw, and Buffalo Rivers. *J. Great Lakes Res.* 21:257-274. #1995-22

Lick, W., K. Ziegler, and C.H. Tsai. 1988. Resuspension, deposition and transport of fine-grained sediments in rivers and near-shore areas (App.G). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. R.G. Kreis Jr., Ed., USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. #1988-4

Lien, G.J., K.E. Biesinger L.E. Anderson, E.N. Leonard, and M.A. Gibbons. 1986. A toxicity evaluation of lower Fox River water and sediments. *EPA/600/3-86/008*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Lien, G.J. and J.M. McKim. 1993. Predicting branchial and cutaneous uptake of 2,2',5,5'-tetrachlorobiphenyl in fathead minnows (*Pimephales promelas*) and Japanese medaka (*Oryzias latipes*): Rate limiting factors. *Aquat. Toxicol.* 27:15-32. #505

Lien, G.J., J.M. McKim, A.D. Hoffman, and C.T. Jenson. 2001. A physiologically based toxicokinetic model for lake trout (*Salvelinus namaycush*). *Aquat. Toxicol.* 51:335-350. #749

Lien, G.J., J.W. Nichols, J.M. McKim, and C.A. Gallinat. 1994. Modeling the accumulation of three waterborne chlorinated ethanes in fathead minnows (*Pimephales promelas*): A physiologically based approach. *Environ. Toxicol. Chem.* 13:1195-1205. #539

Lietz, J.E., J.R. Kelly, J.V. Scharold and P.M. Yurista. Can a rapid underwater video approach enhance the benthic assessment capability of the National Coastal Condition Assessment in the Great Lakes? *Environmental Management*.

Lima, A.R., C. Curtis, D.E. Hammermeister, T.P. Markee, C.E. Northcott, and L.T. Brooke. 1984. Acute and chronic toxicities of arsenic(III) to fathead minnows, flagfish, daphnids, and an amphipod. *Arch. Environ. Contam. Toxicol.* 13:595-601. #283

Limno-Tech, Inc. 1995. A preliminary ecosystem modeling study of zebra mussels (*Dreissena polymorpha*) in Saginaw Bay, Lake Huron. Coop. Agree. CR818560. Prep. for Great Lakes Prog./SUNY/Buffalo, NY by USEPA ERL Duluth and Large Lakes and Rivers Research Branch, Grosse Ile, MI. #1995-2

Lin, C.K. and C.L. Schelske. 1979. Effects of nutrient enrichment, light intensity, and temperature on growth of phytoplankton from Lake Huron. *EPA/600/3-79/049*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R800965.

- Lin, J.C., J.L. Schnoor, and G.E. Glass. 1987. Ion budgets in a seepage lake. In: *Sources and fates of aquatic pollutants*. Advances in Chemistry Series 216. R.A. Hites, S.J. Eisenreich, Eds., pp. 210-227. American Chemical Society, Chicago, IL. #1987-37
- Lind, A.E. and G.E. Glass. 1990. Asbestos contamination of Lake Superior: ten years of litigation: USA v Reserve Mining Co. In: *Contaminants & Sediments*, v.1, pp. 219-270. #1990-7
- Lindau, C.W., R.D. DeLaune, S. Jiraporncharoen, and D. Manajuti. 1991. Nitrous oxide and dinitrogen emissions from *Panicum hemitomon* S. freshwater marsh soils following addition of N-15 labelled ammonium and nitrate. *J. Fresh. Ecol.* 6:191-198. #1991-11
- Liss, W.J., B.L. McClurken-Lilley, and D.S. Lee. 1984. Structure and organization of persistent aquatic laboratory communities exposed to the insecticide dieldrin. Cooperative Agreement CR80745702-Final Report, *EPA/600/S3-84/013*. Environmental Research Laboratory, USEPA, Duluth, MN, 86 pp. #1984-16
- Liss, W.J., D.M. Woltering, S.E. Finger, M.L. Kulbicki, and B. McClurken. 1982. Organization and adaptation of aquatic laboratory ecosystems exposed to the pesticide dieldrin. *EPA/600/3-82/050*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, PB82219122: Grant R804622.
- Lodge, K.B. 1990. Measurement of K_p , K_{oc} and related quantities with particular reference to Lake Ontario and the Hyde Park case. Chapter 5 in: *Lake Ontario TCDD bioaccumulation study, final report*. USEPA, NY State Dept. of Env. Conserv., NY State Dept. of Health, and Occidental Chemical Corporation. #1990-18
- Lodge, K.B. 1989. Solubility studies using a generator column for 2,3,7,8-tetrachlorodibenzo-*p*-dioxin. *Chemosphere* 18:933-940. #1989-19
- Lodge, K.B. and P.M. Cook. 1989. Partitioning studies of dioxin between sediment & water: The measurement of K_{oc} for Lake Ontario sediment. *Chemosphere* 19:439-444. #391
- Longstaff, B.C. 1977. The dynamics of collembolan populations: a matrix model of single species population growth. *Can. J. Zool.* 55:314-324. #1977-21
- Lorenz, R.C. and C.E. Herdendorf. 1982. Growth dynamics of *Cladophora glomerata* in western Lake Erie in relation to some environmental factors. *J. Great Lakes Res.* 8:42-53. #1982-16
- Loucks, O.L. 1984. Use of forest site index for evaluating terrestrial resources at risk from acidic deposition. In: *Direct and indirect effects of acidic deposition on vegetation*. R.A. Linthurst, Ed. Butterworth Publishers, Boston, MA, pp. 97-109. #1984-8
- Loucks, O.L. 1982. The concern for acidic deposition in the Great Lakes region. In: *Acid precipitation: Effects on ecological systems*. F.M. D'Itri, Ed. Ann Arbor Science, Ann Arbor, MI, pp. 21-41. #1982-13

Loucks, O.L. and G.E. Glass. 1984. US/Canada aquatic impacts assessment: Integration of experimental studies, monitoring and modeling of acidic deposition effects. In: *Modeling of total acid precipitation impacts*, J.L. Schnoor, Ed. Butterworth Publishers, Stoneham, MA. #1984-12

Loucks, O.L., G.E. Glass, J.A. Sorensen, B.W. Liukkonen, J.D. Allert, and G.R. Rapp Jr. 1986. Role of precipitation chemistry versus other watershed properties in Wisconsin lake acidification. *Water Air Soil Pollut.* 31:67-77. #326

Loucks, O.L., G.E. Glass, J.A. Sorensen, and G. Rapp Jr. 1989. Acidification of long-renewal-time lakes in Wisconsin and Michigan. Environmental Research Laboratory, USEPA, Duluth, MN. #1989-50

Lozano, S.J. 1988. Use of mesocosms in evaluating the health of aquatic ecosystems. In: *Protection of River Basins, Lakes, and Estuaries: 15 years of cooperation toward solving environmental problems in the USSR and USA*. R.C. Ryans, Ed., pp. 107-115, American Fisheries Society, Bethesda, MD. #1988-61

Lozano, S.J., J.C. Brazner, M.L. Knuth, L.J. Heinis, K.W. Sargent, D.K. Tanner, L.E. Anderson, S.L. O'Halloran, S.L. Bertelsen, D.A. Jensen, E.R. Kline, M.D. Balcer, F.S. Stay, and R.E. Siefert. 1989. Effects, persistence and distribution of esfenvalerate in littoral enclosures. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1989-56

Lozano, S.J., S.L. O'Halloran, K.W. Sargent, and J.C. Brazner. 1992. Effects of esfenvalerate on aquatic organisms in littoral enclosures. *Environ. Toxicol. Chem.* 11:35-47. #481

Lozano, S.J., J.V. Scharold, and T.F. Nalepa. 2001. Recent declines in benthic macroinvertebrate densities in Lake Ontario. *Can. J. Fish. Aquat. Sci.* 58:518-529. #757

Lukasewycz, M.T., C.M. Bleringer, R.J. Liukkonen, M.E. Fitzsimmons, H.F. Corcoran, S. Lin, and R.M. Carlson. 1989. Analysis of inorganic and organic chloramines: Derivatization with 2-mercaptobenzothiazole. *Environ. Sci. Technol.* 23:196-199. #1989-15

Lukasewycz, M.T. and L.P. Burkhard. 2005. Complete elimination of carbonates: a critical step in the accurate measurement of organic and black carbon in sediments. *Environ. Toxicol. Chem.* 24: 2218-2221. #865

Lukasewycz, M.T. and E.J. Durhan. 1992. Strategies for the identification of non-polar toxicants in aqueous environmental samples using toxicity-based fractionation and gas chromatography-mass spectrometry. *J. Chromatog. Biomed. Appl.* 580:215-228. #482

M

Ma, H., A. Brennan, and S.A. Diamond. 2012. Phototoxicity of TiO₂ nanoparticles under solar radiation to two aquatic species: *Daphnia magna* and Japanese Medaka. *Environ. Toxicol. Chem.* 31:1621-1629. #5564

Ma, H., A. Brennan, and S.A. Diamond. 2012. Photocatalytic ROS production and phototoxicity of titanium dioxide nanoparticles is dependent on solar UV radiation spectrum. *Environ. Toxicol. Chem.* 31:2099-2107. #5585

Ma, H. and S.A. Diamond. 2013. Phototoxicity of TiO₂ nanoparticles to zebrafish (*Danio rerio*) is dependent on life stage. *Environ. Toxicol. Chem.* 32:2139-2143. #5809

Ma, H., L.K. Wallis, S. Diamond, S. Li, J. Canas-Carrell and A. Parra. 2014. Impact of solar UV radiation on toxicity of ZnO nanoparticles through photocatalytic reactive oxygen species (ROS) generation and photo-induced dissolution. *Environmental Pollution* 193:165-172.

Ma, H., P.L. Williams, and S.A. Diamond. 2013. Ecotoxicity of manufactured ZnO nanoparticles--A review. *Environ. Pollut.* 172:76-85. #5565

Maccubbin, A.E. 1988. Biological effects on in-place pollutants: Neoplasia in fish and related causal factors in the Detroit River system (App. Q). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. R.G. Kreis Jr., Ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. #1988-4

Maccubbin, A.E., J. Black, and J.C. Harshbarger. 1988. A case report of hepatocellular neoplasia in bowfin, *Amia calva* L. (App. R). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. R.G. Kreis Jr., Ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. (Also published in *J. Fish Diseases* 10:329-331.). #1988-4

Maccubbin, A.E. and N. Ersing. 1991. Tumors in fish from the Detroit River. *Hydrobiologia* 219:301-306. #1991-18

Maccubbin, A.E., N. Ersing, and M.E. Frank. 1991. Mutagenicity of sediments from the Detroit River. *J. Great Lakes Res.* 17:314-321. #1991-19

Macek, K.J., K.S. Buxton, S.K. Derr, J.W. Dean, and S. Sauter. 1976. Chronic toxicity of indane to selected aquatic invertebrates and fishes. *EPA/600/3-76/046*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Cont. 68010154, 68011841.

Macek, K.J., K.S. Buxton, S. Sauter, S. Gnilka, and J.W. Dean. 1976. Chronic toxicity of atrazine to selected aquatic invertebrates and fishes. *EPA/600/3-76/047*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Cont. 68010092, 68011844.

Macek, K.J., M.A. Lindberg, S. Sauter, K.S. Buxton, and P.A. Costa. 1976. Toxicity of four pesticides to water fleas and fathead minnows. *EPA/600/3-76/099*. ERL, ORD, USEPA, Duluth, MN, Cont. 68010738.

Mackenthun, A.A. and H.G. Stefan. 1994. Experimental study of sedimentary oxygen demand in lakes: Dependence on near-bottom flow velocities and sediment properties. Project Rpt. 358, St. Anthony Falls Hydraulic Lab., UM, Minneapolis, MN. Prepared for Environmental Research Laboratory, USEPA, Duluth, MN. #1994-11

Mackie, G.L., D.S. White, and T.W. Zdeba. 1980. A guide to freshwater mollusks of the Laurentian Great Lakes with special emphasis on the genus *Pisidium*. EPA/600/3-80/068. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant 805333.

Magnuson, J.J., A.M. Forbes, D.M. Harrell, and J.D. Schwarzmeier. 1980. Responses of stream invertebrates to an ashpit effluent: Wisconsin power plant impact study. EPA/600/3-80/081. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803971.

Magnuson, J.J., F.J. Rahel, M.J. Talbot, A.M. Forbes, and P.A. Medvick. 1980. Ecological studies of fish near a coal-fired generating station and related laboratory studies: Wisconsin Power Plant Impact Study. EPA/600/3-80/078. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803971.

Magnuson, J.J., K.E. Webster, R.A. Assel, C.J. Bowser, P.J. Dillon, J.G. Eaton, H.E. Evans, E.J. Fee, R.I. Hall, L.R. Mortsch, D.W. Schindler, and F.H. Quinn. 1997. Potential effects of climate changes on aquatic systems: Laurentian Great Lakes and Precambrian Shield region. *Hydro. Processes* 11:825-871. #1997-10

Magnuson, V.R., D.K. Harriss, M.S. Sun, D.K. Taylor, and G.E. Glass. 1979. Relationships of activities of metal-ligand species to aquatic toxicity. In: *Chemical modeling in aqueous systems*. ACS Symposium Series No. 93, E.A. Jenne, Ed., pp. 635-655. American Chemical Society. #1979-3

Maier, W.J. and W.R. Swain. 1978. Lake Superior organic carbon budget. *Water Res.* 12:403-412. #1978-6

Makynen, E.A., M.D. Kahl, K.M. Jensen, J.E. Tietge, K.L. Wells, G. Van der Kraak, and G.T. Ankley. 2000. Effects of the mammalian antiandrogen vinclozolin on development and reproduction of the fathead minnow (*Pimephales promelas*). *Aquat. Toxicol.* 48:461-475. #735

Mancy, K.H. and H.E. Allen. 1977. A controlled bioassay system for measuring toxicity of heavy metals. EPA/600/3-77/037. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract 1412591.

Marchini, S., M.L. Tosato, T.J. Norberg-King, D.E. Hammermeister, and M.D. Hoglund. 1992. Lethal and sublethal toxicity of benzene derivatives to the fathead minnow, using a short-term test. *Environ. Toxicol. Chem.* 11:187-195. #483

Marcus, M.D., H.L. Bergman, D.A. Stoller, S.K. Brown, and P.A. Molholt, comps. 1980. Bibliography of aquatic ecosystem effects, analytical methods and treatment technologies for organic compounds in advanced fossil-fuel processing effluents. EPA/600/3-80/026.

Environmental Research Laboratory, ORD, USEPA, Duluth, MN, IAGS ET77S031761, ET78C031761, DEAS2079LC01761.

Marquis, P.J., M. Hackett, L.G. Holland, M.L. Larsen, B.C. Butterworth, and D.W. Kuehl. 1994. Analytical methods for a national study of chemical residues in fish I: Polychlorinated dibenzo-*p*-dioxins/dibenzofurans. *Chemosphere* 29:495-508. #540

Marquis, P.J., R.L. Hanson, M.L. Larsen, W.M. DeVita, B.C. Butterworth, and D.W. Kuehl. 1994. Analytical methods for a national study of chemical residues in fish II: Pesticides and polychlorinated biphenyls. *Chemosphere* 29:509-521. #541

Marsh, D.M. and P.C. Trenham. 2001. Metapopulation dynamics and amphibian conservation. *Conserv. Biol.* 15:40-49. #755

Martin, J.L., W.L. Richardson, and S.C. McCutcheon. 1991. Modeling studies for planning: The Green Bay Project. *Water Resour. Bull.* 27:429-436. #1991-28

Martin, S.C., S.C. Hinz, P.W. Rodgers, V.J. Bierman Jr., J.V. DePinto, and T.C. Young. 1995. Calibration of a hydraulic transport model for Green Bay, Lake Michigan. *J. Great Lakes Res.* 21:599-609. #1995-23

Martin, T.M., C.M. Grulke, D.M. Young, C.L. Russom, N.Y. Wang, C.R. Jackson, and M.G. Barron. 2013. Prediction of aquatic toxicity mode of action using linear discriminant and random forest models. *J. Chem. Info. Model.* 53:2229-2239. #5841

Martinez, N.D. 1991. Artifacts or attributes? Effects of resolution on the Little Rock Lake food web. *Ecol. Monographs* 61:367-392. #1991-13

Martinez, F., D. Bunnell, T. Johengen, R. Kreis, S. Maples, D. Mason, J. Read, and D. Schwab. 2011. Building an integrated modeling and forecasting framework for lake-wide management in the Great Lakes: A collaborative working group. 2011. *Lake Michigan Ecosystem Modeling and Forecasting Working Group, Ann Arbor, MI, December 9-10, 2010, 48 pp.*, online at: http://www.glos.us/sites/default/files/documents/LMMFWG_FinalReport_0.pdf . #5644

Martinovic, D., L.S. Blake, E.J. Durhan, K.J. Greene, M.D. Kahl, K.M. Jensen, E.A. Makynen, D.L. Villeneuve, and G.T. Ankley. 2008. Reproductive toxicity of vinclozolin in the fathead minnow: Confirming an anti-androgenic mode of action. *Environ. Toxicol. Chem.* 27:478-488. #4750

Martinovic, D., J.S. Denny, P.K. Schmieder, G.T. Ankley, and P.W. Sorensen. 2008. Temporal variation in the estrogenicity of a sewage treatment plant effluent and its biological significance. *Environ. Sci. Technol.* 42:3421-3427. #4807

Martinovic-Weigelt, D., D.R. Ekman, D.L. Villeneuve, C.M. James, Q. Teng, T.W. Collette, and G.T. Ankley. 2012. Fishy aroma of social status: Urinary chemo-signaling of territoriality in male fathead minnows (*Pimephales promelas*). *PLOS ONE* 7:46579. #5674

Martinovic-Weigelt, D., A.C. Mehinto, G.T. Ankley, N.D. Denslow, L.B. Barber, K.E. Lee, R. King, H.L. Schoenfuss, and D.L. Villeneuve. 2014. Transcriptomic effects-based monitoring for endocrine active chemicals: Assessing relative contribution of treated wastewater to downstream pollution. *Environ. Sci. Technol.* 48:2385-2394. #5893

Martinovic, D., D.L. Villeneuve, M.D. Kahl, L.S. Blake, J. Brodin, and G.T. Ankley. 2009. Hypoxia alters gene expression in the gonads of zebrafish (*Danio rerio*). *Aquat. Toxicol.* 95:258-272. #4939

Martinovic-Weigelt, D., R.-L. Wang, D.L. Villeneuve, D.C. Bencic, J. Lazorchak, and G.T. Ankley. 2011. Gene expression profiling of androgen receptor antagonists flutamide and vinclozolin in zebrafish (*Danio rerio*) gonads. *Aquat. Toxicol.* 101:447-458. #5294

Martyniuk, C.J., S. Alvarez, S. McClung, D.L. Villeneuve, G.T. Ankley, and N.D. Denslow. 2009. Quantitative proteomic profiles of androgen receptor signaling in the liver of fathead minnows (*Pimephales promelas*). *J. Proteome Res.* 8:2186-2200. #5060

Marvin, C., S. Painter, and R. Rossmann. 2004. Spatial and temporal patterns in mercury contamination in sediments of the Laurentian Great Lakes. *Environ. Res.* 95:351-362. #2004-3

Marvin, C., S. Painter, D. Williams, V. Richardson, R. Rossmann, and P. Van Hoof. 2004. Spatial and temporal trends in surface water and sediment contamination in the Laurentian Great Lakes. *Environ. Pollut.* 129:131-144. #2004-2

Mason, D.M., T.B. Johnson, C. Harvey, J. Kitchell, S. Schram, C. Bronte, M. Hoff, S. Lozano, A.S. Trebitz, D. Schreiner, E. Lamon, and T. Hrabik. 2005. Hydroacoustic estimates of abundance and spatial distribution of pelagic prey fishes in Western Lake Superior. *J. Great Lakes Res.* 31:426-438. #2005-7

Masscheleyn, P.H., R.D. DeLaune, and W.H. Patrick Jr. 1991. A hydride generation atomic absorption technique for arsenic speciation. *J. Environ. Qual.* 20:96-100. #1991-10

Masscheleyn, P.H., R.D. Delaune, and W.H. Patrick Jr. 1991. Arsenic and selenium chemistry as affected by sediment redox potential and pH. *J. Environ. Qual.* 20:522-527. #1991-3

Masscheleyn, P.H., R.D. Delaune, and W.H. Patrick Jr. 1991. Effect of redox potential and pH on arsenic speciation and solubility in a contaminated soil. *Environ. Sci. Technol.* 25:1414-1419. #1991-4

Masscheleyn, P.H., J.H. Pardue, R.D. DeLaune, and W.H. Patrick Jr. 1992. Chromium redox chemistry in a Lower Mississippi Valley bottomland hardwood wetland. *Environ. Sci. Technol.* 26:1217-1226. #1992-10

Matisoff, G., J.B. Fisher, W. Lick, and D. Dolan. 1981. Early diagenesis and chemical mass transfer in Lake Erie sediments. *EPA/600/3-81/046*. #995

Matthiessen, P., T. Reynoldson, Z. Billingham, D.W. Brassard, P. Cameron, G.T. Chandler, I.M. Davies, T. Horiguchi, D.R. Mount, J. Oehlmann, T.G. Pottinger, P.K. Sibley, H.M. Thompson, and A.D. Vethaak. 1999. Field assessment for endocrine disruption in invertebrates. In: *Endocrine Disruption in Invertebrates: Endocrinology, Testing, and Assessment*. P.L. deFur, et al., Eds., pp. 199-270, SETAC. #1999-8

Mattson, V.R., J.W. Arthur, and C.T. Walbridge. 1976. Acute toxicity of selected organic compounds to fathead minnows. *EPA/600/3-76/097*. ERL, ORD, USEPA, Duluth, MN.

Mattson, V.R., J.R. Hockett, T.L. Highland, G.T. Ankley, and D.R. Mount. 2008. Effects of low dissolved oxygen on organisms used in freshwater sediment toxicity tests. *Chemosphere* 70:1840-1844. #4715

May, B. and J.E. Marsden. 1992. Genetic identification and implications of another invasive species of dreissenid mussel in the Great Lakes. *Can. J. Fish. Aquat. Sci.* 49:1501-1506. #1992-9

Mayer, F.L. Jr., P.M. Mehrle Jr., and W.P. Dwyer. 1977. Toxaphene: chronic toxicity to fathead minnows and channel catfish. *EPA/600/3-77/069*. ERL/ORD/EPA, Duluth, MN, Contract EPA-IAG-141(D).

Mayer, F.L. Jr., P.M. Mehrle Jr., and W.P. Dwyer. 1975. Toxaphene effects on reproduction, growth, and mortality of brook trout. *EPA/600/3-75/013*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Cont. EPAIAG0153D.

Mazzotta, M.J. 2011. Should nature go on the credit card? Putting an economic value on natural resources. *Narragansett Bay Journal*, Issue 20, Fall. #5567

Mazzotta, M.J. 2011. What is the true cost of R.I.'s essential places? *EcoRI Newsletter*, <http://www.ecori.org>. #5583

McCarty, H.B., K. Miller, R.N. Brent, J. Schofield, R. Rossmann, and K.R. Rygwelski. 2006. Project overview. Part 1, Chapter 1, pp. 1-15 in R. Rossmann, Ed., Results of the Lake Michigan Mass Balance study: PCBs modeling report. USEPA, ORD, NHEERL, MED, Large Lakes and Rivers Forecasting Research Branch, Grosse Ile, MI, *EPA/600/R-04/167*.

McCauley, R.W. 1977. Seasonal effects on temperature preference in yellow perch, *Perca flavescens*. *EPA 600/3-77/088*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R802467.

McCormick, J.H. 2002. Who, when, where, what, and how long. *SETAC Globe*, Mar.-Apr., pp. 20-21. #2002-4

McCormick, J.H. 1978. Effects of temperature on hatching success and survival of larvae in the white bass. *Prog. Fish-Cult.* 40:133-137. #177

McCormick, J.H. 1976. Effects of temperature on hatching success and survival of larvae in the white bass. *EPA/600/3-77/075*. ERL, ORD, USEPA, Duluth, MN.

McCormick, J.H. 1976. Temperature effects on young yellow perch, *Perca flavescens* (Mitchill). EPA/600/3-76/057. ERL, ORD, USEPA, Duluth, MN.

McCormick, J.H., S.J. Broderius, and J.T. Fiandt. 1984. Toxicity of ammonia to early life stages of the green sunfish *Lepomis cyanellus*. *Environ. Pollut. Ser. A*. 36:147-163. #284

McCormick, J.H., K.E.F. Hokanson, and B.R. Jones. 1972. Effects of temperature on the growth and survival of young brook trout, *Salvelinus fontinalis*. *J. Fish. Res. Board Can.* 29:1107-1112. #71

McCormick, J.H. and K.M. Jensen. 1992. Osmoregulatory failure and death of first-year largemouth bass (*Micropterus salmoides*) exposed to low pH and elevated aluminum, at low temperature in soft water. *Can. J. Fish. Aquat. Sci.* 49:1189-1197. #484

McCormick, J.H., K.M. Jensen, and L.E. Anderson. 1989. Chronic effects of low pH and elevated aluminum on survival, maturation, spawning and embryo-larval development of the fathead minnow in soft water. *Water Air Soil Pollut.* 43:293-307. #392

McCormick, J.H., K.M. Jensen, and R.L. Leino. 1989. Survival, blood osmolality, and gill morphology of juvenile yellow perch, rock bass, black crappie, and largemouth bass exposed to acidified soft water. *Trans. Am. Fish. Soc.* 118:386-399. #393

McCormick, J.H., K.M. Jensen, R.L. Leino, and G.N. Stokes. 1987. Fish blood osmolality, gill histology, and oocyte atresia as early warning acid stress indicators. *Ann. Soc. R. Zool. Bel.* 117:309-319. #350

McCormick, J.H., K.M. Jensen, W.A. Swenson, T.D. Simonson, and R.L. Leino. 1991. Overwintering, key to first year largemouth bass recruitment in acidified northern waters (abstract only). In: *Proceedings of the 17th Annual Aquatic Toxicity Workshop*, Nov. 5-7, 1990, Vancouver, BC. P. Chapman, F. Bishay, E. Power, K. Hall, L. Harding, D. McLeay, M. Nassichuk, W. Knapp, Eds., p. 240, Fisheries and Oceans, Canada. #1991-25

McCormick, J.H., B.R. Jones, and K.E.F. Hokanson. 1977. White sucker (*Catostomus commersoni*) embryo development, and early growth and survival at different temperatures. *J. Fish. Res. Board Can.* 34:1019-1025. #156

McCormick, J.H., B.R. Jones, and R.F. Syrett. 1971. Temperature requirements for growth and survival of larval ciscos (*Coregonus artedii*). *J. Fish. Res. Board Can.* 28:924-927. #56

McCormick, J.H. and C.F. Kleiner. 1976. Growth and survival of young-of-the-year emerald shiners (*Notropis atherinoides*) at different temperatures. *J. Fish. Res. Board Can.* 33:839-842. #134

McCormick, J.H. and R.L. Leino. 1999. Factors contributing to first-year recruitment failure of fishes in acidified waters with some implications for environmental research. *Trans. Am. Fish. Soc.* 128:265-277. #724

McCormick, J.H. and H.A. Podoliak. 1984. Gallbladder color and relative fullness as a field technique for estimating time since last feeding in brook trout. *N. Am. J. Fish. Manage.* 4:566-568. #285

McCormick, J.H., M.J. Ross, and D.B. Siniff. 1981. Where do yellow perch (*Perca flavescens*) go in winter when given the option between normal ice covered water or a heated discharge. In: *Proceedings of the 7th Annual Aquatic Toxicity Workshop*, November 5-7, 1980, Ottawa, ON. N. Bermingham, C. Blaise, P. Couture, B. Hummel, G. Joubert, M. Speyer, Eds., pp. 33-45. Canadian Tech. Rept. 990, Dept. of Fisheries and Oceans, Montreal, QC. #1981-17

McCormick, J.H. and G.N. Stokes. 1982. Intraovarian invasion of smallmouth bass oocytes by *Proteocephalus ambloplitis* (Cestoda). *J. Parasitol.* 68:973-975. #245

McCormick, J.H., G.N. Stokes, and R.O. Hermanutz. 1989. Oocyte atresia and reproductive success in fathead minnows (*Pimephales promelas*) exposed to acidified hardwater environments. *Arch. Environ. Contam. Toxicol.* 18:207-214. #394

McCormick, J.H., G.N. Stokes, and G.J. Portele. 1980. Environmental acidification impact detection by examination of mature fish ovaries. In: *Proceedings of the 6th Annual Aquatic Toxicity Workshop*, November 6-7, 1979, Winnipeg, MB. J.F. Klaverkamp, S.L. Leonhard, K.E. Marshall, Eds., pp. 41-48. Canadian Tech. Rept. 975, Dept. of Fisheries and Oceans, Winnipeg, MB. #1980-16

McCormick, J.H. and R.F. Syrett. 1970. A modular controlled-temperature apparatus for fish egg incubation and fry rearing. National Water Quality Laboratory, Federal Water Quality Administration, US Dept. of the Interior, Duluth, MN. #1970-4

McCormick, J.H. and J.A. Wegner. 1981. Responses of largemouth bass from different latitudes to elevated water temperatures. *Trans. Am. Fish. Soc.* 110:417-429. #224

McIlroy, L.M., J.V. DePinto, T.C. Young, and S.C. Martin. 1986. Partitioning of heavy metals to suspended solids of the Flint River, Michigan. *Environ. Toxicol. Chem.* 5:609-623. #1986-10

McKee, J.D., T.P. Wilson, D.T. Long, and R.M. Owen. 1989. Geochemical partitioning of Pb, Zn, Cu, Fe, and Mn across the sediment-water interface in large lakes. *J. Great Lakes Res.* 15:46-58. #1989-18

McKim, J.M. 1995. Early life stage toxicity tests. In: *Fundamentals of aquatic toxicology: Effects, environmental fate, and risk assessment*, 2nd ed. G.M. Rand, Ed., pp. 974-1011. #1995-12

McKim, J.M. 1994. Physiological and biochemical mechanisms that regulate the accumulation and toxicity of environmental chemicals in fish. In: *Bioavailability: Physical, chemical, and biological interactions*. J.L. Hamelink, P.F. Landrum, H.L. Bergman, W.H. Benson, Eds., pp. 179-201. Lewis Publishers, Boca Raton, FL. #1994-7

McKim, J.M. 1991. Pollution's effects. In: *Trout of North America*. J. Stolz, J. Schnell, Eds., pp. 118-125. Stackpole Press, Harrisburg, PA. #1991-23

McKim, J.M. 1985. Early life stage toxicity tests. In: *Principles of aquatic toxicology*. G. Rand, S. Petrocelli, Eds., pp. 58-95. Hemisphere, New York, NY. #1985-25

McKim, J.M. 1977. Evaluation of tests with early life stages of fish for predicting long-term toxicity. *J. Fish. Res. Board Can.* 34:1148-1154. #157

McKim, J.M., R.L. Anderson, D.A. Benoit, R.L. Spehar, and G.N. Stokes. 1976. Effects of pollution on freshwater fish. *J. Water Pollut. Control Fed.* 48:1544-1620. #135

McKim, J.M., J.W. Arthur, and T.W. Thorslund. 1975. Toxicity of a linear alkylate sulfonate detergent to larvae of four species of freshwater fish. *Bull. Environ. Contam. Toxicol.* 14:1-7. #119

McKim, J.M. and D.A. Benoit. 1974. Duration of toxicity tests for establishing "no effect" concentrations for copper with brook trout (*Salvelinus fontinalis*). *J. Fish. Res. Board Can.* 31:449-452. #108

McKim, J.M. and D.A. Benoit. 1971. Effects of long-term exposures to copper on the survival, growth, and reproduction of brook trout (*Salvelinus fontinalis*). *J. Fish. Res. Board Can.* 28:655-662. #57

McKim, J.M., D.A. Benoit, K.E. Biesinger, W.A. Brungs, and R.E. Siefert. 1975. Effects of pollution on freshwater fish. *J. Water Pollut. Control Fed.* 47:1711-1768. #120

McKim, J.M., S.P. Bradbury, and G.J. Niemi. 1987. Fish acute toxicity syndromes and their use in the QSAR approach to hazard assessment. *Environ. Health Perspect.* 71:171-186. #351

McKim, J.M., G.M. Christensen, and E.P. Hunt. 1970. Changes in the blood of brook trout (*Salvelinus fontinalis*) after short-term and long-term exposure to copper. *J. Fish. Res. Board Can.* 27:1883-1889. #45

McKim, J.M., G.M. Christensen, J.H. Tucker, D.A. Benoit, and M.J. Lewis. 1974. Effects of pollution on freshwater fish. *J. Water Pollut. Control Fed.* 46:1540-1591. #109

McKim, J.M., G.M. Christensen, J.H. Tucker, D.A. Benoit, and M.J. Lewis. 1973. Effects of pollution on freshwater fish. *J. Water Pollut. Control Fed.* 45:1370-1407. #92

McKim, J.M., J.G. Eaton, and G.W. Holcombe. 1978. Metal toxicity to embryos and larvae of eight species of freshwater fish--II: Copper. *Bull. Environ. Contam. Toxicol.* 19:608-616. #178

McKim, J.M. and R.J. Erickson. 1991. Environmental impacts on the physiological mechanisms controlling xenobiotic transfer across fish gills. *Physiol. Zool.* 64:39-67. #455

McKim, J.M. and H.M. Goeden. 1982. A direct measure of the uptake efficiency of a xenobiotic chemical across the gills of brook trout (*Salvelinus fontinalis*) under normoxic and hypoxic conditions. *Comp. Biochem. Physiol.* 72C:65-74. #246

McKim, J.M. and E.M. Heath. 1983. Dose determinations for waterborne 2,5,2',5'-[¹⁴C]tetrachlorobiphenyl and related pharmacokinetics in two species of trout (*Salmo gairdneri* and *Salvelinus fontinalis*): A mass-balance approach. *Toxicol. Appl. Pharmacol.* 68:177-187. #264

McKim, J.M., R.C. Kolanczyk, G.J. Lien, and A.D. Hoffman. 1999. Dynamics of renal excretion of phenol and major metabolites in the rainbow trout (*Oncorhynchus mykiss*). *Aquat. Toxicol.* 45:265-277. #706

McKim, J.M. and G.J. Lien. 2001. Toxic responses of the skin. In: *Target Organ Toxicity in Marine and Freshwater Teleosts*. D. Schlenk, W.H. Benson, Eds., pp. 151-223, Taylor & Francis, New York, NY. #2001-13

McKim, J.M., G.J. Lien, A.D. Hoffman, and C.T. Jenson. 1999. Respiratory-cardiovascular physiology and xenobiotic gill flux in the lake trout (*Salvelinus namaycush*). *Comp. Biochem. Physiol. Part A.* 123:69-81. #716

McKim, J.M. and J.W. Nichols. 1994. Use of physiologically based toxicokinetic models in a mechanistic approach to aquatic toxicology. In: *Aquatic toxicology: Molecular, biochemical, and cellular perspectives*. D.C. Malins, G.K. Ostrander, Eds., pp. 469-519. Lewis Publishers, Boca Raton, FL. #1994-6

McKim, J.M., J.W. Nichols, G.J. Lien, and S.L. Bertelsen. 1994. Respiratory-cardiovascular physiology and chloroethane gill flux in the channel catfish, *Ictalurus punctatus*. *J. Fish Biol.* 44:527-547. #542

McKim, J.M., J.W. Nichols, G.J. Lien, A.D. Hoffman, C.A. Gallinat, and G.N. Stokes. 1996. Dermal absorption of three waterborne chloroethanes in rainbow trout (*Oncorhynchus mykiss*) and channel catfish (*Ictalurus punctatus*). *Fundam. Appl. Toxicol.* 31:218-228. #623

McKim, J.M., G.F. Olson, G.W. Holcombe, and E.P. Hunt. 1976. Long-term effects of methylmercuric chloride on three generations of brook trout (*Salvelinus fontinalis*): Toxicity, accumulation, distribution, and elimination. *J. Fish. Res. Board Can.* 33:2726-2739. #136

McKim, J.M. and P.K. Schmieder. 1991. Bioaccumulation: Does it reflect toxicity? In: *Bioaccumulation in aquatic systems*. R. Nagel, R. Loskill, Eds., pp. 162-188. VCH Verlagsgesellschaft, New York, NY. #1991-22

McKim, J.M., P.K. Schmieder, R.W. Carlson, E.P. Hunt, and G.J. Niemi. 1987. Use of respiratory-cardiovascular responses of rainbow trout (*Salmo gairdneri*) in identifying acute toxicity syndromes in fish: Part 1. Pentachlorophenol, 2,4-dinitrophenol, tricaine methanesulfonate, and 1-octanol. *Environ. Toxicol. Chem.* 6:295-312. #352

- McKim, J.M., P.K. Schmieder, and R.J. Erickson. 1986. Toxicokinetic modeling of [¹⁴C]pentachlorophenol in the rainbow trout (*Salmo gairdneri*). *Aquat. Toxicol.* 9:59-80. #327
- McKim, J.M., P.K. Schmieder, G.J. Niemi, R.W. Carlson, and T.R. Henry. 1987. Use of respiratory-cardiovascular responses of rainbow trout (*Salmo gairdneri*) in identifying acute toxicity syndromes in fish: Part 2. Malathion, carbaryl, acrolein, and benzaldehyde. *Environ. Toxicol. Chem.* 6:313-328. #353
- McKim, J.M., P.K. Schmieder, and G.D. Veith. 1985. Absorption dynamics of organic chemical transport across trout gills as related to octanol-water partition coefficient. *Toxicol. Appl. Pharmacol.* 77:1-10. #299
- McKim, J.M. and R.F. Syrett. 1982. Mobile surgical table with automatic solenoid system for fishery applications. *Prog. Fish-Cult.* 44:75-78. #247
- McKim, J.M. Jr., J.M. McKim, S. Naumann, D.E. Hammermeister, A.D. Hoffman, and C.D. Klaassen. 1993. *In vivo* microdialysis sampling of phenol and phenyl glucuronide in the blood of unanesthetized rainbow trout: Implications for toxicokinetic studies. *Fundam. Appl. Toxicol.* 20:190-198. #506
- McMaster, M.E., J.J. Jardine, G.T. Ankley, W.H. Benson, M.S. Greeley, T.S. Gross, J. Guillette, D.L. MacLachy, E.F. Orlando, G.J. Van der Kraak, and K.R. Munkittrick. 2001. An interlaboratory study on the use of steroid hormones in examining endocrine disruption. *Environ. Toxicol. Chem.* 20:2081-2087. #3727
- McNaught, D.C. 1989. Functional bioassays utilizing zooplankton: A comparison. *Hydrobiologia* 188/189:117-121. #1989-13
- McNaught, D.C., S.D. Bridgham, and C. Meadows. 1988. Effects of complex effluents from the River Raisin on zooplankton grazing in Lake Erie. In: *Functional testing of aquatic biota for estimating hazards of chemicals*. J. Cairns, J.R. Pratt, Eds. STP988. ASTM, Philadelphia, PA, pp. 128-137. #1988-23
- McNaught, D.C. and D.I. Mount. 1986. Appropriate durations and measures for *Ceriodaphnia* toxicity tests. In: *Aquatic toxicology and hazard assessment: 8th symposium*. R.C. Bahner, D.J. Hansen, Eds., STP891. ASTM, Philadelphia, PA, pp. 375-381. #1986-33
- McNaught, D.C., M. Buzzard, D. Griesmer, and M. Kennedy. 1980. Zooplankton grazing and population dynamics relative to water quality in southern Lake Huron. *EPA/600/3-80/069*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803178.
- McNaught, D.C., D. Griesmer, M. Buzzard, and M. Kennedy. 1984. PCBs in Saginaw Bay: Development of functional indices to estimate inhibition of ecosystem fluxes. *EPA/600/3-84/008*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, PB84133008: Grant 804573.

McNeil, J., C. Taylor, and W. Lick. 1996. Measurements of erosion of undisturbed bottom sediments with depth. *J. Hydraul. Eng.* 122:316-324. #1996-22

McTavish, K., H. Stech, and F.S. Stay. 1998. A modeling framework for exploring the population-level effects of endocrine disruptors. *Environ. Toxicol. Chem.* 17:58-67. #1998-7

Mekenyan, O.G., G.T. Ankley, G.D. Veith, and D.J. Call. 1997. Photo-induced toxicity of PAHs: QSAR models and environmental significance. In: *Geosciences and water resources: Environmental data modeling*. C. Bardin, J.-J. Royer, Eds., pp. 263-271. Springer-Verlag, Germany. #1997-5

Mekenyan, O.G., G.T. Ankley, G.D. Veith, and D.J. Call. 1995. QSARs for photoinduced toxicity of aromatic compounds. *SAR QSAR Environ. Res.* 4:139-145. #573

Mekenyan, O.G., G.T. Ankley, G.D. Veith, and D.J. Call. 1994. QSAR estimates of excited states and photoinduced acute toxicity of polycyclic aromatic hydrocarbons. *SAR QSAR Environ. Res.* 2:237-247. #543

Mekenyan, O.G., S.P. Bradbury, and V.B. Kamenska. 1996. Estimating one-electron reduction potentials of quinones. *SAR QSAR Environ. Res.* 5:255-268. #640

Mekenyan, O.G., S.D. Dimitrov, T.S. Pavlov, and G.D. Veith. 2004. A systematic approach to simulating metabolism in computational toxicology. I: The TIMES heuristic modelling framework. *Curr. Pharm. Design* 10:1273-1293. #2004-4

Mekenyan, O., S. Dimitrov, P. Schmieder, and G. Veith. 2003. *In silico* modelling of hazard endpoints: Current problems and perspectives. *SAR QSAR Environ. Res.* 14:361-371. #820

Mekenyan, O., S. Dimitrov, R. Serafimova, E. Thompson, S. Kotov, N. Dimitrova, and J.D. Walker. 2004. Identification of the structural requirements for mutagenicity by incorporating molecular flexibility and metabolic activation of chemicals. I: TA100 model. *Chem. Res. Toxicol.* 17:753-766. #2004-6

Mekenyan, O., J. Ivanov, S. Karabunarliev, S.P. Bradbury, G.T. Ankley, and W. Karcher. 1997. A computationally-based hazard identification algorithm that incorporates ligand flexibility. 1. Identification of potential androgen receptor ligands. *Environ. Sci. Technol.* 31:3702-3711. #662

Mekenyan, O., J. Ivanov, S. Karabunarliev, B. Hansen, G. Ankley, and S. Bradbury. 1997. A new approach for estimating 3-dimensional similarity that incorporates molecular flexibility. In: *Quantitative Structure-Activity Relationships in Environmental Sciences, VII, Ch. 4*, SETAC Press, pp. 39-57. #1997-13

Mekenyan, O.G., J.M. Ivanov, G.D. Veith, and S.P. Bradbury. 1994. Dynamic QSAR: A new search for active conformations and significant stereoelectronic indices. *Quant. Struct.-Act. Relat.* 13:302-307. #545

Mekenyan, O.G., V. Kamenska, P.K. Schmieder, G.T. Ankley, and S.P. Bradbury. 2000. A computationally based identification algorithm for estrogen receptor ligands: Part 2. Evaluation of a hER α binding affinity model. *Toxicol. Sci.* 58:270-281. #751

Mekenyan, O., N. Nikolova, S. Karabunarliev, S.P. Bradbury, G.T. Ankley, and B. Hansen. 1999. New developments in a hazard identification algorithm for hormone receptor ligands. *Quant. Struct.-Act. Relat.* 18:139-153. #717

Mekenyan, O., N. Nikolova, and P. Schmieder. 2003. Dynamic 3D QSAR techniques: applications in toxicology. *J. of Molec. Struc. (Theochem)* 622:147-165. #2003-11

Mekenyan, O., N. Nikolova, P. Schmieder, and G. Veith. 2004. COREPA-M: a multi-dimensional formulation of COREPA. *QSAR Comb. Sci.* 23:5-18. #2004-7

Mekenyan, O., T. Pavlov, V. Grancharov, M. Todorov, P. Schmieder, and G. Veith. 2005. 2D-3D migration of large chemical inventories with conformational multiplication: Application of the genetic algorithm. *J. Chem. Inf. Model.* 45:283-292. #2005-2

Mekenyan, O.G., T.W. Schultz, G.D. Veith, and V. Kamenska. 1996. "Dynamic" QSAR for semicarbazide-induced mortality in frog embryos. *J. Appl. Toxicol.* 16:355-363. #652

Mekenyan, O.G. and G.D. Veith. 1995. Synergism between QSAR modeling and physico-chemical principles. *SAR QSAR Environ. Res.* 4:155-165. #574

Mekenyan, O.G. and G.D. Veith. 1994. The electronic factor in QSAR: MO-parameters, competing interactions, reactivity and toxicity. *SAR QSAR Environ. Res.* 2:129-143. #546

Mekenyan, O.G. and G.D. Veith. 1993. Relationships between descriptors for hydrophobicity and soft electrophilicity in predicting toxicity. *SAR QSAR Environ. Res.* 1:335-344. #507

Mekenyan, O.G., G.D. Veith, S.P. Bradbury, and C.L. Russom. 1993. Structure-toxicity relationships for α , β -unsaturated alcohols in fish. *Quant. Struct.-Act. Relat.* 12:132-136. #508

Mekenyan, O.G., G.D. Veith, S.P. Bradbury, and N. Zaharieva. 1995. SAR models for metabolic activation: Stability of organic cation intermediates. *Quant. Struct.-Act. Relat.* 14:264-269. #575

Mekenyan, O.G., G.D. Veith, D.J. Call, and G.T. Ankley. 1996. A QSAR evaluation of Ah receptor binding of halogenated aromatic xenobiotics. *Environ. Health Perspect.* 104:1302-1310. #624

Melendez, W., M. Settles, J.J. Pauer, and K.R. Rygwelski. 2009. LM-3: A high-resolution Lake Michigan mass balance water quality model, EPA/600/R-09/020, EPA/ORD/NHEERL/MED, Grosse Ile, MI. #5012

Meyer, J.L., S. Rogers-Burch, J.K. Leet, D.L. Villeneuve, G.T. Ankley, and M.S. Sepúlveda. 2013. An evaluation of reproductive physiology in eastern snapping turtles (*Chelydra*

serpentina) exposed to runoff from a concentrated animal feeding operation. *J. Wild. Dis.* 49: 996-999. #5869

Meyn, E.L., R.K. Zajdel, and R.V. Thurston. 1984. Acute toxicity of ferrocyanide and ferricyanide to rainbow trout (*Salmo gairdneri*). Tech. Rept. 84-1. Fisheries Bioassay Laboratory, Montana State University, Bozeman, MT. #1984-11

Miller, D.H. and G.T. Ankley. 2004. Modeling impacts on populations: Fathead minnow (*Pimephales promelas*) exposure to the endocrine disruptor 17² -trenbolone as a case study. *Ecotox. Environ. Safety* 59:1-9. #829

Miller, D.H., K.M. Jensen, D.L. Villeneuve, M.D. Kahl, E.A. Makynen, E.J. Durhan, and G.T. Ankley. 2007. Linkage of biochemical responses to population-level effects: A case study with vitellogenin in the fathead minnow. *Environ. Toxicol. Chem.* 26:521-527. #4611

Miller, D.H., R.G. Kreis Jr., W.-C. Huang, and X. Xia. 2010. Application of a lower food web ecosystem productivity model for investigation dynamics of the invasive species *Bythotrephes longimanus* in Lake Michigan. *Biol. Invasions* 12:3513-3524 #5052

Miller, D.H., J.E. Tietge, M.E. McMaster, K.R. Munkittrick, X. Xia, and G.T. Ankley. 2013. Assessment of status of white sucker (*Catostomus commersoni*) populations exposed to bleached kraft pulp mill effluent. *Environ. Toxicol. Chem.* 32:1592-1603. #5493

Miracle, A.L. and G.T. Ankley. 2005. Ecotoxicogenomics: linkages between exposure and effects in assessing risks of aquatic contaminants to fish. *Reprod. Toxicol.* 19:321-326. #848

Miracle, A.L., G.T. Ankley, and D. Lattier. 2006. Expression of two vitellogenin genes (vg1 and vg3) in fathead minnow (*Pimephales promelas*) liver in response to exposure to steroidal estrogens and androgens. *Ecotox. Environ. Safety* 63:337-342. #2006-3

Mizera, J.J., C.L. Cooper, and C.E. Herdendorf. 1981. Limnetic larval fish in the nearshore zone of the western basin of Lake Erie. *J. Great Lakes Res.* 7:62-64. #1981-12

Moen, S. and T. Hollenhorst. Shades of Green: Flood control study focused on Duluth, Minnesota. *Seiche (MN Sea Grant newsletter)*. 6039 009050

Moffett, M.F. 2015. FY10 RARE Final Report to Region 10: The functional Assessment of Alaska Peatlands in Cook Inlet Basin. *Internal Report*.

Moffett, M.F., L.E. Anderson, T. Corry, M.P. Hanratty, L.J. Heinis, M.L. Knuth, K. Liber, S.L. O'Halloran, K.L. Schmude, F.S. Stay, and D.K. Tanner. 1995. Effects, persistence and distribution of diflubenzuron in littoral enclosures. Final report. Mid-Continent Ecology Division, USEPA, Duluth, MN. #1995-1

Moffett, M.F., D.W. Bolgrien, T. Nawrocki, and M.A. Starry. 2009. Landscape metrics arranged by hydrological proximity to sites on Mississippi, Missouri, and Ohio Rivers. Posted as an NHD

Plus Application on Horizon-Systems website: <http://www.horizon-systems.com/nhdplus/applications.php>. #5221

Moffett, M.F., R.L. Dufour, and T.P. Simon. 2007. An inventory and classification of coastal wetlands of the Laurentian Great Lakes. Chapter 2. In: T.P. Simon, P.M. Stewart, Eds, *Coastal Wetlands of the Laurentian Great Lakes: Health, Habitat, and Indicators*. AuthorHouse, Bloomington, IN, pp.17-99. #4393

Mohseni, O., T.R. Erickson, and H.G. Stefan. 1998. Projection of climate change effects on stream temperatures in the U.S. Grazing Lands Research Laboratory, Agricultural Research Service, USDA, El Reno, OK. #1998-15

Mohseni, O., T.R. Erickson, and H.G. Stefan. 1997. A non-linear regression model for weekly stream temperatures at 585 gaging stations in the U.S. Environmental Research Laboratory, USEPA, Duluth, MN. #1997-15

Mohseni, O. and H.G. Stefan. 2000. Projections of fish survival in US streams after global warming. ORD, USEPA, Washington, DC and Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #2000-16

Mohseni, O. and H.G. Stefan. 1994. Climate change effect on water resources. Part 1: Evaporation. Ext. Memo M-238, St. Anthony Falls Hydraulic Laboratory, UM, Minneapolis, MN. Prep. for ERL, USEPA, Duluth, MN. #1994-13

Mohseni, O., H.G. Stefan, and J.G. Eaton. 2003. Global warming and potential changes in fish habitat in U.S. streams. *Climatic Change* 59:389-409. #2003-10

Moll, R.A., D. Jude, R. Rossmann, G.V. Kantak, J. Barres, S. DeBoe, J. Giesy, and M. Tuchman. 1995. Movement and loadings of inorganic contaminants through the lower Saginaw River. *J. Great Lakes Res.* 21:17-34. #1995-11

Monson, P.D., G.T. Ankley, and P.A. Kosian. 1995. Phototoxic response of *Lumbriculus variegatus* to sediments contaminated by polycyclic aromatic hydrocarbons. *Environ. Toxicol. Chem.* 14:891-894. #576

Monson, P.D., D.J. Call, D.A. Cox, K. Liber, and G.T. Ankley. 1999. Photoinduced toxicity of fluoranthene to northern leopard frogs (*Rana pipiens*). *Environ. Toxicol. Chem.* 18:308-312. #696

Moore, M.J., H.A. Langrehr, and T.R. Angradi. 2012. A submersed macrophyte index of condition for the Upper Mississippi River. *Ecol. Indic.* 13:196-205. #5607

Morden, R.D. 1980. Static coal storage--Biological effects on the aquatic environment. EPA/600/3-80/083c. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, PB80221583; Grant R803937020.

Morrice, J.A., C.N. Dahm, H.M. Valett, P.V. Unnikrishna, and H.M. Campana. 2000. Terminal electron accepting processes in the alluvial sediments of a headwater stream. *J. N. Am. Benthol. Soc.* 19:593-608. #2000-8

Morrice, J.A., N. Danz, R.R. Regal, J.R. Kelly, E.D. Reavie, T. Hollenhorst, R.P. Axler, A.S. Trebitz, A.M. Cotter, and G.S. Peterson. 2008. Human influences on water quality in Great Lakes coastal wetlands. *Env. Manage.* 41:347-357. #4685

Morrice, J.A., A.S. Trebitz, J.R. Kelly, A.M. Cotter, and M.L. Knuth. 2009. Nutrient variability in Lake Superior coastal wetlands: the role of land use and hydrology. In: M. Munawar, I.F. Munawar, Eds., *State of Lake Superior, Ecovision World Monograph Series*, Aquatic Ecosystem Health and Management Society, Burlington, ON, Canada, pp. 217-238. #4490

Morrice, J.A., A.S. Trebitz, J.R. Kelly, M.E. Sierszen, A.M. Cotter, and T.P. Hollenhorst. 2011. Determining sources of water and nutrients to Great Lakes coastal wetlands: A classification approach. *Wetlands* 31:1199-1213. #5290

Morrice, J.A., H.M. Valett, C.N. Dahm, and M.E. Campana. 1997. Alluvial characteristics, groundwater-surface water exchange and hydrological retention in headwater streams. *Hydro. Processes* 11:253-267. #1997-14

Morris, D.D. 1973. Toxicity of cyanide, chromium, cadmium, copper, lead, nickel, and zinc. Summary report. #1973-10

Morris, J., R. Wentsel, M. Conlon, M.J. Davis, S.A. Diamond, K. Dreher, M. Gwinn, T.J. Holdsworth, K. Houck, E. Hubal, D. McKinney, D.R. Mount, C.M. Nunez, N. Savage, C.R. Shoaf, B. Walton, and E. Weber. 2009. Nanomaterial research strategy. *EPA/620/K-09/011*. #5222

Morrison, T.W., W.E. Lynch Jr., and K. Dabrowski. 1997. Predation on zebra mussels by freshwater drum and yellow perch in western Lake Erie. *J. Great Lakes Res.* 23:177-189. #1997-7

Morton, P., D. Marklund, S. Kohlbry, D. Longrie-Kline, C. Harper, J. Tan, and G.J. Niemi. 1985. Properties of fine particles which govern their biological activity. Vol. 1/2. Coop. Agree. CR807482. Sub. to ERL, USEPA, Duluth, MN by UMD, Duluth, MN. #1985-1

Mosquito Control Technology (R.D. Sjogren). 1984. Assessment of the effects of chlorpyrifos larvicide on non-target, aquatic organisms in mosquito control areas. Final report submitted to Environmental Research Laboratory, USEPA, Duluth, MN by Mosquito Control Technology, North Oaks, MN. #1984-1

Mount, D.I. 1988. Ambient toxicity to assess biological impact. In: *Toxic contaminants and ecosystem health: A Great Lakes focus*. M.S. Evans, Ed., pp. 237-245. John Wiley & Sons, Inc., New York, NY. #1988-40

Mount, D.I. 1988. Methods for aquatic toxicity identification evaluations. Phase III: Toxicity confirmation procedures. *EPA/600/3-88/036*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, NETAC Tech. Rpt. 04-88.

Mount, D.I. 1981. Margins of safety for aquatic communities. In: *Aquatic toxicology and hazard assessment: 4th conference*. D.R. Branson, K.L. Dickson, Eds., pp. 5-9, STP 737. ASTM, Philadelphia, PA. #1981-20

Mount, D.I. 1980. Tentative guidelines for flow-through early life stage toxicity tests with fathead minnows for use in the USEPA, OTS-ORD round robin test. In: *Proc. of Seminar on Biological Monitoring and its Use in the NPDES Permit Program*, October 2, 1979, Chicago, IL. *EPA/600/9-80/026*. Center for Environmental Research Information, ORD, USEPA, Cincinnati, OH., pp. 62-68. #1980-8

Mount, D.I. 1977. An assessment of application factors in aquatic toxicology. In: *Recent advances in fish toxicology: A symposium*. R.A. Tubb, Ed., pp. 183-190. *EPA/600/3-77-085*. USEPA, Corvallis, OR. #1977-12

Mount, D.I. 1977. Present approaches to toxicity testing--a perspective. In: *Aquatic toxicology and hazard evaluation*. F.L. Mayer, J.L. Hamelink, Eds., pp. 5-14. STP 634, ASTM, Philadelphia, PA. #1977-7

Mount, D.I. 1976. Biotic monitoring. In: *Biological monitoring of water and effluent quality*. J. Cairns Jr., K.L. Dickson, G.F. Westlake, Eds., pp. 20-23. STP 607, ASTM, Philadelphia, PA. #1976-7

Mount, D.I. 1976. Biological assessment of effluents. Environmental Research Laboratory, USEPA, Duluth, MN. #1976-2

Mount, D.I. 1975. Research to develop heavy metal standards for fresh water. In: *International Conference on Heavy Metals in the Environment*, October 27-31, 1975, Toronto, ON, pp.151-161. #1975-12

Mount, D.I. 1975. Coal/oil shale reference library: Fisheries Bioassay Laboratory. National Water Quality Laboratory, USEPA, Duluth, MN. #1975-3

Mount, D.I. 1975. The effects of heavy metals on fish and aquatic organisms (M. Katz). Discussion. In: *Heavy metals in the aquatic environment*. P.A. Krenkel, Ed. Pergamon Press, Oxford, pp. 31-32. #1975-7

Mount, D.I. 1974. Testimony on mixing zones in Lake Michigan. National Water Quality Laboratory, USEPA, Duluth, MN. #1974-7

Mount, D.I. 1973. A summary of the studies regarding the effect of the Reserve Mining Company discharge on Lake Superior. National Water Quality Laboratory, USEPA, Duluth, MN. #1973-13

Mount, D.I. 1973. Chronic effect of low pH on fathead minnow survival, growth and reproduction. *Water Res.* 7:987-993. #93

Mount, D.I. 1973. Significance of synthetic organics to aquatic animals. Prepared for 15th Water Quality Conference, University of IL, Urbana, IL. #1973-11

Mount, D.I. 1971. Thermal requirements for Lake Michigan. National Water Quality Laboratory, USEPA, Duluth, MN. #1971-7

Mount, D.I. 1971. *Progress report of Lake Michigan Interstate Pesticide Committee.* #1971-6

Mount, D.I. 1971. Organism response: the reference point for all environmental chemistry (Bioassay techniques in environmental chemistry). Presented before the *American Chemical Society, Washington, DC.* #1971-5

Mount, D.I. 1971. An evaluation of DDT and dieldrin in Lake Michigan drainage basin. *Report of the Lake Michigan Enforcement Conference Pesticide Committee.* #1971-4

Mount, D.I. 1970. Biotic monitoring. Environmental Research Laboratory, USEPA, Duluth, MN. #1970-12

Mount, D.I. 1970. Water quality criteria for a cleaner environment. Presented at *Ohio State University, November 17, 1979.* #1970-9

Mount, D.I. 1970. Water-related research needs in northeast Minnesota. National Water Quality Laboratory, USEPA, Duluth, MN. #1970-17

Mount, D.I. 1970. Ecological considerations in the establishment of standards for thermal discharges. Presented at *ASME Special Symposium on Environmental Effects of Thermal Discharges: the Elements in Work Formulating a Rational Public Policy, December 1, 1970, NY, NY.* #1970-5

Mount, D.I. 1970. Environmental effects of thermal discharges--ecological elements. National Water Quality Laboratory, Duluth, MN. #1970-13

Mount, D.I. 1970. Heavy metal contamination in north central US. *A report of Ad Hoc Committee on Heavy Metal Contamination in Surface Waters to the North Central Division of the American Fisheries Society.* #1970-6

Mount, D.I. 1970. Research to develop heavy metal standards for fresh water. National Water Quality Laboratory, USEPA, Duluth, MN. #1970-14

Mount, D.I. 1970. The role of bioassay as in environmental research. National Water Quality Laboratory, USEPA, Duluth, MN. #1970-15

Mount, D.I. 1970. Summary of effects of tailings on Lake Superior. National Water Quality Laboratory, USEPA, Duluth, MN. #1970-7

Mount, D.I. 1970. Technical statement to be given at Michigan State Water Quality Hearings, March 19, 1970. National Water Quality Laboratory, Federal Pollution Control Administration, US Dept. of the Interior, Duluth, MN. #1970-12

Mount, D.I. 1970. Thermal effects of power plants on ecology. Presented at *Student Conference on Nuclear Power and the Environment*, April 3-4, 1970, UW, Madison, WI. #1970-8

Mount, D.I. 1970. Thermal standards in the United States. Presented at *Symposium on Environmental Aspects of Nuclear Power Stations*, August 10-14, 1970, NY, NY. #1970-13

Mount, D.I. 1970. The toxicity of heavy metals to aquatic life. *The Naturalist* 16-19. #1970-16

Mount, D.I. 1969. Derivation of aquatic life requirements for the temperature characteristic. Presented at *17th Meeting, FWPCA Presentations, Orsanco Engineering Committee*, September 10, 1969, Cincinnati, OH. #1969-3

Mount, D.I. 1969. Research on temperature effects on fishes. For presentation at *Sanitary and Water Resources Engineering Conference*, June 5-6, 1969, Nashville, TN. #1969-4

Mount, D.I. 1969. The status of current research at the federal level on water quality. *Water Pollution Control Federation Conference*, October 8, 1969, Dallas, TX. #1969-5

Mount, D.I. 1968. Implication for aquatic life of heated discharges. Statement before the Senate Subcommittee on February 13, 1968. #1968-2

Mount, D.I. 1968. Developing thermal requirements for freshwater fishes. Presented at *Thermal Pollution Symposium*, June 4, 1968, Portland, OR. #1968-1

Mount, D.I. 1968. Chronic toxicity of copper to fathead minnows (*Pimephales promelas* Rafinesque). *Water Res.* 2:215-223. #19

Mount, D.I. 1967. Considerations for acceptable concentrations of pesticides for fish production. In: *A Symposium on Water Quality Criteria to Protect Aquatic Life*. AFS Spec. Pub. 4, pp. 3-6. #1967-3

Mount, D.I. 1966. The effect of total hardness and pH on acute toxicity of zinc to fish. *Air Water Pollut. Int. J.* 10:49-56. #4

Mount, D.I. 1964. Additional information on a system for controlling the dissolved oxygen content of water. *Trans. Am. Fish. Soc.* 93:100-103. #1

Mount, D.I. 1964. An autopsy technique for zinc-caused fish mortality. *Trans. Am. Fish. Soc.* 93:174-182. #2

Mount, D.I. and L. Anderson-Carnahan. 1988. Methods for aquatic toxicity identification evaluations. Phase I: toxicity characterization procedures. *EPA/600/3-88/034*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, NETAC tech. rept. 02-88.

Mount, D.I. and L. Anderson-Carnahan. 1988. Methods for aquatic toxicity identification evaluations. Phase II: toxicity identification procedures. *EPA/600/3-88/035*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, NETAC tech. rept. 02-88.

Mount, D.I. and H.W. Boyle. 1969. Parathion--use of blood concentration to diagnose mortality of fish. *Environ. Sci. Technol.* 3:1183-1185. #32

Mount, D.I. and W.A. Brungs. 1967. A simplified dosing apparatus for fish toxicology studies. *Water Res.* 1:21-29. #11

Mount, D.I., E. Durhan, and G. Peterson. 1989. The Buckman Street POTW. NETAC Tech. Rept. 01-89. National Effluent Toxicity Assessment Center, Mid-Continent Ecology Division, NHEERL, USEPA, Duluth, MN. #1989-53

Mount, D.I. and D.R. Mount. 2013. Development of practical methods for assessing the chronic toxicity of effluents. *Environ. Toxicol. Chem.* 32:252-253. #5748

Mount, D.I. and T.J. Norberg. 1984. A seven-day life-cycle cladoceran toxicity test. *Environ. Toxicol. Chem.* 3:425-434. #286

Mount, D.I., T.J. Norberg-King, G.T. Ankley, L.P. Burkhard, E.J. Durhan, M.K. Schubauer-Berigan, and M.T. Lukasewycz. 1992. Methods for aquatic toxicity identification evaluations: Phase III toxicity confirmation procedures for samples exhibiting acute and chronic toxicity. *EPA/600/R-92/081*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Mount, D.I. and G.J. Putnicki. 1966. Summary report of 1963 Mississippi fish kill. *Trans. N. Am. Wild. Nat. Resour. Conf.* 31:177-184. #1966-3

Mount, D.I. and C.E. Stephan. 1969. Chronic toxicity of copper to the fathead minnow (*Pimephales promelas*) in soft water. *J. Fish. Res. Board Can.* 26:2449-2457. #33

Mount, D.I. and C.E. Stephan. 1967. A method for detecting cadmium poisoning in fish. *J. Wild. Manage.* 31:168-172. #12

Mount, D.I. and C.E. Stephan. 1967. A method for establishing acceptable toxicant limits for fish--malathion and the butoxyethanol ester of 2,4-D. *Trans. Am. Fish. Soc.* 96:185-93 #13

Mount, D.I., L.W. Vigor, and M.L. Schafer. 1966. Endrin: Use of concentration in blood to diagnose acute toxicity to fish. *Science* 152:1388-1390. #5

Mount, D.I. and R.E. Warner. 1965. A serial-dilution apparatus for continuous delivery of various concentrations of materials in water. Public Health Service Publication 999-WP-23, 16 pp. US Dept. of Health, Education and Welfare/Division of Water Supply and Pollution Control, Cincinnati, OH. #1965-2

Mount, D.R. 2011. Appendix E. Analysis of chronic toxicity data and acute chronic ratios (ACRs) in support of deriving chronic HC5s: Acetylcholinesterase inhibitors. *EFED/OW Harmonization Project, EPA/600/R-13/003*. #5621

Mount, D.R., G.T. Ankley, K.V. Brix, W.H. Clements, D.G. Dixon, A. Fairbrother, C.W. Hickey, R.P. Lanno, C.M. Lee, W.R. Munns, R.K. Ringer, J.P. Staveley, C.M. Wood, R.J. Erickson, and P.V. Hodson. 2003. Effects assessment. In: *Reevaluation of the State of the Science for Water-Quality Criteria*. M.C. Reilley, W.A. Stubblefield, W.J. Adams, et al., Eds. SETAC, Pensacola, FL, pp. 53-118. #2003-5

Mount, D.R., T.D. Dawson, and L.P. Burkhard. 1999. Implications of gut purging for tissue residues determined in bioaccumulation testing of sediment with *Lumbriculus variegatus*. *Environ. Toxicol. Chem.* 18:1244-1249. #710

Mount, D.R., D.D. Gulley, J.R. Hockett, T.D. Garrison, and J.M. Evans. 1997. Statistical models to predict the toxicity of major ions to *Ceriodaphnia dubia*, *Daphnia magna* and *Pimephales promelas* (fathead minnows). *Environ. Toxicol. Chem.* 16:2009-2019. #658

Mount, D.R. and T.R. Henry. 2008. Chapter 18. Ecological Risk Assessment. In: *The Toxicology of Fishes*, R.T. DiGiulio, D.E. Hinton, Eds., Taylor & Francis, Boca Raton, FL, pp.757-775. #3950

Mount, D.R., T.L. Highland, V.R. Mattson, T.D. Dawson, K.G. Lott, and C.G. Ingersoll. 2006. Use of the oligochaete, *Lumbriculus variegatus*, as a prey organism for toxicant exposure of fish through the diet. *Environ. Toxicol. Chem.* 25:2760-2767. #900

Mount, D.R. and J.R. Hockett. 2000. Use of toxicity identification evaluation methods to characterize, identify, and confirm hexavalent chromium toxicity in an industrial effluent. *Water Res.* 34:1379-1385. #729

Mount, D.R., C.G. Ingersoll, and J.A. McGrath. 2005. Approaches to developing sediment quality guidelines for PAHs. In: *PAHs: An Ecotoxicological Perspective*, P.E.T. Douben, Ed., pp. 331-355, Wiley, New York, NY. #2005-14

Mulholland, R.J. 1978. New sampling theory for measuring ecosystem structure. *EPA/600/3-78/104*. Environmental Research Laboratory, ORD, USEPA, Athens, GA and Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R805564.

Mullin, M.D., C.M. Pochini, S. McCrindle, M. Romkes, S.H. Safe, and L.M. Safe. 1984. High-resolution PCB analysis: Synthesis and chromatographic properties of all 209 PCB congeners. *Environ. Sci. Technol.* 18:468-476. #1984-5

Mullin, M.D., C.M. Pochini, S. Safe, and L.M. Safe. 1983. Analysis of PCBs using specific isomer high resolution capillary gas chromatography. In: *PCBs: Human and environmental hazards*. F.M. D'Itri, M.A. Kamrin, Eds. Butterworth Publishers, Boston, MA, pp. 165-176. #1983-7

Munson, B.H., J.H. McCormick, and H.L. Collins. 1980. Influence of thermal challenge on conditioned feeding forays of juvenile rainbow trout. *Trans. Am. Fish. Soc.* 109:116-121. #208

Murphy, T.J. and P.V. Doskey. 1975. Inputs of phosphorus from precipitation to Lake Michigan. *EPA/600/3-75/005*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant 802647.

Murphy, T.J., M.D. Mullin, and J.A. Meyer. 1987. Equilibration of polychlorinated biphenyls and toxaphene with air and water. *Environ. Sci. Technol.* 21:155-162. #354

Murphy, T.J., G. Paolucci, A. Schinsky, M.L. Combs, and J. Pokojowczyk. 1982. Inputs of PCBs from the atmosphere to Lakes Huron and Michigan. Large Lakes Research Station, Environmental Research Laboratory-Duluth, Grosse Isle, MI. #1982-23

Murphy, T.J. and C.P. Rzeszutko. 1978. Polychlorinated biphenyls in precipitation in the Lake Michigan basin. *EPA/600/3-78/071*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant 803915.

Murphy, T.J. and A.W. Schinsky. 1983. Net atmospheric inputs of PCBs to the ice cover on Lake Huron. *J. Great Lakes Res.* 9:92-96. #1983-15

Murphy, T.J., A. Schinsky, G. Paolucci, and C.P. Rzeszutko. 1981. Inputs of polychlorinated biphenyls from the atmosphere to Lakes Huron and Michigan. In: *Atmospheric Pollutants in Natural Waters*, S.J. Eisenreich, Ed. pp. 445-458. Ann Arbor Science Publishers, Ann Arbor, MI. #1981-21

Mylchreest, E., S. Snajdr, J.J. Korte, and G.T. Ankley. 2003. Comparison of ELISAs for detecting vitellogenin in the fathead minnow (*Pimephales promelas*). *Comp. Biochem. Physiol. Part C* 134:251-257. #785

N

Nacci, D., M. Pelletier, J. Lake, R. Bennett, J. Nichols, R. Haebler, J. Gear, A. Kuhn, J. Copeland, M. Nicholson, S. Walters, and W.R. Munns Jr. 2005. An approach to predict risks to wildlife populations from mercury and other stressors. *Ecotoxicology* 14:283-293. #856

Naiman, R.J., H. Décamps, J. Pastor, and C.A. Johnston. 1988. The potential importance of boundaries to fluvial ecosystems. *J. N. Am. Benthol. Soc.* 7:289-306. #1988-59

Naiman, R.J., C.A. Johnston, and J.C. Kelley. 1988. Alteration of North American streams by beaver. *Bioscience* 38:753-762. #1988-50

Nalepa, T.F., D.J. Hartson, J. Buchanan, J.F. Cavaletto, G.A. Lang, and S.J. Lozano. 2000. Spatial variation in density, mean size and physiological condition of the holarctic amphipod *Diporeia* spp. in Lake Michigan. *Fresh. Biol.* 43:107-119. #2000-9

Nalepa, T.F., D.J. Hartson, D.L. Fanslow, G.A. Lang, and S.J. Lozano. 1998. Declines in benthic macroinvertebrate populations in southern Lake Michigan, 1980-1993. *Can. J. Fish. Aquat. Sci.* 55:2402-2413. #699

Natusch, D.F.S. and D.R. Taylor. 1980. Environmental effects of western coal combustion. Part IV: Chemical and physical characteristics of coal fly ash. *EPA/600/3-80/094*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803950.

Nawrocki, T., M.A. Starry, M.F. Moffett, and D.W. Bolgrien. Landscape metrics arranged by hydrological proximity to sites on the Mississippi, Missouri, and Ohio Rivers. 2008. In: D.R. Maidment, Ed., *GIS and Water Resources V, AWRA Spring Specialty Conference*, San Mateo, CA, March 17-19, 2008. American Water Resources Association, Middleburg, VA, TPS081, CD-ROM/TPS081. ISBN1882132769. #4934

Nebeker, A.V. 1976. Survival of *Daphnia*, crayfish, and stoneflies in air-supersaturated water. *J. Fish. Res. Board Can.* 33:1208-1212. #137

Nebeker, A.V. 1976. Summary of recent information regarding effects of PCBs on freshwater organisms. *PCB Conference, Chicago, IL, November 1975*. #1976-13

Nebeker, A.V. 1973. Temperature requirements and life cycle of the midge *Tanytarsus dissimilis* (Diptera: Chironomidae). *J. Kans. Entomol. Soc.* 46:160-165. #94

Nebeker, A.V. 1972. Effect of low oxygen concentration on survival and emergence of aquatic insects. *Trans. Am. Fish. Soc.* 101:675-679. #72

Nebeker, A.V. 1971. Effect of high winter water temperatures on adult emergence of aquatic insects. *Water Res.* 5:777-783. #58

Nebeker, A.V. 1971. Effect of temperature at different altitudes on the emergence of aquatic insects from a single stream. *J. Kans. Entomol. Soc.* 44:26-35. #59

Nebeker, A.V. 1971. Effect of water temperature on nymphal feeding rate, emergence, and adult longevity of the stonefly *Pteronarcys dorsata*. *J. Kans. Entomol. Soc.* 44:21-26. #60

Nebeker, A.V. 1970. Statement of Alan V. Nebeker (PCB studies with citations list). National Water Quality Laboratory, USEPA, Duluth, MN. #1970-3

Nebeker, A.V. and A.R. Gaufin. 1964. Bioassays to determine pesticide toxicity to the amphipod crustacean, *Gammarus lacustris*. *Utah Acad. Proceed.*, Vol. 41, part 1, pp. 64-67. #1964

Nebeker, A.V. and A.E. Lemke. 1968. Preliminary studies on the tolerance of aquatic insects to heated waters. *J. Kans. Entomol. Soc.* 41:413-418 #20

Nebeker, A.V. and F.A. Puglisi. 1974. Effect of polychlorinated biphenyls (PCBs) on survival and reproduction of *Daphnia*, *Gammarus*, and *Tanytarsus*. *Trans. Am. Fish. Soc.* 103:722-728. #110

Nebeker, A.V., F.A. Puglisi, and D.L. DeFoe. 1977. Toxicity of polychlorinated biphenyls (PCBs) to fish and other aquatic life: Final report. *EPA/600/3-77/034*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Nebeker, A.V., F.A. Puglisi, and D.L. DeFoe. 1974. Effect of polychlorinated biphenyl compounds on survival and reproduction of the fathead minnow and flagfish. *Trans. Am. Fish. Soc.* 103:562-568 #111

Nebeker, A.V., F.A. Puglisi, and D.L. DeFoe. 1972. Toxicity of polychlorinated biphenyls (PCBs) to fish and other aquatic life. National Water Quality Laboratory, USEPA, Duluth, MN. #1972-4

Negus, M.T. and J.C. Hoffman. 2013. Habitat and diet differentiation by two strains of rainbow trout in Lake Superior based on archival tags, stable isotopes, and bioenergetics. *J. Great Lakes Res.* 39:578-590. #5775

Neiheisel, T.W., W.B. Horning, A.C. Petrusek Jr., V.R. Asberry, D.A. Jones, R.L. Marcum, and C.T. Hall. 1983. Effects on toxicity of volatile priority pollutants added to a conventional wastewater treatment system. *EPA/600/3-83/083*. Environmental Research Laboratory, USEPA, ORD, Duluth, MN, PB83259721. #5656

Nelson, H., D. Benoit, R. Erickson, V. Mattson, and J. Lindberg. 1985. The effects of variable hardness, pH, alkalinity, suspended clay, and humics on the chemical speciation and aquatic toxicity of copper. *EPA/600/3-86/023*. Environmental Research Laboratory, USEPA, Duluth, MN. #1985-28

Nelson, W.R., R.E. Siefert, and D.V. Swedberg. 1968. Studies of the early life history of reservoir fishes. In: *Reservoir Fishery Resources Symposium*, April 5-7, 1967, Athens, GA. AFS, Washington, DC, pp. 374-385. #1968-4

Nendza, M. and C.L. Russom. 1991. QSAR modelling of the ERL-D fathead minnow acute toxicity database. *Xenobiotica* 21:147-170. #456

Nestrud, L.B. and R.L. Anderson. 1994. Aquatic safety of *Lagenidium giganteum*: Effects on freshwater fish and invertebrates. *J. Inverteb. Pathol.* 64:228-233. #547

Neuhold, J.M. 1987. The relationship of life history attributes to toxicant tolerance in fishes. *Environ. Toxicol. Chem.* 6:709-716. #1987-30

Neuhold, J.M. 1986. Selected life history attributes of some North American endemic and introduced species of fishes. *EPA/600/3-86/020*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, PB86175726: CR811646. #1986-24

- Newman, R.M. and J.A. Perry. 1989. The combined effects of chlorine and ammonia on litter breakdown in outdoor experimental streams. *Hydrobiologia* 184:69-78. #1989-7
- Newman, R.M., J.A. Perry, E. Tam, and R.L. Crawford. 1987. Effects of chronic chlorine exposure on litter processing in outdoor experimental streams. *Fresh. Biol.* 18:415-428. #1987-25
- Newsome, L.D., D.E. Johnson, R.L. Lipnick, S.J. Broderius, and C.L. Russom. 1991. A QSAR study of the toxicity of amines to the fathead minnow. *Sci. Total Environ.* 109/110:537-51. #657
- Newsted, J.L., J.P. Giesy, G.T. Ankley, D.E. Tillitt, R.A. Crawford, J.W. Gooch, P.D. Jones, and M.S. Denison. 1995. Development of toxic equivalency factors for PCB congeners and the assessment of TCDD and PCB mixtures in rainbow trout. *Environ. Toxicol. Chem.* 14:861-871. #577
- Nichols, J.W., F. Gobas, M. MacLeod, K. Borgi, P. Leonards, E. Papa, H. Laue and J. Arnot. 2015. Summary of Cefic-LRI sponsored workshop: Recent scientific developments in bioaccumulation research. *Non EPA Proceedings*: 13 p.
- Nichols, J.W. 2002. Modeling the uptake and disposition of hydrophobic organic chemicals in fish using a physiologically based approach. In: *The Practical Applicability of Toxicokinetic Models in the Risk Assessment of Chemicals*, J. Krüse, H.J.M. Verhaar, W.K. de Raat, Eds. Kluwer Academic Publishers, the Netherlands, pp.109-133. #2002-8
- Nichols, J.W. 2001. Use of indicators in ecological risk assessments for persistent, bioaccumulative toxicants. *Hum. Ecol. Risk Assess.* 7:1043-1057. #763
- Nichols, J.W. 1999. Recent advances in the development and use of physiologically based toxicokinetic models for fish. In: *Xenobiotics in Fish*, Smith et al., Eds. pp. 87-103. Kluwer Academic/Plenum Publishers, New York, NY. #1999-5
- Nichols, J.W., et al. 1997. Mercury study report to Congress. Volume VI: an ecological assessment for anthropogenic mercury emissions in the United States. *EPA/452/R-97/008*. Office of Air Quality Planning & Standards/ORD, USEPA, Washington, DC. #1997-11
- Nichols, J.W., R.S. Bennett, R. Rossmann, J.B. French, and K.G. Sappington. 2010. A physiologically based toxicokinetic model for methylmercury in female American kestrels. *Environ. Toxicol. Chem.* 29:1854-1867. #5061
- Nichols, J.W., M. Bonnell, S.D. Dimitrov, B.I. Escher II, X. Han, and N.I. Kramer. 2009. Bioaccumulation assessment using predictive approaches. *IEAM* 5:577-597. #5063
- Nichols, J., S. Bradbury, and J. Swartout. 1999. Derivation of wildlife values for mercury. *J. Toxicol. Environ. Health, Part B.* 2:325-355. #720

Nichols, J.W., K.R. Echols, D.E. Tillitt, A.L. Secord, and J.P. McCarty. 2004. Bioenergetics-based modeling of individual PCB congeners in nestling tree swallows from two contaminated sites on the upper Hudson River, New York. *Environ. Sci. Technol.* 39:6234-6239. #840

Nichols, J.W., S. Erhardt, S.D. Dyer, M.O. James, M.M. Moore, K.P. Plotzke, H. Segner, I.R. Schultz, L. Vasiluk, and A. Weisbrod. 2007. Workshop Report: Use of *in vitro* absorption, distribution, metabolism and excretion (ADME) data in bioaccumulation assessments for fish. *Human Ecol. Risk Assess.* 13:1164-1191. #4736

Nichols, J.W., P.N. Fitzsimmons, and L.P. Burkhard. 2007. In vitro-in vivo extrapolation of quantitative hepatic biotransformation data for fish. II. Modeled effects on chemical bioaccumulation. *Environ. Toxicol. Chem.* 26:1304-1319. #4502

Nichols, J.W., P.N. Fitzsimmons, and F.W. Whiteman. 2004. A physiologically based toxicokinetic model for dietary uptake of hydrophobic organic compounds by fish. II. Simulation of chronic exposure scenarios. *Toxicol. Sci.* 77:219-229. #812

Nichols, J.W., P.N. Fitzsimmons, F.W. Whiteman, T.D. Dawson, L. Babeu, and J.L. Juenemann. 2004. A physiologically based toxicokinetic model for dietary uptake of hydrophobic organic compounds by fish. I. Feeding studies with 2,2',5,5'-tetrachlorobiphenyl. *Toxicol. Sci.* 77:206-218. #811

Nichols, J.W., P.N. Fitzsimmons, F.W. Whiteman, D.W. Kuehl, B.C. Butterworth, and C.T. Jenson. 2001. Dietary uptake kinetics of 2,2',5,5'-tetrachlorobiphenyl in rainbow trout. *Drug Metab. Dispos.* 29:1013-1022. #761

Nichols, J.W., A.D. Hoffman, and P.N. Fitzsimmons. 2009. Optimization of an isolated perfused rainbow trout liver model: Clearance studies with 7-ethoxycoumarin. *Aquat. Toxicol.* 95:182-194. #5075

Nichols, J.W., A.D. Hoffman, P.N. Fitzsimmons, and G.J. Lien. 2008. Quantification of phenol, phenyl glucuronide, and phenyl sulfate in blood of unanesthetized rainbow trout by online microdialysis sampling. *Toxicol. Mech. Methods* 18:405-412. #4745

Nichols, J.W., A.D. Hoffman, P.N. Fitzsimmons, G.J. Lien, and C.T. Jenson. 2008. Use of online microdialysis sampling to determine the *in vivo* rate of phenol glucuronidation in rainbow trout. *Drug Metab. Disp.* 36:1406-1413. #4858

Nichols, J.W., A.D. Hoffman, T. Ter Laak, and P.N. Fitzsimmons. 2013. Hepatic clearance of 6 polycyclic aromatic hydrocarbons by isolated perfused trout livers: Prediction from *in vitro* clearance by liver S9 fractions. *Toxicol. Sci.* 136:359-372. #5673

Nichols, J.W., D.B. Huggett, J.A. Arnot, P.N. Fitzsimmons, and C.E. Cowan-Ellsberry. 2013. Toward improved models for predicting bioconcentration of well-metabolized compounds by rainbow trout using measured rates of *in vitro* intrinsic clearance. *Environ. Toxicol. Chem.* 32:1611-1622. #5754

- Nichols, J.W., K.M. Jensen, J.E. Tietge, and R.D. Johnson. 1998. Physiologically based toxicokinetic model for maternal transfer of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin in brook trout (*Salvelinus fontinalis*). *Environ. Toxicol. Chem.* 17:2422-2434. #689
- Nichols, J.W., C.P. Larsen, M.E. McDonald, G.J. Niemi, and G.T. Ankley. 1995. Bioenergetics-based model for accumulation of polychlorinated biphenyls by nestling tree swallows, *Tachycineta bicolor*. *Environ. Sci. Technol.* 29:604-612. #578
- Nichols, J.W., J.M. McKim, M.E. Andersen, M.L. Gargas, H.J. Clewell III, and R.J. Erickson. 1990. A physiologically based toxicokinetic model for the uptake and disposition of waterborne organic chemicals in fish. *Toxicol. Appl. Pharmacol.* 106:433-447. #424
- Nichols, J.W., J.M. McKim, G.J. Lien, A.D. Hoffman, and S.L. Bertelsen. 1991. Physiologically based toxicokinetic modeling of three waterborne chloroethanes in rainbow trout (*Oncorhynchus mykiss*). *Toxicol. Appl. Pharmacol.* 110:374-389. #457
- Nichols, J.W., J.M. McKim, G.J. Lien, A.D. Hoffman, S.L. Bertelsen, and C.M. Elonen. 1996. A physiologically based toxicokinetic model for dermal absorption of organic chemicals by fish. *Fundam. Appl. Toxicol.* 31:229-242. #625
- Nichols, J.W., J.M. McKim, G.J. Lien, A.D. Hoffman, S.L. Bertelsen, and C.A. Gallinat. 1993. Physiologically-based toxicokinetic modeling of three waterborne chloroethanes in channel catfish, *Ictalurus punctatus*. *Aquat. Toxicol.* 27:83-112. #509
- Nichols, J.W., P. Rheingans, D.B. Lothenbach, R. McGeachie, L. Skow, and J.M. McKim. 1994. Three-dimensional visualization of physiologically based kinetic model outputs. *Environ. Health Perspect.* 102:952-956. #548
- Nichols, J.W., I.R. Schultz, and P.N. Fitzsimmons. 2006. In vitro-in vivo extrapolation of quantitative hepatic biotransformation data for fish I. A review of methods, and strategies for incorporating intrinsic clearance estimates into chemical kinetic models. *Aquat. Toxicol.* 78:74-90. #889
- Nichols, J.W. and L.J. Weber. 1990. Lack of myoglobin function in the isolated perfused buffalo sculpin (*Enophrys bison*) heart. *Can. J. Zool.* 68:825-829. #425
- Nichols, J.W. and L.J. Weber. 1989. Comparative oxygen affinity of fish and mammalian myoglobins. *J. Comp. Physiol.* 159B:205-209. #395
- Nichols, J.W. and L.J. Weber. 1989. Oxidation of cardiac myoglobin in vivo by sodium nitrite or hydroxylamine. *Arch. Toxicol.* 63:484-488. #396
- Niemi, G.J., S.C. Basak, and G.D. Veith. 1989. A theoretical and computational approach to chemical evaluation based on structure-activity relationships. In: *Envirotech Vienna 1989*. Session 1: Evaluation of hazardous substances and products. K.L. Zirm, J. Mayer, Eds., pp. 57-68. Umweltbundesamt, Federal Environmental Agency, Vienna, Austria. #1989-39

Niemi, G.J., S.C. Basak, G.D. Veith, and G. Grunwald. 1992. Prediction of octanol/water partition coefficient (K_{ow}) with algorithmically derived variables. *Environ. Toxicol. Chem.* 11:893-900. #485

Niemi, G.J., S.P. Bradbury, and J.M. McKim. 1991. The use of fish physiology literature for predicting fish acute toxicity syndromes. In: *Aquatic toxicology and risk assessment, 14th vol.* M.A. Mayes, M.G. Barron, Eds., pp. 245-260. STP 1124, ASTM, Philadelphia, PA. #1991-21

Niemi, G.J., T.E. Davis, G.D. Veith, and B. Vieux. 1986. Organochlorine chemical residues in herring gulls, ring-billed gulls, and common terns of western Lake Superior. *Arch. Environ. Contam. Toxicol.* 15:313-320. #328

Niemi, G.J., N.E. Detenbeck, and J.A. Perry. 1993. Comparative analysis of variables to measure recovery rates in streams. *Environ. Toxicol. Chem.* 12:1541-1547. #1993-28

Niemi, G.J., P.W. DeVore, N.E. Detenbeck, D.K. Taylor, A.R. Lima, J. Pastor, J.D. Yount, and R.J. Naiman. 1990. Overview of case studies on recovery of aquatic systems from disturbance. *Environ. Manage.* 14:571-587. #426

Niemi, G.J., J.R. Kelly, and N.P. Danz. 2008. Environmental indicators for the coastal region of the North American Great Lakes: Introduction and prospectus. *J. Great Lakes Res.* 33(SI3):1-12. #4907

Niemi, G.J. and J.M. McKim. 1988. Simplifying complex QSARs in toxicity studies with multivariate statistics. In: *Proceedings of the 3rd International Workshop on Quantitative Structure-Activity Relationships in Environmental Toxicology*, May 22-26, 1988, Knoxville, TN. CONF880520, pp.11-19. #1988-3

Niemi, G.J., R.J. Naiman, and J. Pastor. 1988. Factors controlling the recovery of aquatic systems from disturbance. Natural Resources Research Institute/UM Duluth and Environmental Research Laboratory, USEPA, Duluth, MN. #1988-64

Niemi, G.J., E.D. Reavie, G.S. Peterson, J.R. Kelly, C.A. Johnston, L.B. Johnson, R.W. Howe, G.E. Host, T.P. Hollenhorst, N.P. Danz, J.H. Ciborowski, T.N. Brown, V.J. Brady, and R.P. Axler. 2011. An integrated approach to assessing multiple stressors in Lake Superior. *Aquat. Eco. Health Manage.* 14(SI):356-375. #5434

Niemi, G.J., R.R. Regal, and G.D. Veith. 1985. Applications of molecular connectivity indexes and multivariate analysis in environmental chemistry. In: *Environmental applications of chemometrics*. ACS Symposium Series 292. J.J. Breen, P.E. Robinson, Eds., pp.148-159. American Chemical Society, Washington, DC. #1985-24

Niemi, G.J., R.R. Regal, D.D. Vaishnav, and G.D. Veith. 1985. A preliminary model to predict biodegradability from chemical structure. In: *Proceedings of the workshop on Biodegradation Kinetics*, October 18-20, 1983, Navarre Beach, FL. EPA/600/9-85/018. Environmental Research Laboratory, USEPA, Gulf Breeze, FL, pp.121-126. #1985-9

Niemi, G.J. and G.D. Veith. 1989. An approach for development of structure-biodegradation relationships of organic chemicals. In: *Aquatic toxicology and environmental fate*, 11th vol. G.W. Suter II, M.A. Lewis, Eds., pp. 459-467. STP 1007, ASTM, Philadelphia, PA. #1989-31

Niemi, G.J., G.D. Veith, R.R. Regal, and D.D. Vaishnav. 1987. Structural features associated with degradable and persistent chemicals. *Environ. Toxicol. Chem.* 6:515-527. #355

Niemuth, N., R. Jordan, J. Crago, C. Blanksma, R. Johnson and R.D. Klaper. 2015. Metformin exposure at environmentally relevant concentrations causes potential endocrine disruption in adult male fish. *Environmental Science and Technology* 34 (2):291-296.

Norberg, T.J. and D.I. Mount. 1985. A new fathead minnow (*Pimephales promelas*) subchronic toxicity test. *Environ. Toxicol. Chem.* 4:711-718. #300

Norberg, T.J. and D.I. Mount. 1985. Diets for *Ceriodaphnia reticulata* life-cycle tests. In: *Aquatic toxicology and hazard assessment: Seventh symposium*. R.D. Cardwell, R. Purdy, R.C. Bahner, Eds., pp. 42-52. ASTM STP 854, ASTM, Philadelphia, PA. #1985-19

Norberg-King, T.J. 1993. A linear interpolation method for sublethal toxicity: The inhibition concentration (ICp) approach. Ver. 2.0. National Effluent Toxicity Assessment Center Tech. Rept. 03-93. Environmental Research Laboratory, USEPA, Duluth, MN. #1993-21

Norberg-King, T. J. 1989. An evaluation of the fathead minnow seven-day subchronic test for estimating chronic toxicity. *Environ. Toxicol. Chem.* 8:1075-1089. #397

Norberg-King, T.J. 1990. Letter to the editor: Seven-day tests and chronic tests. *Environ. Toxicol. Chem.* 9:1435-1436. #427

Norberg-King, T.J. 1979. Rapid methods research highlights. Environmental Research Laboratory, USEPA, Duluth, MN. #1979-2

Norberg-King, T.J., E.J. Durhan, G.T. Ankley, and E.D. Robert. 1991. Application of toxicity identification evaluation procedures to the ambient waters of the Colusa Basin Drain, California. *Environ. Toxicol. Chem.* 10:891-900. #458

Norberg-King, T.J., M. Lukasewycz, and J. Jenson. 1989. Results of diazinon levels in POTW effluents in the United States. NETAC Tech. Rept. 14-89. NETAC, Mid-Continent Ecology Division, NHEERL, USEPA, Duluth, MN. #1989-54

Norberg-King, T.J., D.I. Mount, J.R. Amato, D.A. Jensen, and J.A. Thompson. 1991. Toxicity identification evaluation: characterization of chronically toxic effluents, phase I. *EPA/600/6-91/005F*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Norberg-King, T.J., D.I. Mount, J.R. Amato, and J.E. Taraldsen. 1988. Application of the water quality based approach on a regional scale: Toxicity testing and identification of toxicants in effluents from the San Francisco Bay region. *EPA/600/x-88/237*. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-46

Norberg-King, T.J., D.I. Mount, E.J. Durhan, G.T. Ankley, L.P. Burkhard, J.R. Amato, M.T. Lukasewycz, M.K. Schubauer-Berigan, and L. Anderson-Carnahan, Eds. 1991. Methods for aquatic toxicity identification evaluations: Phase I toxicity characterization procedures (2nd ed.). EPA/600/6-91/003. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Norberg-King, T. and L. Phillips. 2010. WET Testing Video Training Freshwater Series, EPA/833/C-06/001. #5327

Norberg-King, T.J. and S. Schmidt. 1993. Comparison of effluent toxicity results using *Ceriodaphnia dubia* cultured on several diets. *Environ. Toxicol. Chem.* 12:1945-1955. #510

Norberg-King, T.J., P.K. Sibley, G. Burton, C.G. Ingersoll, N. Kemble, S. Ireland, D.R. Mount, and C. Rowland. 2006. Interlaboratory evaluation of *Hyalella azteca* and *Chironomus tentans* short-term and long-term sediment toxicity tests. *Environ. Toxicol. Chem.* 25:2662-2674. #4318

Nordlie, K.J. and J.W. Arthur. 1981. Effect of elevated water temperature on insect emergence in outdoor experimental channels. *Environ. Pollut. Ser. A.* 25:53-65. #225

Nowack, B., J.F. Ranville, S. Diamond, J.A. Gallego-Urrea, C. Metcalfe, J. Rose, N. Horne, A.A. Koelmans, and S.J. Klaine. 2012. Potential scenarios for nanomaterial release and subsequent alteration in the environment. *Environ. Toxicol. Chem.* 31:50-59. #5584

O

O'Halloran, S.L., K. Liber, J.A. Gangl, and M.L. Knuth. 1999. Effects of repeated exposure to 4-nonylphenol on the zooplankton community in littoral enclosures. *Environ. Toxicol. Chem.* 18:376-385. #702

O'Halloran, S.L., K. Liber, K.L. Schmude, and T.D. Corry. 1996. Effects of diflubenzuron on benthic macroinvertebrates in littoral enclosures. *Arch. Environ. Contam. Toxicol.* 30:444-451. #1996-13

Olmstead, A.W., J.J. Korte, K.K. Woodis, B.A. Bennett, S. Ostazeski, and S.J. Degitz. 2009. Reproductive maturation of the tropical clawed frog: *Xenopus tropicalis*. *General Compar. Endocrin.* 160:117-123. #5045

Olmstead, A.W., P.A. Kosian, R.D. Johnson, P. Blackshear, J. Haselman, C. Blanksma, J.J. Korte, G.W. Holcombe, E. Burgess, A. Lindberg-Livingston, B.A. Bennett, K.K. Woodis, and S.J. Degitz. 2012. Trenbolone causes mortality and altered sexual differentiation in *Xenopus tropicalis* during larval development. *Environ. Toxicol. Chem.* 31:2391-2398. #5586

Olmstead, A.W., P.A. Kosian, J.J. Korte, G.W. Holcombe, K. Woodis, and S.J. Degitz. 2009. Sex reversal of the amphibian, *Xenopus tropicalis*, following larval exposure to an aromatase inhibitor. *Aquatic Toxicol.* 91:143-150. #5001

Olmstead, A.W., A. Lindberg-Livingston, and S.J. Degitz. 2010. Genotyping sex in the amphibian, *Xenopus tropicalis*, for endocrine disruptor bioassays. *Aquat. Toxicol.* 98:60-66. #5096

Olmstead, A.W., D.L. Villeneuve, G.T. Ankley, J.E. Cavallin, A. Lindberg-Livingston, L.C. Wehmas, and S.J. Degitz. 2011. A method for the determination of genetic sex in the fathead minnow, *Pimephales promelas*, to support testing of endocrine-active chemicals. *Environ. Sci. Technol.* 45:3090-3095. #5338

Olson, D. 1974. Fathead minnow egg production as a function of the number of females per spawning chamber. Interim report of the fathead minnow methods study, part I. USEPA, Duluth, MN. #1974-15

Olson, D.L. and G.M. Christensen. 1982. Effect of selected environmental pollutants and other chemicals on the activity of urease (*in vitro*). *Bull. Environ. Contam. Toxicol.* 28:439-445. #248

Olson, D.L. and G.M. Christensen. 1980. Effects of water pollutants and other chemicals on fish acetylcholinesterase (*in vitro*). *Environ. Res.* 21:327-335. #209

Olson, G. 1971. Procedure for ultra trace analysis of mercury (including organic) in natural water. #1971-10

Olson, G.F., D.I. Mount, V.M. Snarski, and T.W. Thorslund. 1975. Mercury residues in fathead minnows, *Pimephales promelas* Rafinesque, chronically exposed to methylmercury in water. *Bull. Environ. Contam. Toxicol.* 14:129-134. #121

Oris, J.T. and J.A. Bailer. 1993. Statistical analysis of the *Ceriodaphnia* toxicity test: Sample size determination for reproductive effects. *Environ. Toxicol. Chem.* 12:85-90. #1993-4

Oris, J.T., R.W. Winner, and M.V. Moore. 1991. A four-day survival and reproduction toxicity test for *Ceriodaphnia dubia*. *Environ. Toxicol. Chem.* 10:217-224. #1991-14

P

Palekar, L.D., P.M. Cook, and D.L. Coffin. 1983. *In vitro* effects of mineral fibers. *Environ. Health Perspect.* 51:11-16. #265

Palmeira, C.M., J. Serrano, D.W. Kuehl, and K.B. Wallace. 1997. Preferential oxidation of cardiac mitochondrial DNA following acute intoxication with doxorubicin. *Biochim. Biophys. Acta.* 1321:101-106. #660

Pan, Y., B.H. Hill, P. Husby, R.K. Hall, and P. Kaufmann. 2006. Relationships between environmental variables and benthic diatom assemblages in California Central Valley streams (USA). *Hydrobiologia* 561:119-130. #895

Parkerton, T., J. Arnot, A. Weisbrod, C. Russom, R. Hoke, K. Woodburn, T. Traas, M. Bonnell, L. Burkhard, and M. Lampi. 2008. Guidance for evaluating in-vivo fish bioaccumulation data. *IEAM* 4:139-155. #4733

Parkhurst, B.R. and D.I. Mount. 1991. Water quality-based approach to toxics control: Narrowing the gap between science and regulation. *Water Environ. Technol.* (Dec.):45-47. #1991-5

Parkhurst, M.A., G. Whelan, Y. Onishi, and A.R. Olsen. 1981. Simulation of the migration, fate, and effects of diazinon in two Monticello stream channels. Prepared for the US Army Medical Bioengineering Laboratory, Fort Detrick, Frederick, MD by Battelle, Pacific Northwest Laboratories, Richland, WA. #1981-2

Parkinson, A., L.W. Robertson, L. Safe, and S. Safe. 1981. Polychlorinated biphenyls as inducers of hepatic microsomal enzymes: Effects of di-ortho *i* substitution. *Chem.-Biol. Interact.* 35:1-12. #1981-4

Parkinson, A., L.W. Robertson, and S. Safe. 1980. Reconstituted human breast milk PCBs as potent inducers of aryl hydrocarbon hydroxylase. *Biochem. Biophys. Res. Comm.* 96:882-889. #1980-5

Parks, L.G., C.S. Lambright, E.F. Orlando, L.J. Guillette, Jr., G.T. Ankley, and L.E. Gray Jr. 2001. Masculinization of female mosquitofish in kraft mill effluent-contaminated Fenholloway River water is associated with androgen receptor agonist activity. *Toxicol. Sci.* 62:257-267. #2001-8

Parrish, P.R., K.L. Dickson, J.L. Hamelink, R.A. Kimerle, K.J. Macek, F.L. Mayer Jr., and D.I. Mount. 1988. Aquatic toxicology: Ten years in review and a look at the future. In: *Aquatic toxicology and hazard assessment, 10th Vol.* W.J. Adams, G.A. Chapman, W.G. Landis, Eds., pp. 7-25. STP 971, ASTM, Philadelphia, PA. #1988-36

Patterson, R.L. 1987. Revised estimates of power plant entrainment of ichthyoplankton in western Lake Erie in 1975-77. *J. Great Lakes Res.* 13:78-83. #1987-23

Patterson, R.L. 1970. Production, mortality, and power plant cooling water entrainment of larval yellow perch in Michigan-Ohio waters of the western basin of Lake Erie in 1975 and 1976: Impacts upon standing crop and the fishery. Large Lakes Research Station, USEPA, Grosse Ile, MI. #1970-25

Patterson, R.L. and Z.Q. Ma. 1988. Sensitivity analyses of parameters of a M(t)/G/oo stochastic service system. *Appl. Math. Comput.* 26:169-177. #1988-11

Patterson, R.L. and School of Natural Resources. 1979. Production, mortality, and power plant entrainment of larval yellow perch in western Lake Erie. EPA/600/3-79/087. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Pauer, J.J., T.J. Feist, A.M. Anstead, W. Melendez, R.G. Kreis Jr, and K.R. Rygwelski. 2012. Gulf of Mexico dissolved oxygen model (GoMDOM) research and quality assurance project plan. #5839

- Pauer, J.J., A. Anstead, W. Melendez, R. Rossmann, K.W. Taunt, and R.G. Kreis. 2008. The Lake Michigan eutrophication model, LM3-Eutro: Model development and calibration. *Water Environ. Res.* 80:853-861. #4690
- Pauer, J.J., A.M. Anstead, W. Melendez, K.W. Taunt, and R.G. Kreis Jr. 2011. Revisiting the Great Lakes Water Quality Agreement phosphorus targets and predicting the trophic status of Lake Michigan. *J. Great Lakes Res.* 37:26-32. #4956
- Pauer, J.J. and M.T. Auer. 2009. Formulation and testing of a novel river nitrification model. *Ecol. Model.* 220:857-866. #5137
- Pauer, J.J., P.A. DePetro, A.M. Anstead and J.C. Lehrter. 2014. Application of a one-dimensional model to explore the drivers and lability of carbon in the northern Gulf of Mexico. *Ecological Modelling* 294:59-70. Rossmann, R., E.L. Pfeiffer and J.C. Filkins. 2014. Lake Michigan sediment lead storage and history of loads. *Journal of Great Lakes Research* 40:851-858.
- Pauer, J.J., K.W. Taunt, and W. Melendez. 2006. LM3-Eutro. Part 2, pp. 120-182 in R. Rossmann, *Results of the Lake Michigan Mass Balance study: PCBs modeling report*. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Grosse Ile, MI. *EPA/600/R-04/167*. #4345-j
- Pauer, J.J., K. Taunt, W. Melendez, R.G. Kreis, and A. Anstead. 2007. Resurrection of the Lake Michigan eutrophication model, MICH1. *J. Great Lakes Res.* 33:554-563. #4437
- Paul, J.F., S.M. Cormier, W.J. Berry, P.R. Kaufmann, R.L. Spehar, D.J. Norton, R.E. Cantilli, R. Stevens, W.F. Swietlik, and B.K. Jessup. 2008. Developing water quality criteria for suspended and bedded sediments. *Water Practice* 2:1-17. #5051
- Paul, K., J. Hedge, C. Macherla, D. Filer, E. Burgess, S. Simmons, K. Crofton, and M.W. Hornung. 2013. Cross-species analysis of thyroperoxidase inhibition by xenobiotics demonstrates conservation of response between pig and rat. *Toxicology* 312:97-107. #5837
- Paul, K., J. Hedge, D. Rotroff, M. Hornung, K. Crofton, and S. Simmons. 2014. Development of a thyroperoxidase inhibition assay for high-throughput screening. *Chem. Res. Toxicol.* 27:387-399. #5894
- Paul, J.F., W.L. Richardson, A.B. Gorstko, and A.A. Matveyev. 1979. Results of a joint SA/USSR hydrodynamic and transport modeling project. *EPA/600/3-79/015*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.
- Pearlman, R.S. 1986. Molecular surface area and volume: Their calculations and use in predicting solubilities and free energies of desolvation. In: *Partition coefficient determination and estimation*. W.J. Dunn III, J.H. Block, R.S. Pearlman, Eds. Pergamon Press, New York, NY, pp. 3-20. #1986-28

Pearson, M.S. 2006. The Great Rivers Newsletter. USEPA, Duluth, MN, Vol. 2, No. 4, November, *EPA/620/N-06/004*. #4718

Pearson, M.S. 2006. The Great Rivers Newsletter. USEPA, Duluth, MN, Vol. 2, No. 3, June, *EPA/620/N-06/003*. #4660

Pearson, M.S. 2006. The Great Rivers Newsletter. USEPA, Duluth, MN, Vol. 2, No. 2, March, *EPA/620/N-06/002*. #4601

Pearson, M.S. 2006. The Great Rivers Newsletter. USEPA, Duluth, MN, Vol. 2, No. 1, January, *EPA/620/N-06/001*. #4554

Pearson, M.S. 2005. The Great Rivers Newsletter. USEPA, Duluth, MN, Vol. 1, No. 4, October, *EPA/620/N-05/004*. #4530

Pearson, M.S. 2005. The Great Rivers Newsletter. USEPA, Duluth, MN, Vol. 1, No. 3, July, *EPA/620/N-05/003*. #4491

Pearson, M.S. 2005. The Great Rivers Newsletter. USEPA, Duluth, MN, Vol. 1, No. 2, April, *EPA/620/N-05/002*. #4435

Pearson, M.S. 2005. The Great Rivers Newsletter. USEPA, Duluth, MN, Vol.1, No.1, March, *EPA/620/N-05/001*. #4409

Pearson, M.S., T.R. Angradi, D.W. Bolgrien, T.M. Jicha, D.L. Taylor, M. Moffett, and B.H. Hill. 2011. Multimetric fish indices for midcontinent (USA) great rivers. *Trans. Amer. Fish. Soc.* 140:1547-1564. #5335

Penkal, R.F. and R.W. Gregory. 1980. Smallmouth bass and largemouth bass in the Tongue River Reservoir, Montana, 1975-76. *EPA/600/3-80/045*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (Environmental effects of western coal surface mining, Part VI): Grant R803950.

Penn, M.R., J.J. Pauer, and J.R. Mihelcic. 2006. Chapter 4. Biochemical oxygen demand.. *Environmental and Ecological Chemistry, in Encyclopedia of Life Support Systems*, (developed under the auspices of UNESCO, A. Sablijic, Ed., Eolss Publishers, Oxford, UK). #5219

Perkins, E.J., G.T. Ankley, K. Crofton, N. Garcia-Reyero, C.A. LaLone, M.S. Johnson, J.E.Tietge, and D.L. Villeneuve. 2013. Current perspectives on the use of alternative species in human health and ecological risk assessments. *Environ. Health Persp.* 121:1002-1010. #5769

Perkins, E.J., N. Garcia-Reyero, D.L. Villeneuve, D. Martinovic, S.M. Brasfield, L.S. Blake, J.D. Brodin, N.D. Denslow, and G.T. Ankley. 2008. Perturbation of gene expression and steroidogenesis with *in vitro* exposure of fathead minnow ovaries to ketoconazole. *Marine Environ. Res.* 66:113-115. #4810

Perry, J.A. and N.H. Troelstrup Jr. 1988. Whole ecosystem manipulation: A productive avenue for test system research? *Environ. Toxicol. Chem.* 7:941-951. #1988-41

Perry, J.A., N.H. Troelstrup Jr., M. Newsom, and B. Shelley. 1987. Whole ecosystem manipulation experiments: the search for generality. *Wat. Sci. Tech.* 19:55-71. #1987-48

Peterka, J.J. and J.S. Kent. 1976. Dissolved oxygen, temperature, survival of young at fish spawning sites. *EPA/600/3-76/113*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R801976.

Peterson, G.S., G.T. Ankley, and E.N. Leonard. 1996. Effect of bioturbation on metal-sulfide oxidation in surficial freshwater sediments. *Environ. Toxicol. Chem.* 15:2147-2155. #626

Peterson, G.S., R.P. Axler, K.B. Lodge, J.A. Schuldt, and J.L. Crane. 2002. Evaluation of a fluorometric screening method for predicting total PAH concentrations in contaminated sediments. *Environ. Monitor. Assess.* 78:111-129. #2002-6

Peterson, G.S., J.C. Hoffman, A.S. Trebitz, C.W. West, and J.R. Kelly. 2011. Establishment patterns of non-native fishes: Lessons from the Duluth-Superior harbor and lower St. Louis River, an invasion-prone Great Lakes coastal ecosystem. *J. Great Lakes Res.* 37:349-358. #5369

Peterson, G.S., L.B. Johnson, R.P. Axler, and S.A. Diamond. 2002. Assessment of the risk of solar ultraviolet radiation to amphibians. II *In situ* characterization of exposure in amphibian habitats. *Environ. Sci. Technol.* 36:2859-2865. #775

Peterson, G.S., M.E. Sierszen, P.M. Yurista, and J.R. Kelly. 2008. Stable nitrogen isotopes of plankton and benthos reflect a landscape-level influence on Great Lakes coastal ecosystems. *J. Great Lakes Res.* 33(SI3):27-41. #4680

Pfeiffer, E.L. and R. Rossmann. 2010. Lead in Lake Michigan and Green Bay surficial sediments. *J. Great Lakes Res.* 36:20-27. #5037

Phillips, G.R. and R.C. Russo. 1978. Metal bioaccumulation in fishes and aquatic invertebrates: A literature review. *EPA/600/3-78/103*, USEPA, Environmental Research Laboratory, Duluth, MN. #1978-7

Phipps, G.L., G.T. Ankley, D.A. Benoit, and V.R. Mattson. 1993. Use of the aquatic oligochaete *Lumbriculus variegatus* for assessing the toxicity and bioaccumulation of sediment-associated contaminants. *Environ. Toxicol. Chem.* 12:269-279. #511

Phipps, G.L., M.J. Harden, E.N. Leonard, T.H. Roush, D.L. Spehar, C.E. Stephan, Q.H. Pickering, and A.L. Buikema Jr. 1984. Effects of pollution on freshwater organisms. *J. Water Pollut. Control Fed.* 56:725-758. #287

Phipps, G.L. and G.W. Holcombe. 1988. Report on species/species extrapolations from freshwater organism comparative toxicology data base. *EPA/600/X-88/265*. National Water Quality Laboratory, USEPA, Duluth, MN. #1988-44

Phipps, G.L. and G.W. Holcombe. 1985. A method for aquatic multiple species toxicant testing: Acute toxicity of 10 chemicals to 5 vertebrates and 2 invertebrates. *Environ. Pollut. Ser. A.* 38:141-157. #301

Phipps, G.L., G.W. Holcombe, and J.T. Fiandt. 1982. Saturator system for generating toxic water solutions for aquatic bioassays. *Prog. Fish-Cult.* 44:115-116. #249

Phipps, G.L., G.W. Holcombe, and J.T. Fiandt. 1981. Acute toxicity of phenol and substituted phenols to the fathead minnow. *Bull. Environ. Contam. Toxicol.* 26:585-593. #226

Phipps, G.L., V.R. Mattson, and G.T. Ankley. 1995. Relative sensitivity of three freshwater benthic macroinvertebrates to ten contaminants. *Arch. Environ. Contam. Toxicol.* 28:281-286. #579

Pickering, Q.H. 1980. Chronic toxicity of hexavalent chromium to the fathead minnow (*Pimephales promelas*). *Arch. Environ. Contam. Toxicol.* 9:405-413. #210

Pickering, Q.H. 1974. Chronic toxicity of nickel to the fathead minnow. *J. Water Pollut. Control Fed.* 46:760-765. #112

Pickering, Q.H. 1968. Some effects of dissolved oxygen concentrations upon the toxicity of zinc to the bluegill, *Lepomis macrochirus*, Raf. *Water Res.* 2:187-194. #21

Pickering, Q.H., W.A. Brungs, and M.H. Gast. 1977. Effect of exposure time and copper concentration on reproduction of the fathead minnow (*Pimephales promelas*). *Water Res.* 11:1079-1083. #158

Pickering, Q.H., D.O. Carle, A. Pilli, T. Willingham, and J.M. Lazorchak. 1989. Effects of pollution on freshwater organisms. *J. Water Pollut. Control Fed.* 61:998-1042. #398

Pickering, Q.H. and M.H. Gast. 1972. Acute and chronic toxicity of cadmium to the fathead minnow (*Pimephales promelas*). *J. Fish. Res. Board Can.* 29:1099-1106. #73

Pickering, Q.H. and W.T. Gilliam. 1982. Toxicity of aldicarb and fonofos to the early-life-stage of the fathead minnow. *Arch. Environ. Contam. Toxicol.* 11:699-702. #250

Pickering, Q.H. and C. Henderson. 1966. The acute toxicity of some heavy metals to different species of warmwater fishes. *Air Water Pollut. Int. J.* 10:453-463. #7

Pickering, Q.H. and C. Henderson. 1966. Acute toxicity of some important petrochemicals to fish. *J. Water Pollut. Control Fed.* 38:1419-1429. #6

Pickering, Q.H., E.P. Hunt, G.L. Phipps, T.H. Roush, W.E. Smith, D.L. Spehar, C.E. Stephan, and D.K. Tanner. 1983. Effects of pollution on freshwater fish and amphibians. *J. Water Pollut. Control Fed.* 55:840-863. #266

- Pickering, Q.H., G.M. Shaul, and K.A. Dostal. 1985. Acute and chronic toxicity to the fathead minnow, *Pimephales promelas*, of effluents from a treatment plant receiving dye and pigment processing wastewater. In: *Aquatic Toxicology and Hazard Assessment: 8th Symposium*. R.C. Bahner and D.J. Hansen, Eds., pp. 395-406. STP 891. ASTM, Philadelphia, PA. #1985-5
- Pickering, Q.H. and T.O. Thatcher. 1970. The chronic toxicity of linear alkylate sulfonate (LAS) to *Pimephales promelas*, Rafinesque. *J. Water Pollut. Control Fed.* 42:243-254. #46
- Pickering, Q.H. and W.N. Vigor. 1965. The acute toxicity of zinc to eggs and fry of the fathead minnow. *Prog. Fish-Cult.* 27:153-157. #3
- Pignatello, J.J., L.K. Johnson, M.M. Martinson, R.E. Carlson, and R.L. Crawford. 1985. Response of the microflora in outdoor experimental streams to pentachlorophenol: Compartmental contributions. *Appl. Environ. Microbiol.* 50:127-132/1985-1917.
- Pignatello, J.J., M.M. Martinson, J.G. Steiert, R.E. Carlson, and R.L. Crawford. 1983. Biodegradation and photolysis of pentachlorophenol in artificial freshwater streams. *Appl. Environ. Microbiol.* 46:1024-1031. #1983-10
- Pilgrim, E.M., J.V. Scharold, J.A. Darling, and J.R. Kelly. 2009. Genetic structure of the benthic amphipod *Diporeia* (Amphipoda: Pontoporeiidae) and its relationship to abundance in Lake Superior. *Can. J. Fish. Aquat. Sci.* 66:1318-1327. #5078
- Pillard, D.A., D.L. DuFresne, D.D. Caudle, J.E. Tietge, and J.M. Evans. 2000. Predicting the toxicity of major ions in seawater to mysid shrimp (*Mysidopsis bahia*), sheepshead minnow (*Cyprinodon variegatus*), and inland silverside minnow (*Menidia beryllina*). *Environ. Toxicol. Chem.* 25:183-191. #2000-1
- Pillard, D.A., D.L. DuFresne, J.E. Tietge, and J.M. Evans. 1999. Response of mysid shrimp (*Mysidopsis bahia*), sheepshead minnow (*Cyprinodon variegatus*), and inland silverside minnow (*Menidia beryllina*) to changes in artificial seawater salinity. *Environ. Toxicol. Chem.* 18:430-435. #1999-3
- Pilli, A., D.O. Carle, E.R. Kline, Q.H. Pickering, and J.M. Lazorchak. 1988. Effects of pollution on freshwater organisms. *J. Water Pollut. Control Fed.* 60:994-1065. #366
- Pirrone, N., I. Allegrini, G.J. Keeler, J.O. Nriagu, R. Rossmann, and J.A. Robbins. 1998. Historical atmospheric mercury emissions and depositions in North America compared to mercury accumulations in sedimentary records. *Atmos. Environ.* 32:929-940. #1998-4
- Poff, N.L. and J.D. Allan. 1995. Functional organization of stream fish assemblages in relation to hydrological variability. *Ecology* 76:606-627. #1995-4
- Poldoski, J.E. 1986. Control of cadmium carbonate precipitation interferences during the dialysis of cadmium in high bicarbonate alkalinity aquatic-life bioassay waters. Project Summary. EPA/600/3-86/001, USEPA, Cincinnati, OH. #1986-31

Poldoski, J.E. 1980. Determination of lead and cadmium in fish and clam tissue by atomic absorption spectrometry with a molybdenum and lanthanum treated pyrolytic graphite atomizer. *Anal. Chem.* 52:1147-1151. #211

Poldoski, J.E. 1979. Cadmium bioaccumulation assays. Their relationship to various ionic equilibria in Lake Superior water. *Environ. Sci. Technol.* 13:701-706. #190

Poldoski, J.E. 1977. Molecular spectral interference in the determination of arsenic by furnace atomic absorption. *Atomic Absorp. Newsl.* 16:70-73. #160

Poldoski, J.E. 1977. Computer-assisted furnace atomic absorption spectrometric analysis. *Anal. Chem.* 49:891-893. #159

Poldoski, J.E. and G.E. Glass. 1978. Anodic stripping voltammetry at a mercury film electrode: Baseline concentrations of cadmium, lead, and copper in selected natural waters. *Anal. Chim. Acta.* 101:79-88. #179

Poldoski, J.E. and G.E. Glass. 1977. Considerations of trace element chemistry for streams in the Minnesota-Ontario border area. In: *International Conference on Heavy Metals in the Environment*, October 27-31, 1975, Toronto, ON, pp. 901-922. #1977-10

Poldoski, J.E. and G.E. Glass. 1976. Methodological considerations in western Lake Superior water-sediment exchange studies of some trace elements. In: *Accuracy in Trace Analysis: Sampling, Sample Handling, and Analysis, Proc., 7th IMR Symposium*, Oct. 7-11, 1974, Gaithersburg, MD, pp.1073-1088. Spec. Pub. 422, National Bureau of Standards, Washington, DC. #1976-6

Poldoski, J.E., E.N. Leonard, J.T. Fiandt, L.E. Anderson, G.F. Olson, and G.E. Glass. 1978. Factors in the determination of selected trace elements in near-shore U.S. waters of Lakes Superior and Huron. *J. Great Lakes Res.* 4:206-215. #180

Porter, K.L., A.W. Olmstead, D.M. Kumsher, W.E. Dennis, R.L. Sprando, G.W. Holcombe, J.J. Korte, A. Lindberg-Livingston, and S.J. Degitz. 2011. Effects of 4-tert-octylphenol on *Xenopus tropicalis* in a long term exposure. *Aquatic Toxicol.* 103:159-169. #5495

Pratt, J.R. and N.J. Bowers. 1990. Effect of selenium on microbial communities in laboratory microcosms and outdoor streams. *Tox. Assess. Inter. J.* 5:293-307. #1990-33

Preud'homme, E.B. and H.G. Stefan. 1992. Relationship between water temperatures and air temperatures for central U.S. streams. Proj. Rept. 333, St. Anthony Falls Hydraulic Lab., UM, Minneapolis. Prepared for Environmental Research Laboratory, USEPA, Duluth, MN. #1992-25

Preud'homme, E.B. and H.G. Stefan. 1992. Errors related to random stream temperature data collection in upper Mississippi River watershed. *Water Res. Bull.* 28:1077-1082. #1992-12

Q

Que, L., Jr., D.D. Cox, and R.C. Kolanczyk. 1988. Functional models for catechol 1,2-dioxygenase. *Stud. Org. Chem.* 33:399-405. #1988-60

Que, L., Jr., R.C. Kolanczyk, and L.S. White. 1987. Functional models for catechol 1,2-dioxygenase. Structure, reactivity and mechanism. *J. Am. Chem. Soc.* 109:5373-5380. #1987-46

Quiqley, E., J. Randall, B.H. Murray, and A.B. D'Alessio. 1980. Citizen concern with power plant siting: Wisconsin power plant impact study. *EPA/600/3-80/004*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803971.

R

Ragland, K.W., B.D. Goodell, and T.L. Coughlin. 1980. Air pollution studies near a coal-fired power plant: Wisconsin Power Plant Impact Study. *EPA/600/3-80/048*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803971.

Ragland, K.W. and K.E. Wilkening. 1982. Relationship between mesoscale acid precipitation and meteorological factors. In: *Acid precipitation: Effects on ecological systems*. F.M. D'Itri, Ed. Ann Arbor Science, Ann Arbor, MI, pp.123-139. #1982-12

Ralston-Hooper, K.J., M.E. Turner, E.J. Soderblom, D.L. Villeneuve, G.T. Ankley, M.A. Moseley, R.A. Hoke, and P.L. Ferguson. 2013. Application of a label-free, gel-free quantitative proteomics method for ecotoxicological studies of small fish species. *Environ. Sci. Technol.* 47:1091-1100. #5722

Rapp, G.R. Jr., J.D. Allert, B.W. Liukkonen, J.A. Ilse, O.L. Loucks, and G.E. Glass. 1985. Acid deposition and watershed characteristics in relation to lake chemistry in northeastern Minnesota. *Environ. Int.* 11:425-440. #302

Rapp, G.R. Jr., B.W. Liukkonen, J.D. Allert, J.A. Sorensen, G.E. Glass, and O.L. Loucks. 1987. Geologic and atmospheric input factors affecting watershed chemistry in Upper Michigan. *Environ. Geol. Water Sci.* 9:155-171. #356

Rasmussen, A.H., M. Honzo, and H.G. Stefan. 1994. A test of several evaporation equations for water temperature simulations in lakes. Ext. Memo M-237, St. Anthony Falls Hydraulic Lab., UM, Minneapolis, MN. Prepared for Environmental Research Laboratory, USEPA, Duluth, MN. #1994-14

Rasmussen, A.H. and H.G. Stefan. 1996. Climate change effects on water temperature and dissolved oxygen in five North Carolina lakes. Environmental Research Laboratory, USEPA, Duluth, MN. #1996-30

Rathbun, J.E., M.L. Gessner, V.E. Smith, D.L. McGunagle, D.J. Brokaw, and M.A. Hoeft. 1988. Bioaccumulation of total PCBs and selected MFO-inducing PCB congeners by caged mussels, fathead minnows, and channel catfish in the Monroe Harbor, River Raisin, Michigan. Large Lakes Research Station, USEPA, Grosse Ile, MI. #1988-43

Rathbun, J.E., L.L. Huellmantel, M. Tracy, and K. Ahlgren. 1994. Screening-level analyses. In: *Assessment and Remediation of Contaminated Sediments Program: Assessment Guidance Document*, pp. 57-68. Great Lakes National Program Office, USEPA, Chicago, IL. EPA/905/B-94/002. #1994-21

Rathbun, J.E., L.L. Huellmantel, M. Tracy, V.E. Smith, and K. Ahlgren. 1996. Rapid sediment assessment: Indicator analysis and screening analysis approaches. *J. Great Lakes Res.* 22:523-533. #1996-27

Rathbun, J.E., R.G. Kreis Jr., E.L. Lancaster, M.J. Mac, and M.J. Zabik. 1988. Pilot confined disposal facility biomonitoring study: Channel/Shelter Island diked facility, Saginaw Bay, Bay City, Michigan, 1987. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-53

Raymond, B. and R. Rossmann. 2009. Total and methyl mercury accumulation in 1994-1995 Lake Michigan lake trout and forage fish. *J. Great Lakes Res.* 35:438-446. #5014

Reavie, E.D., T.M. Jicha, T.R. Angradi, D.W. Bolgrien, and B.H. Hill. 2010. Algal assemblages for large river monitoring: comparison among biovolume, absolute and relative abundance metrics. *Ecol. Ind.* 10:167-177. #5162

Reinfelder, J.R., N.S. Fisher, S.N. Luoma, J.W. Nichols, and W.-X. Wang. 1998. Trace element trophic transfer in aquatic organisms: a critique of the kinetic model approach. *Sci. Total Environ.* 219:117-135. #687

Rice, P.J., C.D. Drewes, T.M. Klubertanz, S.P. Bradbury, and J.R. Coats. 1997. Acute toxicity and behavioral effects of chlorpyrifos, permethrin, phenol, strychnine, and 2,4-dinitrophenol to 30-day-old Japanese medaka (*Oryzias latipes*). *Environ. Toxicol. Chem.* 16:696-704. #670

Rice, C.P., P.J. Samson, and G.E. Noguchi. 1986. Atmospheric transport of toxaphene to Lake Michigan. *Environ. Sci. Technol.* 20:1109-1116. #1986-8

Rice, C.P., P.J. Samson, and G. Noguchi. 1984. Atmospheric transport of toxaphene to Lake Michigan: Project summary. EPA/600/S3-84/101. Environmental Research Laboratory, USEPA, Duluth, MN. #1984-6

Richard, A.M., P. Wagner, R. Purdy, and G.D. Veith. 1995. Testing and screening technologies for review of chemicals in commerce: SAR/modeling. Environmental Research Laboratory, USEPA, Duluth, MN. #1995-13

Richards, C. 2010. EPA research strengthens Great Lakes restoration initiative. *Online:* <http://www.rtdord.epa.gov/ordfactsheets/index.cfm>. #5433

Richards, C., G.E. Host, and J.W. Arthur. 1993. Identification of predominant environmental factors structuring stream macroinvertebrate communities within a large agricultural catchment. *Fresh. Biol.* 29:285-294. #512

Richards, C., L. Johnson, and G. Host. 1993. Landscape influences on habitat, water chemistry, and macroinvertebrate assemblages in midwestern stream ecosystems. Final report to Environmental Research Laboratory, USEPA, Duluth, MN. #1993-20

Richardson, W.L. 1975. An evaluation of the transport characteristics of Saginaw Bay using a mathematical model of chloride. Presented at *Symposium of Mathematical Modeling of Biochemical Processes in Aquatic Ecosystems, American Chemical Society, April 6-11, 1975, Philadelphia, PA.* #1975-5

Richardson, W.L., D.D. Endicott, R.G. Kreis Jr., and K.R. Rygwelski. 1999. The Lake Michigan mass balance project: quality assurance plan for mathematical modeling. Mid-Continent Ecology Division, NHEERL, ORD, USEPA, Duluth, MN. #1999-10

Richter, J.E., S.F. Peterson, and C.F. Kleiner. 1983. Acute and chronic toxicity of some chlorinated benzenes, chlorinated ethanes, and tetrachloroethylene to *Daphnia magna*. *Arch. Environ. Contam. Toxicol.* 12:679-684. #267

Riedel, B.L. and G.M. Christensen. 1979. Effect of selected water toxicants and other chemicals upon adenosine triphosphatase activity *in vitro*. *Bull. Environ. Contam. Toxicol.* 23:365-368. #191

Riggs, V.L. and R.W. Gregory. 1980. Age and growth of walleye and saucers in the Tongue River Reservoir, Montana, 1975-77. *EPA/600/3-80/038*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (Environmental effects of western coal surface mining, Part V): Grant R803950.

Robbins, J.A. 1980. Sediments of southern Lake Huron: Elemental composition and accumulation rates. *EPA/600/3-80/080*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803086.

Roberts, J., R. Jepsen, D. Gotthard, and W. Lick. 1998. Effects of particle size and bulk density on erosion of quartz particles. *J. Hydraul. Eng.* 124:1261-1267. #1998-14

Robertson, L.W., B. Chittim, S.H. Safe, M.D. Mullin, and C.M. Pochini. 1983. Photodecomposition of a commercial polybrominated biphenyl fire retardant: High-resolution gas chromatographic analysis. *J. Agric. Food Chem.* 31:454-457. #1983-3

Robertson, L.W., A. Parkinson, S. Bandiera, and S. Safe. 1981. Potent induction of rat liver microsomal, drug-metabolizing enzymes by 2,3,3',4,4',5-hexabromobiphenyl, a component of fireMaster. *Chem.-Biol. Interactions* 35:13-24. #1981-7

Rodgers, P.W. and J.V. DePinto. 1983. Estimation of phytoplankton decomposition rates using two-stage continuous flow studies. *Water Res.* 17:761-769. #1983-9

Rodgers, P.W. and J.V. DePinto. 1981. Algae-bacteria interaction in a light-dark cycle. *J. Fresh. Ecol.* 1:71-80. #1981-8

Roelofs, W., D.R. Crocker, R.F. Shore, D.R.J. Moore, G.C. Smith, H.R. Akcakaya, R.S. Bennett, P.F. Chapman, M. Clook, M. Crane, I.C. Dewhurst, P.J. Edwards, A. Fairbrother, S. Ferson, D. Fischer, A.D.M. Hart, M. Holmes, M.J. Hooper, M. Lavine, A. Leopold, R. Luttik, P. Mineau, S.R. Mortenson, D.G. Noble, R.J. O'Connor, R.M. Sibley, M. Spendiff, T.A. Springer, H.M. Thompson, and C. Topping. 2005. Case Study 2: Probabilistic modelling of long-term effects of pesticides on individual breeding success in birds and mammals. *Ecotoxicology* 14:895-923. #2005-12

Rogalla, J.A., P.L. Brezonik, and G.E. Glass. 1986. Empirical models for lake acidification in the Upper Great Lakes region. *Water Air Soil Pollut.* 31:95-100. #329

Rood, S.G., V.E. Smith, J.C. Filkins, M.L. Wildhaber, and C.J. Schmitt. 1994. Data presentation and interpretation. In: *Assessment and Remediation of Contaminated Sediments Program--Assessment Guidance Document*, pp. 189-215. Great Lakes National Program Office, USEPA, Chicago, IL. *EPA/905/B-94/002*. #1994-24

Rosiu, C.J., J.P. Giesy, and R.G. Kreis Jr. 1989. Toxicity of vertical sediments in the Trenton Channel, Detroit River, Michigan, to *Chironomus tentans* (Insecta: Chironomidae). *J. Great Lakes Res.* 15:570-580. #1989-10

Ross, M.J. and C.F. Kleiner. 1982. Shielded-needle technique for surgically implanting radio-frequency transmitters in fish. *Prog. Fish-Cult.* 44:41-43. #251

Ross, M.J. and J.H. McCormick. 1981. Effects of external radio transmitters on fish. *Prog. Fish-Cult.* 43:67-72. #227

Ross, M.J. and D.B. Siniff. 1980. Spatial distribution and temperature selection of fish near the thermal outfall of a power plant during fall, winter and spring. *EPA/600/3-80/009*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R804997010, Contract 68032145.

Rossmann, R. 2010. Protocol to reconstruct historical contaminant loading to large lakes: The Lake Michigan sediment record of mercury. *Environ. Sci. Technol.* 44:935-940. #5154

Rossmann, R. 2008. Investigation of total and methyl mercury in fish and sediment of Lake Michigan. Workshop material: *2008 Integrating Multimedia Measurements of Mercury in the Great Lakes Region Workshop*, La Crosse, WI, November 10-12, 2008. #5085

Rossmann, R. 2006. Hindcasting and forecasting functions for PCBs in the Lake Michigan ecosystem. Part 1, Chap. 7, pp. 110-119 in R. Rossmann, Ed., *Results of the Lake Michigan Mass Balance study: PCBs modeling report*. USEPA/ORD/NHEERL Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Grosse Ile, MI, *EPA/600/R-04/167*. #4345-1

Rossmann, R. 2006. PCBs in the Lake Michigan ecosystem. Part 1, Chapter 5, pp. 66-92 in R. Rossmann, Ed., *Results of the Lake Michigan Mass Balance study: PCBs modeling report*.

USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI, *EPA/600/R-04/167*. #4345-k

Rossmann, R., Ed. 2006. *Results of the Lake Michigan Mass Balance study: PCBs modeling report*. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI, *EPA/600/R-04/167*. #4345

Rossmann, R., Ed. 2005. MICHTOX: A mass balance and bioaccumulation model for toxic chemicals in Lake Michigan. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Grosse Ile, MI. *EPA/600/R-05/158*. #4430

Rossmann, R. 2002. Lake Michigan 1994-1996 surficial sediment mercury. *J. Great Lakes Res.* 28:65-76. #2002-3

Rossmann, R. 1999. Horizontal and vertical distribution of mercury in 1983 Lake Superior sediments with estimates of storage and mass flux. *J. Great Lakes Res.* 25:683-696. #1999-12

Rossmann, R. 1995. Trace element concentrations in 1988 Saginaw Bay sediments: Comparison with historical data. In: *The Lake Huron ecosystem: Ecology, fisheries and management*. M. Munawar, T. Edsall, J. Leach, Eds., pp. 343-364. Academic Publishing, Amsterdam. #1995-8

Rossmann, R. and D.N. Edgington. 2000. Mercury in Green Bay, Lake Michigan surficial sediments collected between 1987 and 1990. *J. Great Lakes Res.* 26:323-339. #2000-14

Rossmann, R., E.L. Pfeiffer and J.C. Filkins. 2014. Lake Michigan sediment lead storage and history of loads. *Journal of Great Lakes Research* 40:851-858.

Rossmann, R., K.R. Rygwelski, R.G. Kreis Jr., B. Burman, Xiaomi Zhang, and G. Gerstner. 2006. Representativeness of LMMBP years relative to Lake Michigan's historic record. Part 1, Chap. 4, pp. 55-65 in R. Rossmann, Ed., *Results of the Lake Michigan Mass Balance study: PCBs modeling report*. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. *EPA/600/R-04/167*. #4345-m

Rothstein, A.B., C. Hagley, and G.J. Niemi. 1990. Fox River/Green Bay red-winged blackbird study. Environmental Research Laboratory, USEPA, Duluth, MN. #1990-32

Roush, T. 1984. St. Louis Bay benthic macroinvertebrate survey. In: Chemical and biological studies related to the water quality of St. Louis Bay of Lake Superior. A.R. Carlson, N.A. Thomas, Eds., pp. 57-72. *EPA/600/3-84/064*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1984-15

Roush, T.H., G.L. Phipps, D.L. Spehar, C.E. Stephan, and Q.H. Pickering. 1985. Effects of pollution on freshwater organisms. *J. Water Pollut. Control Fed.* 57:667-699. #303

Rowe, M.D., R.G. Kreis Jr., and D.M. Dolan. 2013. A reactive nitrogen budget for Lake Michigan. *J. Great Lakes Res.* 40:192-201. #5796

Rozynov, B.V., D.W. Kuehl, and R.M. Carlson. 1995. Ion-molecule reactions of charged thiols with neutral epoxides in the collision cell of a tandem quadrupole mass spectrometer. A model for *in vivo* biomolecule reactions. *Eur. Mass Spectrom.* 1:519-524. #580

Rozynov, B.V., R.J. Liukkonen, R.M. Carlson, D.W. Kuehl, L.P. Smoliakova, R. Caple, C.J. Kuehl, and W.A. Smit. 1994. Mass spectral characterization of 3,4,6-tri-O-benzyl- β -C-glucopyranosides containing XC₆H₄S substituents of C(2). *Organic Mass Spec.* 29:309-314. #549

Rudd, M.A., G.T. Ankley, A.B. Boxall and B.W. Brooks. 2014. International scientists' priorities for research on pharmaceutical and personal care products in the environment. *Integrated Assessment and Management* 10 (4):576-587.

Russo, R.C. and A. Pilli. 1984. AQUIRE: Aquatic Information Retrieval toxicity data base: project description, guidelines, and procedures. *EPA/600/8-84/021*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, CR 807240.

Russo, R.C., A. Pilli, and J. Crane. 1986. Complex effluents toxicity information system. In: *EPA/600/9-86/024*. Environmental Research Laboratory, ORD, USEPA, Athens, GA. #1986-38

Russo, R.C., D.J. Randall, and R.V. Thurston. 1988. Ammonia toxicity and metabolism in fishes. In: *Protection of River Basins, Lakes, and Estuaries: Fifteen years of cooperation toward solving environmental problems in the USSR and USA*. R.C. Ryans, Ed., pp. 159-173, American Fisheries Society, Bethesda, MD. #1988-63

Russo, R.C. and R.V. Thurston. 1977. The acute toxicity of nitrite to fishes. Presented at *Recent advances in fish toxicology, January 13-14, 1977, Oregon State University, Corvallis, OR*. #1977-15

Russo, R.C. and R.V. Thurston. 1975. Acute toxicity of nitrite to cutthroat trout (*Salmo clarki*). Technical Report #75-3. Fisheries Bioassay Laboratory, Montana State University, Bozeman, MT. #1975-6

Russom, C.L. 2002. Mining environmental toxicology information: web resources. *Toxicology* 173:75-88. 2002. #769

Russom, C.L. 2000. Eco-SSL Data Call. *SETAC Globe* Vol. 1, No. 47. #3719

Russom, C.L. 1999. New AQUIRE Web Version. *SETAC Globe*. #3483

Russom, C.L., compiler. 1980. Freshwater findings, 1976-1978. Research publications of the Environmental Research Laboratory, Duluth, MN. *EPA/600/9-80/007*. Environmental Research Laboratory, USEPA, Duluth, MN. #1980-20

Russom, C.L., E.B. Anderson, B.E. Greenwood, and A. Pilli. 1991. ASTER: An integration of the AQUIRE data base and the QSAR system for use in ecological risk assessments. *Sci. Total Environ.* 109/110:667-670. #459

Russom, C.L., G.T. Ankley, and P.K. Schmieder. 2013. A Memorial: Gilman Veith. *SETAC Globe* 14. #5895

Russom, C. and S. Bradbury. 1996. ECOTOX released: An integration of three USEPA ecotoxicity databases. *SETAC News* 16:19, 24. #1996-15

Russom, C.L., S.P. Bradbury, S.J. Broderius, D.E. Hammermeister, and R.A. Drummond. 1997. Predicting modes of toxic action from chemical structure: Acute toxicity in the fathead minnow (*Pimephales promelas*). *Environ. Toxicol. Chem.* 16:948-967. #645

Russom, C.L., S.P. Bradbury, S.J. Broderius, D.J. Hammermeister, R.A. Drummond, and G.D. Veith. 2013. Predicting modes of toxic action from chemical structure. *Environ. Toxicol. Chem.* 32:1441-1442. #5800

Russom, C.L., S.P. Bradbury, and A.R. Carlson. 1995. Use of knowledge bases and QSARs to estimate the relative ecological risk of agrichemicals: A problem formulation exercise. *SAR QSAR Environ. Res.* 4:83-95. #581

Russom, C.L., S.P. Bradbury, W.A. Holacek, and D.J. Grunwald. 1997. ECOTOX: An ecological effects database. In: *Proc., Computing in Environmental Resource Management*, Dec. 2-4, 1996, RTP, NC, pp. 387-397. Air & Waste Management Association, Pittsburgh, PA. #1997-6

Russom, C.L. and S.J. Broderius. 1991. A chronic aquatic toxicity database for development of predictive toxicology models for industrial organic chemicals. *EPA/600/X-91/031*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1991-29

Russom, C.L., D.L. Brooke, and S.E. Beder-Miller. 1988. Report on fathead minnow chronic toxicity data base for QSAR models of ecotoxicity. *EPA/600/x-88/241*. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-45

Russom, C.L., L.P. Burkhard, and D.J. Hoff. 2008. Availability of biota-sediment accumulation factor data set and PCB residue effects database. *SETAC Globe* 9:5. #4987

Russom, C.L., R.A. Drummond, and A.D. Hoffman. 1988. Acute toxicity and behavioral effects of acrylates and methacrylates to juvenile fathead minnows. *Bull. Environ. Contam. Toxicol.* 41:589-596. #367

Russom, C.L., C.A. LaLone, D.L. Villeneuve and G.T. Ankley. 2014. Development of an adverse outcome pathway for acetylcholinesterase inhibition leading to acute mortality. *Environmental Toxicology and Chemistry* 33 (10):2157-2169.

Rudd, M.A., G.T. Ankley, A.B. Boxall and B.W. Brooks. 2014. International scientists'

priorities for research on pharmaceutical and personal care products in the environment. *Integrated Assessment and Management* 10 (4):576-587.

Rygwelski, K.R. 2008. Results of the Lake Michigan Mass Balance Project: Atrazine modeling report, *EPA/600/R-08/111*. 140 pp. #4989

Rygwelski, K.R. 2006. Lake Michigan Mass Balance Project (LMMBP) peer review report. Part 7, App. 7.1, pp. 552-572 in R. Rossmann, Ed., *Results of the Lake Michigan Mass Balance study: PCBs modeling report*. USEPA/ORD, NHEERL/MED, Large Lakes and Rivers Forecasting Research Branch, Grosse Ile, MI. *EPA/600/R-04/167*. #4345n

Rygwelski, K.R. and W.L. Richardson. 2003. Atrazine. USEPA 2002 LaMP Revision, Chap. 5: Lake Michigan Stressor Sources and Loads, Subsection 5.3.3.11: Chemical Stressors--Emerging Pollutants (rev. 3/22/02), pp. 56-59. #3960

Rygwelski, K.R., W.L. Richardson, and D.D. Endicott. 1999. A screening-level model evaluation of atrazine in the Lake Michigan Basin. *J. Great Lakes Res.* 25:94-106. #1999-2

Rygwelski, K.R., X. Zhang, and R.G. Kreis Jr. 2012. Model forecasts of atrazine in Lake Michigan in response to various sensitivity and potential management scenarios. *J. Great Lakes Research* 38:1-10. #5285

S

Saber, D.L. and R.L. Crawford. 1985. Isolation and characterization of *Flavobacterium* strains that degrade pentachlorophenol. *Appl. Environ. Micro.* 50:1512-1518. #1985-16

Safe, S. 1987. Determination of 2, 3, 7, 8-TCDD toxic equivalent factors (TEFs): Support for the use of the in vitro AHH induction assay. *Chemosphere* 16:791-802. #1987-20

Safe, S. 1985. Polychlorinated biphenyls: Progress and problems. In: *Hazardous contaminants in Ontario: Human and environmental effects*. T.C. Hutchinson, S.M. Evans, Eds. Institute for Environmental Studies, University of Toronto, ON, Canada, pp. 60-68. #1985-13

Safe, S. 1982. Halogenated hydrocarbons and aryl hydrocarbons identified in human tissues. *Toxicol. Environ. Chem.* 5:153-165. #1982-5

Safe, S., G. Mason, B. Keys, K. Farrell, B. Zmudzka, Sawyer T., J. Piskorska-Pliszczyńska, L. Safe, M. Romkes, and S. Bandiera. 1986. Polychlorinated dibenzo-p-dioxins and dibenzofurans: Correlation between in vitro and in vivo structure-activity relationships (SARs). *Chemosphere* 15:1725-1731. #1986-12

Safe, S., T. Zacharewski, L. Safe, M. Harris, C. Yao, and M. Holcomb. 1989. Validation of the AHH induction bioassay for the determination of 2,3,7,8-TCDD toxic equivalents. *Chemosphere* 18:941-946. #1989-30

Safe, S.H., L. Safe, and M.D. Mullin. 1987. Polychlorinated biphenyls: Environmental occurrence and analysis. In: *Environmental toxin series, Vol. 1.* S. Safe, R.L. Detrick, Eds., pp.1-13. Springer-Verlag, Berlin. #1987-39

Safe, S., L. Safe, and M.D. Mullin. 1985. Polychlorinated biphenyls: Congener-specific analysis of a commercial mixture and a human milk extract. *J. Agric. Food Chem.* 33:24-29. #1985-4

Safe, S.H. and R.K. Boyd. 1981. Mass spectrometry. In: *Pesticide Analysis.* K.G. Das, Ed., pp. 329-364. Marcel Dekker, Inc., New York, NY. #1981-3

Salinas, K.A., L. Higgins, L.B. Anderson, A.D. Benninghoff, D.E. Williams, C. Walker, M.J. Hemmer, and J.A. Serrano. 2010. Identification of estrogen-responsive vitelline envelope protein fragments from rainbow trout (*Oncorhynchus mykiss*) plasma using mass spectrometry. *Molec. Reprod. Develop.* 77:963-970. #5234

Salmela, J.A. and R.L. Anderson. 1978. Thermal shock effects of larvae of caddis fly *Brachycentrus americanus*. *J. Minn. Acad. Sci.* 44:25-28. #181

Samuelson, D.F. 1976. Water quality: Western Fish Toxicology Station and western Oregon rivers. *EPA/600/3-76/077.* Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Sanders, H.O. 1980. Sublethal effects of toxaphene on daphnids, scuds, and midges. *EPA/600/3-80/006.* Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract EPA-IAG-141(D).

Sanville, W. 1991. Criteria to protect wetland ecological integrity. In: *Water quality standards for the 21st century: Proceedings of a conference*, pp. 85-88. Office of Water, USEPA, Washington, DC. #1991-24

Sanville, W. 1988. Responses of an Alaskan wetland to nutrient enrichment. *Aquat. Bot.* 30:231-243 #368

Sauter, S., K.S. Buxton, K.J. Macek, and S.R. Petrocelli. 1976. Effects of exposure to heavy metals on selected freshwater fish. Toxicity of copper, cadmium, chromium and lead to eggs and fry of seven fish species. *EPA/600/3-76/105.* Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract 68010740.

Sauter, S., G.A. LeBlanc, S.J. Ells, and K. Buxton. 1970. Acute and chronic toxicity of propachlor, methomyl, Baygon, and Baytex to the water flea (*Daphnia magna*) and the fathead minnow (*Pimephales promelas*). Submitted to Environmental Research Laboratory, USEPA, Duluth, MN by E G & G Bionomics, Wareham, MA. #1970-4

Scharold, J.V., T.D. Corry, D.W. Bolgrien, and T.R. Angradi. 2010. Spatial variation in the invertebrate macrobenthos of three large Missouri River reservoirs. *Fund. Applied Limnol.* 176:101-113. #4921

Scharold, J.V., T.D. Corry, P.M. Yurista and J.R. Kelly. Benthic macroinvertebrate assemblages in the US nearshore zone of Lake Erie, 2009: Status and linkages to landscape-derived stressors. *Journal of Great Lakes Research*.

Scharold, J.V., S.J. Lozano, and T.D. Corry. 2009. Status of benthic macroinvertebrates in southern nearshore Lake Superior, 1994-2003. In: M. and I.F. Munawar, Eds., *State of Lake Superior, Ecovision World Monograph Series*, Aquatic Ecosystem Health and Management Society, Burlington, ON, Canada, pp. 473-492. #4475

Scharold, J.V., S.J. Lozano, and T.D. Corry. 2004. Status of the amphipod *Diporeia* spp. in Lake Superior, 1994-2000. *J. Great Lakes Res.* 30(S1):360-368. #4062

Scheller, R.M., V.M. Snarski, J.G. Eaton, and G.W. Oehlert. 1999. An analysis of the influence of annual thermal variables on the occurrence of fifteen warmwater fishes. *Trans. Am. Fish. Soc.* 128:257-264. #714

Schelske, C.L. 1988. Historic trends in Lake Michigan silica concentrations. *Int. Revue Ges. Hydrobiol.* 73:559-591. #1988-19

Schelske, C.L. 1985. Silica depletion in Lake Michigan: Verification using Lake Superior as an environmental reference standard. *J. Great Lakes Res.* 11:492-500. #1985-3

Schelske, C.L. 1980. Dynamics of nutrient enrichment in large lakes: The Lake Michigan case. In: *Restoration of lakes and inland waters*. EPA/440/5-81/010. Office of Water Regulations and Standards, USEPA, Washington, DC. #1980-4

Schelske, C.L., B.J. Eadie, and G.L. Krausse. 1984. Measured and predicted fluxes of biogenic silica in Lake Michigan. *Limno. Oceanogr.* 29:99-110. #1984-4

Schelske, C.L., R.A. Moll, and M.S. Simmons. 1980. Limnological conditions of southern Lake Huron, 1974 and 1975. EPA/600/3-80/074. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803086.

Schelske, C.L., E.F. Stoermer, D.J. Conley, J.A. Robbins, and R.M. Glover. 1983. Early eutrophication in the lower Great Lakes: New evidence from biogenic silica in sediments. *Science* 222:320-322. #1983-2

Schelske, C.L., E.F. Stoermer, G.L. Fahnenstiel, and M. Haibach. 1986. Phosphorus enrichment, silica utilization, and biogeochemical silica depletion in the Great Lakes. *Can. J. Fish. Aquat. Sci.* 43:407-415. #1986-7

Schelske, C.L., E.F. Stoermer, J.E. Gannon, and M.S. Simmons. 1976. Biological, chemical and physical relationships in the Straits of Mackinac. EPA/600/3-76/095. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R802721.

Schmieder, P.K. 1997. Endocrine disruption in wildlife species: Research and policy considerations. *Proceedings of the Annual Aquatic Workshop, Niagara Falls, ON, October 20-22, 1997*. #3266

Schmieder, P.K., G.T. Ankley, O. Mekenyan, J.D. Walker, and S. Bradbury. 2003. Quantitative structure-activity relationship models for prediction of estrogen receptor binding affinity of structurally diverse chemicals. *Environ. Toxicol. Chem.* 22:1844-1854. #798

Schmieder, P.K., A.O. Aptula, E.J. Routledge, J.P. Sumpter, and O.G. Mekenyan. 2000. Estrogenicity of alkylphenolic compounds: a 3-D structure-activity evaluation of gene activation. *Environ. Toxicol. Chem.* 19:1727-1740. #737

Schmieder, P.K. and T.R. Henry. 1988. Plasma binding of 1-butanol, phenol, nitrobenzene and pentachlorophenol in the rainbow trout and rat: A comparative study. *Comp. Biochem. Physiol.* 91C:413-418. #369

Schmieder, P., Y. Koleva, and O.G. Mekenyan. 2002. A reactivity pattern for discrimination of ER agonism and antagonism based on 3-D molecular attributes. *SAR QSAR Environ. Res.* 13:353-364. #767

Schmieder, P.K., D.B. Lothenbach, J.E. Tietge, R.J. Erickson, and R.D. Johnson. 1995. [³H]-2,3,7,8-TCDD uptake and elimination kinetics of medaka (*Oryzias latipes*). *Environ. Toxicol. Chem.* 14:1735-1743. #582

Schmieder, P., O. Mekenyan, S. Bradbury, and G. Veith. 2003. QSAR prioritization of chemical inventories for endocrine disruptor testing. *Pure Appl. Chem.* 75:2389-2396. #810

Schmieder, P.K., M.A. Tapper, J.S. Denny, R.C. Kolanczyk, B.R. Sheedy, T.R. Henry, and G.D. Veith. 2004. Use of trout liver slices to enhance mechanistic interpretation of estrogen receptor binding for cost-effective prioritization of chemicals within large inventories. *Environ. Sci. Technol.* 38:6333-6342. #843

Schmieder, P.K., M.A. Tapper, R.C. Kolanczyk, D.E. Hammermeister, B.R. Sheedy, and J.S. Denny. 2003. Discriminating redox cycling and arylation pathways of reactive chemical toxicity in trout hepatocytes. *Toxicol. Sci.* 72:66-76. #783

Schmieder, P., M. Tapper, A. Linnun, J. Denny, R. Kolanczyk, and R. Johnson. 2000. Optimization of a precision-cut trout liver tissue slice assay as a screen for vitellogenin induction: comparison of slice incubation techniques. *Aquat. Toxicol.* 49:251-268. #740

Schmieder, P.K. and L.J. Weber. 1992. Blood and water flow limitations on gill uptake of organic chemicals in the rainbow trout (*Oncorhynchus mykiss*). *Aquat. Toxicol.* 24:103-122. #486

Schmieder, P.K. and L.J. Weber. 1991. Blood flow and water flow limitations of gill uptake of butanol and decanol in the rainbow trout (abstract only). *The Toxicologist* 11:201. #1991-17

Schmude, K.L., K. Liber, T.D. Corry, and F.S. Stay. 1999. Effects of 4-nonylphenol on benthic macroinvertebrates and insect emergence in littoral enclosures. *Environ. Toxicol. Chem.* 18:386-393. #700

Schnoor, J.L., G.R. Carmichael, and F.A. Van Schepen. 1982. An integrated approach to acid rainfall assessments. In: *Energy and environmental chemistry: Acid rain*. Vol. 2. L.H. Keith, Ed. Ann Arbor Science, Ann Arbor, MI, pp. 225-243. #1982-14

Schnoor, J.L., S. Lee, N.P. Nikolaidis, and D.R. Nair. 1986. Lake resources at risk to acidic deposition in the eastern United States. *Water Air Soil Pollut.* 31:1091-1101. #1986-20

Schnoor, J.L., N.P. Nikolaidis, and G.E. Glass. 1986. Lake resources at risk to acidic deposition in the Upper Midwest. *J. Water Pollut. Control Fed.* 58:139-148. #330

Schoettger, R.A. and R.C. Russo. 1988. Section 3. Effects of pollutants on aquatic organisms and ecosystems: development of water quality criteria. In: *Protection of River Basins, Lakes, and Estuaries: 15 years of cooperation toward solving environmental problems in the USSR and USA*. R.C. Ryans, Ed., pp. 117-119, American Fisheries Society, Bethesda, MD. #1988-62

Schoff, P.K. and G.T. Ankley. 2004. Effects of methoprene, its metabolites, and breakdown products on retinoid-activated pathways in transfected cell lines. *Environ. Toxicol. Chem.* 23:1305-1310. #823

Schoff, P.K. and G.T. Ankley. 2002. Inhibition of retinoid activity by components of a paper mill effluent. *Environ. Pollut.* 119:1-4. 2002. #771

Scholz, S., P. Renner, S. Belanger, F. Busquet, R. Davi, B. Demeneix, J.S. Denny, M. Leonard, M. McMaster, D.L. Villeneuve, and M. Embry. 2013. Alternatives to *in vivo* tests to detect endocrine disrupting chemicals (EDCs) in fish and amphibians--screening for estrogen, androgen and thyroid hormone disruption. *Crit. Rev. Toxicol.* 43:45-72. #5759

Schubauer-Berigan, M. 1997. Survey of sediment quality in the Duluth/Superior Harbor: 1993 sampling results. *EPA/905/R-97/005*. Great Lakes National Program Office/USEPA/Chicago, IL.

Schubauer-Berigan, M.K., J.R. Amato, G.T. Ankley, S.E. Baker, L.P. Burkhard, J.R. Dierkes, J.J. Jenson, M.T. Lukasewycz, and T.J. Norberg-King. 1993. The behavior and identification of toxic metals in complex mixtures: Examples from effluent and sediment pore water toxicity identification evaluations. *Arch. Environ. Contam. Toxicol.* 24:298-306. #513

Schubauer-Berigan, M.K. and G.T. Ankley. 1991. The contribution of ammonia, metals, and nonpolar organic compounds to the toxicity of sediment interstitial water from an Illinois river tributary. *Environ. Toxicol. Chem.* 10:925-939 #460

Schubauer-Berigan, M.K., J.R. Dierkes, and G.T. Ankley. 1990. Toxicity identification evaluations of contaminated sediments in the Buffalo River, NY and the Saginaw River, MI. National Effluent Toxicity Assessment Center Tech. Rept. 20-90. Final Rept. to ARCS Risk Assessment and Modeling Workgroup. USEPA, Environmental Research Laboratory, Duluth, MN. #1990-21

Schubauer-Berigan, M.K., J.R. Dierkes, P.D. Monson, and G.T. Ankley. 1993. pH-dependent toxicity of Cd, Cu, Ni, Pb, and Zn to *Ceriodaphnia dubia*, *Pimephales promelas*, *Hyalella azteca* and *Lumbriculus variegatus*. *Environ. Toxicol. Chem.* 12:1261-66 #514

Schubauer-Berigan, M.K., P.D. Monson, C.W. West, and G.T. Ankley. 1995. Influence of Ph on the toxicity of ammonia to *Chironomus tentans* and *Lumbriculus variegatus*. *Environ. Toxicol. Chem.* 14:713-717. #583

Schultz, R. and R.O. Hermanutz. 1990. Transfer of toxic concentrations of selenium from parent to progeny in the fathead minnow (*Pimephales promelas*). *Bull. Environ. Contam. Toxicol.* 45:568-573. #428

Schultz, T., R. Carlson, M. Cronin, J. Hermens, R.D. Johnson, P. O'Brien, D. Roberts, A. Siraki, K. Wallace, and G.D. Veith. 2006. A conceptual framework for predicting the toxicity of reactive chemicals: Modeling soft electrophilicity. *SAR QSAR Environ. Res.* 17:413-428. #5403

Schultz, T.W., G.W. Holcombe, and G.L. Phipps. 1986. Relationships of quantitative structure-activity to comparative toxicity of selected phenols in the *Pimephales promelas* and *Tetrahymena pyriformis* test systems. *Ecotox. Environ. Safety* 12:146-153. #331

Schultz, T.W., G.L. Phipps, and G.D. Veith. 1987. Report on low cost amphibian test for specific cytotoxic effects. Part I: The toxic and teratogenic effects of hydrazines. Environmental Research Laboratory, USEPA, Duluth, MN. #1987-7

Schultz, T.W., T.S. Ranney, G.W. Riggan, and M. Cajina-Quezada. 1988. Structure-activity relationships for osteolathyrism. I. Effects of altering the semicarbazide structure. *Trans. Am. Microsc. Soc.* 107:113-126. #1988-18

Schulz, K.L. and P.M. Yurista. 1999. Implications of an invertebrate predator's (*Bythotrephes cederstroemi*) atypical effects on a pelagic zooplankton community. *Hydrobiologia* 80:179-183. #1999-20

Schulz, K.L. and P.M. Yurista. 1995. Diet composition from allozyme analysis in the predatory cladoceran *Bythotrephes cederstroemi*. *Limnol. Oceanogr.* 40:821-826. #1995-17

Schumacher, B., R. Fox, J.C. Filkins, and B. Barrick. 1994. Quality assurance and quality control. In: *Assessment and Remediation of Contaminated Sediments Program: Assessment Guidance Document*, pp. 10-32. Great Lakes National Program Office, USEPA, Chicago, IL. EPA/905/B-94/002. #1994-22

Schweiger, E.W., D.W. Bolgrien, T.R. Angradi, and J.R. Kelly. 2005. Environmental monitoring and assessment of a Great River ecosystem: the Upper Missouri River pilot. *Environ. Monit. Assess.* 103:21-40. #864

Schweiger, E.W., J.E. Diffendorfer, R.D. Holt, R. Pierotti, and M.S. Gaines. 2000. The interaction of habitat fragmentation, plant, and small mammal succession in an old field. *Ecol. Monog.* 70:383-400. #2000-5

Seifert-Monson, L., B. Hill, R.K. Kolke, T.M. Jicha, L. Lehto and C.M. Elonen. 2014. Effects of sulfate deposition on pore water dissolved organic carbon, nutrients, and microbial enzyme activities in a northern peatland. *Soil Biology and Biochemistry* 79:91-99.

Selgeby, J.H. 1995. Abundance, distribution, biology, and community impacts of invading Eurasian ruffe, Final report. Environmental Research Laboratory/USEPA/Duluth/MN. #1995-14

Serrano, J.A., L. Higgins, B.A. Witthuhn, L.B. Anderson, G.W. Holcombe, P.A. Kosian, J.J. Korte, J.E. Tietge, and S.J. Degitz. 2010. *In vivo* assessment and potential diagnosis of xenobiotics that perturb the thyroid pathway: Proteomic analysis of *Xenopus laevis* brain tissue following exposure to model T4 inhibitors. *Compar. Biochem. Physiol. Part D* 5:138-150. #5247

Serrano, J., D.W. Kuehl, and S. Naumann. 1993. Analytical procedures and quality assurance criteria for the determination of major and minor deoxynucleosides in fish tissue DNA by liquid chromatography-ultraviolet spectroscopy and liquid chromatography-thermospray mass spectrometry. *J. Chromatog. Biomed. Appl.* 615:203-213. #515

Serrano, J., C.M. Palmeira, D.W. Kuehl, and K.B. Wallace. 1999. Cardiosensitive and cumulative oxidation of mitochondrial DNA following subchronic doxorubicin administration. *Biochim. Biophys. Acta.* 1411:201-205. #711

Serrano, J., C.M. Palmeira, K.B. Wallace, and D.W. Kuehl. 1996. Determination of 8-hydroxydeoxyguanosine in biological tissue by liquid chromatography/electrospray ionization-mass spectrometry/mass spectrometry. *Rap. Comm. Mass Spec.* 10:1789-1791. #627

Shannon, L. and R.L. Anderson. 1992. Use of the mixed flask culture (MFC) microcosm protocol to estimate the survival and effects of microorganisms added to freshwater ecosystems. In: *Microbial ecology: Principles, methods, and applications*. M.A. Levin, R.J. Seidler, M. Rogul, Eds., pp. 625-641, McGraw-Hill, Inc., New York, NY. #1992-22

Shannon, L.J., T.E. Flum, R.L. Anderson, and J.D. Yount. 1989. Adaptation of mixed flask culture microcosms for testing the survival and effects of introduced microorganisms. In: *Aquatic toxicology and hazard assessment, 12th Vol.* U.M. Cowgill, L.R. Williams, Eds., pp. 224-239. ASTM STP 1027, ASTM, Philadelphia, PA. #1989-35

Shannon, L.J., M.C. Harrass, J.D. Yount, and C.T. Walbridge. 1987. A comparison of mixed flask culture and standardized laboratory model ecosystems for toxicity testing. In: *Community toxicity testing*. J. Cairns Jr., Ed., pp. 135-157. ASTM STP 920, ASTM, Philadelphia, PA. #1987-34

Shapiro, J. and G.E. Glass. 1974. Synergistic effects of phosphate and manganese on growth of Lake Superior algae. Presented at the *Winnipeg Congress of the International Association for Theoretical and Applied Limnology, August 1974*. #1974-3

Shaver, M.P. and P. Page. 1980. Local land-use and landownership patterns near a power plant: Wisconsin power plant impact study. *EPA/600/3-80/021*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803971.

Sheng, Y.P. and W. Lick. 1980. A two-mode free-surface numerical model for the three-dimensional time-dependent currents in large lakes. *EPA/600/3-80/047*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803704.

Sheedy, B.R., J.M. Lazorchak, D.J. Grunwald, Q.H. Pickering, A. Pilli, D. Hall, and R. Webb. 1991. Effects of pollution on freshwater organisms. *J. Water Pollut. Control Fed.* 63:619-696. #461

Sheedy, B.R., V.R. Mattson, J.S. Cox, P.A. Kosian, G.L. Phipps, and G.T. Ankley. 1998. Bioconcentration of polycyclic aromatic hydrocarbons by the freshwater oligochaete *Lumbriculus variegatus*. *Chemosphere* 36:3061-3070. #679

Shephard, B. 1983. The effect of reduced pH and elevated aluminum concentrations on three species of zooplankton: *Ceriodaphnia reticulata*, *Daphnia magna* and *Daphnia pulex*. Report submitted to Environmental Research Laboratory, USEPA, Duluth, MN. #1983-16

Shiraishi, H., D.S. Carter, and R.A. Hites. 1989. Identification and determination of *tert*-alkylphenols in carp from the Trenton Channel of the Detroit River, Michigan, USA. *Biomed. Environ. Mass Spectrom.* 18:478-483. #1989-11

Shoemaker, J.E., K. Gayen, N. Garcia-Reyero, E.J. Perkins, D.L. Villeneuve, L. Liu, and F.J. Doyle III. 2010. Fathead minnow steroidogenesis: In silico analyses reveal tradeoffs between nominal target efficacy and robustness to cross-talk. *BMC Systems Biol.*, online: <http://www.biomedcentral.com/content/pdf/1752-0509-4-89.pdf>. #5207

Shore, R.F., D.R. Crocker, H.R. Akcakaya, R.S. Bennett, P.F. Chapman, M. Clook, M. Crane, I. Dewhurst, P.J. Edwards, A. Fairbrother, S. Ferson, D. Fischer, A.D.M. Hart, M. Holmes, M.J. Hooper, M. Lavine, A. Leopold, R. Luttik, P. Mineau, D.R.J. Moore, S.R. Mortenson, D.G. Noble, R.J. O'Connor, W. Roelofs, R.M. Sibley, G. Smith, M. Spendiff, T.A. Springer, H.M. Thompson, and C. Topping. 2005. Case Study 1: How to calculate appropriate deterministic long-term toxicity to exposure ratios (TERs) for birds and mammals. *Ecotoxicology* 14:877-893. #2005-11

Shubat, P.J., S.H. Poirier, M.L. Knuth, and L.T. Brooke. 1982. Acute toxicity of tetrachloroethylene and tetrachloroethylene with dimethylformamide to rainbow trout (*Salmo gairdneri*). *Bull. Environ. Contam. Toxicol.* 28:7-10. #1982-22

Sibley, P.K., G.T. Ankley, and D.A. Benoit. 2001. Factors affecting reproduction and the importance of adult size on reproductive output of the midge *Chironomus tentans*. *Environ. Toxicol. Chem.* 20:1296-1303. #2001-3

Sibley, P.K., G.T. Ankley, A.M. Cotter, and E.N. Leonard. 1996. Predicting chronic toxicity of sediments spiked with zinc: An evaluation of the acid-volatile sulfide model using a life-cycle test with the midge *Chironomus tentans*. *Environ. Toxicol. Chem.* 15:2102-2112. #628

Sibley, P.K., D.A. Benoit, and G.T. Ankley. 1998. Life cycle and behavioural assessments of the influence of substrate particle size on *Chironomus tentans* (Diptera: Chironomidae) in laboratory assays. *Hydrobiologia* 361:1-9. #676

Sibley, P.K., D.A. Benoit, and G.T. Ankley. 1997. The significance of growth in *Chironomus tentans* sediment toxicity tests: Relationship to reproduction and demographic endpoints. *Environ. Toxicol. Chem.* 16:336-345. #636

Sibley, P.K., D.A. Benoit, M.D. Balcer, G.L. Phipps, C.W. West, R.A. Hoke, and G.T. Ankley. 1999. In situ bioassay chamber for assessment of sediment toxicity and bioaccumulation using benthic invertebrates. *Environ. Toxicol. Chem.* 18:2325-2336. #723

Sibley, P.K., J. Legler, D.G. Dixon, and D.R. Barton. 1997. Environmental health assessment of the benthic habitat adjacent to a pulp mill discharge. I. Acute and chronic toxicity of sediments to benthic macroinvertebrates. *Arch. Environ. Contam. Toxicol.* 32:274-284. #642

Sibley, P.K., P.D. Monson, and G.T. Ankley. 1997. The effect of gut contents on dry weight estimates of *Chironomus tentans* larvae: Implications for interpreting toxicity in freshwater sediment toxicity tests. *Environ. Toxicol. Chem.* 16:1721-1726. #653

Siefert, R.E. 1975. Bibliography for larval fish identification. National Water Quality Laboratory, USEPA, Duluth, MN. #1975-4

Siefert, R.E. 1972. First food of larval yellow perch, white sucker, bluegill, emerald shiner, and rainbow smelt. *Trans. Am. Fish. Soc.* 101:219-225. #74

Siefert, R.E. 1969. Characteristics for separation of white and black crappie larvae. *Trans. Am. Fish. Soc.* 98:326-328. #34

Siefert, R.E. 1968. Reproductive behavior, incubation and mortality of eggs, and postlarval food selection in the white crappie. *Trans. Am. Fish. Soc.* 97:252-259. #1968-3

Siefert, R.E., A.R. Carlson, and L.J. Herman. 1974. Effects of reduced oxygen concentrations on the early life stages of mountain whitefish, smallmouth bass, and white bass. *Prog. Fish-Cult.* 36:186-190. #113

Siefert, R.E., L.J. Heinis, M.L. Knuth, R.L. Anderson, J.C. Brazner, N. Larson, and D.A. Jensen. 1987. Effects of Dursban (chlorpyrifos) on aquatic organisms in enclosures in a natural pond. Final report. Environmental Research Laboratory, USEPA, Duluth, MN. #1987-6

Siefert, R.E. and L.J. Herman. 1977. Spawning success of the black crappie, *Pomoxis nigromaculatus*, at reduced dissolved oxygen concentrations. *Trans. Am. Fish. Soc.* 106:376-379. #161

Siefert, R.E., C.F. Kleiner, B.R. Nordling, L.H. Mueller, D.K. Tanner, A.W. Jarvinen, J.A. Zischke, N. Larson, and R.L. Anderson. 1984. Effects of Dursban on non-target aquatic organisms in a natural pond undergoing mosquito control treatment. Environmental Research Laboratory, USEPA, Duluth, MN. #1984-2

Siefert, R.E., C.F. Kleiner, D.K. Tanner, B. Nordling, R.L. Anderson, J.A. Zischke, N.J. Larson, and J. Helgen. 1986. Effects of Abate® (Temephos) on non-target aquatic organisms in a natural pond undergoing mosquito control treatment. Environmental Research Laboratory, USEPA, Duluth, MN. #1986-34

Siefert, R.E., S.J. Lozano, J.C. Brazner, and M.L. Knuth. 1989. Littoral enclosures for aquatic field testing of pesticides: Effects of chlorpyrifos on a natural system. In: *Using mesocosms to assess the aquatic ecological risk of pesticides: Theory and practice*, pp. 57-73. Misc. Pub. 75. Entomological Society of America, Lanham, MD. #1989-38

Siefert, R.E. and W.A. Spoor. 1974. Effects of reduced oxygen on embryos and larvae of the white sucker, coho salmon, brook trout, and walleye. In: *Early life history of fish*. J.H.S. Blaxter, Ed., pp. 487-495. Springer-Verlag, New York, NY. #1974-13

Siefert, R.E., W.A. Spoor, and R.F. Syrett. 1973. Effects of reduced oxygen concentrations on northern pike (*Esox lucius*) embryos and larvae. *J. Fish. Res. Board Can.* 30:849-852. #95

Sierszen, M.E., T.R. Hrabik, J.D. Stockwell, A.M. Cotter, J.C. Hoffman, and D.L. Yule. Depth gradients in food web processes linking habitats in large lakes: Lake Superior as an exemplar ecosystem. *Freshwater Biology*. 5889 005439

Sierszen, M.E. 1990. Variable selectivity and the role of nutritional quality in food selection by a planktonic rotifer. *Oikos* 59:241-247. #429

Sierszen, M.E., H.L. Boston, and M.J. Horn. 1991. Zooplankton population dynamics in experimentally toxified pond ecosystems. *Verh. Internat. Verein. Limnol.* 24:1517-1521. #462

Sierszen, M.E., J.C. Brazner, A.M. Cotter, J.A. Morrice, G.S. Peterson, and A.S. Trebitz. 2012. Watershed and lake influences on the energetic base of coastal wetland food webs across the Great Lakes Basin. *J. Great Lakes Res.* 38:418-428. #5479

Sierszen, M.E. and T.M. Frost. 1993. Response of predatory zooplankton populations to the experimental acidification of Little Rock Lake, Wisconsin. *J. Plankton Res.* 15:553-562. #516

Sierszen, M.E. and T.M. Frost. 1992. Selectivity in suspension feeders: Food quality and the cost of being selective. *Arch. Hydrobiol.* 123:257-273. #487

Sierszen, M.E. and T.M. Frost. 1990. Effects of an experimental lake acidification on zooplankton feeding rates and selectivity. *Can. J. Fish. Aquat. Sci.* 47:772-779. #1990-30

Sierszen, M.E., T.R. Hrabik, J.D. Stockwell, A.M. Cotter, J.C. Hoffman and D.L. Yule. 2014. Depth gradients in food web processes linking habitats in large lakes: Lake Superior as an

exemplar ecosystem. *Freshwater Biology* 59 (10):2122-2136.

Sierszen, M.E., J.R. Kelly, T.D. Corry, J.V. Scharold, and P.M. Yurista. 2011. Benthic and pelagic contributions to *Mysis* nutrition across Lake Superior. *Can. J. Fish. Aquat. Sci.* 68:1051-1063. #5332

Sierszen, M.E., J.R. Keough, and C.A. Hagley. 1996. Trophic analysis of ruffe (*Gymnocephalus cernuus*) and white perch (*Morone americana*) in a Lake Superior coastal food web, using stable isotope techniques. *J. Great Lakes Res.* 22:436-443. #629

Sierszen, M.E. and S.J. Lozano. 1998. Zooplankton population and community responses to the pesticide azinphos-methyl in freshwater littoral enclosures. *Environ. Toxicol. Chem.* 17:907-914. #674

Sierszen, M.E., M.E. McDonald, and D.A. Jensen. 2003. Benthos as the basis for arctic lake food webs. *Aquat. Ecol.* 37:437-445. #809

Sierszen, M.E., J.A. Morrice, M.F. Moffett, and C.W. West. 2004. Benthic versus planktonic foundations of three Lake Superior coastal wetland food webs. *J. Great Lakes Res.* 30:31-43. #822

Sierszen, M.E., J.A. Morrice, A.S. Trebitz, and J.C. Hoffman. 2012. A review of selected ecosystem services provided by coastal wetlands of the Laurentian Great Lakes. *AEHM* 15:92-106. #5350

Sierszen, M.E., G.S. Peterson, and J.V. Scharold. 2006. Depth-specific patterns in benthic-planktonic food web relationships in Lake Superior. *Can. J. Fish. Aquat. Sci.* 63:1496-1503. #898

Sierszen, M.E., G.S. Peterson, A.S. Trebitz, J.C. Brazner, and C.W. West. 2006. Hydrology and nutrient effects on food web structure in ten Lake Superior coastal wetlands. *Wetlands* 26:951-964. 4298

Sierszen, M.E., J.A. Thompson, J.A. Morrice, G.S. Peterson, A.M. Cotter, A.S. Trebitz, M.L. Knuth, and J.R. Kelly. 2006. Great Lakes coastal wetland food web responses to nutrient loading and ecosystem classification factors. USEPA, ORD, EPA/600/X-06/009. #4528

Sierszen, M.E. and C.J. Watras. 1987. Rapid-freeze preservation minimizes radioisotope leakage from zooplankton in feeding experiments. *J. Plank. Res.* 9:945-953. #1987-32

Sigford, A. 1995. Giving Lake Superior a check-up. *Lake Superior Magazine* 1995, Feb-Mar, pp. 21-22. #1995-3

Silva-Wilkinson, R.A., L.P. Burkhard, B.R. Sheedy, G.M. DeGraeve, and R.A. Lordo. 1999. A simple comparison of mass spectral search results and implications for environmental screening analyses. *Arch. Environ. Contam. Toxicol.* 36:109-114. #695

Silva-Wilkinson, R.A., G.M. DeGraeve, L.P. Burkhard, D.W. Tholen, and B.R. Sheedy. 2000. Results of an interlaboratory evaluation of an analytical screening method for assessing persistent bioaccumulative toxic chemicals in sediment samples. *Environ. Toxicol. Chem.* 19:2218-2223. #744

Simon, T.P., R.L. Dufour, P.M. Stewart, and M.F. Moffett. 2005. Distribution, classification, and selection rationale of coastal wetlands in Lake Michigan. In: *State of Lake Michigan: Ecology, Health and Management*. T. Edsall, M. Munawar, Eds., Ecovision World Monograph Series, Backhuys Publishers, Leiden, the Netherlands, pp. 479-502. #2005-17

Simon, R., J.E. Tietge, B. Michalke, and S. Degitz. 2002. Iodine species and the endocrine system: thyroid hormone levels in adult *Danio rerio* and developing *Xenopus laevis*. *Anal. Bioanal. Chem.* 372:481-485. #2002-X-2002

Simsiman, G.V., G. Chesters, and A.W. Andren. 1987. Effect of ash disposal ponds on groundwater quality at a coal-fired power plant. *Water Res.* 21:417-426. #1987-26

Sinokrot, B.A. and H.G. Stefan. 1993. Stream temperature dynamics: Measurements and modeling. *Water Resour. Res.* 29:2299-2312. #1993-9

Sinokrot, B.A., H.G. Stefan, J.H. McCormick, and J.G. Eaton. 1995. Modeling of climate change effects on stream temperatures and fish habitats below dams and near groundwater inputs. *Clim. Change.* 30:181-200. #584

Sinokrot, B.A. and H.G. Stefan. 1992. Deterministic modeling of stream water temperatures: development and applications to climate change effects on fish habitat. Environmental Research Laboratory, USEPA, Duluth, MN. #1992-34

Sinsabaugh, R.L., J. Belnap, S.G. Findlay, J.J. Follstad Shah, B.H. Hill, K.A. Kuehn, C.R. Kuske, M.E. Litvak, N.G. Martinez, D.L. Moorhead and D.D. Warnock. 2014. Extracellular enzyme kinetics scale with resource availability. *Biogeochemistry* 121 (2):287-304.

Sinsabaugh, R.L., J.J. Follstad Shah, B.H. Hill, and C.M. Elonen. 2012. Ecoenzymatic stoichiometry of stream sediments with comparison to terrestrial soils. *Biogeochemistry* 111:455-467. #5482

Skelton, D., D. Ekman, D. Martinovic-Weigelt, G. Ankley, D. Villeneuve, Q. Teng, and T. Collette. 2013. Metabolomics for in situ environmental monitoring of surface waters impacted by contaminants from both point and non-point sources. *Environ. Sci. Technol.* 48:2395-2403. #5934

Skogerboe, R.K., C.S. Lavalley, M.M. Miller, and D.L. Dick. 1979. Environmental effects of western coal surface mining. Part III: The water quality of Trout Creek, Colorado. *EPA/600/3-79/008*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803950.

Skogerboe, R.K., C.S. Lavalley, M.M. Miller, and D.L. Dick. 1979. Environmental effects of oil shale mining and processing. Part III: The water quality of Piceance Creek, Colorado, prior to oil

shale processing. *EPA/600/3-79/055*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803950.

Skoglund, R.S., K. Stange, and D.L. Swackhamer. 1996. A kinetics model for predicting the accumulation of PCBs in phytoplankton. *Environ. Sci. Technol.* 30:2113-2120. #1996-29

Skolness, S.Y., C.A. Blanksma, J.E. Cavallin, J.J. Churchill, E.J. Durhan, K.M. Jensen, R.D. Johnson, M.D. Kahl, E.A. Makynen, D.L. Villeneuve, and G.T. Ankley. 2013. Propiconazole inhibits steroidogenesis and reproduction in the fathead minnow (*Pimephales promelas*). *Tox. Sci.* 132:284-297. #5728

Skolness, S.Y., E.J. Durhan, N. Garcia-Reyero, K.M. Jensen, M.D. Kahl, E.A. Makynen, D. Martinovic, E. Perkins, D.L. Villeneuve, and G.T. Ankley. 2011. Effects of a short-term exposure to the fungicide prochloraz on endocrine function and gene expression in female fathead minnows (*Pimephales promelas*). *Aquatic Toxicol.* 103:170-178. #5406

Skolness, S.Y., E.J. Durhan, K.M. Jensen, M.D. Kahl, E.A. Makynen, D.L. Villeneuve, and G.T. Ankley. 2012. Effects of gemfibrozil on lipid metabolism, steroidogenesis, and reproduction in the fathead minnow (*Pimephales promelas*). *Environ. Toxicol. Chem.* 31:2615-2624. #5640

Smith, L.L., S.I. Auerbach, J. Cairns, Jr., D.I. Mount, G.A. Rohlich, J.B. Sprague, and W.L. Klein. 1973. ORSANCO 24-hour bioassay. #1973-23

Smith, L.L. Jr., S.J. Broderius, D.M. Oseid, G.L. Kimball, W.M. Koenst, and D.T. Lind. 1979. Acute and chronic toxicity of HCN to fish and invertebrates. *EPA/600/3-79/009*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R802914.

Smith, L.L. Jr., D.M. Oseid, I.R. Adelman, and S.J. Broderius. 1976. Effect of hydrogen sulfide on fish and invertebrates. Part I--Acute and chronic toxicity studies. *EPA 600/3-76/062a*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R800992.

Smith, P.N., G.P. Cobb, C. Godard-Codding, D. Hoff, S.T. McMurry, T.R. Rainwater, and K.D. Reynolds. 2007. Contaminant exposure in terrestrial vertebrates. *Environ. Poll.* 150:41-64. #4819

Smith, V.E., K.W. Lee, J.C. Filkins, K.W. Hartwell, K.R. Rygwelski, and J.M. Townsend. 1977. Survey of chemical factors in Saginaw Bay (Lake Huron). *EPA/600/3-77/125*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R802685.

Smith, V.E., J.E. Rathbun, and J.C. Filkins. 1992. Sampling, characterizing, and mapping contaminated sediment in river harbors. *Haz. Mater. Control* (Sept./Oct.): 22-28. #1992-5

Smith, V.E., J.E. Rathbun, S.G. Rood, and L.L. Huellmantel. 1996. Technical consideration in sediment quality surveys. *J. Great Lakes Res.* 22:512-522. #1996-26

- Smith, W.E. 1976. Larval feeding and rapid maturation of bluegills in the laboratory. *Prog. Fish-Cult.* 38:95-97. #138
- Smith, W.E. 1975. Breeding and culture of two sunfish, *Lepomis cyanellus* and *L. megalotis*, in the laboratory. *Prog. Fish-Cult.* 37:227-229. #122
- Smith, W.E. 1973. A cyprinodontid fish, *Jordanella floridae*, as reference animal for rapid chronic bioassays. *J. Fish. Res. Board Can.* 30:329-330. #96
- Smith, W.E. 1973. Thermal tolerance of two species of *Gammarus*. *Trans. Am. Fish. Soc.* 102:431-433. #97
- Smith, W.E. 1972. Culture, reproduction, and temperature tolerance of *Pontoporeia affinis* in the laboratory. *Trans. Am. Fish. Soc.* 101:253-256. #75
- Smith, W.E. 1970. Tolerance of *Mysis relicta* to thermal shock and light. *Trans. Am. Fish. Soc.* 99:418-422. #47
- Smith, W.E., T.H. Roush, and J.T. Fiandt. 1984. Toxicity of ammonia to early life stages of bluegill (*Lepomis macrochirus*). EPA/600/x-84/175. Environmental Research Laboratory, USEPA, Duluth, MN. #1984-3
- Snarski, V.M. 1990. Interactions between *Bacillus thuringiensis* subsp. *israelensis* and fathead minnows, *Pimephales promelas* Rafinesque, under laboratory conditions. *Appl. Environ. Microbiol.* 56:2618-2622. #430
- Snarski, V.M. 1988. Ecological interactions between MPCAs and fish: Factors influencing the accumulation of *Bacillus thuringiensis* var. *israelensis* in freshwater fish during aqueous exposures. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-55
- Snarski, V.M. 1982. The response of rainbow trout *Salmo gairdneri* to *Aeromonas hydrophila* after sublethal exposures to PCB and copper. *Environ. Pollut. Ser. A.* 28:219-232. #252
- Snarski, V.M. and G.F. Olson. 1982. Chronic toxicity and bioaccumulation of mercuric chloride in the fathead minnow (*Pimephales promelas*). *Aquat. Toxicol.* 2:143-156. #253
- Snarski, V.M. and F.A. Puglisi. 1976. Effects of Aroclor 1254 on brook trout, *Salvelinus fontinalis*. EPA/600/3-6/112. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.
- Snyder, E.M., S.A. Snyder, K.L. Kelly, T.S. Gross, D.L. Villeneuve, S.D. Fitzgerald, S.A. Villalobos, and J.P. Giesy. 2004. Reproductive responses of common carp (*Cyprinus carpio*) exposed in cages to influent of the Las Vegas Wash in Lake Mead, Nevada, from late winter to early spring. *Environ. Sci. Tech.* 38:6385-6395. # 4881
- Snyder, T.P., K.M. Switzer, and R.E. Keen. 1991. Allozymic variability in toxicity-testing strains of *Ceriodaphnia dubia* and in natural populations of *Ceriodaphnia*. *Environ. Toxicol. Chem.* 10:1045-1049. #1991-8

Solem, L.E., R.C. Kolanczyk, and J.M. McKim III. 2003. An in vivo microdialysis method for the qualitative analysis of hepatic phase I metabolites of phenol in rainbow trout (*Oncorhynchus mykiss*). *Aquat. Toxicol.* 62:337-347. #784

Solomon, K.R., G.T. Ankley, R. Baudo, G.A. Burton, C.G. Ingersoll, W. Lick, S.N. Luoma, D.D. MacDonald, T.B. Reynoldson, R.C. Swartz, and W.J. Warren-Hicks. 1997. Session 6: Critical issues in methodological uncertainty: Workgroup summary report on methodological uncertainty. In: *Ecological risk assessment of contaminated sediments*. C.G. Ingersoll, T. Dillon, G.R. Biddinger, Eds., pp. 271-296. SETAC Press, Pensacola, FL. #1997-3

Sonzogni, W.C. and W.R. Swain. 1980. Perspectives on U.S. Great Lakes chemical toxic substances research. *J. Great Lakes Res.* 6:265-274. #1980-12

Sorensen, J.A. and G.E. Glass. 1987. Ion and temperature dependence of electrical conductance for natural waters. *Anal. Chem.* 59:1594-1597. #357

Sorensen, J.A., G.E. Glass, and K.W. Schmidt. 1994. Regional patterns of wet mercury deposition. *Environ. Sci. Technol.* 28:2025-2032. #520

Sorensen, J.A., G.E. Glass, K.W. Schmidt, J.K. Huber, and G.R. Rapp Jr. 1990. Airborne mercury deposition and watershed characteristics in relation to mercury concentrations in water, sediments, plankton and fish of eighty northern Minnesota lakes. *Environ. Sci. Technol.* 24:1716-1727. #431

Sorensen, J.A., L.C. Thompson, and G.E. Glass. 1985. Quantitative analysis of aqueous species using raman spectrometry and equilibrium model calculations. *Anal. Chem.* 57:1087-1091. #304

Spehar, R. 1989. Memo with lab results attached, to colleague at UW-Superior. ORD, USEPA, Duluth, MN. #1989-59

Spehar, R.L. 1986. Criteria document data, Sept. 16. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1986-40

Spehar, R.L. 1976. Cadmium and zinc toxicity to *Jordanella floridae*. EPA/600/3-76/096. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1976-10

Spehar, R.L. 1976. Cadmium and zinc toxicity to flagfish, *Jordanella floridae*. *J. Fish. Res. Board Can.* 33:1939-1945. #139

Spehar, R.L., R.L. Anderson, and J.T. Fiandt. 1978. Toxicity and bioaccumulation of cadmium and lead in aquatic invertebrates. *Environ. Pollut.* 15:195-208. #182

Spehar, R.L., L.T. Brooke, T.P. Markee, and M.D. Kahl. 2010. Comparative toxicity and bioconcentration of nonylphenol in freshwater organisms. *Environ. Toxicol. Chem.* 29:2104-2111. #5156

Spehar, R.L. and A.R. Carlson. 1984. Derivation of site-specific water quality criteria for cadmium and the St. Louis River basin, Duluth, Minnesota. *EPA/600/3-84/029*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN (PB84-153196).

Spehar, R.L. and A.R. Carlson. 1984. Derivation of site-specific water quality criteria for cadmium and the St. Louis River Basin, Duluth, Minnesota. *Environ. Toxicol. Chem.* 3:651-665. #288

Spehar, R.L., R.W. Carlson, A.E. Lemke, D.I. Mount, Q.H. Pickering, and V.M. Snarski. 1980. Effects of pollution on freshwater fish. *Water Pollut. Control Fed.* 52:1703-1768. #212

Spehar, R.L., G.M. Christensen, C. Curtis, A.E. Lemke, T.J. Norberg, and Q.H. Pickering. 1982. Effects of pollution on freshwater fish. *J. Water Pollut. Control Fed.* 54:877-922. #254

Spehar, R.L., P.M. Cook, G.E. Elonen, G.W. Holcombe, R.D. Johnson, J.D. Fernandez, and J.E. Tietge. 1997. Comparison of early-life-stage sensitivity of freshwater fish exposed as eggs to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD). *Organohal. Compds.* 33:313-317. #818

Spehar, R.L. and J.T. Fiandt. 1986. Acute and chronic effects of water quality criteria-based metal mixtures on three aquatic species. *Environ. Toxicol. Chem.* 5:917-931. #332

Spehar, R.L. and J.T. Fiandt. 1985. Acute and chronic effects of water quality criteria based metal mixtures on three aquatic species. *EPA/600/3-85/074*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN (PB86-122579).

Spehar, R.L., J.T. Fiandt, R.L. Anderson, and D.L. DeFoe. 1980. Comparative toxicity of arsenic compounds and their accumulation in invertebrates and fish. *Arch. Environ. Contam. Toxicol.* 9:53-63. #213

Spehar, R.L., G.W. Holcombe, R.W. Carlson, R.A. Drummond, J.D. Yount, and Q.H. Pickering. 1979. Effects of pollution on freshwater fish. *J. Water Pollut. Control Fed.* 51:1616-1694. #192

Spehar, R.L., A.E. Lemke, Q.H. Pickering, T.H. Roush, R.C. Russo, and J.D. Yount. 1981. Effects of pollution on freshwater fish. *J. Water Pollut. Control Fed.* 53:1028-1076. #228

Spehar, R.L., E.N. Leonard, and D.L. DeFoe. 1978. Chronic effects of cadmium and zinc mixtures on flagfish (*Jordanella floridae*). *Trans. Am. Fish. Soc.* 107:354-360. #183

Spehar, R.L., H.P. Nelson, M.J. Swanson, and J.W. Renoos. 1985. Pentachlorophenol toxicity to amphipods and fathead minnows at different test pH values. *Environ. Toxicol. Chem.* 4:389-397. #305

Spehar, R.L., S. Poucher, L.T. Brooke, D.J. Hansen, D. Champlin, and D.A. Cox. 1999. Comparative toxicity of fluoranthene to freshwater and saltwater species under fluorescent and ultraviolet light. *Arch. Environ. Contam. Toxicol.* 37:496-502. #721

Spehar, R.L., D.K. Tanner, and J.H. Gibson. 1982. Effects of kelthane and pydrin on early life stages of fathead minnows (*Pimephales promelas*) and amphipods (*Hyalella azteca*). In: *Aquatic toxicology and hazard assessment: 5th conference*. J.G. Pearson, R.B. Foster, W.E. Bishop, Eds., pp. 234-244. ASTM STP 766, ASTM, Philadelphia, PA. #1982-18

Spehar, R.L., D.K. Tanner, and B.R. Nordling. 1983. Toxicity of the synthetic pyrethroids, permethrin and AC 222, 705 and their accumulation in early life stages of fathead minnows and snails. *Aquat. Toxicol.* 3:171-182. #269

Spehar, R.L., G.D. Veith, D.L. DeFoe, and B.V. Bergstedt. 1979. Toxicity and bioaccumulation of hexachlorocyclopentadiene, hexachloronorborene, and heptachloronorborene in larval and early juvenile fathead minnows, *Pimephales promelas*. *Bull. Environ. Contam. Toxicol.* 21:576-583. #193

Spehar, R.L., G.D. Veith, D.L. DeFoe, and B.A. Bergstedt. 1977. A rapid assessment of the toxicity of three chlorinated cyclodiene insecticide intermediates to fathead minnows. *EPA/600/3-77/099*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Spoor, W.A. 1990. Distribution of fingerling brook trout, *Salvelinus fontinalis* (Mitchill), in dissolved oxygen concentration gradients. *J. Fish Biol.* 36:363-373. #432

Spoor, W.A. 1984. Oxygen requirements of larvae of the smallmouth bass, *Micropterus dolomieu* (Lacepede). *J. Fish Biol.* 25:587-592. #289

Spoor, W.A. 1977. Oxygen requirements of embryos and larvae of the largemouth bass, *Micropterus salmoides* (Lacepede). *J. Fish Biol.* 11:77-86. #162

Spoor, W.A. and R.A. Drummond. 1972. An electrode for detecting movement in gradient tanks. *Trans. Am. Fish. Soc.* 101:714-715. #76

Spoor, W.A., T.W. Neiheisel, and R.A. Drummond. 1971. An electrode chamber for recording respiratory and other movements of free-swimming animals. *Trans. Am. Fish. Soc.* 100:22-28. #61

Sridharan, N. and G.F. Lee. 1977. Algal nutrient availability and limitation in Lake Ontario during International Field Year for the Great Lakes (IFYGL). Part III: Algal nutrient limitation in Lake Ontario during IFYGL. *EPA/600/3-77/046a*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract R80053702.

Sridharan, N. and G.F. Lee. 1977. Algal nutrient availability and limitation in Lake Ontario during International Field Year for the Great Lakes (IFYGL). Part III: Algal nutrient limitation in Lake Ontario during IFYGL. *Appendices. EPA/600/3-77/046b*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. (PB265 004): Contract R80053702.

Stahl, R.G. Jr., J. Orme-Zavaleta, K. Austin, W. Berry, J.R. Clark, S. Cormier, W. Fisher, J. Garber, R. Hoke, L. Jackson, G. Kreamer, C. Muska, and M.E. Sierszen. 2000. Ecological indicators in risk assessment: workshop summary. *HERA* 6:671-677. #2000-6

Stalling, D.L. and J.N. Huckings. 1976. Analysis and GC-MS characterization of toxaphene in fish and water. EPA/600/3-76/076. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract EPAIAG0153D.

Stanley, J.K., A.J. Kennedy, J.D. Farrar, D.R. Mount, and J.A. Steevens. 2010. Evaluation of reduced sediment volume procedures for acute toxicity tests using the estuarine amphipod *Leptocheirus plumulosus*. Environ. Toxicol. Chem. 29:2796-2776. #5263

Stay, F.S. 1980. Review of aquatic microcosm techniques used for hazard assessment of potentially toxic compounds. Corvallis Environmental Research Laboratory, USEPA, Corvallis, OR. #1980-3

Stay, F.S., T.E. Flum, L.J. Shannon, and J.D. Yount. 1989. An assessment of the precision and accuracy of SAM and MFC microcosms exposed to toxicants. In: *Aquatic toxicology and hazard assessment, 12th Vol.* U.M. Cowgill, L.R. Williams, Eds., pp.189-203. STP 1027. ASTM, Philadelphia, PA. #1989-36

Stay, F.S. and A.W. Jarvinen. 1995. Use of microcosm and fish toxicity data to select mesocosm treatment concentrations. *Arch. Environ. Contam. Toxicol.* 28:451-458. #585

Stay, F.S., A. Katko, C.M. Rohm, M.A. Fix, and D.P. Larsen. 1989. The effects of atrazine on microcosms developed from four natural plankton communities. *Arch. Environ. Contam. Toxicol.* 18:866-875. #400

Stay, F.S., A. Katko, C.M. Rohm, M.A. Fix, and D.P. Larsen. 1988. Effects of fluorene on microcosms developed from four natural communities. *Environ. Toxicol. Chem.* 7:635-644. #370

Stefan, H.G. and X. Fang. 1995. A methodology to estimate year-round effects of climate change on water temperature, ice and dissolved oxygen characteristics of temperate zone lakes with application to Minnesota. Environmental Research Laboratory, USEPA, Duluth, MN. #1995-26

Stefan, H.G. and X. Fang. 1994. Model simulations of dissolved oxygen characteristics of Minnesota lakes: Past and future. *Environ. Manage.* 18:73-92. #1994-1

Stefan, H.G., X. Fang, and J.G. Eaton. 2001. Simulated fish habitat changes in North American lakes in response to projected climate warming. *Trans. Am. Fish. Soc.* 130:459-477. #2001-15

Stefan, H.G., X. Fang, D. Wright, J.G. Eaton, and J.H. McCormick. 1995. Simulation of dissolved oxygen profiles in a transparent, dimictic lake. *Limnol. Oceanog.* 40:105-118. #586

Stefan, H.G., J. Gulliver, M.G. Hahn, and A.Y. Fu. 1980. Water temperature dynamics in experimental field channels: Analysis and modeling. Proj. Rept. 193, St. Anthony Falls Hydraulic Lab., UM, Minneapolis, MN. Prepared for Environmental Research Laboratory, USEPA, Duluth, MN. #1980-6

Stefan, H.G., M. Hondzo, J.G. Eaton, and J.H. McCormick. 1995. Validation of a fish habitat model for lakes. *Ecol. Model.* 82:211-224. #587

Stefan, H.G., M. Hondzo, J.G. Eaton, and J.H. McCormick. 1995. Predicted effects of global climate change on fishes in Minnesota lakes. In: *Climate change and northern fish populations*. R.J. Beamish, Ed., pp. 57-72. Canadian Spec. Pub. of Fisheries and Aquatic Sciences 121. National Research Council of Canada. #1995-9

Stefan, H.G., M. Hondzo, J.G. Eaton, and J.H. McCormick. 1993. Comparison of actual fish observations with simulated suitable fish habitat in Minnesota lakes. #826

Stefan, H.G., M. Hondzo, and X. Fang. 1993. Lake water quality modeling for projected future climate scenarios. *J. Environ. Qual.* 22:417-431. #1993-10

Stefan, H.G., M. Hondzo, X. Fang, J.G. Eaton, and J.H. McCormick. 1996. Simulated long-term temperature and dissolved oxygen characteristics of lakes in the north-central United States and associated fish habitat limits. *Limnol. Oceanog.* 41:1124-1135. #630

Stefan, H.G., M. Hondzo, X. Fang, J.G. Eaton, and J.H. McCormick. 1995. Simulated long-term temperature and dissolved oxygen characteristics of Minnesota lakes and resulting habitat limits for fishes. #828

Stefan, H.G., M. Hondzo, X. Fang, A.H. Rasmussen, J.G. Eaton, and J.H. McCormick. 1994. Year-round water temperature and dissolved oxygen simulation model for lakes with winter ice cover. #827

Stefan, H.G., M. Hondzo, B. Sinokrot, X. Fang, J.G. Eaton, B.E. Goodno, K.E.F. Hokanson, J.H. McCormick, D.G. O'Brien, and J.A. Wisniewski. 1992. A methodology to estimate global climate change impacts on lake and stream environmental conditions and fishery resources with application to Minnesota. Office of Program Planning and Evaluation, USEPA, Washington, DC. #1992-35

Stefan, H.G. and E.B. Preud'homme. 1993. Stream temperature estimation from air temperature. *Water Res. Bull.* 29:1-19. #1993-11

Stefan, H.G. and B.A. Sinokrot. 1993. Projected global climate change impact on water temperatures in five north central U.S. streams. *Clim. Change* 24:353-381. #1993-1

Stefanovic, D.L. and H.G. Stefan. 1997. Two-dimensional water quality model for unsteady advection-diffusion of nonconservative substances. USEPA, ORD, Washington, DC and USEPA, ORD, Mid-Continent Ecology Division, Duluth, MN. #1997-19

Steffen, M., T.M. Sarkela, A.A. Gybina, T.W. Steele, N.J. Trasseth, D. Kuehl, and C. Giulivi. 2001. Metabolism of S-nitrosoglutathione in intact mitochondria. *Biochem. J.* 356:395-402. #2001-4

Steiert, J.G., J.J. Pignatello, and R.L. Crawford. 1987. Degradation of chlorinated phenols by a pentachlorophenol-degrading bacterium. *Appl. Environ. Microbiol.* 53:907-910. #1987-31

Stemberger, R.S., J.E. Gannon, and F.J. Bricker. 1979. Spatial and seasonal structure of rotifer communities in Lake Huron. *EPA/600/3-79/085*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grants 803086, 803037.

Stephan, C.E. 2002. Use of species sensitivity distributions in the derivation of water quality criteria for aquatic life by the USEPA. In: *Species Sensitivity Distributions in Ecotoxicology*. L. Posthuma, G.W. Suter II, T.P. Traas, Eds. Lewis Publishers, Boca Raton, FL, pp. 211-220. #2002-1

Stephan, C.E. 1995. Derivation of conversion factors for the calculation of dissolved freshwater aquatic life criteria for metals. #1995-30

Stephan, C.E. 1993. Derivation of proposed human health and wildlife bioaccumulation factors for the Great Lakes Initiative. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1993-22

Stephan, C.E. 1989. Topics on expressing and predicting results of life-cycle tests. In: *Aquatic toxicology and environmental fate, 11th vol.* G.W. Suter, II, M.A. Lewis, Eds., pp. 263-272. STP 1007, ASTM, Philadelphia, PA. #1989-33

Stephan, C.E. 1987. Manual of instructions for preparing aquatic life water quality criteria documents. Environmental Research Laboratory, USEPA, Duluth, MN. #1987-47

Stephan, C.E. 1986. Proposed goal of applied aquatic toxicology. In: *Aquatic toxicology and environmental fate, 9th Vol.* T.M. Poston, R. Purdy, Eds., pp. 3-10. STP 921. ASTM, Philadelphia, PA. #1986-30

Stephan, C.E. 1985. Are the "Guidelines for deriving numerical national water quality criteria for the protection of aquatic life and its uses" based on sound judgements? In: *Aquatic toxicology and hazard assessment: 7th symposium*. R.D. Cardwell, R. Purdy, R.C. Bahner, Eds., pp. 515-526. STP 854, ASTM, Philadelphia, PA. #1985-18

Stephan, C.E. 1982. Increasing the usefulness of acute toxicity tests. In: *Aquatic toxicology and hazard assessment: 5th conference*. J.G. Pearson, R.B. Foster, W.E. Bishop, Eds., pp. 69-81. STP 766, ASTM, Philadelphia, PA. #1982-19

Stephan, C.E. 1977. Methods for calculating an LC₅₀. In: *Aquatic toxicology and hazard evaluation*. F.L. Mayer, J.L. Hamelink, Eds., pp. 65-84. STP 634, ASTM, Philadelphia, PA. #1977-6

Stephan, C.E. 1970. Statement (cadmium toxicity). National Water Quality Laboratory, USEPA, Duluth, MN. #1970-20

Stephan, C.E. and D.I. Mount. 1973. Use of toxicity tests with fish in water pollution control. In: *Biological methods for the assessment of water quality*. J. Cairns Jr., K.L. Dickson, Eds., pp. 164-177. STP 528, ASTM, Philadelphia, PA. #1973-20

Stephan, C.E., D.I. Mount, D.J. Hansen, J.H. Gentile, G.A. Chapman, and W.A. Brungs. 1985. Guidelines for deriving numerical national water quality criteria for the protection of aquatic organisms and their uses. USEPA/ORD Environmental Research Laboratories: Duluth/MN, Narragansett/RI, Corvallis/OR. #1985-31

Stephan, C.E. and J.W. Rogers. 1985. Advantages of using regression analysis to calculate results of chronic toxicity tests. In: *Aquatic toxicology and hazard assessment: 8th symposium*. R.C. Bahner, D.J. Hansen, Eds., pp. 328-338. STP 891, ASTM, Philadelphia, PA. #1985-22

Stephan, C.E., D.L. Spehar, T.H. Roush, G.L. Phipps, and Q.H. Pickering. 1986. Effects of pollution on freshwater organisms. *J. Water Pollut. Control Fed.* 58:645-671. #333

Sternberg, R.M., K.R. Thoemke, J.J. Korte, S.M. Moen, J. Olson, L. Korte, J.E. Tietge, and S.J. Degitz. 2011. Control of pituitary thyroid-stimulating hormone synthesis and secretion by thyroid hormones during *Xenopus* metamorphosis. *Gen. Compar. Endocrin.* 173:428-437. #5236

Stevenson, R.J., B.H. Hill, A.T. Herlihy, L.L. Yuan, and S.B. Norton. 2008. Algae-P relationships, thresholds, and frequency distributions guide nutrient criteria development. *J. NABS* 27:783-799. #4606

Stockwell, J.D., D.L. Yule, T.R. Hrabik, M.E. Sierszen, and E.J. Isaac. 2014. Habitat coupling in a large lake system: Delivery of an energy subsidy by an offshore planktivore to the nearshore zone of Lake Superior. *Freshwater Biology* 59:1197-1212. 5568

Stockwell, J.D., D.L. Yule, T.R. Hrabik, M.E. Sierszen, and E.J. Isaac. 2014. Habitat coupling in a large lake system: Delivery of an energy subsidy by an offshore planktivore to the nearshore zone of Lake Superior. *Fresh. Biol.* 59:1197-1212. #5568

Stockwell, J.D., D.L. Yule, T.R. Hrabik, M.E. Sierszen, M.T. Negus, O.T. Gorman, D.R. Schreiner, and M.P. Ebener. 2010. Offshore fish community: Ecological interactions. *The State of Lake Superior in 2005*, O.T. Gorman, M.P. Ebener, M.R. Vinson, Eds., Great Lakes Fishery Commission Special Pub., 10-01:101-106. #5416

Stoermer, E.F. 1993. Diatom studies under EMAP Great Lakes quality assurance project plan. Large Lakes Research Station, Environmental Research Laboratory-Duluth, ORD, USEPA, Grosse Ile, MI. #1993-26

Stoermer, E.F. 1980. Characteristics of benthic algal communities in the upper Great Lakes. *EPA/600/3-80/073*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803037.

Stoermer, E.F. and N.A. Andresen. 1995. Diatom studies under EMAP Great Lakes. Large Lakes Research Station, Environmental Research Laboratory-Duluth, ORD, USEPA, Grosse Ile, MI. #1995-7

Stoermer, E.F. and R.G. Kreis Jr. 1980. Phytoplankton composition and abundance in southern Lake Huron. *EPA/600/3-80/061*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803086.

Stoermer, E.F., R.G. Kreis Jr., and N.A. Andresen. 1999. Checklist of diatoms from the Laurentian Great Lakes. II. *J. Great Lakes Res.* 25:515-566. #1999-11

Stoermer, E.F. and R.G. Kreis Jr. 1980. Phytoplankton composition and abundance in southern Lake Huron. *EPA/600/3-80/061*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803086.

Strachan, W.M.J. and G.E. Glass. 1978. Organochlorine substances in Lake Superior. *J. Great Lakes Res.* 4:389-397. #184

Stroom, K.T., K.L. Schmude, J. Snitgen, S.J. Lozano, T.D. Corry, and J.V. Scharold. 2010. New records and range extensions for several Chironomid genera from Lake Superior. *Proc. of XV International Symposium on Chironomidae*, St. Paul, MN, August 12-5, 2003, Chironomidae Research Group, UM, St. Paul, MN, pp. 184-195. #4198

Stroud, R.K., G.R. Bouck, and A.V. Nebeker. 1975. Pathology of acute and chronic exposure of salmonid fishes to supersaturated water. In: *Chemistry and physics of aqueous gas solutions*. W.A. Adams, et al., Eds., pp. 435-449. The Electrochemical Society, Princeton, NJ. #1975-9

Stueve, K.M., T.P. Hollenhorst, J.R. Kelly, L.B. Johnson and G.E. Host. 2015. High-resolution maps of forest-urban watersheds present an opportunity for ecologists and managers. *Landscape Ecology* 30:313-323.

Sundstrom, G., T. Sawyer, O. Hutzinger, and S. Safe. 1986. In vitro bioassays for toxic polychlorinated azobenzenes. *Chemosphere* 15:2105-2107. #1986-17

Swackhamer, D.L. and D.E. Armstrong. 1988. Horizontal and vertical distribution of PCBs in southern Lake Michigan sediments and the effect of Waukegan Harbor as a point source. *J. Great Lakes Res.* 14:277-290. #1988-6

Swackhamer, D.L. and D.E. Armstrong. 1987. Distribution and characterization of PCBs in Lake Michigan water. *J. Great Lakes Res.* 13:24-36. #1987-22

Swackhamer, D.L. and R.A. Hites. 1988. Occurrence and bioaccumulation of organochlorine compounds in fishes from Siskiwit Lake, Isle Royale, Lake Superior. *Environ. Sci. Technol.* 22:543-548. #1988-33

Swain, W.R., M.D. Mullin, and J.C. Filkins. 1986. Long range transport of toxic organic contaminants to the North American Great Lakes. In: *EPA/600/9-86/024*. Environmental Research Laboratory, ORD, USEPA, Athens, GA. #1986-37

Swain, W.R. and V.R. Shannon. 1980. *Proceedings of the 2nd American-Soviet Symposium on the Use of Mathematical Models to Optimize Water Quality Management: Bloomfield Hills, Michigan, USA, August 27-30, 1979*, EPA/600/9-80/033. Environmental Research Laboratory, Office of Research and Development, USEPA, Duluth, MN.

Swain, W.R. and V.R. Shannon. 1980. *Proceedings of the 3rd USA-USSR Symposium on the Effects of Pollutants Upon Aquatic Ecosystems: Theoretical Aspects of Aquatic Toxicology, July 2-6, 1979, Borok, Jaroslavl Oblast, USSR*, EPA/600/9-80/034. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Swain, W.R., R.M. Wilson, R.P. Neri, and G.S. Porter. 1975. Persistent organic and heavy metal residues in the near-shore fishery of western Lake Superior. Report to the Environmental Protection Agency and the International Joint Commission. #1975-14

Swartz, R.C., S.P. Ferraro, J.O. Lamberson, F.A. Cole, R.J. Ozretich, B.L. Boese, D.W. Schults, M. Behrenfeld, and G.T. Ankley. 1997. Photoactivation and toxicity of mixtures of polycyclic aromatic hydrocarbon compounds in marine sediment. *Environ. Toxicol. Chem.* 16:2151-2157. #659

Swenson, W.A. 1978. Influence of turbidity on fish abundance in western Lake Superior. *EPA/600/3-78/067*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R802455.

Swenson, W.A. 1970. Influence of advanced wastewater treatment on the fishery resource of Shagawa Lake, Ely, Minnesota. Report, Grant R803673. Environmental Research Laboratory, USEPA, Duluth, MN. #1970-24

Swenson, W.A., W.P. Gobin, and T.D. Simonson. 1988. Calibrated mask-bar for underwater measurement of fish. *N. Am. J. Fish. Manage.* 8:382-385. #1988-15

Swenson, W.A., J.H. McCormick, T.D. Simonson, K.M. Jensen, and J.G. Eaton. 1989. Experimental acidification of Little Rock Lake (Wisconsin): Fish research approach and early responses. *Arch. Environ. Contam. Toxicol.* 18:167-174. #401

Swift, M.C., G.J. Niemi, and J.A. Perry. 1994. Predictive modeling and experimental design of lotic mesocosms. Final report to the Environmental Research Laboratory, USEPA, Duluth, MN. #1994-16

Swift, M.C., N.H. Troelstrup, Jr., N.E. Detenbeck, and J.L. Foley. 1993. Large artificial streams in toxicological and ecological research. *J. N. Am. Benth. Soc.* 12:359-366. #1993-27

Sydor, M. and K. Stortz. 1980. Sources and transports of coal in the Duluth-Superior harbor. *EPA/600/3-80/007*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803952.

Symonik, D.M., J.R. Coats, S.P. Bradbury, G.J. Atchison, and J.M. Clark. 1989. Effect of fenvalerate on metabolic ion dynamics in the fathead minnow (*Pimephales promelas*) and bluegill (*Lepomis macrochirus*). *Bull. Environ. Contam. Toxicol.* 42:821-828. #1989-41

Syrett, R.F. and W.F. Dawson. 1975. An inexpensive solid-state temperature controller. *Prog. Fish-Cult.* 37:171-172. #123

Syrett, R.F. and W.F. Dawson. 1972. An inexpensive electronic relay for precise water-temperature control. *Prog. Fish-Cult.* 34:241-242. #77

T

Tanis, F.J. 1980. A remote sensing technique to monitor *Cladophora* in the Great Lakes. *EPA 600/3-80/075*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803611.

Tanner, D.K., J.C. Brazner, and V.J. Brady. 2000. Factors influencing carbon, nitrogen, and phosphorus content of fish from a Lake Superior coastal wetland. *Can. J. Fish. Aquat. Sci.* 57:1243-1251. #739

Tanner, D.K., J.C. Brazner, V.J. Brady, and R.R. Regal. 2004. Habitat associations of larval fish in a Lake Superior coastal wetland. *J. Great Lakes Res.* 30:349-359. #832

Tanner, D.K. and M.L. Knuth. 1996. Effects of esfenvalerate on the reproductive success of the bluegill sunfish, *Lepomis macrochirus* in littoral enclosures. *Arch. Environ. Contam. Toxicol.* 31:244-251. #631

Tanner, D.K. and M.L. Knuth. 1995. Effects of azinphos-methyl on the reproductive success of the bluegill sunfish, *Lepomis macrochirus*, in littoral enclosures. *Ecotox. Environ. Safety* 32:184-193. #588

Tanner, D.K., E.N. Leonard, and J.C. Brazner. 1999. Microwave digestion method for phosphorus determination of fish tissue. *Limnol. Oceanogr.* 44:708-709. #709

Tanner, D.K. and M.F. Moffett. 1995. Effects of diflubenzuron on the reproductive success of the bluegill sunfish, *Lepomis macrochirus*. *Environ. Toxicol. Chem.* 14:1345-1355. #589

Tapper, M.A. and R.E. Hicks. 1998. Temperate viruses and lysogeny in Lake Superior bacterioplankton. *Limnol. Oceanogr.* 43:95-103. #681

Tapper, M.A., B.R. Sheedy, D.E. Hammermeister, and P.K. Schmieder. 2000. Depletion of cellular protein thiols as an indicator of arylation in isolated trout hepatocytes exposed to 1,4-benzoquinone. *Toxicol. Sci.* 55:327-334. #738

Taraldsen, J. 1980. Toxicity testing/TREs of oil treater discharges in the Powder River basin, Wyoming. Environmental Research Laboratory, USEPA, Duluth, MN. #1980-5

Taraldsen, J.E. and T.J. Norberg-King. 1990. New method for determining effluent toxicity using duckweed (*Lemna minor*). *Environ. Toxicol. Chem.* 9:761-767. #433

Tarzwel, C.M. 1972. An argument for the open ocean siting of coastal thermal electric plants. *J. Environ. Qual.* 1:89-91. #1972-13

Taylor, D.L., D.W. Bolgrien, T.R. Angradi, M.S. Pearson, and B.H. Hill. 2013. Habitat and hydrology condition indices for the upper Mississippi, Missouri, and Ohio Rivers. *Ecol. Indic.* 29:111-124. #5384

Tetrick, N. and E. Joeres. 1980. Water constraints in power-plant siting and operation: Wisconsin power plant impact study. *EPA/600/3-80/077*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803971.

Thatcher, T.O. and J. F. Santner. 1967. Acute toxicity of LAS to various fish species. *Proc. 21st Ind. Waste Conf., Purdue Univ.* 50:996-1002. #14

Theis, T.L., T.C. Young, and J.V. DePinto. 1988. Factors affecting metal partitioning during resuspension of sediments from the Detroit River. *J. Great Lakes Res.* 14:216-226. #1988-10

Thomann, R.V. 1981. Equilibrium model of fate of microcontaminants in diverse aquatic food chains. *Can. J. Fish. Aquat. Sci.* 38:280-296. #1981-13

Thomann, R.V. 1978. Size dependent model of hazardous substances in aquatic food chain. *EPA/600/3-78/036*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB 281009): Contract R803680.

Thomann, R.V. and J.P. Connolly. 1984. Model of PCB in the Lake Michigan lake trout food chain. *Environ. Sci. Technol.* 18:65-71. #1984-10

Thomann, R.V. and J.P. Connolly. 1984. An age-dependent model of PCB in a Lake Michigan food chain: Project Summary. *EPA/600/S3-84/026*. #1984-18

Thomann, R.V. and J.P. Connolly. 1984. An age dependent model of PCB in a Lake Michigan food chain. *EPA/600/3-84/026*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, PB84-155993:CR 805916.

Thomann, R.V., J.P. Connolly, and N.A. Thomas. 1987. The Great Lakes ecosystem--modeling of the fate of PCBs. *EPA/600/D-87/325*. USEPA, ORD, Environmental Research Laboratory, Duluth, MN. (Also published as book chapter in: *PCBs in the Environment*, 1986, J.S. Waid, Ed., CRC Press.) PB 88-124102. #1987-33

Thomann, R.V., R.P. Winfield, D.M. Di Toro, and D.J. O'Connor. 1976. Mathematical modeling of phytoplankton in Lake Ontario. Part 2: Simulations using Lake 1 model.

EPA/600/3-76/065. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R800610.

Thomann, R.V., R.P. Winfield and J.J. Segna. 1979. Verification analysis of Lake Ontario and Rochester embayment three dimensional eutrophication models. *EPA/600/3-79-094*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803680.

Thomas, N.A. 1994. EPA/ORD role and perspective in sediment research. In: *Transport and transformation of contaminants near the sediment-water interface*. J.V. DePinto, W. Lick, J.F. Paul, Eds., pp. 7-15. Lewis Publishers, Boca Raton, FL. #1994-5

Thomas, N.A. 1993. Use of biomonitoring to control toxics in the United States. In: *EPA/600/R-93/157*. Environmental Research Laboratory, ORD, USEPA, Athens, GA. #1993-25

Thomas, N.A. 1988. Use of biomonitoring to control toxics in the United States. *Water Sci. Technol.* 20:101-108. #371

Thomas, N.A. and W.J. Christie, Eds. 1972. Status of the biota of Lake Ontario during IFYGL. International Field Year for the Great Lakes. #1972-6

Thomas, N.A., J.O. Lamberson, and R.C. Swartz. 1992. Bulk sediment toxicity test approach. In: *Sediment classification methods compendium*, pp. 3.1-3.10. *EPA/823/R-92/006*. USEPA, Washington, DC. #1992-21

Thompson, J.A. 1997. Cellular fluorescence capacity as an endpoint in algal toxicity testing. *Chemosphere* 35:2027-2037. #667

Thompson, K.W., M.L. Deaton, R.V. Foutz, J. Cairns Jr., and A.C. Hendricks. 1982. Application of time-series intervention analysis to fish ventilatory response data. *Can. J. Fish. Aquat. Sci.* 39:518-521. #1982-21

Thompson, K.W., A.C. Hendricks, and J. Cairns Jr. 1980. Acute toxicity of zinc and copper singly and in combination to the bluegill (*Lepomis macrochirus*). *Bull. Environ. Contam. Toxicol.* 25:122-129. #1980-19

Thurston, R.V. and P.C. Gehrke. 1993. Respiratory oxygen requirements of fishes: Description of OXYREF, a data file based on test results reported in the published literature. In: *Fish Physiology, Toxicology, and Water Quality Management, Proceedings of an International Symposium*, Sacramento, CA, Sept. 18-20, 1990, pp. 95-108. #1993-7

Thurston, R.V., T.A. Gilfoil, E.L. Meyn, R.K. Zajdel, T.I. Aoki, and G.D. Veith. 1985. Comparative toxicity of ten organic chemicals to ten common aquatic species. *Water Res.* 19:1145-1155. #306

Thurston, R.V. and E.L. Meyn. 1987. Acute toxicity of ammonia to fishes of nine species from the Yellowstone River drainage, Montana. Tech. Rept. 87-1, Fisheries Bioassay Laboratory, MT State University, Bozeman, MT. #1987-43

Thurston, R.V. and R.C. Russo. 1981. Acute toxicity of ammonia to golden trout (*Salmo aguabonita*) and mottled sculpin (*Cottus bairdi*). Tech. Rept. 81-1, Fisheries Bioassay Laboratory, MT State University, Bozeman, MT. #1981-9

Thurston, R.V., R.C. Russo, and K. Emerson. 1979. Aqueous ammonia equilibrium--tabulation of percent un-ionized ammonia. EPA/600/3-79/091. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R800861.

Thurston, R.V., R.C. Russo, and K. Emerson. 1974. Aqueous ammonia equilibrium calculations. Tech. Rept. 74-1. Fisheries Bioassay Laboratory, MT State University, Bozeman, MT. #1974-10

Thurston, R.V., R.C. Russo, R.J. Luedtke, C.E. Smith, E.L. Meyn, C. Chakoumakos, K.C. Wang, and C.J.D. Brown. 1984. Chronic toxicity of ammonia to rainbow trout. *Trans. Am. Fish. Soc.* 113:56-73. #290

Tietge, J.E., G.T. Ankley, D.L. DeFoe, G.W. Holcombe, and K.M. Jensen. 2000. Effects of water quality on development of *Xenopus laevis*: a frog embryo teratogenesis assay--*Xenopus* assessment of surface water associated with malformations in native anurans. *Environ. Toxicol. Chem.* 19:2114-2121. #741

Tietge, J.E., B.C. Butterworth, J.T. Haselman, G.W. Holcombe, M.W. Hornung, J.J. Korte, P.A. Kosian, M. Wolfe, and S.J. Degitz. 2010. Early temporal effects of three thyroid hormone synthesis inhibitors in *Xenopus laevis*. *Aquat. Toxicol.* 98:44-50. #5134

Tietge, J.E., S.J. Degitz, J.T. Haselman, B.C. Butterworth, J.J. Korte, P.A. Kosian, A.J. Lindberg-Livingston, E.M. Burgess, P. Blackshear, and M.W. Hornung. 2012. Inhibition of the thyroid hormone pathway in *Xenopus laevis* by 2-mercaptobenzothiazole. *Aquat. Toxicol.* 126:128-136. #5571

Tietge, J.E., S.A. Diamond, G.T. Ankley, D.L. DeFoe, G.W. Holcombe, K.M. Jensen, S.J. Degitz, G.E. Elonen, and E. Hammer. 2001. Ambient solar UV radiation causes mortality in larvae of three species of *Rana* under controlled exposure conditions. *Photochem. Photobiol.* 74:261-268. #762

Tietge, J.E., J.R. Hockett, and J.M. Evans. 2002. Major ion toxicity of six produced waters to three freshwater species: Application of ion toxicity models and TIE procedures. *Environ. Toxicol. Chem.* 16:2002-2008. 97. #656

Tietge, J.E., J.R. Hockett, and J.M. Evans. 1997. Major ion toxicity of six produced waters to three freshwater species: Application of ion toxicity models and TIE procedures. *Environ. Toxicol. Chem.* 16:2002-2008. #656

Tietge, J.E., G.W. Holcombe, K.M. Flynn, P.A. Kosian, J.J. Korte, L.E. Anderson, D.C. Wolf, and S.J. Degitz. 2005. Metamorphic inhibition of *Xenopus laevis* by sodium perchlorate: Effects on development and thyroid histology. *Environ. Toxicol. Chem.* 24:926-933. #852

Tietge, J.E., R.D. Johnson, and H.L. Bergman. 1988. Morphometric changes in gill secondary lamellae of brook trout (*Salvelinus fontinalis*) after long-term exposure to acid and aluminum. *Can. J. Fish. Aquat. Sci.* 45:1643-1648. #372

Tietge, J.E., R.D. Johnson, K.M. Jensen, P.M. Cook, G.E. Elonen, J.D. Fernandez, G.W. Holcombe, D.B. Lothenbach, and J.W. Nichols. 1998. Reproductive toxicity and disposition of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin in adult brook trout (*Salvelinus fontinalis*) following a dietary exposure. *Environ. Toxicol. Chem.* 17:2395-2407. #690

Tillitt, D.E., G.T. Ankley, and J.P. Giesy. 1989. Planar chlorinated hydrocarbons (PCHs) in colonial fish-eating waterbird eggs from the Great Lakes. *Mar. Environ. Res.* 28:505-508. #402

Tillitt, D.E., G.T. Ankley, J.P. Giesy, J.P. Ludwig, H. Kurita-Matsuba, D.V. Weseloh, P.S. Ross, C.A. Bishop, L. Sileo, K.L. Stromborg, J. Larson, and T.J. Kubiak. 1992. Polychlorinated biphenyl residues and egg mortality in double-crested cormorants from the Great Lakes. *Environ. Toxicol. Chem.* 11:1281-1288. #488

Tillitt, D.E., P.M. Cook, J.P. Giesy, W. Heideman, and R.E. Peterson. 2008. Chapter 21: Reproductive impairment of Great Lakes lake trout by dioxin-like chemicals. In: *The Toxicology of Fishes*, R.T. DiGiulio, D.E. Hinton, Eds., Taylor & Francis, Boca Raton, FL, pp. 819-875. #4877

Tillitt, D.E., J.P. Giesy, and G.T. Ankley. 1991. Characterization of the H4IIE rat hepatoma cell bioassay as a tool for assessing toxic potency of planar halogenated hydrocarbons in environmental samples. *Environ. Sci. Technol.* 25:87-92. #463

Tillitt, D.E., T.J. Kubiak, G.T. Ankley, and J.P. Giesy. 1993. Dioxin-like potency in Forster's tern eggs from Green Bay, Lake Michigan, North America. *Chemosphere* 26:2079-2084. #517

Trebitz, A.S. and J.C. Hoffman. 2015. Coastal wetland support of Great Lakes fisheries: Progress from concept to quantification. *Transactions of the American Fisheries Society* 144 (2):352-372.

Trebitz, A.S. 2012. Deriving criteria-supporting benchmark values from empirical response relationships: comparison of statistical techniques and effect of log-transforming the nutrient variable. *Fresh. Science* 31: 986-1002. #5475

Trebitz, A.S. 2006. Characterizing seiche and tide-driven daily water level fluctuations affecting coastal ecosystems of the Great Lakes. *J. Great Lakes Res.* 32:102-116. #880

Trebitz, A.S., J.C. Brazner, V.J. Brady, R.P. Axler, and D.K. Tanner. 2007. Turbidity tolerances of Great Lakes coastal wetland fishes. *N. Am. J. Fish. Manage.* 27:619-633. #4439

Trebitz, A.S., J.C. Brazner, N. Danz, M.S. Pearson, G.S. Peterson, D. Tanner, D.L. Taylor, C.W. West, and T. Hollenhorst. 2009. Geographic, anthropogenic, and habitat influences on Great Lakes coastal wetland fish assemblages. *Can. J. Fish. Aquat. Sci.* 66:1328-1342. #4982

Trebitz, A.S., J.C. Brazner, A.M. Cotter, M.L. Knuth, J.A. Morrice, G.S. Peterson, M.E. Sierszen, J.A. Thompson, and J.R. Kelly. 2008. Water quality in Great Lakes coastal wetlands: Basin-wide patterns and responses to an anthropogenic disturbance gradient. *J. Great Lakes Res.* 33(SI3):67-85. #4677

Trebitz, A.S., J.C. Brazner, M.S. Pearson, G.S. Peterson, D. Tanner, and D.L. Taylor. 2009. Patterns in habitat and fish assemblages within Great Lakes coastal wetlands and implications for sampling design. *Can. J. Fish. Aquat. Sci.* 66:1343-1354. #4986

Trebitz, A.S., J.C. Brazner, D.K. Tanner, and R. Meyer. 2011. Interacting watershed size and landcover influences on habitat and biota of Lake Superior coastal wetlands. *Aquat. Eco. Health Manage.* 14(SI):443-455. #5401

Trebitz, A.S., S. Carpenter, P. Cunningham, B. Johnson, R. Lillie, D. Marshall, T. Martin, R. Narf, T. Pellett, S. Stewart, C. Storlie, and J. Unmuth. 1998. A model of bluegill-largemouth bass interactions in relation to aquatic vegetation and its management. *Ecol. Model.* 94:139-156. #644

Trebitz, A.S., B.H. Hill, and F.H. McCormick. 2003. Sensitivity of indices of biotic integrity to simulated fish assemblage changes. *Environ. Manage.* 32:499-515. #807

Trebitz, A.S., J.R. Kelly, J.C. Hoffman, G.S. Peterson, and C.W. West. 2009. Exploiting habitat and gear patterns for efficient detection of rare and non-native benthos and fish in Great Lakes coastal ecosystems. *Aquat. Invas.* 4:651-667. #5172

Trebitz, A.S., J.A. Morrice, and A.M. Cotter. 2002. Relative role of lake and tributary in hydrology of Lake Superior coastal wetlands. *J. Great Lakes Res.* 28:212-227. #772

Trebitz, A.S., J.S. Morrice, D.L. Taylor, R.L. Anderson, C.W. West, and J.R. Kelly. 2005. Hydromorphic determinants of aquatic habitat variability in Lake Superior coastal wetlands. *Wetlands* 25:505-519. #871

Trebitz, A.S. and N. Nibbelink. 1996. Effect of pattern of vegetation removal on growth of bluegill: A simple model. *Can. J. Fish. Aquat. Sci.* 53:1844-1851. #632

Trebitz, A.S. and D.L. Taylor. 2007. Exotic and invasive aquatic plants in Great Lakes coastal wetlands: Distribution and relation to watershed land use and plant richness and cover. *J. Great Lakes Res.* 33:705-721. #4591

Trebitz, A.S., C.W. West, J.C. Hoffman, J.R. Kelly, G.S. Peterson, and I.A. Grigorovich. 2010. Status of non-indigenous benthic invertebrates in the Duluth-Superior harbor and the role of sampling methods in their detection. *J. Great Lakes Res.* 36:747-756. #5292

Trenham, P.C. and S.A. Diamond. 2005. Coordinated studies of ultraviolet radiation and amphibians in lentic wetland habitats. *Ecosystems* 8:455-461. #870

Trenham, P.C., S.A. Diamond, N.E. Detenbeck, and G.T. Ankley. 1999. PRIMENet: Ultraviolet radiation/amphibian populations research planning workshop, February 1-3,1999, EPA/600/R-99/066. National Health and Environmental Effects Laboratory, Mid-Continent Ecology Division, ORD, USEPA, Duluth, MN.

Trenham, P.C., W.D. Koenig, M.J. Mossman, S.L. Stark, and L.A. Jagger. 2003. Regional dynamics of wetland-breeding frogs and toads: turnover and synchrony. *Ecol. Appl.* 13:1522-1532. #808

Trenham, P.C., W.D. Koenig, and H.B. Shaffer. 2001. Spatially autocorrelated demography and interpond dispersal in the salamander *Ambystoma californiense*. *Ecology* 82:3519-3530. #2001-12

Trenham, P.C. and H.B. Shaffer. 1998. Biochemical identification and assessment of population subdivision in morphologically similar native and invading smelt species (*Hypomesus*) in the Sacramento-San Joaquin estuary, California. *Trans. Am. Fish. Soc.* 127:417-424. #1998-13

Trenham, P.C., H.B. Shaffer, W.D. Koenig, and M.R. Stromberg. 2000. Life history and demographic variation in the California tiger salamander (*Ambystoma californiense*). *Copeia* 2:365-377. #736

Tsai, C.H., S. Iacobellis, and W. Lick. 1987. Flocculation of fine-grained lake sediments due to a uniform shear stress. *J. Great Lakes Res.* 13:135-146. #1987-19

Tsai, C.H. and W. Lick. 1986. A portable device for measuring sediment resuspension. *J. Great Lakes Res.* 12:314-321. #1986-13

Tucker, J.H., Cook, P.M., Phipps, G.L., Stokes, G.N., and Lima, P.H. 1978. Asbestos: A bibliography. EPA/600/3-78/066. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Turbak, S.C., G.J. Olson, and G.A. McFeters. 1979. Environmental effects of western coal surface mining. Part IV: Chemical and microbiological investigations of a surface coal mine settling pond. EPA/600/3-79/125. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803950.

Tye, R., R. Jepsen, and W. Lick. 1996. Effects of colloids, flocculation, particle size, and organic matter on the adsorption of hexachlorobenzene to sediments. *Environ. Toxicol. Chem.* 15:643-651. #1996-20

U

Ullman, W.J. and R.C. Aller. 1989. Nutrient release rates from the sediments of Saginaw Bay, Lake Huron. *Hydrobiologia* 171:127-140. #1989-8

USEPA. 2012. MED in Review newsletter, spring. *EPA/600/N-12/001*, Duluth, MN. #5672

USEPA. 2011. MED in Review newsletter, winter 2011-12, *EPA/600/N-11/002*, Duluth, MN. #5606

USEPA. 2011. MED in Review newsletter, *EPA/600/N-11/002*, Duluth, MN. #5561

USEPA. 2011. MED in Review newsletter, *EPA/600/N-11/001*, Duluth, MN. #5492

USEPA. 2011. MED in Review newsletter, *EPA/600/N-10/003*, Duluth, MN. #5436

USEPA. 2010. MED in Review newsletter, *EPA/600/N-10/002*, Duluth, MN. #5392

USEPA. 2010. MED in Review newsletter, *EPA/600/N-10/001*, Duluth, MN. #5317

USEPA. 2009. MED in Review newsletter, *EPA/600/N-09/001*, Duluth, MN. #5261

USEPA. 2009. MED in Review newsletter, *EPA/600/N-09/039*, Duluth, MN. #5158

USEPA. 2008. MED in Review newsletter, *EPA/600/N-08/003*, Duluth, MN. #5098

USEPA. 2008. MED in Review newsletter, *EPA/600/N-08/001*, Duluth, MN. #4995

USEPA. 2007. MED In Review newsletter, *EPA/600/N07/004*, Duluth, MN. #4911

USEPA. 2006. Framework for developing suspended and bedded sediments (SABS) water quality criteria. Washington, DC, *EPA/822/R-06/001*, 150 pp., May. #4665

USEPA. 1994. Methods for measuring the toxicity and bioaccumulation of sediment-associated contaminants with freshwater invertebrates. *EPA/600/R-99/064*, Mid-Continent Ecology Division, ORD, Duluth, MN, Office of Science and Technology, Office of Water, Washington, DC.

USEPA. 1994. Environmental monitoring and assessment program (EMAP) for the Great Lakes: Quality Assurance FY94 Annual Report and FY95 Workplan, Environmental Research Laboratory Duluth. #1994-18

USEPA. 1993. Guidelines for deriving site-specific sediment quality criteria for the protection of benthic organisms. Health and Ecological Criteria Division, Office of Science and Technology, USEPA, Washington, DC. #1993-30

USEPA. 1992. Environmental Monitoring and Assessment Program (EMAP): Great Lakes monitoring and research strategy. *EPA/620/R-92/001*. Environmental Research Laboratory, ORD, Duluth, MN.

USEPA. 1980. ERL-D Ecosystem Research Program. Internal report to ERL, Duluth, MN. #1980-12

USEPA. 1978. In-depth studies on health and environmental impacts of selected water pollutants. Performed by E G & G, Bionomics, Wareham, MA, for the Criteria Branch, Washington, DC. #1978-4

USEPA. 1977. Rapid methods research highlights. Environmental Research Laboratory, Duluth, MN. #1977-1

USEPA. 1976. Freshwater invertebrate bibliography: pollution, biology, methods. Environmental Research Laboratory, Duluth, MN. #1976-11

USEPA. 1974. Recommended zinc and copper criteria for aquatic life in Ohio. National Water Quality Laboratory, Duluth, MN. #1974-8

USEPA. 1973. PCB newsletter. National Water Quality Laboratory, Duluth, MN. #1973-22

USEPA. 1973. Extramural research--interagency agreements, contracts, and grants, June 30, 1973. National Water Quality Laboratory, Duluth, MN. #1973-14

USEPA. 1972. A summary of the US chemical and biological program for the International Field Year for the Great Lakes. Working Report #5. Grosse Ile Laboratory, Office of Research and Monitoring, Grosse Ile, MI. #1972-11

USEPA. 1972. Recommended bioassay procedure for brook trout *Salvelinus fontinalis* (Mitchill) partial chronic tests. National Water Quality Laboratory, Duluth, MN. #1972-2

USEPA. 1972. Recommended bioassay procedure for fathead minnow *Pimephales promelas* (Rafinesque) chronic tests. National Water Quality Laboratory, Duluth, MN. #1972-3

USEPA. 1972. Recommended bioassay procedure for bluegill *Lepomis macrochirus* (Rafinesque) partial chronic tests. National Water Quality Laboratory, Duluth, MN. #1972-8

USEPA. 1971. Tentative plans for the design and operation of a fathead minnow stock culture unit. National Water Quality Laboratory, Duluth, MN. #1971-9

USEPA. 1970. Effects of taconite on Lake Superior. National Water Quality Laboratory, Duluth, MN. #1970-10

USEPA. 1970. Recommended bioassay procedure for *Jordanella floridae* (Goode and Bean) chronic tests. National Water Quality Laboratory, Duluth, MN. #1970-2

USEPA. 1969. Presentation prepared by the staff of the National Water Quality Laboratory for the Joint Commission on Atomic Energy, November 5, 1969. Duluth, MN. #1969-6

USEPA Committee on Methods for Toxicity Tests with Aquatic Organisms. 1975. Methods for acute toxicity tests with fish, macroinvertebrates, and amphibians. EPA/660/3-75/009. National Environmental Research Center, ORD, Corvallis, OR; Duluth, MN.

USEPA Hazardous Waste Research Branch. 1988. Report on methods for leachate toxicity characterization. Hazardous Waste Research Branch, Environmental Research Laboratory, Duluth, MN. #1988-54

USEPA Large Lakes Research Station. 1988. Report on project planning for the Green Bay Physical-Chemical Mass Balance and Food Chain Models. Large Lakes Research Station, Grosse Ile, MI and Environmental Research Laboratory, Duluth, MN. #1988-48

USEPA Large Lakes Research Station. 1987. Presentations and publications (rev. 11/30/87). Large Lakes Research Station, Grosse Ile, MI. #1987-4

USEPA Large Lakes Research Station. 1976. A plan for the study of hazardous substances in the Great Lakes--Specifically related to Saginaw Bay. Grosse Ile, MI. #1976-3

USEPA Modeling Task Force. 1987. Large lake models--uses, abuses, and future. *J. Great Lakes Res.* 13:387-396. #1987-27

USEPA National Effluent Toxicity Assessment Center. 1991. Guidance on assessment and control of bioconcentratable contaminants in surface waters. Environmental Research Laboratory, USEPA, Duluth, MN; and Offices of Water Enforcement and Permits, Water Regulations and Standards, and Health and Environmental Assessment, USEPA, Cincinnati, OH. #1991-33

USEPA National Effluent Toxicity Assessment Center. 1988. Permit writers' guide to identification and control of bioconcentratable pollutants in complex effluents. *EPA/600/x-88/275*. Environmental Research Laboratory, Duluth, MN. #1988-49

USEPA Office of Water (N. Detenbeck/MED contributor). 2008. Nutrient Criteria Technical Guidance Manual: Wetlands, *EPA/822/B-08/001*.

USEPA Office of Water. Interim guidance on determination and use of water-effect ratios for metals. 1994. *EPA/823/R-94/001*. Office of Science and Technology, Washington, DC and Environmental Research Laboratories, ORD, Duluth, MN/Narragansett, RI.

USEPA, et al. 1990. Lake Ontario TCDD bioaccumulation study, final report and appendices (2 vols.). USEPA, NY State Dept. of Environmental Conservation, NY State Dept. of Health, and Occidental Chemical Corporation. #1990-18

USEPA (USA) and Soviet Academy of Sciences (USSR). 1978. Proceedings of the 1st and 2nd USA-USSR Symposia on the Effects of Pollutants Upon Aquatic Ecosystems. Vol. I. Duluth, MN, *USA Symposium, October 21-23, 1975*. Vol. II. Borok, Jaroslavl Oblast, *USSR Symposium, June 22-26, 1976*. *EPA/600/3-78/076*. Environmental Research Laboratory, ORD, Duluth, MN.

UW-Superior, Center for Lake Superior Environmental Studies. 1976. Environmental inventory of lower St. Louis River covering proposed improvements to Duluth-Superior Harbor, Minnesota, and Wisconsin. #1976-16

V

Vaishnav, D.D. 1986. Chemical structure-biodegradation inhibition and fish acute toxicity relationships for narcotic industrial chemicals. *Tox. Assess. Internat. Quart.* 1:227-240. #1986-5

Vaishnav, D.D. and R.L. Anderson. 1995. Uptake and loss of *Bacillus thuringiensis* var. *israelensis* by *Daphnia magna* in laboratory exposure. *Environ. Toxicol. Chem.* 14:763-766. #590

Vaishnav, D.D. and L. Babeu. 1987. Comparison of occurrence and rates of chemical biodegradation in natural waters. *Environ. Contam. Toxicol.* 39:237-244. #1987-8

Vaishnav, D.D. and L. Babeu. 1986. Occurrence and rates of chemical biodegradation in Superior Harbor water. *J. Great Lakes Res.* 12:184-191. #1986-6

Vaishnav, D.D., L. Babeu, and E.T. Korthals. 1989. Effect of microbial concentration on biodegradation rates of phenols. *J. Indust. Microbiol.* 4:307-314. #1989-6

Vaishnav, D.D., R.S. Boethling, and L. Babeu. 1987. Quantitative structure-biodegradability relationships for alcohols, ketones and alicyclic compounds. *Chemosphere* 16:695-703. #1987-10

Vaishnav, D.D., L.T. Brooke, S.H. Poirier, D.J. McCauley, and E.T. Korthals. 1988. Development and validation of single species test protocols for pesticidal and non-pesticidal microbes. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-57a

Vaishnav, D.D., L.T. Brooke, S.H. Poirier, D.J. McCauley, and E.T. Korthals. 1988. Protocol for a chronic test with the cladoceran, *Ceriodaphnia dubia*, exposed to bacteria used as pest control agents. In: *Development and validation of single species test protocols for pesticidal and non-pesticidal microbes*. D.D. Vaishnav, L.T. Brooke, S.H. Poirier, D.J. McCauley, E.T. Korthals, Eds. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-57b

Vaishnav, D.D., L.T. Brooke, S.H. Poirier, D.J. McCauley, and E.T. Korthals. 1988. Protocol for an acute toxicity test with cyclopoid copepods exposed to bacteria used as pest control agents. In: *Development and validation of single species test protocols for pesticidal and non-pesticidal microbes*. D.D. Vaishnav, L.T. Brooke, S.H. Poirier, D.J. McCauley, E.T. Korthals, Eds. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-57c

Vaishnav, D.D., L.T. Brooke, S.H. Poirier, D.J. McCauley, and E.T. Korthals. 1988. Protocol for an acute toxicity test with the cladocerans (*Daphnia magna* and *Daphnia pulex*) exposed to bacteria used as pest control agents. In: *Development and validation of single species test protocols for pesticidal and non-pesticidal microbes*. D.D. Vaishnav, L.T. Brooke, S.H. Poirier, D.J. McCauley, E.T. Korthals, Eds. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-57e

Vaishnav, D.D. and E.T. Korthals. 1990. Comparative toxicities of selected industrial chemicals to microorganisms and other aquatic organisms. *Arch. Environ. Contam. Toxicol.* 19:624-628. #1990-16

Vaishnav, D.D. and D.M. Lopas. 1985. Relationship between lipophilicity and biodegradation inhibition of selected industrial chemicals. *Develop. Indust. Microbiol.* 26:557-565. #1985-2

Valett, H.M., M.A. Baker, J.A. Morrice, C.S. Crawford, M.C. Molles Jr., C.N. Dahm, D.L. Moyer, J.R. Thibault, and L.M. Ellis. 2005. Biogeochemical and metabolic responses to the flood pulse in a semiarid floodplain. *Ecology* 86:220-234. #2005-1

Van Aggelen, G., G.T. Ankley, W. Baldwin, D. Bearden, W. Benson, J. Chipman, T. Collette, J. Craft, N. Denslow, M. Embry, F. Falciani, S. George, C. Helbing, P. Hoekstra, T. Iguchi, Y. Kagami, I. Katsiadaki, P. Kille, L. Lie, P. Lord, T. McIntyre, A. O'Neill, H. Osachoff, E. Perkins, E. Santos, R. Skirrow, J. Snape, C. Tyler, D. Versteeg, M. Viant, D. Volz, T. Williams, and L. Yu. 2010. Integrating omic technologies into aquatic ecological risk assessment and environmental monitoring: Hurdles, achievements and future outlook. *Environ. Health Perspect.* 118:1-5. #5173

Van den Berg, M., L. Birnbaum, A.T.C. Bosveld, B. Brunstrom, P. Cook, M. Feeley, J.P. Giesy, A. Hanberg, R. Hasegawa, S.W. Kennedy, T. Kubiak, J.C. Larsen, F.X.R. van Leeuwen, A.K.D. Liem, C. Nolt, R.E. Peterson, L. Poellinger, S. Safe, D. Schrenk, D. Tillit, M. Tysklind, M. Younes, F. Waern, and T. Zacharewski. 1998. Toxic equivalency factors (TEFs) for PCBs, PCDDs, PCDFs for humans and wildlife. *Environ. Health Perspect.* 106:775-792. #1998-10

Veith, G.D. 1998. Contaminated sediments: state of the science and future research directions. In: *EPA/823/R-98/002*. Office of Water, USEPA, Washington, DC. #1998-11

Veith, G.D. 1990. Report on methods to compute reactivity parameters for electrophilic chemicals. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1990-27

Veith, G.D. 1989. Unified QSAR strategy for predictive ecotoxicology and initial environmental risk assessment. Environmental Research Laboratory, USEPA, Duluth, MN. #1989-42

Veith, G.D. 1981. State-of-the-art report on structure-activity methods development. *EPA/600/3-81/029*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN (PB81-187239).

Veith, G.D. 1980. Bioconcentration tests for effluents. In: *Proceedings of the Seminar on Biological Monitoring and its Use in the NPDES Permit Program*, October 2, 1979, Chicago, IL. *EPA/600/9-80/026*. Center for Environmental Research Information, ORD, USEPA, Cincinnati, OH, pp. 40-46. #1980-9

Veith, G.D. 1973. Chlorinated hydrocarbons in fish from Lake Michigan. Water Quality Office, USEPA. #1973-15

Veith, G.D. 1972. PCBs in the Black and Cuyahoga Rivers. National Water Quality Laboratory, USEPA, Duluth, MN. #1972-5

Veith, G.D. 1972. Recent fluctuations of chlorobiphenyls (PCBs) in the Green Bay, Wisconsin, region. *Environ. Health Perspect.* 1:51-54. #78

Veith, G.D. 1971. Baseline concentrations of polychlorinated biphenyls and DDT in Lake Michigan fish, 1971. *Pestic. Monit. J.* 9:21-29. #124

Veith, G.D. and N.M. Austin. 1976. Detection and isolation of bioaccumulable chemicals in complex effluents. In: *Identification and Analysis of Organic Pollutants in Water*. L.A. Keith, Ed., pp. 297-304. Ann Arbor Science, Ann Arbor, MI. #1976-17

Veith, G.D., N.M. Austin, and R.T. Morris. 1979. A rapid method for estimating log *P* for organic chemicals. *Water Res.* 13:43-47. #194

Veith, G.D. and S.J. Broderius. 1990. Rules for distinguishing toxicants that cause type I and type II narcosis syndromes. *Environ. Health Perspect.* 87:207-211. #435

Veith, G.D. and S.J. Broderius. 1987. Structure-toxicity relationships for industrial chemicals causing type (II) narcosis syndrome. In: *QSAR in environmental toxicology-II*. K.L.E. Kaiser, Ed., pp. 385-391, D. Reidel Publishing Co., Dordrecht, the Netherlands. #1987-36

Veith, G.D., D.J. Call, and L.T. Brooke. 1983. Estimating the acute toxicity of narcotic industrial chemicals to fathead minnows. In: *Aquatic toxicology and hazard assessment: 6th symposium*. W.E. Bishop, R.D. Cardwell, B.B. Heidolph, Eds., pp. 90-97, ASTM STP 802. ASTM, Philadelphia, PA. #1983-11

Veith, G.D., D.J. Call, and L.T. Brooke. 1983. Structure-toxicity relationships for the fathead minnow, *Pimephales promelas*: Narcotic industrial chemicals. *Can. J. Fish. Aquat. Sci.* 40:743-748. #270

Veith, G.D. and V.M. Comstock. 1975. Apparatus for continuously saturating water with hydrophobic organic chemicals. *J. Fish. Res. Board Can.* 32:1849-1851. #125

Veith, G.D., D.L. DeFoe, and B.V. Bergstedt. 1979. Measuring and estimating the bioconcentration factor of chemicals in fish. *J. Fish. Res. Board Can.* 36:1040-1048. #195

Veith, G.D., D.L. DeFoe, and M.L. Knuth. 1985. Structure-activity relationships for screening organic chemicals for potential ecotoxicity effects. *Drug Metab. Rev.* 15:1295-1303. #307

Veith, G.D., B.E. Greenwood, R.S. Hunter, G.J. Niemi, and R.R. Regal. 1988. On the intrinsic dimensionality of chemical structure space. *Chemosphere* 17:1617-1630. #373

Veith, G.D. and L.M. Kiwus. 1977. Exhaustive steam-distillation and solvent-extraction unit for pesticides and industrial chemicals. *Bull. Environ. Contam. Toxicol.* 17:631-636. #163

Veith, G.D. and P.A. Kosian. 1983. Estimating bioconcentration potential from octanol/water partition coefficients. In: *Physical behavior of PCBs in the Great Lakes*. D. MacKay, S. Paterson, S.J. Eisenreich, M.S. Simmons, Eds., pp. 269-282. Ann Arbor Science,

Ann Arbor, MI. #1983-14

Veith, G.D. and D.W. Kuehl. 1981. Automated gel-permeation system for removal of lipids in gas chromatography/mass spectrometric analysis of fatty tissues for xenobiotic chemicals. *Anal. Chem.* 53:1132-1133. #229

Veith, G.D., D.W. Kuehl, and G.E. Glass. 1970. Hazardous synthetic organic compounds in Lake Michigan fish. National Water Quality Laboratory, USEPA, Duluth, MN. #1970-19

Veith, G.D., D.W. Kuehl, E.N. Leonard, F.A. Puglisi, and A.E. Lemke. 1979. Fish, wildlife, and estuaries: Polychlorinated biphenyls and other organic chemical residues in fish from major watershed in the United States, 1976. *Pestic. Monit. J.* 13:1-11. #196

Veith, G.D., D.W. Kuehl, E.N. Leonard, K.J. Welch, and G. Pratt. 1981. Fish, wildlife, and estuaries: Polychlorinated biphenyls and other organic chemical residues in fish from major United States watersheds near the Great Lakes, 1978. *Pestic. Monit. J.* 15:1-8. #230

Veith, G.D., D.W. Kuehl, F.A. Puglisi, G.E. Glass, and J.G. Eaton. 1977. Residues of PCBs and DDT in the western Lake Superior ecosystem. *Arch. Environ. Contam. Toxicol.* 5:487-499. #164

Veith, G.D., D.W. Kuehl, and J. Rosenthal. 1975. Preparative method for gas chromatographic/mass spectral analysis of trace quantities of pesticides in fish tissue. *J. Assoc. Off. Anal. Chem.* 58:1-5. #126

Veith, G.D., D.W. Kuehl, and J. Rosenthal. 1975. GC/MS analysis of pesticides in biological tissue at concentrations less than 0.1 ug/gm. #1975-13

Veith, G.D. and G.F. Lee. 1970. A review of chlorinated biphenyl contamination in natural waters. *Water Res.* 4:265-269. #1970-15

Veith, G.D. and G.F. Lee. 1971. Chlorobiphenyls (PCBs) in the Milwaukee River. *Water Res.* 5:1107-1115. #1971-11

Veith, G.D. and G.F. Lee. 1971. Water chemistry of toxaphene--role of lake sediments. *Environ. Science Tech.* 5:230-234. #1971-12

Veith, G.D., R.L. Lipnick, and C.L. Russom. 1989. The toxicity of acetylenic alcohols to the fathead minnow, *Pimephales promelas*: Narcosis and proelectrophile activation. *Xenobiotica* 19:555-565. #403

Veith, G.D., K.J. Macek, S.R. Petrocelli, and J. Carroll. 1980. An evaluation of using partition coefficients and water solubility to estimate bioconcentration factors for organic chemicals in fish. In: *Aquatic toxicology*. J.G. Eaton, P.R. Parrish, A.C. Hendricks, Eds., pp. 116-129. ASTM STP 707, ASTM, Philadelphia, PA. #1980-18

Veith, G.D. and O.G. Mekenyan. 1993. A QSAR approach for estimating the aquatic toxicity of soft electrophiles [QSAR for soft electrophiles]. *Quant. Struct.-Act. Relat.* 12:349-356. #518

Veith, G.D., O.G. Mekenyan, G.T. Ankley, and D.J. Call. 1995. QSAR evaluation of α -terthienyl phototoxicity. *Environ. Sci. Technol.* 29:1267-1272. #592

Veith, G.D., O.G. Mekenyan, G.T. Ankley, and D.J. Call. 1995. A QSAR analysis of substituent effects on the photoinduced toxicity of PAHs. *Chemosphere* 30:2129-2142. #591

Veith, G.D. and R.T. Morris. 1978. A rapid method for estimating Log P for organic chemicals. EPA/600/3-78/049. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Velleux, M. and D. Endicott. 1994. Development of a mass balance model for estimating PCB export from the lower Fox River to Green Bay. *J. Great Lakes Res.* 20:416-434. #1994-2

Velleux, M., D. Endicott, J. Steuer, S. Jaeger, and D. Patterson. 1995. Long-term simulation of PCB export from the Fox River to Green Bay. *J. Great Lakes Res.* 21:359-372. #1995-5

Velleux, M.L., D.D. Endicott, and W.L. Richardson. 1988. Confined disposal facility far-field modeling project report: An application to Saginaw Bay. Large Lakes Research Station, USEPA, Grosse Ile, MI. #1988-51

Velleux, M., J. Gailani, and D. Endicott. 1996. Screening-level approach for estimating contaminant export from tributaries. *J. Environ. Eng.* 122:503-514. #1996-2

Velleux, M.L., J.E. Rathbun, R.G. Kreis Jr., J.L. Martin, M.J. Mac, and M.L. Tuchman. 1993. Investigation of contaminant transport from the Saginaw confined disposal facility. *J. Great Lakes Res.* 19:158-174. #1993-5

Verbrugge, D.A., J.P. Giesy, M.A. Mora, L.L. Williams, R. Rossmann, R.A. Moll, and M. Tuchman. 1995. Concentrations of dissolved and particulate polychlorinated biphenyls in water from the Saginaw River, Michigan. *J. Great Lakes Res.* 21:219-233. #1995-10

Vick, N., compiler. 1977. Freshwater findings, 1967-1976: Research publications of the Environmental Research Laboratory, Duluth, Minnesota. EPA/600/9-77/005. USEPA, Duluth. #1977-4

Villeneuve, D.L., G.T. Ankley, E.A. Makynen, L.S. Blake, K.J. Greene, E.B. Higley, J.L. Newsted, J.P. Giesy, and M. Hecker. 2007. Comparison of fathead minnow ovary explant and H295R cell-based steroidogenesis assays for identifying endocrine-active chemicals. *Ecotox. Environ. Safety* 68:20-32. #4684

Villeneuve, D.L., L.S. Blake, J.D. Brodin, J.E. Cavallin, E.J. Durhan, K.M. Jensen, M.D. Kahl, E.A. Makynen, D. Martinovic, N.D. Mueller, and G.T. Ankley. 2008. Effects of a 3 α -hydroxysteroid dehydrogenase inhibitor, trilostane, on the fathead minnow reproductive axis. *Toxicol. Sci.* 104:113-123. #4925

Villeneuve, D.L., L.S. Blake, J.D. Brodin, K.J. Greene, I. Knoebl, A.L. Miracle, D. Martinovic, and G.T. Ankley. 2007. Transcription of key genes regulating gonadal steroidogenesis in control and ketoconazole- or vinclozolin-exposed fathead minnows. *Toxicol. Sci.* 98:395-407. #4798

Villeneuve, D.L., M. Breen, D.C. Bencic, J.E. Cavallin, K.M. Jensen, E.A. Makynen, L.M. Thomas, L.C. Wehmas, R.B. Conolly, and G.T. Ankley. 2013. Developing predictive approaches to characterize adaptive responses of the reproductive endocrine axis to aromatase inhibition: I. Data generation in a small fish model. *Tox. Sci.* 133:225-233. #5716

Villeneuve, D.L., D. Crump, N. Garcia-Reyero, M. Hecker, T.H. Hutchinson, C.A. LaLone, B. Landesmann, T. Lettieri, S. Munn, M. Nepelska, M.A. Ottinger, L. Vergauwen and M. Whelan. 2014. Adverse outcome pathway (AOP) development I: Strategies and principles. *Toxicological Sciences* 142 (2):312-320.

Villeneuve, D.L., D. Crump, N. Garcia-Reyero, M. Hecker, T.H. Hutchinson, C.A. LaLone, B. Landesmann, T. Lettieri, S. Munn, M. Nepelska, M.A. Ottinger, L. Vergauwen and M. Whelan. 2014. Adverse outcome pathway (AOP) development II: Best practices. *Toxicological Sciences* 142 (2):321-330.

Villeneuve, D.L. and N. Garcia-Reyero. 2011. A vision and strategy: Predictive ecotoxicology in the 21st century. *Environ. Toxicol. Chem.* 30:1-8. #5218

Villeneuve, D.L., N. Garcia-Reyero, B.L. Escalon, K.M. Jensen, J.E. Cavallin, E.A. Makynen, E.J. Durhan, M.D. Kahl, L.M. Thomas, E.J. Perkins, and G.T. Ankley. 2012. Ecotoxicogenomics to support ecological risk assessment: A case study with bisphenol A in fish. *Environ. Sci. Technol., Ecogenomics Focus Issue* 46:51-59. #5489

Villeneuve, D.L., N. Garcia-Reyero, D. Martinovic-Weigelt, Z. Li, K.H. Watanabe, E.F. Orlando, C.A. LaLone, S.W. Edwards, L.D. Burgoon, N.D. Denslow, E.J. Perkins, and G.T. Ankley. 2012. A graphical systems model and tissue-specific functional gene sets to aid transcriptomic analysis of chemical impacts on the female teleost reproductive axis. *Mutat. Res. (SI)* 746: 151-162. #5545

Villeneuve, D.L., N. Garcia-Reyero, D. Martinovic, N.D. Mueller, J.E. Cavallin, E.J. Durhan, E.A. Makynen, K.M. Jensen, M.D. Kahl, L.S. Blake, E.J. Perkins, and G.T. Ankley. 2010. I. Effects of a dopamine receptor antagonist on fathead minnow, *Pimephales promelas*, reproduction. *Ecotox. Environ. Safety* 73:472-477. #5155

Villeneuve, D.L., N. Garcia-Reyero, D. Martinovic, N.D. Mueller, J.E. Cavallin, E.J. Durhan, E.A. Makynen, K.M. Jensen, M.D. Kahl, L.S. Blake, E.J. Perkins, and G.T. Ankley. 2010. II. Effects of a dopamine receptor antagonist on fathead minnow dominance behavior and ovarian gene expression in the fathead minnow and zebrafish. *Ecotox. Environ. Safety* 73:478-485. #5237

Villeneuve, D.L., N. Garcia-Reyero, D. Martinovic, J.E. Cavallin, N.D. Mueller, L.C. Wehmas, M.D. Kahl, A.L. Linnum, E.J. Perkins, and G.T. Ankley. 2010. Influence of ovarian stage on

transcript profiles in fathead minnow (*Pimephales promelas*) ovary tissue. *Aquat. Toxicol.* 98:354-366. #5240

Villeneuve, D.L., I. Knoebl, M.D. Kahl, K.M. Jensen, D.E. Hammermeister, K.J. Greene, L.S. Blake, and G.T. Ankley. 2006. Relationship between brain and ovary aromatase activity and isoform-specific aromatase mRNA expression in the fathead minnow (*Pimephales promelas*). *Aquat. Toxicol.* 76:353-368. #878

Villeneuve, D.L., I. Knoebl, P. Larkin, A.L. Miracle, B.J. Carter, N.D. Denslow, and G.T. Ankley. 2008. Altered gene expression in the brain and liver of female fathead minnows *Pimephales promelas* Rafinesque exposed to fadrozole. *J. Fish Biol.* 72:2281-2340. #4872

Villeneuve, D.L., P. Larkin, I. Knoebl, A.L. Miracle, M.D. Kahl, K.M. Jensen, E.A. Makynen, E.J. Durhan, B.J. Carter, N.D. Denslow, and G.T. Ankley. 2007. A graphical systems model to facilitate hypothesis-driven ecotoxicogenomics research on the teleost brain-pituitary-gonadal axis. *Environ. Sci. Technol.* 41:321-330. #4664

Villeneuve, D.L., D. Martinovic, and G.T. Ankley. 2011. Chapter 10. Toxicogenomics applied to ecotoxicology. In: *Application of Toxicogenomics in Safety Evaluation and Risk Assessment*, D.R. Boverhof, B.B. Gollapudi, Eds., John Wiley & Sons, Hoboken, NJ, pp. 207-235. #5077
Villeneuve, D.L., A.L. Miracle, K.M. Jensen, S.J. Degitz, M.D. Kahl, J.J. Korte, K.J. Greene, L.S. Blake, A.L. Linnum, and G.T. Ankley. 2007. Development of quantitative real-time PCR assays for fathead minnow (*Pimephales promelas*) gonadotropin beta subunit mRNAs to support endocrine disruptor research. *Compar. Biochem. Physiol. Part C* 145:171-183. #4565

Villeneuve, D.L., N.D. Mueller, D. Martinovic, E.A. Makynen, M.D. Kahl, K.M. Jensen, E.J. Durhan, J.E. Cavallin, D. Bencic, and G.T. Ankley. 2009. Direct effects, compensation, and recovery in female fathead minnows exposed to a model aromatase inhibitor. *Environ. Health Perspec.* 117:624-631. #5010

Villeneuve, D.L., M.B. Murphy, M.D. Kahl, K.M. Jensen, B.C. Butterworth, E.A. Makynen, E.J. Durhan, A.L. Linnum, R.L. Leino, L.R. Curtis, J. Giesy, and G.T. Ankley. 2006. Evaluation of the methoxytriazine herbicide prometon, using a short-term fathead minnow reproduction test and a suite of in vitro bioassays. *Environ. Toxicol. Chem.* 25:2143-2153. #896

Villeneuve, D.L., D.C. Volz, M.R. Embry, G.T. Ankley, S.E. Belanger, M. Leonard, K. Schirmer, R. Tanguay, L. Truong, and L. Wehmas. 2013. Investigating alternatives to the fish early life-stage test: A strategy for discovering and annotating adverse outcome pathways for early fish development. *Environ. Toxicol. Chem.* 33:158-169. #5872

Villeneuve, D.L., R.-L. Wang, D.C. Bencic, A. Biales, D. Martinovic, J. Lazorchak, G. Toth, and G.T. Ankley. 2009. Altered gene expression in the brain and ovaries of zebrafish exposed to the aromatase inhibitor fadrozole: Microarray analysis and hypothesis generation. *Environ. Toxicol. Chem.* 28:1767-1782. #5097

Vinson, M.R. and T.R. Angradi. 2011. Stomach emptiness in fish collections: Sources of variation and study design implications. *Rev. Fish. Sci.* 19:63-73. #5346

Vyas, N.B., J.W. Spann, C.S. Hulse, S.L. Borges, R.S. Bennett, M. Torrez, B.I. Williams, and R. Leffel. 2006. Field evaluation of an avian risk assessment model. *Environ. Toxicol. Chem.* 25:1762-1771. #2006-6

W

Wackernagel, M. and J.D. Yount. 2000. Footprints for sustainability: The next steps. *Environ. Develop. Sustain.* 2:21-42 #748

Wackernagel, M. and J.D. Yount. 1998. The ecological footprint: An indicator of progress toward regional sustainability. *Environ. Monit. Assess.* 51:511-529. #678

Wainger, L. and M.J. Mazzotta. Realizing the potential of ecosystem services: A framework for relating ecological changes to economic benefits. 2011. *Environ. Manage.* 48:710-733. #5439.

Walbridge, C.T. 1977. A flow-through testing procedure with duckweed (*Lemna minor L.*). EPA/600/3-77/108. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Walker, M.K., P.M. Cook, B.C. Butterworth, E.W. Zabel, and R.E. Peterson. 1996. Potency of a complex mixture of polychlorinated dibenzo-*p*-dioxin, dibenzofuran, and biphenyl congeners compared to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin in causing fish early life stage mortality. *Fundam. Appl. Toxicol.* 30:178-186. #633

Walbridge, C.T., J.T. Fiandt, G.L. Phipps, and G.W. Holcombe. 1983. Acute toxicity of ten chlorinated aliphatic hydrocarbons to the fathead minnow (*Pimephales promelas*). *Arch. Environ. Contam. Toxicol.* 12:661-666. #271

Walker, M.K., P.M. Cook, A.R. Batterman, B.C. Butterworth, C. Berini, J.J. Libal, L.C. Hufnagle, and R.E. Peterson. 1994. Translocation of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin from adult female trout (*Salvelinus namaycush*) to oocytes: Effects on early life stage development and sac fry survival. *Can. J. Fish. Aquat. Sci.* 51:1410-1419. #550

Wallace, K.B. 1989. Glutathione-dependent metabolism in fish and rodents. *Environ. Toxicol. Chem.* 8:1049-1055. #1989-26

Wallace, K.B. and U. Herzberg. 1988. Reactivation and aging of phosphorylated brain acetylcholinesterase from fish and rodents. *Toxicol. Appl. Pharmacol.* 92:307-314. #1988-27

Wallace, K.B. and J.R. Kemp. 1991. Species specificity in the chemical mechanisms of organophosphorus anticholinesterase activity. *Chem. Res. Toxic.* 4:41-49. #1991-16

Wallace, K.B. and G.J. Niemi. 1988. Structure-activity relationships of species-selectivity in acute chemical toxicity between fish and rodents. *Environ. Toxicol. Chem.* 7:201-212. #1988-32

Walters, D.M., K.A. Blocksom, J.M. Lazorchak, T.M. Jicha, T.R. Angradi, and D.W. Bolgrien. 2010. Mercury contamination in fish in midcontinent great rivers of the United States:

Importance of species traits and environmental factors. *Environ. Sci. Technol.* 44:2947-2953. #5326

Walters, D., M. Mills, B. Cade, and L.P. Burkhard. 2011. Trophic magnification of PCBs and its relationship to the octanol-water partition coefficient. *Environ. Sci. Technol.* 45:3917-3924. #5486

Wang, L., C.M. Riseng, L.A. Mason, K.E. Wehrly, E.S. Rutherford, J.E. McKenna Jr, C. Castiglione, L. Johnson, D. Infante, S. Sowa, M. Robertson, J. Schaeffer, M. Khoury, J. Gaiot, T. Hollenhorst, C. Brooks and M. Coscarelli. A spatial classification and database for management, research, and policy making: The Great Lakes aquatic habitat framework. *Journal of Great Lakes Research.*

Wang, R.-W., D. Bencic, A. Biales, R. Flick, J. Lazorchak, D.L. Villeneuve, and G.T. Ankley. 2012. Discovery and validation of gene classifiers for endocrine-disrupting chemicals in zebrafish (*Danio rerio*). *BMC Genomics* 13:358. #5625

Wang, R.-L., A.D. Biales, D.C. Bencic, D.L. Lattier, M. Kostich, D.L. Villeneuve, G.T. Ankley, J.M. Lazorchak, and G.P. Toth. 2008. DNA microarray application in ecotoxicology: Experimental design, microarray scanning, and factors impacting transcriptional profiles in a small fish species. *Env. Toxicol. Chem.* 27:652-663. #4794

Wang, R.-L., A.D. Biales, D.C. Bencic, D.L. Lattier, M. Kostich, D.L. Villeneuve, G.T. Ankley, J.M. Lazorchak, and G.P. Toth. 2008. DNA microarray-based ecotoxicological biomarker discovery in a small fish model species. *Env. Toxicol. Chem.* 27:664-675. #4759

Wang, R.-L., D. Bencic, J. Lazorchak, D.L. Villeneuve, and G.T. Ankley. 2011. Transcriptional regulatory dynamics of the hypothalamic-pituitary-gonadal axis and its peripheral pathways as impacted by the 3-beta HSD inhibitor trilostane in zebrafish (*Danio rerio*). *Ecotoxicol. Environ. Safety* 74:1461-1470. #5419

Wang, R.-L., D. Bencic, D.L. Villeneuve, G.T. Ankley, J. Lazorchak, and S. Edwards. 2010. A transcriptomics-based biological framework for studying mechanisms of endocrine disruption in small fish species. *Aquat. Toxicol.* 98:230-244. #5260

Warnick, S.L. and H.L. Bell. 1969. The acute toxicity of some heavy metals to different species of aquatic insects. *J. Water Pollut. Control Fed.* 41:280-284 #35

Warren, C.E. and Liss, W.J. 1977. Design and evaluation of laboratory ecological system studies. EPA/600/3-77/022. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, PB280051: Grant R802286.

Warren, G. and R.G. Kreis. 2005. Recent and long-term nutrient trends in Lake Michigan. In: *State of Lake Michigan: Ecology, Health and Management*, T. Edsall, M. Munawar, Eds., Ecovision World Monograph Series, Backhuys Publishers, Leiden, the Netherlands, pp. 141-155. #2005-15

- Watanabe, K.H., K.M. Jensen, E.F. Orlando, and G.T. Ankley. 2007. What is normal? A characterization of the values and variability in reproductive endpoints of the fathead minnow, *Pimephales promelas*. *Compar. Biochem. Physiol. Part C* 146:348-356. #4789
- Watanabe, K.H., Z. Li, K. Kroll, D.L. Villeneuve, N. Garcia-Reyero, E.F. Orlando, M.S. Sepúlveda, T.W. Collette, D.R. Ekman, G.T. Ankley, and N.D. Denslow. 2009. A computational model of the hypothalamic-pituitary-gonadal axis in male fathead minnows exposed to 17alpha-ethinylestradiol and 17beta-estradiol. *Toxicol. Sci.* 109:180-192. #5059
- Watras, C.J. and A.L. Baker. 1988. Detection of planktonic cyanobacteria by tandem *in vivo* fluorometry. *Hydrobiologia* 169:77-84. #1988-34
- Watras, C.J. and T.M. Frost. 1989. Little Rock Lake (Wisconsin): Perspectives on an experimental ecosystem approach to seepage lake acidification. *Arch. Environ. Contam. Toxicol.* 18:157-165. #1989-29
- Waybrant, R.C. and J.M. Shauver. 1979. Survey of larval fish in the Michigan waters of Lake Erie, 1975 and 1976. *EPA/600/3-79/095*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, R804522.
- Weber, T.W. II. 1981. Response of phytoplankton to acidification in experimental streams. *EPA/600/3-81/042*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, PB81216822.
- Webster, K.E., J.M. Eilers, J.G. Wiener, G.E. Glass, P.J. Garrison, and M.D. Johnson. 1993. Chemical and biotic characteristics of two low-alkalinity lakes in northern Wisconsin: Relation to atmospheric deposition. Department of Natural Resources, Madison, WI. #1993-6
- Webster, K.E., A.M. Forbes, and J.J. Magnuson. 1985. An evaluation of environmental stress imposed by a coal ash effluent: Wisconsin Power Plant Impact Study. *EPA/600/3-85/045*. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, PB85213429: Grant R803971.
- Webster, K.E., T.M. Frost, C.J. Watras, W.A. Swenson, M. Gonzalez, and P.J. Garrison. 1992. Complex biological responses to the experimental acidification of Little Rock Lake, Wisconsin, USA. *Environ. Poll.* 78:73-78. #1992-7
- Wehmas, L.C., J.E. Cavallin, E.J. Durhan, M.D. Kahl, D. Martinovic, J. Mayasich, T. Tuominen, D.L. Villeneuve, and G.T. Ankley. 2011. Screening complex effluents for estrogenic activity with the T47D-Kbluc cell bioassay: Assay optimization and comparison to *in vivo* responses in fish. *Environ. Toxicol. Chem.* 30:439-445. #5320
- Weinstein, J. and S.A. Diamond. 2006. Relating daily solar ultraviolet radiation dose in salt marsh-associated estuarine systems to laboratory assessments of photoactivated polycyclic aromatic hydrocarbon toxicity. *Environ. Toxicol. Chem.* 25:2860-2868. #4353

Weisbrod, A., L.P. Burkhard, J. Arnot, D. Powell, O.G. Mekenyan, P. Howard, C.L. Russom, R. Boething, Y. Sakuratani, T. Traas, T. Bridges, C. Lutz, M. Bonnell, T. Parkerton, and K. Woodburn. 2006. Workgroup report: Review of fish bioaccumulation databases used to identify persistent, bioaccumulative, toxic substances. *Environ. Health Perspec.* 115:255-261. #4620

Weisbrod, A.V., J. Sahi, H. Segner, M.O. James, J. Nichols, I. Schultz, S. Erhardt, C. Cowan-Ellsberry, M. Bonnell, and B. Hoeger. 2009. The state of in vitro science for use in bioaccumulation assessments for fish. *Environ. Toxicol. Chem.* 28:86-96. #5113

Welch, K.J., D.W. Kuehl, E.N. Leonard, G.D. Veith, and N.D. Schoenthal. 1981. Background hydrocarbon residues in fishes from the Great Lakes and eastern Montana. *Bull. Environ. Contam. Toxicol.* 26:724-728. #231

Wescoat, J.L., P. Chow-Fraser, D.N.D. Hartford, J.R. Keough, L.A. Maguire, J.C. Makarewicz, D.C. McKinney, D.H. Moreau, S.P. Simonovic, P.A. Zielinski, L.E. Alexander, and E.A. DeGuzman. 2006. Review of the Lake Ontario-St. Lawrence River Studies. National Research Council of the National Academies, National Academies Press, Washington, DC, pp.1-147. #892

West, C.W., K.N. Allen, S.F. Hedtke, and J.W. Arthur. 1985. Environmental influence on the acute toxicity of ammonia to 14 freshwater species. Monticello Ecological Research Station, USEPA, Monticello, MN. #1985-8

West, C.W. and G.T. Ankley. 1998. A laboratory assay to assess avoidance of contaminated sediments by the freshwater oligochaete *Lumbriculus variegatus*. *Arch. Environ. Contam. Toxicol.* 35:20-24. #680

West, C.W., G.T. Ankley, J.W. Nichols, G.E. Elonen, and D.E. Nessa. 1997. Toxicity and bioaccumulation of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin in long-term tests with the freshwater benthic invertebrates *Chironomus tentans* and *Lumbriculus variegatus*. *Environ. Toxicol. Chem.* 16:1287-1294. #648

West, C.W., P.A. Kosian, D.R. Mount, E.A. Makynen, M.S. Pasha, P.K. Sibley, and G.T. Ankley. 2001. Amendment of sediments with a carbonaceous resin reduces bioavailability of polycyclic aromatic hydrocarbons. *Environ. Toxicol. Chem.* 20:1104-1111. #758

West, C.W., V.R. Mattson, E.N. Leonard, G.L. Phipps, and G.T. Ankley. 1993. Comparison of the relative sensitivity of three benthic invertebrates to copper-contaminated sediments from the Keweenaw Waterway. *Hydrobiologia* 262:57-63. #519

West, C.W., G.L. Phipps, R.A. Hoke, T.A. Goldenstein, F.M. VanderMeiden, P.A. Kosian, and G.T. Ankley. 1994. Sediment core versus grab samples: Evaluation of contamination and toxicity at a DDT-contaminated site. *Ecotox. Environ. Safety* 28:208-220. #551

West, D.E. and H.G. Stefan. 1999. Modeling of watershed input and potential climate change effects on water quality in agricultural reservoirs in the Little Washita River Watershed. Grazing Lands Research Lab., Ag. Research Service, US Dept. of Ag., El Reno, OK. #1999-23

West, D.E. and H.G. Stefan. 1998. Simulation of lake water quality using a one-dimensional model with watershed input: Model description and application to Lake Riley and Lake Elmo. Grazing Land Research Lab., Ag. Research Service, US Dept. of Ag., El Reno, OK. #1998-18

Wezernak, C.T. and D.R. Lyzenga. 1977. Satellite remote sensing study of the trans-boundary movement of pollutants. EPA/600/3-77/056. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R803671.

White, D.S., J. Bowers, D. Jude, R. Moll, S. Hendricks, P. Mansfield, and M. Flexner. 1988. Exposure and biological effects of in-place pollutants (App. K). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. R.G. Kreis Jr., Ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. #1988-4b

White, D.S., J. Bowers, D. Jude, R. Moll, S. Hendricks, P. Mansfield, and M. Flexner. 1988. The condition of organisms passing through the Detroit River from Lake St. Clair to Lake Erie (App. N). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. R.G. Kreis Jr., Ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. #1988-4a

White, D.S. and T.J. Keilty. 1988. Burrowing avoidance assays of contaminated Detroit River sediments using the freshwater oligochaete *Stylodrilus heringianus* (Lumbriculidae) (App. M). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. R.G. Kreis Jr., Ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. #1988-4c

Whiteman, F.W., G.T. Ankley, M.D. Kahl, D.M. Rau, and M.D. Balcer. 1996. Evaluation of interstitial water as a route of exposure for ammonia in sediment tests with benthic macroinvertebrates. *Environ. Toxicol. Chem.* 15:794-801. #634

Whitford, F., M. Mayes, D. Urban, J. Wolt, R. Bennett, R. Turco, M. Jones, B.K. Miller, and L. Bledsoe. 2002. Ecological risk assessments: Evaluating pesticide risks to nontarget species. In: *The Complete Book of Pesticide Management*. F. Whitford, Ed. John Wiley & Sons, New York, NY. pp. 140-195. #2002-7

Wiener, J.G., R.E. Martini, T.B. Sheffy, and G.E. Glass. 1990. Factors influencing mercury concentrations in walleyes in northern Wisconsin lakes. *Trans. Am. Fish. Soc.* 119:862-870. #436

Wiener, J.G., P.J. Rago, and J.M. Eilers. 1984. Species composition of fish communities in northern Wisconsin lakes: Relation to pH. In: *Early biotic responses to advancing lake acidification*. G.R. Hendrey, Ed. Butterworth Publishers, Boston, MA, pp. 133-146. #1984-7

Williams, L.L., J.P. Giesy, N. DeGalan, D.A. Verbrugge, D.E. Tillitt, G.T. Ankley, and R.L. Welch. 1992. Prediction of concentrations of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin equivalents from total concentrations of polychlorinated biphenyls in fish fillets. *Environ. Sci. Technol.* 26:1151-1159. #489

Williamson, K. J. and P.O. Nelson. 1983. Bacterial bioassay for Level I toxicity assessment. EPA/600/3-83/017. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, PB83182287: Grant R806297.

Wilson, V.S., M.C. Cardon, J. Thornton, J.J. Korte, G.T. Ankley, J. Welch, L.E. Gray Jr, and P.C. Hartig. 2004. Cloning and in vitro expression and characterization of the androgen receptor and isolation of estrogen receptor $\pm$ from the fathead minnow (*Pimephales promelas*). *Environ. Sci. Technol.* 38:6314-6321. #4169

Winn, R., M. Norris, D.B. Lothenbach, K.M. Flynn, D.E. Hammermeister, F.W. Whiteman, B.R. Sheedy, and R.D. Johnson. 2006. Sub-chronic exposure to 1,1-dichloropropene induces frameshift mutations in » transgenic medaka. *Mutat. Res. Fund. Molec. Mech. Mutat.* 595:52-59. #2006-2

Winnell, M.H. and D.S. White. 1986. The distribution of *Heterotrissocladius oliveri* Saether (Diptera: Chironomidae) in Lake Michigan. *Hydrobiologia* 131:205-214. #1986-22

Winner, R.W. 1989. Multigeneration life-span tests of the nutritional adequacy of several diets and culture waters for *Ceriodaphnia dubia*. *Environ. Toxicol. Chem.* 8:513-520. #1989-16

Winner, R.W. 1976. Toxicity of copper to daphnids in reconstituted and natural waters. EPA/600/3-76/051. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant R802210.

Winner, R.W., T. Keeling, R. Yeager, and M.P. Farrell. 1977. Effect of food type on the acute and chronic toxicity of copper to *Daphnia magna*. *Fresh. Biol.* 7:343-349. #1977-13

Wood, C.M., W.J. Adams, G.T. Ankley, D.R. DiBona, S.N. Luoma, R.C. Playle, W.A. Stubblefield, H.L. Bergman, R.J. Erickson, J.S. Mattice, and C.E. Schlegel. 1997. Environmental toxicology of metals. In: *Reassessment of metals criteria for aquatic life protection: Priorities for research and implementation*. H.L. Bergman, E.J. Dorward-King, Eds. SETAC Press, Pensacola, FL, pp. 31-56. #1997-1

Wrenn, W.B., B.J. Armitage, E.B. Rodgers, T.D. Forsythe, and K.L. Grannemann. 1979. Browns Ferry Biothermal Research Series. II. Effects of temperature on bluegill and walleye, and periphyton, macroinvertebrate, and zooplankton communities in experimental ecosystems.

EPA/600/3-79/092. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, TV35013A.

Wrubleski, D.A., H.R. Murkin, A.G. van der Valk, and C.B. Davis. 1997. Decomposition of litter of three mudflat annual species in a northern prairie marsh during drawdown. *Plant Ecol.* 129:141-148. #650

X

Xia, Xiangsheng. 2006. Sample data interpolation for the LMMBP. Part 4, App. 4.4.1, pp. 286-290 in R. Rossmann, Ed., Results of the Lake Michigan Mass Balance study: PCBs modeling report. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. EPA/600/R-04/167.

Xia, X. and D.H. Miller. 2011. The stratification analysis of sediment data for Lake Michigan. *J. Data Science* 9:205-219. #5084

Xue, W., A.K. Samanta, and R.M. Carlson. 1990. The identification and quantitation of alkylated nucleobases by high-performance liquid chromatography with UV photodiode array detection. *J. Chromat. Sci.* 28:477-481. #1990-7

Xue, W. and R.M. Carlson. 1988. Separation characteristics of alkylated guanines in high-performance liquid chromatography. *J. Chromatog.* 447:81-90. #1988-28

Y

Young, R.C., G.A. Anderson, and E.L. Morgan. 1980. Response of smallmouth bass to pH dependent water quality perturbations. Submitted by Tennessee Valley Authority to USEPA. #1980-8

Young, T.C. and J.V. DePinto. 1988. Factors affecting the efficiency of some estimators of fluvial total phosphorus load. *Water Res.* 24:1535-1540. #1988-12

Young, T.C., J.V. DePinto, and T.W. Kipp. 1987. Adsorption and desorption of Zn, Cu, and Cr by sediments from the Raisin River (Michigan). *J. Great Lakes Res.* 13:353-366. #1987-18

Young, T.C., J.V. DePinto, S.C. Martin, and J.S. Bonner. 1985. Algal-available particulate phosphorous in the Great Lakes basin. *J. Great Lakes Res.* 11:434-446. #1985-27

Yount, J.D. 1998. Human carrying capacity as an indicator of regional sustainability. *Environ. Monit. Assess.* 51:507-509. #675

Yount, J.D. 1990. The eco-invaders. *EPA Journal* 16:51-53. #1990-15

Yount, J.D. 1989. Analysis of frequency of criteria exceedences as related to aquatic community impact. Environmental Research Laboratory, USEPA, Duluth, MN. #1989-47

Yount, J.D. 1975. Forest-floor nutrient dynamics of southern Appalachian hardwood and white pine plantation ecosystems. In: *Mineral cycling in southeastern ecosystems*. ERDA Symposium

Series, CONF740513. F.G. Howell, J.B. Gentry, F.G. Howell, Eds., pp. 598-608. Technical Information Center, Oak Ridge, TN. #1975-10

Yount, J.D. 1975. The effect of nonremoval clear-cutting and pine reforestation on the cation composition of a hardwood forest soil. In: *Mineral cycling in southeastern ecosystems*. ERDA Symposium Series, CONF740513. F.G. Howell, J.B. Gentry, F.G. Howell, Eds., pp. 744-753. Technical Information Center, Oak Ridge, TN. #1975-11

Yount, J.D. and G.J. Niemi. 1990. Recovery of lotic communities and ecosystems from disturbance--a narrative review of case studies. *Environ. Manage.* 14:547-569. #437

Yount, J.D. and J.E. Richter. 1986. Effects of pentachlorophenol on periphyton communities in outdoor experimental streams. *Arch. Environ. Contam. Toxicol.* 15:51-60. #334

Yount, J.D. and L.J. Shannon. 1988. State changes in laboratory microecosystems in response to chemicals from three structural groups. In: *Functional testing of aquatic biota for estimating hazards of chemicals*. J. Cairns Jr., G. Pratt, Eds., pp. 86-96. STP 988, ASTM, Philadelphia, PA. #1988-35

Yount, J.D. and L.J. Shannon. 1987. Effects of aniline and three derivatives on laboratory microecosystems. *Environ. Toxicol. Chem.* 6:463-468. #358

Yue, S., P. Campbell, and P. Pilon. 2003. Long-term water balance analysis using the complementary relationship areal evapotranspiration model. *CSCE 6th Canadian Hydrotechnical Conference, Oct, 21-24, 2003, Burlington, ON, Canada*. #2003-13

Yue, S. and T.Y. Gan. 2004. Simple scaling properties of Canadian annual average streamflow. *Advances in Water Res.* 27:481-495. #825

Yue, S. and M. Hashino. 2003. Temperature trends in Japan: 1900-1996. *Theor. Applied Climat.* 75:15-27. #2003-6

Yue, S. and M. Hashino. 2003. Long term trends of annual and monthly precipitation in Japan. *J. Amer. Water Res. Assoc.* 39:587-596. #2003-9

Yue, S. and P. Pilon. 2004. A comparison of the power of the *t* test, Mann-Kendall and bootstrap tests for trend detection. *Hydro. Sci.* 49:21-37. #821

Yue, S. and P. Pilon. 2003. Interaction between deterministic trend and autoregressive process. *J. Water Res. Assoc.* 39:1-7. #2003-7

Yue, S., P. Pilon, and B. Phinney. 2003. Canadian streamflow trend detection: Impacts of serial and cross-correlation. *Hydro. Sci.* 48:51-63. #2003-8

Yue, S. and C. Wang. 2004. The Mann-Kendall test modified by effective sample size to detect trend in serially correlated hydrological series. *Water Res. Manage.* 18:201-218. #844

- Yue, S. and C. Wang. 2004. Determination of regional probability distributions of Canadian flood flows using L-moments. *J. Hydrology (NZ)* 43:59-73. #845
- Yue, S. and C.Y. Wang. 2004. A comparison of two bivariate extreme value distributions. *Stochastic Environ. Res.* 18:61-66. #846
- Yurista, P.M., J.R. Kelly, A.M. Cotter, S. Miller and J. VanAlstine. 2015. Green Bay: Spatial patterns in water quality and landscape correlations. *Journal of Great Lakes Research*.
- Yurista, P.M., J.R. Kelly, A.M. Cotter, S.E. Miller and J.D. Van Alstine. 2015. Lake Michigan: Nearshore variability and a nearshore-offshore distinction in water quality. *Journal of Great Lakes Research* 41 (1):111-122.
- Yurista, P.M., D.L. Yule, M. Balge, J. VanAlstine, J. Thompson, A. Gamble, T. Hrabik, J.R. Kelly, J. Stockwell, and M. Vinson. A new look at the Lake Superior biomass size-spectra. *Canadian Journal of Fisheries and Aquatic Sciences*. 5890 005448
- Yurista, P.M. 2004. Bioenergetics of a semi-tropical cladoceran, *Daphnia lumholtzi*. *Fresh. Ecol.* 19:681-694. #4382
- Yurista, P.M. 2000. Cyclomorphosis in *Daphnia lumholtzi* induced by temperature. *Fresh. Biol.* 43:207-213. #2000-13
- Yurista, P.M. 1999. A model for temperature correction of size-specific respiration in *Bythotrephes cederstroemi* and *Daphnia middendorffiana*. *J. Plankton Res.* 21:721-734. #1999-19
- Yurista, P.M. 1999. Temperature-dependent energy budget of an Arctic Cladoceran, *Daphnia middendorffiana*. *Fresh. Biol.* 42:21-34. #1999-17
- Yurista, P.M. and J.R. Kelly. 2009. Spatial patterns of water quality and plankton from high-resolution continuous *in situ* sensing along a 537-km nearshore transect of western Lake Superior, 2004. In: M. and I.F. Munawar, Eds., *State of Lake Superior*, Ecovision World Monograph Series, Aquatic Ecosystem Health and Management Society, Burlington, ON, Canada, pp. 439-471. #4482
- Yurista, P.M., J.R. Kelly, and S.E. Miller. 2009. Lake Superior zooplankton biomass: Alternate estimates from a probability-based net survey and spatially-extensive LOPC surveys. *J. Great Lakes Res.* 35:337-346. # 4991
- Yurista, P.M., J.R. Kelly, and S.E. Miller. 2006. Comparisons of zooplankton community size structure in the Great Lakes. *J. of Geophys. Res. (Oceans SI)* 111:1-12. #883
- Yurista, P., J.R. Kelly, and S. Miller. 2005. Evaluation of optically acquired zooplankton size-spectrum data as a potential tool for assessment of condition in the Great Lakes. *Environ. Manage.* 35:34-44. #867

Yurista, P.M., J.R. Kelly, S.E. Miller, and J. Van Alstine. 2012. Lake Ontario: Nearshore conditions and variability in water quality parameters. *J. Great Lakes Res.* 38:133-145. #5484

Yurista, P.M., J.R. Kelly, S.E. Miller, and J. Van Alstine. 2012. Water quality and plankton in the United States nearshore waters of Lake Huron. *Environ. Manage.* 50:664-678. #5481

Yurista, P.M., J.R. Kelly, and S.E. Miller. 2011. Lake Superior: Nearshore variability and a landscape driver concept. *Aquat. Eco. Health Manage.* 14(SI):345-355. #5409

Yurista, P.M. and W.J. O'Brien. 2001. Growth, survivorship and reproduction of *Daphnia middendorffiana* in several Arctic lakes and ponds. *J. Plank. Res.* 23:733-744. #2001-5

Yurista, P.M., G.T. Rice, and D.S. White. 2000. Long-term establishment of *Daphnia lumholtzi* sars in Kentucky Lake, USA. *Verh. Internat. Verein. Limnol.* 27:3102-3106. #2000-12

Yurista, P.M. and K.L. Schulz. 1996. Comments on "A model for growth, development, and diet selection by the invertebrate predator *Bythotrephes cederstroemi*" by J.T. Lehman and D.K. Branstrator (in *J. Great Lakes Res.* 21:610-619). *J. Great Lakes Res.* 22:925-929. #1996-19

Yurista, P.M. and K.L. Schulz. 1995. Bioenergetic analysis of prey consumption by *Bythotrephes cederstroemi* in Lake Michigan. *Can. J. Fish. Aquat. Sci.* 52:141-150. #1995-18

Yurista, P.M., H. Vanderploeg, J. Leibig, and J. Cavaletto. 2010. Lake Michigan *Bythotrephes* prey consumption estimates for 1994-2003 using a temperature and size corrected bioenergetic model. *J. Great Lakes Res. (Suppl. 3)* 36:74-82. #5213

Yurista, P.M., D.S. White, G.W. Kipphut, K. Johnston, G. Rice, and S.P. Hendricks. 2004. Nutrient patterns in a mainstem reservoir, Kentucky Lake, USA, over a 10-year period. *Lake Reserv. Manage.* 20:148-163. #836

Z

Zabel, E.W., P.M. Cook, and R.E. Peterson. 1995. Toxic equivalency factors of polychlorinated dibenzo-*p*-dioxin, dibenzofuran and biphenyl congeners based on early life stage mortality in rainbow trout (*Oncorhynchus mykiss*). *Aquat. Toxicol.* 31:315-328. #594

Zabel, E.W., P.M. Cook, and G.S. Peterson. 1995. Potency of 3,3',4,4',5-pentachlorobiphenyl (PCB 126), alone and in combination with 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD), to produce lake trout early life-stage mortality. *Environ. Toxicol. Chem.* 14:2175-2179. #593

Zabel, E.W., R.E. Peterson, and P.M. Cook. 1995. Potency of 3,3',4,4',5-Pentachlorobiphenyl (PCB 126) and 2,3,7,8 Tetrachlorodibenzo-*p*-dioxin (TCDD), to produce lake trout early life stage mortality. In: *Abstract Book, 2nd SETAC World Congress (16th Annual Meeting)*, Vancouver, BC, Canada. SETAC, Pensacola, FL. #1995-28

Zacharewski, T., L. Safe, and S. Safe. 1989. Comparative analysis of polychlorinated dibenzo-*p*-dioxin and dibenzofuran congeners in Great Lakes fish extracts by gas chromatography-mass

spectrometry and in vitro enzyme induction activities. *Environ. Sci. Technol.* 23:730-735. #1989-5

Zhang, X., K.R. Rygwelski, R.G. Kreis Jr, and R. Rossmann. 2014. A mercury transport and fate model (LM2-mercury) for mass budget assessment of mercury cycling in Lake Michigan. *Journal of Great Lakes Research* 40:347-359. 5671 000565

Zhang, F., S.J. Degitz, G.W. Holcombe, P.A. Kosian, J.E. Tietge, N. Veldhoen, and C.C. Helbing. 2006. Evaluation of gene expression endpoints in the context of a *Xenopus laevis* metamorphosis-based bioassay to detect thyroid hormone disruptors. *Aquat. Toxicol.* 76:24-36. #2006-5

Zhang, X. 2006. LM food chain. EPA Project Report, *EPA/600/R-04/167*, Part 5. #4345-q

Zhang, X. and R.G. Kreis. 2008. Importance of temperature in modeling food web bioaccumulation in large aquatic systems. *Ecol. Model.* 218:315-322. #4265

Zhang, X. and K.R. Rygwelski. 2000. A modeling framework for mercury cycling in Lake Michigan. *International Conference on Heavy Metals in the Environment*, Ann Arbor, MI, August 6-10, 2000. #3669

Zhang, X., K.R. Rygwelski, and R. Rossmann. 2009. The Lake Michigan contaminant transport and fate model, LM2-toxic: development, overview, and application. *J. Great Lakes Res.* 35:128-136. #4812

Zhang, X., K.R. Rygwelski, R. Rossmann, J.J. Pauer, and R.G. Kreis Jr. 2008. Model construct and calibration of an integrated water quality model (LM2-Toxic) for the Lake Michigan Mass Balance Project. *Ecol. Model.* 219:92-106. #4922

Zhang, Xiaomi. 2006. LM2-Toxic. Part 4, pp. 216-452 in R. Rossmann Ed., Results of the Lake Michigan Mass Balance study: PCBs modeling report. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. *EPA/600/R-04/167*. #4345-p

Zischke, J.A. and J.W. Arthur. 1987. Effects of elevated ammonia levels on the fingernail clam, *Musculium transversum*, in outdoor experimental streams. *Arch. Environ. Contam. Toxicol.* 16:225-231. #359

Zischke, J.A., J.W. Arthur, R.O. Hermanutz, S.F. Hedtke, and J.C. Helgen. 1985. Effects of pentachlorophenol on invertebrates and fish in outdoor experimental channels. *Aquat. Toxicol.* 7:37-58. #308

Zischke, J.A., J.W. Arthur, K.J. Nordlie, R.O. Hermanutz, D.A. Standen, and T.P. Henry. 1983. Acidification effects on macroinvertebrates and fathead minnows (*Pimephales promelas*) in outdoor experimental channels. *Water Res.* 17:47-63. #272

---- END-----