



Introduction to Logic Modeling & Performance Measurement: Telling Your Performance Story

State Innovation Grants Workshop

April 28 - 29, 2009

Presented by:

Yvonne M. Watson and Cassandra Barnes U.S. Environmental Protection Agency National Center for Environmental Innovation Evaluation Support Division



Presentation Goals


- For participants to leave with:
 - An understanding of performance management terminology and how to use the logic model to respond to EPA Order 5700.7
 - A draft logic model of their SIG program or project
 - A framework for developing a results oriented work plan and performance measures for their program/project

Session Agenda

 Module 1: Planning for Performance Measurement

 Module 2: Building on the Logic Model: Identifying and Developing Performance Measures

How does it all fit together?



Environmental Results Order 5700.7

- Environmental Results Order (EPA Order 5700.7)
 - Requires EPA grant officers and grant recipients to identify <u>outputs</u> and <u>outcomes</u> from grants and connect them to EPA's Strategic Plan.
 - Learning and continuous program improvement

EPA Order 5700.7

- Addresses environmental results in 3 stages of the assistance process:
 - Funding Announcements (application/ funding process)
 - Work Plan Development (containing anticipated outputs & outcomes)
 - Performance Reporting (including results & performance measures)

Outputs and Outcomes

- Output: Products and services provided as a direct result of program/proposal activities.
- Outcome: Changes or benefits resulting from activities and outputs. Accomplishment of program goals and objectives
 - short-term (Change in knowledge, skills, understanding, attitude)
 - intermediate outcomes (Change in behavior)
 - long-term outcomes—impacts (Change in the environment)


Module 1:

Planning for Performance Measurement

Performance Management Tools

PERFORMANCE MANAGEMENT

Performance management includes activities to ensure that goals are consistently being met in an effective and efficient manner. **Performance management tools include logic models, performance measurement and program evaluation.**




The Logic Model




What is a Logic Model?


A logic model is a <u>diagram</u> and <u>text</u> that describes/ illustrates the logical (causal) relationships among program elements and the problem to be solved, thus defining measurements of success.



11



EXTERNAL CONDITIONS INFLUENCING PERFORMANCE (+/-)



CASE STUDY: Michigan ERP


- SIG Grant awarded in 2004
- Targets Dry cleaning sector
- Combines air, water and waste requirements for the dry cleaning sector into a multi-media, self-certification, and compliance assistance package, with a statistically valid measurement system.

Exercise 1: Types of Program Elements

Example

- Dry cleaners increase knowledge and skills re: compliance
- Identify the universe of regulated PERC & petroleum solvent dry cleaners
- 3. Dry cleaners comply with MACT
- 4. Michigan personnel engaged in ERP project
- 5. Worker and community health improve

Type of Program Element



What are Logic Models Used For?

- Planning tool
- Communication tool
- Implementation tool
- Measurement design
- Evaluation design

What are the Benefits of Logic Models?

- Illustrates the logic or theory of the program or project.
- Focuses attention on the most important connections between actions and results.
- Builds a common understanding among staff and with stakeholders.
- Helps staff "manage for results" and informs program design.
- Finds "gaps" in the logic of a program and work to resolve them.

When Can You Use Logic Models?

 For <u>new</u> program's to make transparent the underlying assumptions about how the new program is to work to solve its problems and develop useful PM/PE systems


 For <u>existing</u> programs to understand and check assumptions about how the program is supposed to work

How Do You Develop a Logic Model?

- 1. Clarify program goal and define the elements of the program in a table.
- 2. Verify the logic table with stakeholders.
- 3. Develop a diagram and text describing logical relationships.
- 4. Verify the Logic Model with stakeholders.

Then use the Logic Model to identify and confirm performance measures and in planning and evaluation.

Step 1. Clarify the program goal and define the program elements in a table



Step 2. Verify the logic with stakeholders

- Seek review from stakeholders.
- Check the logic
 - How-Why Questions. Start with Outcomes and ask "How?" Start at Activities, ask "Why?"
 - If-Then Questions. Start at Activities and move along to Outcomes asking "If this, then that?"
- Compare to what units in the organization do and define their contributions to the outcomes.
- Check the logic by checking it against reality.


Key Questions to Consider...

- Are the program's outcomes described?
- Are the program's customers described?
- Are the program's major resources, activities and outputs described and do they make sense?
- Are there things/issues that might influence the program's ability to achieve its goal?


Step 3. Develop a diagram and text describing logical relationships

 Draw arrows to indicate/link the causal relationships between the logic model elements.






What is "Z" Logic?



25



External Influences: Price of oil and electricity, economic growth in industry and in general, perception of risk of global climate change and need for national energy security, market and technology assumptions.

Source: McLaughlin and Jordan, 1999

Two Important Rules to Follow

 For every action identified in the Logic Model, the must be an output that connects to an outcome through a specific customer.

OR

 An action must produce an output that becomes a key input to another activity.

THINK CONNECTIONS!

Exercise 2: Logic Modeling

Developing your own logic model


Module 2:

Building on the Logic Model: Identifying and Developing Performance Measures

Performance Management Tools

PERFORMANCE MANAGEMENT

Performance management includes activities to ensure that goals are consistently being met in an effective and efficient manner. **Performance management tools include logic models, performance measurement and program evaluation.**



The Logic Model as a Tool for Developing Performance Measures

Performance Measurement:

• Ongoing monitoring and reporting of accomplishments of your program or project.

Performance Measure:

- A metric used to gauge program or project performance.
 - Measures assess the effect of your program or project.
 - Measures help you determine if you achieved the activities that you had planned to conduct.
 - Describe program achievement in terms of resources, activities, outputs and outcomes.

Measures Across the Logic Model Spectrum

Element	Definition	Example Measure
Resources/ Inputs	Measure of resources consumed by the organization.	Amount of funds, # of FTE, materials, equipment, supplies (etc.).
Activities	Measure of work performed that directly produces the core products and services.	# of training classes offered as designed; Hours of technical assistance training for staff.
Outputs	Measure of products and services provided as a direct result of program activities.	# of technical assistance requests responded to; # of compliance workbooks developed/delivered.
Customer Reached	Measure of target population receiving outputs.	% of target population trained; # of target population receiving technical assistance.
Customer Satisfaction	Measure of satisfaction with outputs.	% of customers dissatisfied with training; % of customers "very satisfied" with assistance received.
Outcomes	Accomplishment of program goals and objectives (short-term and intermediate outcomes, long-term outcomesimpacts).	% increase in industry's understanding of regulatory recycling exclusion; # of sectors that adopt regulatory recycling exclusion; % increase in materials recycled.

Work Quality Measures


Category	Definition	Examples
Efficiency	Measure that relates outputs to costs.	Cost per workbook produced; cost per inspection conducted.
Productivity	Measure of the rate of production per some specific unit of resource (e.g., staff or employee). The focus is on labor productivity.	Number of enforcement cases investigated per inspector.
Cost Effectiveness	Measure that relates outcomes to costs.	Cost per pounds of pollutants reduced; cost per mile of beach cleaned.
Service Quality	Measure of the quality of products and services produced.	Percent of technical assistance requests responded to within one week.

33

Exercise 3: Types of Performance Measures

Example

- # of personnel engaged in the MERP project
- 2. #/% of dry cleaners participating in MERP project
- 3. # of compliance assistance visits conducted and phone calls processed
- 4. Increase in #/% of drycleaners keeping records of PERC and petroleum solvent use
- 5. Estimated reduction in VOCs as a result of increased compliance



Performance Measurement Questions

- What are they?
 - Questions designed to assess progress/ accomplishments of various aspects of a program/project.

 Performance measurement questions ask <u>what</u> your program is doing.

Performance Questions Across the Performance Spectrum

PROGRAM ELEMENTS:	Resources (We use these)	Activities/ Outputs (To do these things)	Target Customer (For these people)	Short term Outcome (To change them in these ways)	Intermediate Outcome (So they can do these things)	Long-Term Outcome (Which leads to these outcomes)
PERFORMANCE QUESTIONS:	 Do we have enough, The right, The necessary level, The consistency? 	 Are we doing things the way we say we should? Are we producing products and services at the levels anticipated? According to anticipated quality indicators measures? 	 Are we reaching the customers targeted? Are we reaching the anticipated numbers? Are they satisfied? 	•Did the customer's attitude, knowledge, skills or understanding change?	 Are customers using the change as expected? With what results? Are customers served changing in the expected direction and level? If so, what did we (others) do to cause the change? 	 What changes in condition have occurred? Did the program achieve its goals and objectives?
EXTERNAL INFLUENCES:	What factors m	hight influence m	iy program's su	iccess?		1

36

Steps for Developing Measures

Step 1: Identify Potential Measures

Step 2: Assess Each Measure

Step 3: Choose the Best Measures

 Step 4: Identify Baseline, Target, Timeline and Reporting Schedule

Key Steps in Identifying Potential Measures

STEP 1: Identify the information needed and the audience

- Identify measures in existing documents
- Review the logic model and select the appropriate logic model element
- Express the logic model element as a performance measure
- Determine if the measure clearly relates to the program/project goal or objective

STEP 1: Identify the information needed and the audience

- Review the performance measurement questions developed earlier
- Consider what information is needed to assess whether your program/project is meeting its goals and objectives.

Ask yourself:

Who needs to know what about the program, why, and in what format?


Identify Measures in Existing Documents

- Review measures specified in:
 - Program/Project Mission, Goals, Objectives, Service standards
 - Legislation, Strategic plans (GPRA), Court Orders, PART, Regional Plans, National Program Management Guidance, Regional Priority Commitments
 - Previous evaluations and research reports
 - Consider other sources

Review the Logic Model

- Review the logic model
 - Identify the aspects of performance that are most important to measure (resources, activities, outputs, outcomes)
 - Identify contextual factors that could influence the program either positively or negatively and generate measures for them as appropriate

Michigan Environmental Results Project Logic Model



Express the Logic Model element as a performance measure

- Consider how to express the measure in terms of:
 - Data:
 - Raw Numbers (tons of VOCs reduced)
 - Averages (mean tons of VOCs reduced)
 - Percentages (% of dry cleaners reporting VOC reduction)
 - Ratios (Cost per ton of VOCs reduced)
 - Rates (tons of VOCs reduced per 100 dry cleaners)
 - Unit of Measure:
 - Is it appropriate to the measure?

Michigan ERP: Performance Measures

	Resources	Activities	Outputs	Customer reached	Short-term Outcome	Intermediate Outcome	Long-term Outcomes
Logic Model Elements	 Michigan personnel engaged in ERP project MDEQ USEPA Association Members Environmental group members Private citizens \$\$ 	 Identify the universe of regulated PERC & petroleum solvent dry cleaners Establish performance measures for dry cleaning sector Establish P2 BMPs 	 Compliance assistance materials distributed to dry cleaners Workshops & trainings conducted BMPs developed 	•Dry cleaning facilities	•Dry cleaners increase relevant knowledge and skills as a result of site visits; consultation; or attending compliance assistance events (workshops and trainings)	 Dry cleaners keep records of PERC & petroleum solvent use Dry cleaners are in compliance with quantity & time limits for hazardous waste storage Dry cleaners are in compliance with MACT 	 Environmental performance of dry cleaners improve Worker & community public health improve
Example Measures	 # of personnel engaged in the MERP \$\$ Invested 	 Type of performance measures developed 	 #of workshops and trainings conducted # of BMPs developed prior, during and after pilot 	•#/% of dry cleaners participating in MERP	 Increase in #/% of dry cleaners with increased knowledge about compliance requirements 	Increase in # of dry cleaners in compliance with MACT	 Pounds of VOC air emissions reduced

Determine whether the measures clearly relate to the mission/goal

- Review the program/project mission and or goal
 - What key activities, outputs or outcomes are specified in the mission or goal?
- Review the list of potential measures developed
 - Will the data collected from the measures developed clearly demonstrate that the mission and or goal was accomplished?

Determine whether the measures clearly relate to the mission/goal

Michigan ERP Goals: 1) Greater level of continuous compliance; 2) increased compliance rates resulting in reduced environmental and public health exposures to toxic substances; 3) minimized traditional inspection times through the use of multimedia compliance and enforcement tools; 4) enhanced levels of compliance assistance to all facilities so that each facility is aware of its compliance status.

Performance Measures:

- # of personnel engaged in the MERP
- \$\$ Invested
- Type of performance measures developed
- #of workshops and trainings conducted
- # of BMPs developed prior, during and after pilot
- #/% of dry cleaners participating in MERP
- Increase in #/% of dry cleaners with increased knowledge about compliance requirements
- Increase in # of dry cleaners in compliance with MACT
- Pounds of VOC air emissions reduced

Step 2: Assess the Measures

- Assess the value of the measures in relation to goals and objectives
- Assess the feasibility of the measure in terms of:
 - Data collection (availability, implementation cost, baselining)
 - Data quality (reliability, validity, objectivity)
 - Analysis
 - Reporting (how to report, to whom to report, frequency of reporting, meaningfulness to audiences)

Step 3: Choose the Best Measures

- Assess the value of the measures in relation to the goals and objectives of the program.
 - Required
 - Important
 - Interesting
- Select final list of measures you won't be able to collect data for all measures.
- Check in with managers and stakeholders.
- Identify a priority list of measures

Step 4: Identify a Standard

For each performance measure develop a:

- 1. Baseline current state
- 2. Target desired level of performance
- 3. Timeline date when performance will be achieved

Tips for Choosing the Best Measures

For each measure ask...

- Does the measure clearly relate to the project goal and objective?
- Is the measure important to management and stakeholders?
- Is it possible to collect accurate and reliable data for the measure?
- Taken together, do the measures accurately reflect the key results of the program, activity or service?
- Is there more than one measure for each goal or objective?
- Are your measures primarily outcome, efficiency, or quality measures?


Exercise 4: Application of Performance Measure Development

Developing Your Own Measures

Performance Management Tools

PERFORMANCE MANAGEMENT

Performance management includes activities to ensure that goals are consistently being met in an effective and efficient manner. **Performance management tools include logic models, performance measurement and program evaluation.**



Contacts:

Yvonne M. Watson watson.yvonne@epa.gov (202) 566-2239

Cassandra D. Barnes barnes.cassandraD@epa.gov (202) 566-1318

Appendices

- Appendix A: Example SIG Logic Models
- Appendix B: Example SIG Performance Measures
- Appendix C: More on Program Evaluation



Appendix A: Example SIG Logic Models

Wisconsin Performance-Based Title V Permit for the Printing Sector

	OUTPUTS			OUTCOMES	
INPUTS	Activities	Customers Reached	Short-term (Learning)	Medium-term (Actions)	Long-term (Conditions)
DNR air staff and grant\$Partners staff, volunteers, and \$•Other DNR staff – CEA, waste water, storm water, haz waste; Jeff Smoller•Department of Commerce•Department of Commerce•Printing Cluster Initiative•UWEX Agents & Specialists?•Printing Permit 	 Obtain baseline information on: DNR collects VOC emissions baseline data from participating facilities using Air Emissions Inventory Data DNR collects data on construction permit application submittals and permit revision requests at participating facilities for the previous 5 years using Air Permit databases. DNR collects data on time lag between when a participating facility made the decision to make an operational change and the date the change actually occurred using facility records and DNR permit databases DNR collects information on the administrative time DNR has spent processing construction permits and revisions at participating facilities over the previous five years using Air Permit databases and employee time sheets. DNR collects information on the administrative time DNR has spent on compliance and enforcement activities at participating facilities during the last 5-year period using DNR compliance databases and employee time sheets. Participating facilities provide DNR with information on the administrative time needed for them to meet regulatory commitments over the previous five years. DNR surveys the public to ascertain their awareness of public involvement requirements, their past participation, and their satisfaction with past participation over the previous 5 years. 	 Portion of printing sector needing Title V permits Interested public Stakehold ers EPA DNR personnel 	 S1. Data to show that a performance-based Title V permit incorporating EMS elements can meet all the requirements of Part 70.[start gathering data upon permit issuance Oct 05 and continue through life of grant] S2. Ability to quickly and efficiently establish a performance-based permit which incorporates EMS. S3. Understanding by the public of their role in the Performance-based Title V permits process. S4. Ability of DNR Staff to audit environmental management systems and to be able to evaluate compliance with a performance-based permit that incorporates EMS. S5. Ability of DNR staff to understand and create a Performance-based Title V permit that incorporates EMS. 	 M1. Collect data to show that a performance-based Title V permit incorporating EMS elements can be as effective or more effective in reducing emissions and driving innovation as a traditional Title V permit. M2. Gain acceptance by EPA of a permit that uses the structure of an EMS to hold the requirements of a performance-based Title V permit. M3. Measure a reduction in VOC emissions. M4. Measure a reduction in Hazardous Air Pollution Emissions. M5. Measure reductions in pollutants in other media besides air that were established as priorities during the cross media planning step. M6. Measure a reduction in the amount of time DNR needs to review construction permit applications and revisions requests from participating facilities M7.Establish increased compliance rates. 	 (Conditions) L1. Attain and maintain 8-hr Ozone Standard L2. Attain and maintain environmental standards from other media established as priorities during the cross media planning step. L3. Reduced administrative time for DNR staff in air management and in other affected programs. L4. Reduced administrative time for facilities to meet regulatory obligations. L5. Establishment of lasting and meaningful partnerships between interested public and participating facility.

Wisconsin Performance-Based Title V Permit for the Printing Sector

INPUTS	OUTPUTS			OUTCOMES	
	Activities	Customers Reached	Short-term (Learning)	Medium-term (Actions)	Long-term (Conditions)
Educational/Instructional Materials: Printwi\$er Printer's expertise in EMS EPA's Environmental Management Guidance document	 Start programs with 2 or 3 factors. Select facilities in Aug 04, Begin meeting with partners Establishment of a relationshic capabilities and major sour requirements. Establish env. Goals by Marced. Start permit drafting by Oct. 05 Cross Media Planning Step: with DNR staff in other arear participating facilities to estal. Other media regulatory concand goals Cross media impacts. Baseline data that needs to be d. Possible permit conditions indwide limits, variance needs Use outside consultants to prafacilities, DNR staff, and puta. Provide training to interested participating facilities et and participating facilities of the staff with the goal that they certified auditors of EMS. Gather data on baseline infor permit is finalized and contained and contained auditors of the staff with the goal that they certified auditors of the staff with the goal that they certified auditors of the staff with the goal that they certified auditors of the staff with the goal that they certified auditors of the staff with the goal that they certified auditors of the staff with the goal that they certified auditors of the staff with the goal that they certified auditors of the staff with the goal that they certified auditors of the staff with the goal that they certified auditors of the staff with the goal that they certified auditors of the staff with the goal that they certified auditors of the staff with the goal that they certified auditors of the staff with the goal that they certified auditors of the staff with the goal that they certified auditors of the staff with the goal that they certified auditors of the staff with the goal that they certified auditors of the staff with the goal that they certified auditors of the staff with the goal that they certified auditors of the staff with the goal that they certified auditors of the staff with the goal that they	in September 04, p between EMS ce permitting ch 05, 04, Air staff meets as and ablish erns, priorities, be collected. cluding facility , etc, ovide training for iblic partners and facilities arties on EMS parties group on expectations, for participation NR compliance would become		M8. Survey public to establish whether there is increased public satisfaction. M9. Cultivated interest from other business sectors in pursuing Performance-based Title V permits process.	L6. Use of the Performance-based Title V permits by sectors other than the Printing industry.

Wisconsin Performance-Based Title V Permit for the Printing Sector

INPUTS	OUTPUTS	JTS	OUTCOMES			
	Activities		Customers Reached	Short-term (Learning)	Medium-term (Actions)	Long-term (Conditions)
	 7. In conjunction with DNR's CEA program, establish criteria for approval of EMS. 8. After evaluation of the program, create model documents and strategies for: a. Performance-based Title V model permit using EMS structure. b. EMS elements needed to satisfy our requirements specifically for printers. c. Compliance procedures to be used with performance-based approach. d. Procedures for establishing emission-caps. e. Procedures for establishing variance from selected non-performance-based requirements. a. Strategy for obtaining meaningful and continuing public involvement in the EMS and permit process. 9. DNR and pilot facilities and their interested parties groups provide training for other DNR staff and facilities and potential interested parties on the procedures laid out in 7. 					

Maine's Auto Body and Auto Repair Volunteer ERP: Logic Model Work Flow Inputs/Activities

Inputs: Maine DEP personnel engaged in ERP Program* -Hire staff -Train staff in		Outputs	1	Customer	Short-term Outcomes		Intermediate Outcomes	E	Environmental & or Economic Outcomes
multimedia inspections Activities: -Establish performance measurements for auto body -Establish performance measurements for auto repair -Prior to ERP, conduct inspection at random auto body & auto repair facilities -Provide technical assistance to auto body & auto repair sector through workshops -Evaluate compliance performance using the results of the self- certifications and inspections	Î	-Review process with stakeholder group compliance Advisory Panel -Multi-media inspector trained and qualified -Compliance checklist guidebooks distributed to auto body and auto repair -Workshops with training conducted -Compliance site visits conducted		Reached Auto Body & Auto Repair Facilities	-Technical transfer to auto body & auto repair -Increased knowledge of compliance, pollution prevention and human health exposure reductions	⇒	-Auto body & repair shops keep records of all chemicals, solvents and paints uses -Auto body & repair shops HW regulations, UIC program, VOC/Air emission regs -Auto body & repair shops	₽ ₽	-Auto body & repair compliance improves -Worker and community public health improve -Auto body & repair increase environmental results overall -Environmental Administration and compliance costs are reduced by suing the self certification tools

* Work with hazardous waste, UIC and Air licensing to determine how ERP interfaces with their program reporting requirements including incorporating information into annual program reports.


OREGON EMS PROPROSAL FOR SMALL LOCAL GOVERNMENTS STATE INNOVATION GRANT – LOGIC MODEL

Inputs/Activities	Outputs	Customers Reached	Short-term Outcomes	Intermediate Outcomes •Non-selected small	Environmental and/or Economic Outcomes
Inputs: • Oregon personnel & \$ engaged in EMS program Activities: <u>Oregon</u> • Prior to implementation of EMS at small local governments, conduct inspections to establish baseline performance. • Provide EMS training to interested small local governments. • Conduct targeted and random audits/inspections of small local governments to determine changes in performance and compliance status. • Engage small local governments and other interested stakeholders in collaborative workgroup to develop a model ISO 14001 compliant EMS for small local governments.	 Workshops, trainings, collaborative working sessions offered to small local governments to design a model EMS or a community-specific EMS. Technical assistance site visits and phone conferences conducted with three selected small local govs. 	• Small local governments	• Increase in relevant EMS knowledge and skills as a result of site visits, consultation, or attending technical assistance events.	 Non-selected small local governments develop a model ISO 14001 compliant EMS. Three selected small local governments faced with compliance issues develop and implement an ISO 14001 compliant EMS. Three small local governments with EMSs achieve compliance and beyond compliance performance. Three small local governments with EMSs increase source reduction achieved through pollution prevention and waste minimization. Three small local governments increase purchase of environmentally 	 Overall environmental performance as measured against targeted compliance and sustainability goals improve. Worker and community public health improved. Measured improvements in resource savings. Costs of regulatory compliance, insurance, and environmental liability and risk reduced. Potential for increase in investor interest and reduced lending rates available to small local gov.

preferable products.

Logic Model: Indiana Environmental Performance-Based Program

Mission: To develop and implement a voluntary program to encourage Indiana businesses to implement environmental management systems that potentially will achieve environmental quality improvements and direct public resources to areas where the most environmental improvement can be made. **Evaluation question to assess:** Does participation in a voluntary performance-based program increase business' environmental management and permit IDEM to focus on areas deemed as high priority?





Appendix B: Example SIG Performance Measures

Summary of Wisconsin Title V EMS Permit Pilot Project Evaluation Approach

Goals	Objectives	Measures (Sources in parentheses)	Potential Targets/Data/Sources/Baselines
Improve efficiency for regulated entities and for agency	ntities permitting permitting (ARTWM, APII, LM, PN)		Target: By June 2006, reduce the hours spent per permit review, renewal, and revision by 20-40% (APII). Indicator: Number of person-hours spent annually per individual permit action (review, renewal, revision) (APII). Source: Air permit databases, employee timesheets. (LM) Baseline: Data from previous five years. (LM)
		Amount of air permit activity, including applications received, and air permit revisions requested with EMS permit vs. traditional permitting (ARTWM, APII, LM, PN)	Target: By June 2006, reduce by 40-50% the need to revise or modify permits (APII). Indicator: Number of operation permit revision requests and the numbers of construction/ modification permit applications submitted at each permitted facility (APII, LM). Source: Air permit databases (LM) Baseline: Data from previous five years. (LM)
	Reduce agency compliance- related costs and other resources	Administrative time spent on compliance activities related to EMS permit vs. traditional approach (ARTWM, LM)	Target: Reduce agency compliance-related administrative time for pilot facilities by X% to Y% Indicator: Number of person-hours spent annually on compliance activities per facility. Source: Compliance databases, employee timesheets. (LM) Baseline: Data from previous five years. (LM)
	Reduce regulated entity permitting costs and other resources	Facility's administrative time needed to implement EMS permit vs. traditional permitting vs. traditional approach (ARTWM, PN)	Target: Reduce facility's permit-related administrative time by X% to Y%. Indicator: Number of person-hours spent annually per individual permit action. Source: Data provided by facility. Baseline: Data from previous five years.

Summary of Wisconsin Title V EMS Permit Pilot Project Evaluation Approach

	Reduce regulated entity compliance- related costs and other resources	Facility's time spent on compliance activities affected by use of EMS permit (ARTWM, LM, PN)	Target: Reduce facility's time spent on compliance-related activities by X% to Y%. Indicator: Number of person hours spent annually on compliance-related activities related to permit by facility. Source: Data provided by facility. Baseline: Data from previous five years.
	Increase operating efficiency of regulated entity	Time lag between industry's decision to make an operational change and the date the change is implemented, under the EMS permit vs. the traditional approach. (ARTWM, LM, PN)	Target: Reduce average lag time by X% to Y%. Indicator: Average lag time Source: Facility records and DNR permit databases (LM, PN) Baseline: Data from previous five years.
Improve environmental performance	Reduce air emissions beyond what is required in regulation	Emissions of VOCs and HAPS with EMS permit vs. traditional approach (ARTWM, APII, LM, PN, GT)	Target: Reduce emissions by X% to Y% for VOCs and A% to B% for HAPs. Indicator: Annual VOC and HAP emissions (APII, LM, PN) Source: Air Emissions Inventory data (annual consolidated report) Baseline: Data from previous five years.
	Reduce other pollution	Reduce pollution (other than air) with EMS permit vs. traditional approach (LM, PN, GT)	Target: Reduce emissions/discharges/transfers of [pollutant] by X% to Y%. To reflect continuous improvement, could be to reduce emissions X% per year. Indicator: Annual measure of pollution Source: Will vary Baseline: Data from previous five years.
	Drive innovation	Innovation under EMS permit vs. traditional approach (LM)	Target: Able to identify permit-related innovations Indicator: List of innovations per facility Source: Facility discussions/survey Baseline: Perception of traditional levels of innovation and barriers to innovation
Transferability	Consistency with Title V requirements	Consistency with Title V air permit requirements (LM)	Target: Consistency with Title V. Indicator: Acceptance/approval by EPA Source: Not applicable Baseline: Not applicable
	Transfer approach to other firms/sectors	Interest of other facilities (in and out of printing industry) to participate (LM, PN)	Target: X facilities or Y% of facilities interested in innovation Indicator: Facilities expressing an interest in undertaking the innovation Source: Discussions/survey Baseline: Not applicable
Improve compliance	Maintain or increase compliance rates	Compliance rates (ARTWM, APII, LM, PN)	Target: Maintain compliance or increase compliance to X% compliance. Indicator: Compliance rates Source: WACD and Compliance Certification Reports (APII) Baseline: Data from previous five years.

Summary of Wisconsin Title V EMS Permit Pilot Project Evaluation Approach

Improve public involvement in permit development	Increase public involvement	Public involvement in EMS permit vs. traditional approach (LM, PN, GT)	Target: Increase number of participating person-events by X% to Y%. Indicator: Attendance at meetings and other events; visits to website; etc. Source: DNR survey of the public (LM, PN); number of people touring facility (GT); number of hits to website (APII) Baseline: Data from previous five years or perceptions about pre-innovation participation.
		Opportunities for public involvement in EMS permit vs. traditional approach (GT)	 Target: Increase public involvement opportunities by X% or be able to document efforts to improve opportunities. Indicator: Number of opportunities for public interaction (e.g., meetings, tours) or efforts to improve public involvement opportunities (e.g., revised website). Source: Facility and agency records and information. Baseline: Data from previous five years or perceptions about pre-innovation participation.
	Satisfaction with public involvement	Satisfaction with public involvement process with EMS permit vs. traditional approach (ARTWM, APII, LM, PN)	Target: Increase % of public satisfied by X% to Y%. Indicator: Public satisfaction with meaningful participation (APII) Source: Survey (LM, APII, PN) Baseline: Data from previous five years or perceptions about pre-innovation participation.
	Knowledge of public involvement	Knowledge of public involvement opportunities in EMS permit vs. traditional approach (LM, PN)	Target: % increase in knowledge about public involvement activities. Indicator: Public awareness of public involvement requirements (LM, PN) and/or role of public (LM) Source: DNR survey of the public Baseline: Data from previous five years or perceptions about pre-innovation participation.

Inputs/Activities

OREGON EMS PROPOSAL FOR SMALL LOCAL GOVERNMENTS STATE INNOVATION GRANTS – SAMPLE PERFORMANCE MEASURES

Inputs/Activities		C		.	
Inputs:	Outputs	Customers Reached	Intermediate Outcomes	Environmental and/or Economic	EPA Strategic Plan 2003-2008
 Number of Oregon personnel & \$ engaged in EMS program Activities: <u>Oregon</u> Prior to implementation of EMS at small local governments, conduct inspections to establish baseline performance. Provide EMS training to interested small local governments. Conduct targeted and random audits/inspections of small local governments to determine changes in performance and compliance status. Engage small local governments and other interested stakeholders in collaborative workgroup to develop a model ISO 14001 compliant EMS for small local governments. Small Local Governments Small local government sets goals for specified areas in which to improve performance. Small local government conducts a gap analysis to compare its current status to its goals. Small local government develops action plan and institutionalizes plan-do-check- 	 Number of workshops, trainings, collaborative working sessions offered to small local governments to design a model EMS or a community- specific EMS. Number of technical assistance site visits and phone conferences with selected three small local govs. 	Reached • Number (%) of small local governments attending EMS training events or workshops. • Number of small local governments who were not selected to develop an EMS requesting technical assistance site visits or phone consultations. • Number of stakeholder groups engaged in developing model EMS. • Number of regulated entities with increased relevant EMS knowledge and skills as a result of site visits, consultation, or attending technical	 Outcomes Number (%) of small local governments engaged in developing a model ISO 14001 compliant EMS. Three small local governments faced with compliance issues develop and implement an ISO 14001 compliant EMS. Increase in the three selected small local governments with EMS that are in compliance and have achieved beyond compliance performance. Increase in the three small local governments with EMS that have achieved pollution prevention and waste minimization through source reduction. Increase in the three small local governments that are purchasing environmentally preferable products. 	 and/or Economic Outcomes Improvements in overall environmental performance as measured against targeted compliance and sustainability goals. Measured improvements in worker and community public health. Measured improvements in resource savings; reductions in the the costs of regulatory compliance, insurance, and environmental liability and risk; and potential for increase in investor interest and reduced lending rates available to the small local government. 	 Goal 2: Clean and Safe Water Objective 2.1: Protect Human Health with targets of: Increase the percentage of the population served by community water systems that will receive drinking water that meets all applicable health-based drinking-water standards through effective treatment and source water protection (Sub-objective 2.1.1: Water Safe to Drink) Objective 2.2: Protect Water Quality Support sustainable wastewater infrastructure (Sub-objective 2.2.1: Improve water quality on a watershed basis) Goal 3: Land Preservation and Restoration Objective 3.1: Preserve Land Manage hazardous waste properly (Sub- objective 3.1.2) Increase the percentage of UST facilities that are in significant operational compliance with both release detection and release prevention requirements (Sub- objective 3.1.2) Goal 4: Healthy Communities and Ecosystems Objective 4.1: Prevent and reduce chemical risks to humans, community, and ecosystems. Objective 4.2: Communities Sustain community health (Sub-objective 4.2.1) Restore community health by facilitating restoration of communities impacted by
act approach as part of		assistance events			environmental problems (Sub-objective

4.2.2)

act approach as part of implementing EMS.



Appendix C: More on Program Evaluation

Definitions:

Program Evaluation:

A systematic study that uses measurement and analysis to answer specific questions about *how well a program is working to achieve its outcomes and why*.

Differences between PM and PE

Performance Measurement

- Ongoing monitoring and reporting of accomplishments.
- Examines achievement of program objectives.
- Describes program achievements in terms of outputs, outcomes in a given time against a pre-established goal.
- Early warning to management.


Program Evaluation

- In-depth, systematic study conducted periodically or on ad-hoc basis.
- Examines broader range of information on program performance than is feasible to monitor on an on-going basis.
- Explains <u>why</u> the results occurred.
- Longer term review of effectiveness.

Relationship between PM and PE

- Performance measurement data provides information needed to conduct the evaluation and assess program performance.
- Lack of performance measurement data is a major obstacle to conducting an evaluation.

Evaluation and the Logic Model



Adapted from Evaluation Dialogue Between OMB and Federal Evaluation Leaders: Digging a Bit Deeper into Evaluation Science, April 2005

Common Evaluation Questions

Evaluation Type	Common Evaluation Questions
Design assessment	Is the design of the program well formulated, feasible, and likely to achieve the intended goals?
Process evaluation or implementation assessment	Is the program being delivered as intended to the targeted recipients?
	Is the program well managed?
	What progress has been made in implementing new provisions?
Outcome evaluation	Are desired program outcomes obtained?
	What role, if any ,did the program play?
	What role, if any, did the context play?
	Did the program produce unintended outcomes?
Impact evaluation	Did the program cause the desired impact?
	Is one approach more effective than another in obtaining the desired outcomes?
Cost evaluation	•What are the specific costs for implementing and operating the program?
	Is the program cost efficient? Cost effective?
	How do the costs of the program compare to a similar program aimed at the same outcome?

Adapted from Evaluation Dialogue Between OMB and Federal Evaluation Leaders: Digging a Bit Deeper into Evaluation Science, April 2005