

US EPA ARCHIVE DOCUMENT

**TABLE OF CONTENTS**

	<b>Page</b>
<b>1. INTRODUCTION .....</b>	<b>1-1</b>
Overview of the National Nonroad Emissions Model .....	1-2
Equipment Types .....	1-2
Pollutants Reported .....	1-2
Geographic and Temporal Coverage .....	1-2
Model Components .....	1-3
Model Inputs .....	1-5
Output Options .....	1-6
Technical Documentation .....	1-7
Future Model Updates .....	1-8
To Stay Informed .....	1-8
Organization of the User's Guide .....	1-9
<b>2. GETTING STARTED .....</b>	<b>2-1</b>
Quick Start .....	2-1
Conventions Used in the User's Guide .....	2-2
System Requirements for Running the NONROAD Model .....	2-2
Installing the NONROAD Model .....	2-3
Attaching the Reporting Utility Databases .....	2-4
Reinstalling the NONROAD Model .....	2-4
<b>3. GRAPHICAL USER INTERFACE .....</b>	<b>3-1</b>
Quick Start .....	3-1
General Description .....	3-2
Moving Around in the Graphical User Interface .....	3-3
Choosing Menu Options .....	3-4
Creating an Option File .....	3-5
Opening and Naming an Option File, and Naming the Output File .....	3-6
Defining a Report Title .....	3-7
Defining Fuel Specifications, and Ambient Temperatures .....	3-7
Defining the Modeling Period .....	3-9

- Defining the Modeling Region ..... 3-10
- Defining Source Categories ..... 3-13
- Saving an Option File ..... 3-15
- Running and Viewing a Modeling Scenario ..... 3-15
- Advanced Options ..... 3-17
- Examples of Changing Geographic Allocation ..... 3-17
- Exiting the Graphical User Interface ..... 3-19
  
- 4. CORE MODEL ..... 4-1**
  - Quick Start ..... 4-1
  - General Description ..... 4-2
  - Creating an Option File Using a Text Editor ..... 4-2
    - Modifying /RUNFILES/ ..... 4-5
    - Modifying /OPTIONS/ ..... 4-6
    - Modifying /PERIOD/ ..... 4-7
    - Modifying /REGION/ ..... 4-9
    - Modifying /SOURCE CATEGORY/ ..... 4-14
    - Saving an Option File ..... 4-16
  - Creating an Option File Through DOS ..... 4-16
  - Running the Core Model ..... 4-18
    - Error Stop Feature ..... 4-19
  
- 5. REPORTING UTILITY ..... 5-1**
  - Quick Start ..... 5-1
  - General Description ..... 5-2
  - Moving Around in the Reporting Utility ..... 5-2
    - Choosing Menu Options ..... 5-3
  - Set up, Import, and Delete ..... 5-5
    - Attaching the Reporting Utility Databases ..... 5-5
    - Importing Core Model Output ..... 5-6
    - Removing a Simulation ..... 5-8
  - Report Types ..... 5-8
  - User Specifications ..... 5-10
  - Generating Reports ..... 5-12
    - Running a Report ..... 5-13
    - Viewing a Report in Print Preview ..... 5-13
    - Exporting to Excel ..... 5-15

Comparing Model Runs ..... 5-16  
 Generating Model Comparisons ..... 5-16  
 Compacting and Repairing Databases ..... 5-18

**6. ADVANCED TOPICS ..... 6-1**

Introduction ..... 6-1  
 How Data Is Grouped in the National Nonroad Emissions Model ..... 6-2  
 Input Data Packets and Data Files ..... 6-3  
 Options Packet ..... 6-3  
 Period Packet ..... 6-5  
 Region Packet ..... 6-5  
 Source Category Packet ..... 6-6  
 Runfiles Packet ..... 6-7  
 Population Files Packet ..... 6-14  
 Growth Files Packet ..... 6-16  
 Allocation Packet ..... 6-19  
 Emissions Factors Packet ..... 6-26  
 Deterioration Factors Packet ..... 6-29  
 Editing Input Data Packets and Files ..... 6-30  
 Making Multiple Model Runs ..... 6-31

**7. TROUBLE SHOOTING ..... 7-1**

Message File ..... 7-1  
 Data File Relationships ..... 7-5  
 Allocations Files ..... 7-5  
 Population Data ..... 7-5

**APPENDICES**

- Appendix A: FIPS Codes
- Appendix B: Source Classification Codes
- Appendix C: Examples of Standard Reports
- Appendix D: Examples of Model Comparison Reports

**FIGURES**

<b>Figure 1-1.</b>	Nonroad Model Flowchart .....	1-4
<b>Figure 3-1.</b>	Graphical User Interface icon. ....	3-3
<b>Figure 3-2.</b>	Initial graphical user interface screen .....	3-3
<b>Figure 3-3.</b>	Options screen .....	3-8
<b>Figure 3-4.</b>	Period screen .....	3-9
<b>Figure 3-5.</b>	Region screen .....	3-11
<b>Figure 3-6.</b>	Sources screen .....	3-13
<b>Figure 3-7.</b>	Model submenu screen .....	3-16
<b>Figure 3-8.</b>	Geographic allocation screen .....	3-18
<b>Figure 4-1.</b>	<i>TEMPLATE.OPT</i> file opened in a text editor .....	4-4
<b>Figure 4-2.</b>	<i>TRAVIS.OPT</i> runfiles .....	4-6
<b>Figure 4-3.</b>	Modified/OPTIONS/packet .....	4-8
<b>Figure 4-4.</b>	Modified/PERIOD/packet .....	4-9
<b>Figure 4-5.</b>	Modified/REGION/packet .....	4-11
<b>Figure 4-6.</b>	Modified population data file name .....	4-13
<b>Figure 4-7.</b>	/ALLOC FILES/packet .....	4-14
<b>Figure 4-8.</b>	Modified/SOURCE CATEGORY/packet .....	4-15
<b>Figure 4-9.</b>	Nonroad directory in a DOS window .....	4-17
<b>Figure 4-10.</b>	<i>TEMPLATE.OPT</i> in a DOS editor .....	4-17
<b>Figure 4-11.</b>	DOS window showing successful model run .....	4-19
<b>Figure 5-1.</b>	Initial report utility screen .....	5-3
<b>Figure 5-2.</b>	Import core model data screen .....	5-7
<b>Figure 5-3.</b>	User-specified report options screen .....	5-10
<b>Figure 5-4.</b>	Report title area .....	5-15
<b>Figure 5-5.</b>	Report options for comparing two model runs .....	5-17
<b>Figure 5-6.</b>	Report options for comparing two model runs by population and fuel .....	5-18
<b>Figure 5-7.</b>	Identify a directory for temporary storage screen .....	5-20
<b>Figure 6-1.</b>	/POPFILES/ showing packet identifier and terminator .....	6-2
<b>Figure 6-2.</b>	/OPTIONS/packet .....	6-4
<b>Figure 6-3.</b>	/PERIOD/packet .....	6-5
<b>Figure 6-4.</b>	/REGION/packet .....	6-6
<b>Figure 6-5.</b>	/SOURCE CATEGORY/packet .....	6-7
<b>Figure 6-6.</b>	/GROWTH FILES/ packet in an option file .....	6-16
<b>Figure 6-7.</b>	/ALLOC FILES/packet .....	6-20
<b>Figure 6-8.</b>	Modified <i>TX.pop</i> file with population estimates for 2-stroke residential lawn mowers in Travis County (48453). ....	6-24

**Figure 6-9.** Modified *TX\_house.alo* file showing housing of Austin. . . . . 6-25

**Figure 6-10.** Modified/REGION/ packet showing subcounty region . . . . . 6-26

**Figure 6-11.** /EMFAC FILES/packet . . . . . 6-27

**Figure 6-12.** /DETERIORATE FILES/packet . . . . . 6-29

**Figure 6-13.** landg.bat in Notepad . . . . . 6-32

**Figure 7-1.** Output message file . . . . . 7-2