US ERA ARCHIVE DOCUMENT

NEW APPLICATION

EFFICACY EVALUATION AND TECHNICAL MANAGEMENT SECTION

EFFICACY REVIEW - I

ANTIMICROBIAL PROGRAM BRANCH

IN 07/26/95 OUT 09/21/95

Sofwival for	dq
Reviewed by Srinivas Gowda	_Date09/21/95
EPA Reg. No. or File Symbol	9480-U
Date Division Received	06-13-95
Type Product	Hospital Disinfectant Wipe
MRID No (s)	436964-02 to 436964-10
Product Manager	PM 31 (Johnson)
Product Name	Sani-Cloth Germicidal Wipes
Company Name	PDI Inc.
Submission Purpose New Application with efficacy data and label	
Type Formulation	Pre-Saturated Towelette
Active Ingredient (s):	
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride	
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride	
Isopropyl alcohol	55.00

EFFICACY EVALUATION AND TECHNICAL MANAGEMENT SECTION EFFICACY REVIEW - II ANTIMICROBIAL PROGRAM BRANCH

EPA Reg. No. or File Symbol	9480-U
Date Division Received	06-13-95
Type Product	Hospital Disinfectant Wipe
MRID No (s)	436964-02 to 436964-10
Product Manager	PM 31 (Johnson)
Product Name	Sani-Cloth Germicidal Wipes
Company Name	PDI Inc.

202.0 Recommendations

202.1 Efficacy Supported by the Data:

1. "AOAC Use Dilution Test for Determining the Efficacy of Nice-Pak Products Inc. Sani-Cloth Germicidal Wipes Against Klebsiella pneumoniae ATCC 4352" by Larry N. Wilson and William J. Suling, Southern Research Institute, 2000 Ninth Avenue South, Birmingham, AL 35205, dated May 4, 1995 (MRID No. 436964-02)

The submitted data developed by the AOAC Use Dilution Test Method appear acceptable to support effectiveness of the product as a disinfectant against Klebsiella pneumoniae ATCC 4352 in the presence of moderate amounts of organic soil (5% blood serum) on hard, non-porous surfaces which are thoroughly wet by the towelette and remain wet for a contact time of 4 minutes at 20°C for a single use.

2. "Virucidal Efficacy of Nice-Pak Products Inc.'s Sani-Cloth Germicidal Wipes Against the Influenza A2/Hong Kong Virus" by Bonnie J. Bowden, Southern Research Institute, 2000 Ninth Avenue South, Birmingham, AL 35205, dated May 31, 1995 (MRID No. 436964-03).

The submitted data developed by the EPA's Virucidal Test Method appear adequate to support effectiveness of the product as a virucide against Influenza A2/Hong Kong ATCC VR-544 in the presence of moderate amounts of organic soil (5% fetal bovine serum) on hard, non-porous surfaces which are thoroughly wet by the towelette and remain wet for a contact time of 1 minute at 26°C (room temperature) for a single use.

3. "Virucidal Efficacy of Nice-Pak Products Inc.'s Sani-Cloth Germicidal Wipes Against the Herpes Simplex Type 2" by Bonnie J. Bowden, Southern Research Institute, 2000 Ninth Avenue South, Birmingham, AL 35205, dated May 31, 1995 (MRID No. 436964-04).

The submitted data developed by the EPA's Virucidal Test Method appear adequate to support effectiveness of the product as a virucide against Herpes simplex Type 2 ATCC VR-734 in the presence of moderate amounts of organic soil (5% fetal bovine serum) on hard, non-porous surfaces which are thoroughly wet by the towelette and remain wet for a contact time of 1 minutes at 27°C (room temperature) for a single use.

4. "Virucidal Efficacy of Nice-Pak Products Inc.'s Sani-Cloth Germicidal Wipes Against the Rhinovirus" by Bonnie J. Bowden, Southern Research Institute, 2000 Ninth Avenue South, Birmingham, AL 35205, dated May 30, 1995

(MRID No. 436964-05).

The submitted data developed by the EPA's Virucidal Test Method appear adequate to support effectiveness of the product as a virucide against Rhinovirus ATCC VR-1110 in the presence of moderate amounts of organic soil (5% fetal bovine serum) on hard, non-porous surfaces which are thoroughly wet by the towelette and remain wet for a contact time of 1 minutes at 25°C (room temperature) for a single use.

5. "Virucidal Efficacy of Nice-Pak Products Inc.'s Sani-Cloth Germicidal Wipes Against the Pseudorabies Virus" by Bonnie J. Bowden, Southern Research Institute, 2000 Ninth Avenue South, Birmingham, AL 35205, dated May 30, 1995 (MRID No. 436964-06).

The submitted data developed by the EPA's Virucidal Test Method appear adequate to support effectiveness of the product as a virucide against Pseudorabies ATCC VR-135 in the presence of moderate amounts of organic soil (5% fetal bovine serum) on hard, non-porous surfaces which are thoroughly wet by the towelette and remain wet for a contact time of 1 minutes at 26°C (room temperature) for a single use.

6. "Virucidal Efficacy of Nice-Pak Products Inc.'s Sani-Cloth Germicidal Wipes Against the Vaccinia Virus" by Bonnie J. Bowden, Southern Research Institute, 2000 Ninth Avenue South, Birmingham, AL 35205, dated May 30, 1995 (MRID No. 436964-07).

The submitted data developed by the EPA's Virucidal Test Method appear adequate to support effectiveness of the product as a virucide against Vaccinia ATCC VR-1354 in the presence of moderate amounts of organic soil (5% fetal bovine serum) on hard, non-porous surfaces which are thoroughly wet by the towelette and remain wet for a contact time of 1 minutes at 26°C (room temperature) for a single use.

7. "Virucidal Efficacy of Nice-Pak Products Inc.'s Sani-Cloth Germicidal Wipes Against the Adenovirus Type 5" by Bonnie J. Bowden, Southern Research Institute, 2000 Ninth Avenue South, Birmingham, AL 35205, dated May 30, 1995 (MRID No. 436964-08).

The submitted data developed by the EPA's Virucidal Test Method appear adequate to support effectiveness of the product as a virucide against Adenovirus Type 5 ATCC VR-5 in the presence of moderate amounts of organic soil (5% fetal bovine serum) on hard, non-porous surfaces which are thoroughly wet by the towelette and remain wet for a contact time of 1 minutes at 25°C (room

temperature) for a single use.

8. "Virucidal Efficacy of Nice-Pak Products Inc.'s Sani-Cloth Germicidal Wipes Against the HIV-1" by Bonnie J. Bowden, Southern Research Institute, 2000 Ninth Avenue South, Birmingham, AL 35205, dated May 30, 1995 (MRID No. 436964-09).

The submitted data developed by the EPA's Virucidal Test Method appear adequate to support effectiveness of the product as a virucide against HIV-1 (AIDS virus) RF strain in the presence of moderate amounts of organic soil (5% fetal bovine serum) on hard, non-porous surfaces which are thoroughly wet by the towelette and remain wet for a contact time of 1 minutes at 22°C (room temperature) for a single use.

9. "AOAC Use Dilution Test for Determining the Efficacy of Nice-Pak Products Inc. Sani-Cloth Germicidal Wipes Against Candida albicans ATCC 11651" by Larry N. Wilson and William J. Suling, Southern Research Institute, 2000 Ninth Avenue South, Birmingham, AL 35205, dated May 4, 1995 (MRID No. 436964-10).

The submitted data developed by the AOAC Use Dilution Test Method appear acceptable to support effectiveness of the product as a fungicide against Candida albicans ATCC 11651 in the presence of moderate amounts of organic soil (5% blood serum) on hard, non-porous surfaces which are thoroughly wet by the towelette and remain wet for a contact time of 4 minutes at 20°C for a single use.

203.0 Labeling:

The minimum contact time that will be allowed on the label for tuberculocidal effectiveness is 5 minutes if Quantitative Tuberculocidal Test Method is employed. Therefore, on the front panel, revise the statement "Kills Mycobacterium bovis BCG (Tuberculosis) in 1 minute at 20°C" to read "Kills Mycobacterium bovis BCG (Tuberculosis) in 5 minutes at 20°C".

Change "...Influenza A2/HK..." to read "Influenza A2 Hong Kong..."

Note To FM: resubuit label for review after required changes are incorporated.

3 Unitary EFFTES