

US EPA ARCHIVE DOCUMENT

8
 UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

000714

DATE: February 16, 1978

SUBJECT: Conquer Liquid Vegetation Killer (Conquer LVK)
 Caswell #96

EPA Reg. #100-522

FROM: Krystyna K. Locke
 Toxicology Branch

Krystyna K. Locke

TO: Robert Taylor
 Product Manager #25

Action Type: Submission of 5 acute toxicity studies.

Summary

Ciba-Geigy Corporation submitted acute toxicity studies in support of the appropriate signal word, warnings and precautionary statements with regard to the herbicide formulation Conquer LVK. These studies will also be used to support future applications and registrations.

The label currently registered for Conquer LVK (copy attached to this evaluation) carries the signal word CAUTION. Acute toxicity studies submitted now support the signal word DANGER and associated precautionary statements (p. 4 of this submission). This formulation consists of 2.50% prometon, 1.00% pentachlorophenol, 0.12% other chlorophenols and related compounds, and 95.38% inert ingredients. It should be noted that pentachlorophenol and other phenols are on the RPAR list (OSPR Chemical Status Report, 10/1/77). It should also be noted that prometon appears on the list of "Chemicals Potentially Containing Nitrosamines" (Memos from Dr. Rogoff and Dr. Carot, 10/20/76).

Conquer LVK is a clear yellow liquid and was used as such in the studies summarized below.

Study Bio-Test**	Animals	Dose Levels	Exposure	Observation Days	LD ₅₀	TOX Category
Acute Oral	20 rats	600, 2025, 3038, 4556, 15380 mg/kg	-	14	3038† 356* mg/kg	III
Acute Dermal	8 rabbits	1350, 2000 mg/kg	24 hours	14	> 2000 mg/kg	III
Eye Irritation	3 rabbits 3 rabbits	0.1 ml 0.1 ml	30 sec.	14	-	I
Skin Irritation	6 rabbits	0.5 ml	24 hours	3	-	I
Inhalation	10 rats	3.27 mg/liter	4 hours	14	> 3.27 mg/liter	III

*Standard Deviation

**All of these studies were conducted by the Industrial Bio-Test Laboratories, Inc. and, therefore, will require "validation".

The report on the inhalation study (IBT 8562-09300) from the Industrial Bio-Test Laboratories to Ciba-Geigy Corporation is dated 8/16/76. The report on the remaining four studies (IBT 8530-09311) is dated 9/27/76. All of these studies but one, the oral toxicity study, meet the core-minimum data requirements. The oral toxicity study can be accepted as a supplementary study. Too few rats (2 males and 2 females) per dose level were used in the oral toxicity study and, therefore, the core-minimum data requirements are not met.

Conquer LVK is extremely irritating to skin and eyes (Toxicity Category I), and the label proposed by Ciba-Geigy (p. 4 of this submission) contains the appropriate signal word DANGER and other pertinent precautionary statements. Comments with regard to first aid are also included. Both the signal word and the precautionary statements are acceptable as proposed by Ciba-Geigy.

000714

27

STUDIES

1. Acute Oral Toxicity (20 rats).

Procedure

Five groups of Sprague-Dawley rats (weighing 174-254g), 2 males and 2 females per group, received single doses of Conquer LVK at the following levels (mg/kg of body weight): 600, 2025, 3038, 4556 and 15380. The observation period was 14 days. All of the animals were necropsied shortly after death or at the end of the observation period. The LD₅₀ value was calculated by the methods of Weil, Thompson, and Thompson and Weil. The test material was assigned a classification according to the procedure and Hodge.

Results

There was no mortality at the two lowest dose levels, 2 female rats died at the 3038 mg level and all of the rats died at the two highest dose levels. The deaths occurred within 1½ - 24 hours after dosing. The following symptoms were observed: hypoactivity, salivation, muscular weakness, diuresis, prostration, labored breathing and hemorrhagic rhinitis. During the 14-day observation period, male rats gained 72-112g and female rats gained 20-34g.

Necropsy on the nonsurviving animals revealed red lungs, gastroenteritis, pale kidneys, hemorrhage of the stomach lining (one rat) and pale liver (one rat). Necropsy on the surviving rats showed necrotic tissue in the stomach linings.

The LD₅₀ value (mg/kg of body weight) was 3038[±] 356 (standard deviation).

Comments

This study is acceptable as a supplementary study. Too few rats (2 males and 2 females) per dose level was used in this study and, therefore, the core-minimum data requirements are not met.

Conquer LVK falls into the Toxicity Category III, based on the reported LD₅₀ value.

2. Acute Dermal Toxicity (8 rabbits).

BEST AVAILABLE COPY

Procedure

Conquer LVK, 1350 mg and 2000 mg/kg of body weight, was applied to the hairless backs of rabbits (New Zealand strain, 2 males and 2 females per dose level), weighing 2.3-2.5 kg. The skin of 2 male and 2 female rabbits was abraded at the site of application. The exposure time was 24 hours and the observation time was 14 days.

3

000714

The animals were necropsied shortly after death at the end of the observation period. Experimental data were evaluated by the procedures of Weil, Thompson, Thompson and Weil, and Hodge.

Results:

Conquer LVK was severely irritating to rabbit skin, as evidenced by beet-red erythema, edema and second degree burns at the site of application. Escharosis and fissuring were also present in these areas at 7 and 14 days after exposure. One female rabbit died at the 2000 mg dose level. Of the seven surviving rabbits, six gained weight (males, 0.10-0.36 kg; females 0.22-0.48 kg), whereas one animal lost weight (at the 2000 mg level).

Necropsy on the six surviving rabbits which gained weight during the observation period revealed no abnormalities. Necropsy on the rabbit which lost weight (0.72 kg) during the observation period showed enlarged gall bladder, pale kidneys and emaciation. Necropsy on the rabbit that died on the 6th day of the observation period revealed gastroenteritis.

The LD₅₀ value was greater than 2000 mg/kg of body weight.

Comments:

Based on the LD₅₀ value, Conquer LVK falls into the Toxicity Category III. This study meets the core-minimum data requirements.

3. Eye Irritation (6 rabbits).

Procedure

Conquer LVK, 0.1 ml, was placed into the conjunctival sac of the right eye of six rabbits (New Zealand strain). The eye of 3 rabbits were then left unwashed, whereas the eyes of 3 other rabbits were rinsed with water after 30 seconds of exposure. The eyes (cornea, iris, conjunctiva) of all animals were examined at one hour, and then at 1, 2, 3, 7 and 14 days following exposure. The appearance of eyes was evaluated by the Draize procedure.

Results:

Conquer LVK was extremely irritating to the rabbit eyes, whether or not the eyes were washed after treatment with this formulation. The following symptoms were observed: corneal opacity and vascularization, and conjunctival redness, swelling and discharge. Corneal opacity (noted within the first hour after exposure) and corneal vascularization (which appeared on the 7th day after exposure) still persisted at 14 days, when the observation period was ended. At 7 days after exposure, the average irritation score was 41.3/110 and 40.3/110 for unwashed and washed eyes, respectively. At 14 days after exposure, the average irritation score was 24.9/110 and 21.7/110 for unwashed and washed eyes, respectively.

4

Comments

Conquer LVK falls into the Toxicity Category I. This study satisfies the core-minimum data requirements.

4. Primary Skin Irritation (6 rabbits).Procedure

Conquer LVK, 0.5 ml, was applied to the hairless backs of rabbits (New Zealand strain). One of the two test sites on each rabbit was abraded. The unwashed skin, both intact and abraded, was then examined for erythema and edema at 24 hours and 72 hours after exposure.

Results

Conquer LVK was extremely irritating to both intact and abraded skin. At 72 hours after exposure, 2nd degree chemical burns and desquamation were seen on 5 intact and 5 abraded sites.

The average irritation index for both treatment sites was 7.1/8.0.

Comments

Conquer LVK falls into Toxicity Category I. This study satisfies the core-minimum data requirements.

5. Acute Inhalation (10 rats).Procedure

Five male and 5 female rats (Charles River strain) were continuously exposed to an aerosol of Conquer LVK (3270 mg/m³ of air), in an 80-liter chamber. Following the 4-hour exposure, the animals were observed for 14 days and then they were necropsied.

Results

The animals experienced hypoactivity or ruffed fur, but these symptoms disappeared within 9-18 hours after exposure. There were no deaths and no abnormalities were found at necropsy. The weight gain during the observation period was 80 g for male rats and 33 g for female rats.

Since there were no deaths at the exposure level of 3.27 mg/liter of air, the LC₅₀ value was greater than 3.27 mg/liter.

Comments

Based on the LC₅₀ value, Conquer LVK falls into the Toxicity Category III. This study can be classified as the core-minimum data.

1
2

000714

BEST AVAILABLE COPY

For total vegetation control on certain areas around the home where no plant growth is desired, as specified in label directions. Controls johnsongrass, bindweed, and other hard-to-kill weeds. Prevents plant growth for up to one year.

Conquer Liquid Vegetation Killer is a selective product intended for use on lawns, driveways, parking areas, and other areas where no plant growth is desired. Vegetation taller than 4-6 inches should be mowed before treatment or cut to 2 inches. Use for bare ground and application. Use for bare ground, walkways, patios, along fences, parking areas, play areas, curbs, around buildings, and under gravel paths. Use for bare ground, walkways, patios, along fences, parking areas, play areas, curbs, around buildings, and under gravel paths. Use for bare ground, walkways, patios, along fences, parking areas, play areas, curbs, around buildings, and under gravel paths. Use for bare ground, walkways, patios, along fences, parking areas, play areas, curbs, around buildings, and under gravel paths.

Directions for Use

Apply with a spraying can to cover 50 sq. ft. Add 16 fl. oz. (1 measuring cup) to spraying can containing 2 1/2 gal. of water. When spraying can is empty, rinse and pour into area just treated. Mix only the quantity needed and use immediately. Do not store dilute solution. To minimize lateral movement, apply in lightly with a watering can immediately after application.

When application when air is calm to avoid the possibility of drift onto desirable plants or grass. Keep away from roots of desirable plants. Use only in areas where complete control of all vegetation is desired. Conquer Liquid Vegetation Killer should not be used on cultivated

areas: on ground that is to be cultivated in greenhouses, or near the drip line of trees or shrubs. Do not use on slopes or in areas where runoff is likely to occur (apply only to level surfaces).

CAUTION:

Keep out of reach of children. Harmful if swallowed or absorbed through skin. Do not breathe vapor or spray mist. Do not get in eyes, on skin, or on clothing. In case of skin or eye contact, flush with plenty of water. Wash thoroughly after handling. Keep children and animals away from treated areas until these areas are dry. Avoid contamination of food and feed. Care should be taken to avoid its use where adjacent desirable trees, shrubs, or plants may be injured as a result of leaching of the chemical through the soil.

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not use pour, spill, or store near heat or open flame. When container is empty, rinse and add rinse liquids to area last treated. Do not reuse empty container. Destroy when empty.

Conquer™ trademark of CIBA-GEIGY for Dismeton U.S. Patent No. 2,809,420 EPA Est. No. 100-582 EPA Reg. No. 100-582 Home and Garden Products Agricultural Division CIBA-GEIGY Corporation Greensboro, North Carolina 27409 GDA 45L2

Conquer™ liquid vegetation killer For total vegetation control with sprayer can



Cracks in driveways



Grass in brick walk and patio



Along fences and around posts

ACCEPTED
JUN 14 1970
U.S. DEPARTMENT OF AGRICULTURE
WASHINGTON, D.C.

4.

CONQUER

Conquer™ liquid vegetation killer For use where no plant growth is desired



Parking areas




Play areas



Cracks, curbs and other areas

Use sprinkling can for application. Do not use in green areas, lawns, greenhouses, bougainvillea, flowering shrubs, or plants of nonselective herbicide.



Conquer™ liquid vegetation killer

For total vegetation control Prevents plant growth for up to one year.

Active ingredients: Prometryn 2.19 g (4.00 ppm) 2.19% Permethrin 0.10 g (0.10 ppm) 0.10% Other chlorophenols and related substances 0.71% 0.71% TOTAL 3.00% 100.00%

CAUTION: Keep out of reach of children. See additional caution statements on back of container.

One quart covers up to 100 sq. ft. Net Contents One Quart