

US EPA ARCHIVE DOCUMENT

BB-836  
TXR-5794



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

005998

JUL 31 1986

OFFICE OF  
PESTICIDES AND TOXIC SUBSTANCES

MEMORANDUM

SUBJECT: EPA File Symbol 11273-LT  
Ditek 80DF Fungicide

FROM: Mary L. Waller *MW*  
Technical Support Section  
Fungicide-Herbicide Branch  
Registration Division (TS-767C) *E 8/7/86*

TO: Henry M. Jacoby, PM 21  
Fungicide-Herbicide Branch  
Registration Division (TS-767C)

APPLICANT: Zon-con Corporation  
55 California Avenue  
Palo Alto, CA 94304

ACTIVE INGREDIENT:  
Thiophanate-methyl(dimethyl[(1,2-phenylene)-bis  
(iminocarbonothioyl)]-bis[carbamate]) . . . . . 80.0%

INERT INGREDIENTS . . . . . 20.0%

BACKGROUND:

The applicant has submitted acute oral, acute dermal, primary skin irritation, and primary eye irritation studies. The studies were conducted by Biosearch Incorporated. The data Accession Number is 263488. The method of support is owner submission.

RECOMMENDATION:

FHB/TSS finds the data acceptable to support registration. The signal word is "WARNING" based on the primary eye irritation study. The applicant must submit acute inhalation toxicity and dermal sensitization studies.

*158*



If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

If on Skin: Wash immediately with soap and water.

REVIEW:

- (1) Acute Oral Toxicity Study: Biosearch Incorporated;  
Project No. 86-4968A; April 10, 1986.

PROCEDURE:

Groups of five male and five female albino rats were administered by gavage a single oral dose of test material as follows: five groups of females (5/group) received either 2.51, 3.16, 3.98, 4.47, or 5.00 g/kg of 25% w/v suspension of test material in deionized water; four groups of males (5/group) received either 5.00, 5.62, or 6.31 g/kg of 25% w/v suspension of test material in deionized water, and three groups of males (5/group) received either 7.94, 10.00, or 12.60 g/kg of 50% w/v suspension of test material in deionized water. Animals were observed frequently on the day of dosing and twice per day thereafter for 14 days. Observations were conducted once/day on weekends and holidays. All animals were necropsied at study conclusion.

RESULTS:

No deaths occurred at 5.00, 5.62, and 7.94 g/kg in the males and at 2.51 and 3.16 g/kg in the females. At 6.31 and 10.0 g/kg, 1/5 males died. At 12.6 g/kg, 3/5 males died. At 3.98 g/kg, 1/5 females died. At 4.47 g/kg, 2/5 females died. At 5.00 g/kg, 5/5 females died. The LD<sub>50</sub> for males was reported to be 13.20 g/kg with 95% confidence limits of 9.12 to 19.11 g/kg. The LD<sub>50</sub> for females was reported to be 4.42 g/kg with 95% confidence limits of 3.90 to 5.01 g/kg.

Toxic symptoms included hypoactive state, tremors, increased responsiveness to external stimuli, convulsions, and comatose condition. Gross necropsy revealed pale kidneys, congested lungs, distended stomach, tan liquid in gastrointestinal tract, nasal discharge, and stained genital area.

STUDY CLASSIFICATION: Core Guideline Data.

TOXICITY CATEGORY: Category III - CAUTION.

(2) Acute Dermal Toxicity Study: Biosearch Incorporated;  
Project No. 86-4968A; April 10, 1986.

PROCEDURE:

Five male and five female New Zealand White rabbits each received 5000 mg/kg of test material moistened with 5 ml of physiological saline. The dose of moistened test material was applied to the previously shaven backs of each animal under occlusive wrap. After 24 hours of exposure, the wrap was removed and the remaining test material was removed. Animals were observed frequently on day of dosing and twice/day thereafter for 14 days (observed once/day on weekends and holidays). Body weights were measured prior to dosing, and at 7 and 14 days. All animals were submitted for gross necropsy.

RESULTS:

No deaths occurred. The dermal LD<sub>50</sub> was reported to be > 5000 mg/kg. Toxic symptoms included mild erythema and edema in the males which cleared by day 4 and mild erythema and edema in the females which cleared by 24 hours, nasal discharge, diarrhea, and loss of body weights. Gross necropsy revealed liquid in the gastrointestinal tract of 1/5 females and clear nodules on the surface of the kidneys in 1/5 females.

STUDY CLASSIFICATION: Core Guideline Data.

TOXICITY CATEGORY: Category IV - CAUTION.

(3) Primary Skin Irritation Study: Biosearch Incorporated;  
Project No. 86-4968A; April 10, 1986.

PROCEDURE:

Six New Zealand White rabbits each received 0.5 g of test material applied to a previously shaven test site on the animals' backs. The test material was held in place with semioclusive wrap for 4 hours. Adjacent untreated areas of skin were covered with wrap and served as a control. After removal of wrap the test sites were washed with deionized water. Skin irritation at the test sites were scored within 30 to 60 minutes after wrap removal and at 24, 48, and 72 hours.

RESULTS:

At 30 to 60 minutes, 1/6 animals exhibited very slight erythema which persisted through to 24-hour reading and was cleared by the 48-hour reading. The primary irritation score was 0.09.

STUDY CLASSIFICATION:

Core Guideline Data. See comments under Recommendation.

TOXICITY CATEGORY: Category IV - CAUTION.

(4) Primary Eye Irritation Study: Biosearch Incorporated;  
Project No. 86-4968A; April 10, 1986.

PROCEDURE:

Six New Zealand White rabbits each received 0.1 g of test material which was placed in one eye. The other untreated eye of each animal served as a control. The treated eyes were examined and eye irritation scored at 1 hour, and at 1, 2, 3, 4, 7, 14, and 21 days.

RESULTS:

Eye irritation was scored as follows: at 24 hours, conjunctivae redness (5/6 = 1), chemosis (5/6 = 1) and discharge (2/6 = 1); at 7 days, conjunctivae redness (4/6 = 1) and discharge (1/6 = 1); at 14 days, conjunctivae redness (2/6 = 1) and discharge (1/6 = 1); and at 21 days, conjunctivae redness (1/6 = 1).

STUDY CLASSIFICATION: Core Guideline Data.

TOXICITY CATEGORY: Category II - WARNING.

89252:Waller:CBI-A:KENCO:8/5/86:8/13/86:dej:LMF

005998

Thiophanate-methyl tox review

---

Page \_\_\_\_\_ is not included in this copy.

Pages 7 through 8 are not included in this copy.

---

The material not included contains the following type of information:

- Identity of product inert ingredients
  - Identity of product impurities
  - Description of the product manufacturing process
  - Description of product quality control procedures
  - Identity of the source of product ingredients
  - Sales or other commercial/financial information
  - A draft product label
  - The product confidential statement of formula
  - Information about a pending registration action
  - FIFRA registration data
  - The document is a duplicate of page(s) \_\_\_\_\_
  - The document is not responsive to the request
- 

The information not included is generally considered confidential by product registrants. If you have any questions, please contact the individual who prepared the response to your request.

---