US ERA ARCHIVE DOCUMENT



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

008496

9 1991

MEMORANDUM

OFFICE OF PESTICIDES AND TOXIC SUBSTANCES

SUBJECT:

Kathon 886F Microbicide (EPA Reg. No. 707-

130); Commitment to Perform Studies;

Clarification of Discrepancies in Test Material

Purity

TO:

Jim Wilson/John Lee

Product Manager (31) Registration Division (H7505@

FROM:

Linda L. Taylor, Ph.D.

Toxicology Branch II, Section II,

Health Effects Division (H7509C)

THRU:

K. Clark Swentzel

Section II Head, Toxicology Branch II

Health Effects Division (H7509C)

and

Marcia van Gemert, Ph.D. Muan Emed 8/1/9, Chief Tovical

Chief, Toxicology Branch II/HFAS/HED (H7509C)

Registrant:

Rohm & Haas Company

Chemical:

5-chloro-2-methyl-4-isothiazolin-3-one (I) and

2-methyl-4-isothiazolin-3-one (II)

Synonym:

Kathon 886F Microbicide

Project No.:

1-1314

Caswell No.:

195C

Record No.:

not provided; Case#: 282475; Submission#: S396327

Identifying No .:

707-130/282475

MRID No.:

N/A

Action Requested: Review letter; please return the Jacket 707-166

when review is complete.

Comment: The Registrant's letter (dated April 24, 1991) is in response to the Agency's letter of March 26, 1991 regarding the status of study requirements under the Antimicrobial Data Call-In.

Chronic Toxicity/Carcinogenicity Study - The Registrant has committed to submit a 2-year study (species not identified) to support a waiver request for a 90-day study, a request addressed previously by TB II (TB II memo dated 3/19/91). With regard to this study, the Registrant requested a meeting to discuss dose

## selection.

- 2. Rabbit Developmental Toxicity Study The Registrant has committed to perform a repeat teratology study in the rabbit and has indicated that since Kathon 886F Microbicide is known to cause a concentration-dependent irritation effect on the gastric mucosa, a modified range of dose levels will be utilized. The estimated time for submission of the study to the Agency is August 1, 1992.
- 3. Rat Teratology Study Further clarification regarding the percent of active ingredient utilized in this study was provided, and although no reason can be provided for the submission of an abstract/summary with an inaccurate purity listed for the test material, it can be concluded that the purity of the test material used in the study was 14%. This study can be upgraded to Core Minimum, and it satisfies the guideline requirement (83-3) for a rat developmental toxicity study.
- 4. <u>Mutagenicity Studies</u> The Registrant indicated that an <u>in vivo</u> cytogenetic assay and an unscheduled DNA synthesis assay would be submitted to the Agency by May 15, 1991, which would complete their Tier 1 genotoxicity requirements. NOTE: These latter 2 studies have been submitted and were reviewed under HED Project # 1-1292.

## DISCUSSION

On several occasions, TB II has requested that the Registrant address the specific discrepancies in composition of Kathon 886F Microbicide used in the various toxicity studies; namely the use of ingredient (5-chloro-2-methyl-4-isothiazolin-3-one; active levels greater than the established certified limits (8.6 to 12.1%) and total active ingredient levels above the level considered stable (13.1%). The file containing additional information to explain the differing percentages of a.i. has been reviewed, as requested by the Registrant. Although it does not specifically address the issue of testing a test material whose total % a.i. is above that stated to be stable or that the ratio of the 2 a.i. components [I/II] is greater than 3:1, in all cases the test material characteristics (total % a.i. and % of individual a.i.'s) have been greater than the % specified for this product. Given the itself meets the product the limits/specifications, testing with a test material having higher % of a.i. is acceptable as long as the stability of the test material under the experimental conditions is known.

## CONCLUSION

The Registrant has committed to perform a 2-year chronic toxicity/carcinogenicity study and a rabbit developmental toxicity study with Kathon 886F Microbicide. A request was made for a meeting to discuss the selection of dose levels to be used in the 2-year study, which TB II will attend (when scheduled). The rat teratology study can be upgraded to Core Minimum.