

US EPA ARCHIVE DOCUMENT

107901

13

EEE BRANCH REVIEW

DATE: IN 1/25/79 OUT 9/17/79 IN _____ OUT _____ IN _____ OUT _____
FISH & WILDLIFE ENVIRONMENTAL CHEMISTRY EFFICACY

FILE OR REG. NO. 21137-4

PETITION OR EXP. PERMIT NO. _____

DATE DIV. RECEIVED _____

DATE OF SUBMISSION _____

DATE SUBMISSION ACCEPTED _____

TYPE PRODUCT(S): I, D, H, (F), N, R, S Fungicide

DATA ACCESSION NO(S). _____

PRODUCT MGR. NO. Jacoby (21)

PRODUCT NAME(S) Funginex 20% Emulsifiable Concentrate

COMPANY NAME E.M. Laboratories, Inc.

SUBMISSION PURPOSE Data Validation

CHEMICAL FORMULATION Triforine technical 99.2% a.i.

- 100 Pesticide Name
Triforine Technical
- 100.3 Submission Purpose
Acute Oral LD₅₀ Bobwhite Quail
- 101 Chemical and Physical Properties
- 101.1 Chemical
Triforin (N,N-[1,4-piperazinediylbis(2,2,2-trichloroethylidene)] bis [formamide])
- 101.2 Common Name
Triforine Technical
- 103 Toxicological Properties
The acute oral LD₅₀ in Bobwhite Quail.
- 105 Conclusions
The acute oral LD₅₀ in Bobwhite Quail is estimated to be greater than 5,000 mg/kg of body weight. Prior to acceptance of this study in support of registration, the food consumption data must be submitted and reviewed by the Ecological Effects Branch.

Curtis E. Laird

Curtis E. Laird
Aquatic Biologist
Ecological Effects Branch/HED

David Coppage 9/25/79

David Coppage
Head, Section #3
Ecological Effects Branch/HED

Clayton Bushong 9/26/79
Clayton Bushong
Chief
Ecological Effects Branch/HED