

US EPA ARCHIVE DOCUMENT

DATE:

DEC 24 1980

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

SUBJECT: PP#OE2414 Iprodione on Kiwi fruit. Method trial request

FROM: *RB Perfetti*
R.B. Perfetti, Ph.D., Chemist
Residue Chemistry Branch, HED (TS-769)

TO: Method Evaluation Section (TS-768)
Benefits & Field Studies Division

THRU: Robert S. Quick, Section Head *RSQ*
Petition Evaluation Section
Residue Chemistry Branch, HED (TS-769)

Richard D. Schmitt, Deputy Chief
Residue Chemistry Branch, HED (TS-769) *RDS*

Willa Garner, Acting Chief
Residue Chemistry Branch, HED (TS-769) *RDSchmitt for*

You are requested to run a method trial on the fungicide iprodione* (3(3,5-dichlorophenyl)-N-(1-methylethyl)-2,4-dioxo-1-imidazolidine carboxamide) in Kiwi fruit. Iprodione is a product of Rhodia Inc. The compounds to be tested and the appropriate levels are given below. You have already received standards for 2 of these compounds (letter of confirmation of receipt 5/1/79, A.R. Glasgow to Dr. A Guardigli). If you have not yet received a standard for 32490 R.P. it was requested on 12/1/80 via a telephone conversation with Dr. Guardigli and should be arriving from Rhone-Poulenc Inc. shortly.

<u>Commodity</u>	<u>Compound</u>	<u>Levels</u>
Kiwi fruit	Iprodione (26019 R.P.)	0.00, 0.01 and 7.0 ppm
	3-(1-methylethyl-N-(3,5-dichlorophenyl)-2,4-dioxo-1-imidazolidine carboxamide (30228 R.P.))	0.00, 0.01 and 7.0 ppm
Kiwi fruit	3-(3,5-dichlorophenyl)2,4-dioxo-1-imidazolidine carboxamide (32490 R.P.)	0.00, 0.01 and 7.0 ppm

Samples should be run induplicate.

The r.a.c. is considered to be the whole fruit.

Structures of these compounds can be found in Report No. AR/1711 attached.

We would appreciate completion of this trial at your earliest convenience.

Note to PAM editor: The method for iprodione, its isomer and metabolite can be found on file in PP#OE2414 (Report No. AR 1710).

Attachment (triplicate)