

US EPA ARCHIVE DOCUMENT

5-10-94

MRID No. 429186-23

DATA EVALUATION RECORD

1. **CHEMICAL:** Fipronil and derivatives EUP (M&B 46030).
Shaughnessey No. 129121.
2. **TEST MATERIAL:** M&B 46030 technical; Batch No. 78GC90; CAS No. 120068-37-3; 96.7% active ingredient; a white powder.
3. **STUDY TYPE:** 71-4. Avian Reproduction Study.
Species Tested: Mallard duck (*Anas platyrhynchos*).
4. **CITATION:** Pedersen, C.A. and C.L. Lesar. 1993. M&B 46030 Technical: Toxicity and Reproduction Study in Mallard Ducks. Conducted by Bio-Life Associates, Ltd., Neillsville, WI. Laboratory Project ID No. BLAL No. 108-013-08. Submitted by Rhône-Poulenc Ag Company, Research Triangle Park, NC. EPA MRID No. 429186-23.

5. **REVIEWED BY:**

Andrew C. Bryceland, Fishery Biologist
Review Section 5
Ecological Effects Branch
Environmental Fate and Effects Division (7507C)

Signature: *John C. Bryceland*

Date: 4/15/94

6. **APPROVED BY:**

Ann Stavola, Supervisory Biologist
Review Section 5
Ecological Effects Branch
Environmental Fate and Effects Division (7507C)

Signature: *Ann Stavola*

Date: 5/10/94

7. **CONCLUSIONS:** This study is scientifically sound and fulfills the guideline requirements for an avian reproduction study. There were no treatment-related effects observed when mallard ducks were fed M&B 46030 technical for 23 weeks at 100, 500, and 1000 ppm a.i. The no-observed-effect concentration (NOEC) was 1000 ppm a.i. (nominal concentration).

8. **RECOMMENDATIONS:** N/A.

9. **BACKGROUND:**

10. **DISCUSSION OF INDIVIDUAL TESTS:** N/A.

11. **MATERIALS AND METHODS:**

- A. **Test Animals:** Mallard ducks (*Anas platyrhynchos*) were purchased from a commercial supplier in Hanover,

DATA EVALUATION RECORD

1. **CHEMICAL:** Fipronil and derivatives EUP (M&B 46030).
Shaughnessy No. 129121.
2. **TEST MATERIAL:** M&B 46030% technical; Batch No. 78GC90; CAS No. 120068-37-3; 96.7% active ingredient; a white powder.
3. **STUDY TYPE:** 71-4. Avian Reproduction Study.
Species Tested: Mallard duck (*Anas platyrhynchos*).
4. **CITATION:** Pedersen, C.A. and C.L. Lesar. 1993. M&B 46030 Technical: Toxicity and Reproduction Study in Mallard Ducks. Conducted by Bio-Life Associates, Ltd., Neillsville, WI. Laboratory Project ID No. BLAL No. 108-013-08. Submitted by Rhône-Poulenc Ag Company, Research Triangle Park, NC. EPA MRID No. 429186-23.

5. **REVIEWED BY:**

Charles G. Nace Jr., M.S.
Associate Scientist
KBN Engineering and
Applied Sciences, Inc.

Signature: Michael L. Whitten
for C.G. Nace
Date: 3/17/94

6. **APPROVED BY:**

Michael L. Whitten, M.S.
Wildlife Toxicologist
KBN Engineering and
Applied Sciences, Inc.

Signature: Michael L. Whitten
Date: 3/17/94

James J. Goodyear, Ph.D.
Project Officer, EEB/EFED
USEPA

Signature:
Date:

7. **CONCLUSIONS:** This study is scientifically sound and fulfills the guideline requirements for an avian reproduction study. There were no treatment-related effects observed when mallard ducks were fed M&B 46030 technical for 23 weeks at 100, 500, and 1000 ppm a.i. The no-observed-effect concentration (NOEC) was 1000 ppm a.i. (nominal concentration).

8. **RECOMMENDATIONS:** N/A.

9. **BACKGROUND:**

10. **DISCUSSION OF INDIVIDUAL TESTS:** N/A.

Illinois. The birds were 18 weeks of age at study initiation and were acclimated to the laboratory environment for 21 days. All birds were phenotypically indistinguishable from wild birds. At test initiation, all birds were examined for physical injuries and general health.

- B. Dose/Diet Preparation/Food Consumption: Diets were prepared by mixing a standard premix with stock diet. The standard premix was a mixture of the appropriate amount of test substance, acetone, and stock diet. Diets were prepared fresh weekly, approximately 24 hours prior to administration. The control diet consisted of stock diet and acetone in the amount equivalent to the treatment diets. Test diets were adjusted to 100% active ingredient. Each of the three treatment groups and the control birds were fed the appropriate diet for 23 weeks.

Basal diet for adult birds during the study was Purina® Game Bird Breeder Layena®. The composition of this diet was presented in the report. The test substance was not mixed into the diet of the offspring. Food and water were supplied *ad libitum* during acclimation and during the test, except in the control group during weeks 6 and 7 when water was withheld for two 24-hour periods in an effort to halt premature egg production.

Verification samples of control and treated diets were collected during test weeks 1, 2, 3, 4, 8, 12, 16, and 20 and frozen. Samples were shipped under dry ice to Hazleton Laboratories America, Inc. for analysis using high performance liquid chromatography (HPLC). Stability of the test material was determined during a pilot study (BLAL Study No. 108-007-06).

- C. Design: The birds were randomly distributed into four groups as follows:

M&B 46030 Technical Nominal Concentration	Number of Pens	Birds Per Pen	
		Males	Females
Control (0 ppm a.i.)	16	1	1
100 ppm a.i.	16	1	1
500 ppm a.i.	16	1	1
1000 ppm a.i.	16	1	1

Treatment levels were based upon the results of a 28-day dietary pilot study. Adult birds were identified by individual leg bands.

D. **Pen Facilities:** Adult birds were housed in wire pens which measured 61.0 x 121.9 x 61.0 cm. The average daily temperature in the adult study room was 19°C, with an average relative humidity of 78%.

The photoperiod during the first 8 weeks of the study was 7 hours of light per day. The photoperiod was then increased to 17 hours of light per day at the beginning of week 9. This level was maintained for the duration of the study.

E. **Adult Observations/Gross Pathology:** Adult birds were observed daily throughout the study for signs of toxicity. Mortalities and their surviving pen mates were necropsied. Necropsies were also conducted on half of all surviving adult birds from each group at termination of the study. Adult body weights were measured at study initiation, biweekly through week 8, and at study termination. Adult feed consumption was measured biweekly throughout the study.

F. **Eggs/Eggshell Thickness:** Eggs were collected and candled daily during the production period. All eggs were labeled according to pen of origin. Normal eggs were stored at average daily minimum and maximum temperatures of 18 and 20°C, respectively, and relative humidity of 74%. The eggs were turned once daily during each seven-day collection period. Eggs were removed from the egg cooler weekly and eggs not cracked or used for eggshell thickness measurements were placed in incubators maintained at approximately 37 to 38°C with the average relative humidity ranging from 61 to 68%. All eggs were turned automatically every two hours while in the incubator. Eggs were candled on day 14 of incubation to determine fertility and on day 21 to determine embryo survival. On incubation day 23, the eggs were placed in hatching trays.

Eggs were collected on the first day of nine separate intervals of the test period for eggshell thickness measurements. Eggs used for eggshell thickness were opened, the contents removed, thoroughly washed, air dried for at least 48 hours, and the average thickness determined by measuring three points around the equator of the egg. Measurements were recorded to the nearest 0.01 mm. The egg shells and contents were frozen for residue analysis, if requested by the sponsor.

G. **Hatchlings:** The hatchlings were divided by group and pen number and housed in a building separate from their

parents. All hatchlings were observed daily and received untreated diet during the 14-day observation period. The hatchlings were maintained at average minimum and maximum temperatures ranging from 25-34°C and average relative humidity ranging from 60-94%. Hatchling body weights were measured and recorded at hatch and on day 14. Feed consumption was not measured.

Gross pathological examinations were conducted on hatchlings found dead during the 14-day observation period and on selected hatchlings on day 14.

H. Statistics: For parametric procedures (i.e., adult body weights, feed consumption, eggshell thickness, and hatchling body weights on day 1 and day 14), a Levene's test was first conducted to determine whether the variances across the groups were homogenous (at the 0.01 level of significance). If there was not a significant difference in the group variances, a parametric one-way analysis of variance was conducted along with a Dunnett's test. If there was a significant inequality of variance, a nonparametric one-tailed Dunnett's test was performed.

A Levene's test was conducted to determine whether the variances across the groups were homogenous (at the 0.01 level of significance) for the count variables, the ratio variables, and the arcsine transformation of the ratio variables. If there was not a significant difference in the group variances, a parametric one-way analysis of variance was conducted along with a Dunnett's test.

If there was a significant inequality of variance for a count variable, a nonparametric analysis of variance was conducted. If there was a significant inequality of variance for a ratio variable, the parametric analysis of its arcsine transformation was performed if the arcsine transformation resulted in group variances which were not significantly different.

If the arcsine transformation did not remedy an inequality of variance problem with a ratio variable, then a nonparametric one-tailed Dunnett's test was conducted on the ratio variable.

12. REPORTED RESULTS:

- A. Diet Analysis: The percent of nominal recovered from the diets prepared during test weeks 1, 2, 3, 4, 8, 12, 16, and 20 averaged 92.1, 96.2, and 100.5% for the 100, 500, and 1000 ppm a.i. test diets, respectively (Table 1, attached).

Homogeneity and stability were tested on diet samples used in a pilot study (BLAL Study No. 108-007-06). The results of those analyses (included in Appendix 8) show that the test material was stable and homogeneously mixed during the pilot study.

- B. Mortality and Behavioral Reactions: Two birds (one female in the control group and one male at 1000 ppm a.i.) died during the study. No other adult mortalities were recorded during the study. No clinical signs of toxicity were noted in any of the birds during the investigation.

Post-mortem examinations of the two birds that died during the study and their pen mates showed no treatment-related effects. Examinations of one-half of the surviving adult birds in each group revealed no treatment-related findings.

- C. Adult Body Weight and Food Consumption: There were no significant differences in body weights noted during the study. Small differences (increases or decreases) in mean body weights were considered to be random occurrences.

A significant difference in feed consumption (lower value) was noted at 1000 ppm a.i. during the first interval (weeks 1 and 2) only. This was not considered to be treatment-related because it occurred during only 1 of 12 intervals. This finding may have been due to a lack of palatability (Tables 2A and 2B, attached).

- D. Reproduction: There were no significant differences in any reproductive parameter when compared with the control (Tables 4A and 4B, attached).

- E. Eggshell Thickness: There were no significant differences in eggshell thickness when compared with the control (Table 6A, attached).

- F. Offspring: There were no significant differences in body weights noted on days 1 or 14 when mean values from all pens were analyzed. There were no significant

differences noted with respect to the numbers of 14-day-old survivors of ducklings hatched during the study (Tables 7 and 8, attached).

There were no treatment-related signs of toxicity or abnormal behavior in any test group. There were no treatment-related findings from the post-mortem examinations of the hatchlings that died during the study or on selected day 14 hatchlings.

13. STUDY AUTHOR'S CONCLUSIONS/QUALITY ASSURANCE MEASURES:

"The ingestion of M&B 46030 Technical by the parental generation at levels of 100, 500 and 1,000 ppm a.i. did not adversely affect the reproductive success of the F₀ generation or the survivability and development of the offspring in the F₁ generation.

"The no-observed-effect level was considered to be 1,000 ppm a.i., the highest concentration tested."

The report stated that the study was conducted in conformance with Good Laboratory Practice (GLP) regulations (40 CFR Part 160). There were four minor protocol deviations but these should not have affected the outcome of the study. Quality assurance audits were conducted during the study and the final report was signed by a Quality Assurance Officer for Bio-Life Associates, Ltd. An additional statement of conformance with GLP (40 CFR part 160) guidelines was included in the analytical report.

14. REVIEWER'S DISCUSSION AND INTERPRETATION OF STUDY RESULTS:

A. **Test Procedure:** The test procedures were in accordance with Subdivision E, ASTM, and SEP guidelines except for the following deviations:

The homogeneity and stability of the test material in the test diets was not verified. Instead, homogeneity and stability were analyzed in diets used in a pilot study.

The daily temperature and average relative humidity were 19°C and 78% in the adult study room; 21°C and 55% are recommended.

The SEP recommends that eggs be stored at a temperature of 16°C and a relative humidity of 65%; eggs were stored between 18 and 20°C (average daily minimum and maximum temperature) and 74%.

Test levels were not separated by a factor of five.

- B. **Statistical Analysis:** Statistical analyses of reproductive parameters were performed by the reviewer using analysis of variance (ANOVA) following arcsine square-root transformation of the ratio data. The comparisons between control data and data from each treatment level were made using Dunnett's procedure and Bonferroni's procedure. The computer program is based on the EEB Birdall program. The significance level was $p \leq 0.05$.

The results of the reviewer's analyses (printouts attached) were in general agreement with those reported by the authors.

- C. **Discussion/Results:** This study is scientifically sound and fulfills the guideline requirements for an avian reproduction study. There were no treatment-related effects observed when mallard ducks were fed M&B 46030 technical for 23 weeks at 100, 500, and 1000 ppm a.i. The NOEC was 1000 ppm a.i. (nominal concentration).

D. **Adequacy of the Study:**

- (1) **Classification:** Core.
- (2) **Rationale:** N/A.
- (3) **Repairability:** N/A.

15. **COMPLETION OF ONE-LINER:** Yes; 02/04/94.

F. Final Review

Page _____ is not included in this copy.

Pages 9 through 416 are not included in this copy.

The material not included contains the following type of information:

- Identity of product inert ingredients.
- Identity of product impurities.
- Description of the product manufacturing process.
- Description of quality control procedures.
- Identity of the source of product ingredients.
- Sales or other commercial/financial information.
- A draft product label.
- The product confidential statement of formula.
- Information about a pending registration action.
- FIFRA registration data.
- The document is a duplicate of page(s) _____.
- The document is not responsive to the request.

The information not included is generally considered confidential by product registrants. If you have any questions, please contact the individual who prepared the response to your request.

Fipronil EOP, MacLard Reproto Test minID 425186-23 SAS Data

File:emailard.out Page 1

OBS	TRT	EL	EC	ES	VE	LE	NH	HS	THICK	HATWT	SURWT	FOOD	PREF	POSTM	PREM	POSTF		
1	A	4	4	4	2	37	37	0.577	38.5	185.5	39465	1263	1268	954	1040	15		
2	A	4	4	4	2	37	37	0.577	38.7	257.5	35178	1209	1105	995	1105	15		
3	A	39	0	38	37	23	10	0.333	30.3	239.7	40374	1044	1049	941	1123	14		
4	A	63	1	57	53	52	48	46	0.377	35.6	286.5	46000	1245	1398	941	1036	14	
5	A	41	5	41	36	35	30	30	0.391	34.1	291.7	43984	1126	1077	953	1087	14	
6	A	26	0	23	25	20	16	0.389	40.6	291.7	41316	1050	1198	986	1070	14		
7	A	78	2	72	68	48	33	33	0.383	37.1	282.5	35999	1108	1110	1025	1193	14	
8	A	22	0	21	19	11	32	2	0.347	32.0	232.0	32026	1393	1277	1023	976	13	
9	A	1	3	3	1	0	0	0.377	38.4	284.4	31355	1249	1178	1018	1316	13		
10	A	61	1	54	53	51	42	42	0.393	38.4	284.4	36398	1176	1316	1000	1171	13	
11	A	50	5	41	36	33	27	26	0.322	38.3	250.5	36439	1109	1224	1047	1088	15	
12	A	62	1	57	28	24	17	17	0.397	42.3	285.7	40059	1067	1199	1048	1060	15	
13	A	72	0	65	63	61	39	39	0.316	37.7	295.4	36633	1156	1168	966	1098	15	
14	A	29	3	24	22	22	15	15	0.372	37.9	333.0	37627	1141	1009	1048	1197	14	
15	A	63	0	50	53	53	35	35	0.389	39.5	241.4	362.4	39636	1126	1128	1067	1315	
16	B	39	1	35	33	30	21	20	0.390	43.5	290.7	34016	1062	1073	1055	1285		
17	B	64	1	58	57	55	50	49	0.352	38.4	268.1	31597	1192	1121	1068	1200		
18	B	39	1	35	31	29	26	25	0.370	37.8	279.3	34479	1086	1225	1002	1080		
19	B	56	1	51	49	37	32	31	0.370	37.8	285.0	37698	1183	1448	972	1105		
20	B	52	1	45	42	38	33	33	0.373	34.2	287.0	36562	1340	1473	1057	1153		
21	B	72	1	52	51	51	51	51	0.364	41.1	337.4	42617	1030	1130	1085	1037		
22	B	70	0	68	65	61	55	55	0.381	41.1	297.6	40118	1302	1189	1027	1013		
23	B	74	0	62	60	52	42	42	0.372	36.1	272.4	35377	1358	1292	1095	1292		
24	B	29	0	26	26	23	17	17	0.382	39.0	317.3	36003	945	1151	905	1292		
25	B	63	0	55	24	23	17	17	0.377	35.8	266.9	43434	1252	1360	905	1060		
26	B	74	0	69	66	58	52	52	0.360	36.8	272.4	35377	1143	1320	1007	1060		
27	B	58	0	49	44	38	28	28	0.360	36.8	266.9	43434	1252	1360	905	1060		
28	B	71	0	61	61	57	57	57	0.390	39.0	313.9	38249	1153	971	1027	1035		
29	B	89	0	83	70	69	65	65	0.370	39.0	292.8	35829	1177	1069	1029	1102		
30	B	87	0	83	70	67	63	63	0.337	41.5	307.0	32274	1125	1194	1022	1234		
31	C	36	0	33	30	30	24	24	0.360	36.1	289.3	34433	1030	957	1111	1141		
32	C	68	0	63	62	51	50	50	0.356	41.1	316.0	40500	13549	1128	1109	1023		
33	C	68	0	53	56	53	50	50	0.368	40.6	40500	13535	1265	1030	1055			
34	C	68	0	50	59	69	65	63	0.389	37.7	317.9	35871	1157	1146	1154	1466		
35	C	73	0	66	69	57	52	52	0.347	34.7	286.5	34621	1099	1140	1096	1212		
36	C	68	0	59	56	52	37	37	0.392	37.7	298.2	34627	1041	1263	1095	1172		
37	C	68	0	62	37	37	34	34	0.370	41.6	332.8	35509	1328	1216	1043	1155		
38	C	68	0	62	37	37	34	34	0.370	41.6	332.8	35509	1328	1216	1043	1155		
39	C	62	1	58	56	51	50	50	0.355	40.4	285.3	34442	1148	1030	905	1075		
40	C	62	1	58	56	51	50	50	0.401	40.4	263.1	43435	1148	1030	905	1012		
41	C	62	1	58	56	51	50	50	0.323	35.3	255.4	41127	1146	1316	970	987		
42	C	62	0	59	58	56	50	50	0.368	37.0	284.9	37684	1207	1151	1030	1260		
43	C	62	0	59	58	56	50	50	0.368	37.0	342.2	39687	1372	1403	903	1066		
44	C	62	0	55	51	49	44	44	0.328	38.2	293.1	3608	1195	955	945	1044		
45	C	74	1	55	30	28	27	24	0.368	35.2	292.3	3608	1207	1207	1090	1159		
46	D	54	1	68	67	64	61	59	0.385	38.5	324.2	34138	1080	970	950	1180		
47	D	54	0	50	44	41	39	39	0.373	36.6	324.2	34029	1182	1263	1248	1307		
48	D	83	1	76	73	64	61	61	0.328	42.6	329.2	40429	1182	1248	1165	1265		
49	D	49	2	26	12	6	5	4	0.403	35.7	308.5	43608	1149	1134	1086	949		
50	D	62	0	57	56	52	45	44	0.344	37.6	269.7	33770	1285	1395	848	1035		
51	D	62	0	57	56	52	45	44	0.344	37.6	321.0	36071	1230	847	913	1044		
52	D	62	2	27	25	21	16	16	0.375	38.8	253.1	30231	1011	1031	836	1270		
53	D	54	0	33	31	21	16	16	0.380	38.8	252.4	30291	1294	1072	1139	1270		
54	D	42	1	39	37	27	10	10	0.397	33.9	253.8	30670	1135	1120	828	1061		
55	D	63	0	59	56	55	51	51	0.351	40.4	301.4	36607	1202	1294	1049	1045		
56	D	63	0	59	56	55	53	53	0.349	39.5	312.5	39363	1091	1337	978	1163		
57	D	77	0	71	64	58	53	53	0.349	39.5	312.5	39363	1091	1140	917	1163		
58	D	76	0	69	69	65	65	65	0.361	38.2	314.4	36612	1077	1120	1048	1152		
59	D	60	17	3	13	13	5	5	0.320	37.2	293.5	30522	1310	1100	935	1166		
60	D	76	1	70	67	65	55	55	0.389	42.3	319.2	35615	1030	1000	1209	1327		

File:emailard.out Page 2

SAS 9:46 Tuesday, March 29, 1994 2

File:emailard.out Page 1

SAS 9:46 Tuesday, March 29, 1994 1

File:emailard.out Page 3

SAS 9:46 Tuesday, March 29, 1994 3

File:emailard.out Page 4

SAS 9:46 Tuesday, March 29, 1994 4

File:emailard.out Page 5

SAS 9:46 Tuesday, March 29, 1994 5

File:emailard.out Page 6

SAS 9:46 Tuesday, March 29, 1994 6

File:emailard.out Page 7

SAS 9:46 Tuesday, March 29, 1994 7

File:emailard.out Page 8

SAS 9:46 Tuesday, March 29, 1994 8

File:emailard.out Page 9

SAS 9:46 Tuesday, March 29, 1994 9

File:emailard.out Page 10

SAS 9:46 Tuesday, March 29, 1994 10

File:emailard.out Page 11

SAS 9:46 Tuesday, March 29, 1994 11

File:emailard.out Page 12

SAS 9:46 Tuesday, March 29, 1994 12

File:emailard.out Page 13

SAS 9:46 Tuesday, March 29, 1994 13

File:emailard.out Page 14

SAS 9:46 Tuesday, March 29, 1994 14

File:emailard.out Page 15

SAS 9:46 Tuesday, March 29, 1994 15

File:emailard.out Page 16

SAS 9:46 Tuesday, March 29, 1994 16

File:emailard.out Page 17

SAS 9:46 Tuesday, March 29, 1994 17

File:emailard.out Page 18

SAS 9:46 Tuesday, March 29, 1994 18

File:emailard.out Page 19

SAS 9:46 Tuesday, March 29, 1994 19

File:emailard.out Page 20

SAS 9:46 Tuesday, March 29, 1994 20

File:emailard.out Page 21

SAS 9:46 Tuesday, March 29, 1994 21

File:emailard.out Page 22

SAS 9:46 Tuesday, March 29, 1994 22

N	Obs	Variable	N	Minimum	Maximum	Mean	Std Dev
15	EL	14	0	83.000000	44.2142857	30.1921502	...
	EC	13	0	3.000000	0.8461538	0.9870962	
	ES	13	1.000000	76.000000	43.1538462	26.773769	
	VE	13	1.000000	73.000000	37.2507692	27.862000	
	LE	13	0	69.000000	33.3846156	27.445171	
	NH	13	0	65.000000	28.9230769	26.021062	
	HS	13	0	65.000000	28.7692308	25.892915	
	THICK	12	0.320000	0.403000	0.3641667	0.025050	
	HATWT	11	33.900000	42.600000	38.3818182	2.7394294	
	SURWT	11	253.100000	329.000000	298.1090909	27.398624	
	FOOD	15	7099.30	43684.00	33363.27	8855.53	
	PREM	15	1011.00	1310.00	1170.87	97.050582	
	POSTM	14	952.000000	1395.00	1156.20	130.365508	
	PREF	15	828.000000	1248.00	1001.13	135.562507	
	POSTF	13	824.000000	1327.00	1101.08	152.0046389	

1. ANALYSIS OF EL DATA

*****9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Class Level Information

Class	Levels	Values
TRT	4	A B C D

Number of observations in data set = 61

NOTE: Due to missing values, only 59 observations can be used in this analysis.

1. ANALYSIS OF EL DATA

*****9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dependent Variable: RESP

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F	RESP Mean
Model	3	3213.826503	1071.275501	1.90	0.1403	51.0169492
Error	55	31005.156548	563.730119			
Corrected Total	58	34218.983051				
	R-Square	C.V.	Root MSE			
	0.093919	46.53944	23.74300			

Source	DF	Type I SS	Mean Square	F Value	Pr > F
TRT	3	3213.826503	1071.275501	1.90	0.1403
Source	DF	Type III SS	Mean Square	F Value	Pr > F
TRT	3	3213.826503	1071.275501	1.90	0.1403

J

1. ANALYSIS OF EL DATA

*****9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Duncan's Multiple Range Test for variable: RESP

NOTE: This test controls the type I comparisonwise error rate, not the experimentwise error rate

Alpha= 0.05 df= 55 MSE= 563.7301

WARNING: Cell sizes are not equal.
Harmonic Mean of cell sizes= 12.7046

Number of Means 2 Critical Range 17.56 18.46 19.06

Means with the same letter are not significantly different.

Duncan Grouping	Mean	N	TRT
A	59.733	15	B
A	56.188	16	C
A	44.214	14	D
A	42.571	14	A

1. ANALYSIS OF EL DATA

*****9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dunnett's T tests for variable: RESP

NOTE: This tests controls the type I experimentwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 55 MSE= 563.7301
Critical Value of Dunnett's T= 2.412

Comparisons significant at the 0.05 level are indicated by ***.

TRT Comparison	Simultaneous Lower Confidence Limit	Simultaneous Upper Confidence Limit
B - A	-4.121	17.162
C - A	-7.343	13.616
D - A	-20.004	34.575
	1.643	23.289

1. ANALYSIS OF EL DATA

*****9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Bonferroni (Dunn) T tests for variable: RESP

File:mallard.out Page 7
 B - A -1.709 -0.138 1.433
 D - A -1.854 -0.225 1.403

2. ANALYSIS OF EC DATA

 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Bonferroni (Dunn) T tests for variable: RESP

NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 3.064661

Critical Value of T= 2.738%

Comparisons significant at the 0.05 level are indicated by ***.

TRT Comparison	Simultaneous Lower Difference Between Means		Simultaneous Upper Confidence Limit	
	Confidence Limit	Difference	Upper	Confidence Limit
C - A	-1.389	0.366	2.121	
C - B	-1.219	0.504	2.227	
C - D	-1.199	0.591	2.382	
A - C	-2.121	-0.366	1.389	
A - B	-1.644	-0.138	1.920	
A - D	-1.622	0.225	2.072	
B - C	-2.227	-0.504	1.219	
B - A	-1.920	-0.138	1.644	
B - D	-1.730	0.087	1.904	
D - C	-2.382	-0.591	1.199	
D - A	-2.072	-0.225	1.622	
D - B	-1.904	-0.087	1.730	

13

 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Class Level Information

Class	Levels	Values
TRT	4	A B C D

Number of observations in data set = 61

NOTE: Due to missing values, only 58 observations can be used in this analysis.

3. ANALYSIS OF ES DATA

 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

16

 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dunnett's T tests for variable: RESP

NOTE: This tests controls the type I experimentwise error for

File:mallard.out Page 8

Dependent Variable: RESP

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	3	2215.931009	738.643670	1.66	0.1863
Error	54	24014.982784	444.721903		
Corrected Total	57	26230.913793			

Source	DF	R-Square	C.V.	Root MSE	RESP Mean
		0.084478	45.05079	21.08843	46.8103448

Source	DF	Type I SS	Mean Square	F Value	Pr > F
TRT	3	2215.931009	738.643670	1.66	0.1863
Source	DF	Type III SS	Mean Square	F Value	Pr > F
TRT	3	2215.931009	738.643670	1.66	0.1863

3. ANALYSIS OF ES DATA

 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Duncan's Multiple Range Test for variable: RESP

NOTE: This test controls the type I comparisonwise error rate, not the experimentwise error rate

Alpha= 0.05 df= 54 MSE= 444.7219

WARNING: Cell sizes are not equal

Harmonic Mean of cell sizes= 14.41346

Number of Means 2

Critical Range 15.76 16.57 17.10

Means with the same letter are not significantly different.

Duncan Grouping	N	TRT
A	54.067	15 B
A	50.500	16 C
A	43.154	13 D
A	38.214	14 A

14

 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

16

 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

NOTE: This tests controls the type I experimentwise error for

File:emallard.out Page 9
Comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 444.7219
Critical Value of Dunnett's T= 2.415

Comparisons significant at the 0.05 level are indicated by ****.

TRT Comparison	Simultaneous Lower Confidence Limit	Difference Between Means	Upper Confidence Limit
B - A	-3.072	15.852	34.777
C - A	-6.351	12.286	30.923
D - A	-14.675	4.940	24.555

*H.J. D
S.D.*

3. ANALYSIS OF ES DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Bonferroni (Dunn) T tests for variable: RESP

NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 444.7219
Critical Value of T= 2.73894

Comparisons significant at the 0.05 level are indicated by ****.

TRT Comparison	Simultaneous Lower Confidence Limit	Difference Between Means	Upper Confidence Limit
B - C	-17.192	3.567	24.325
B - D	-10.974	10.913	32.800
B - A	-5.612	15.852	37.317

TRT Comparison	Simultaneous Lower Confidence Limit	Difference Between Means	Upper Confidence Limit
C - B	-24.325	-3.567	17.192
C - D	-14.221	7.346	28.913
C - A	-8.852	12.286	33.624
D - B	-32.800	-10.913	10.974
D - C	-28.913	-7.346	14.221
D - A	-17.308	4.940	27.187
A - B	-37.317	-15.852	5.612
A - C	-33.424	-12.286	8.852
A - D	-27.187	-4.940	17.308

*H.J. D
S.D.*

4. ANALYSIS OF VE DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure Class Level Information

Class	Levels	Values
TRT	4	A B C D

Duncan Grouping	Mean	N	TRT
A	44.133	15	B
A	41.238	16	C
A	37.231	13	D
A	34.500	14	A

Means with the same letter are not significantly different.

*H.J. D
S.D.*

18

*H.J. D
S.D.*

NOTE: Due to missing values, only 58 observations can be used in this analysis.

4. ANALYSIS OF VE DATA

21

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dunnett's T tests for variable: RESP

NOTE: This test controls the type I experimentwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 487.7496

Critical Value of Dunnett's T= 2.415

Comparisons significant at the 0.05 level are indicated by ***.

Simultaneous

TRT Comparison	Lower Confidence Limit	Difference Between Means	Upper Confidence Limit
B - A	-10.186	9.633	29.453
C - A	-12.080	7.457	26.955
D - A	-17.811	2.731	23.273

*No D
B, C*

Simultaneous

TRT Comparison	Lower Confidence Limit	Difference Between Means	Upper Confidence Limit
B - C	-19.544	2.196	23.936
B - D	-16.019	6.903	29.824
B - A	-12.845	9.633	32.112
C - B	-23.936	-2.196	19.544
C - D	-17.880	4.707	27.293
C - A	-14.699	7.437	29.574

*No D
B, C
A*

4. ANALYSIS OF VE DATA

22

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 487.7496

Critical Value of T= 2.73894

Comparisons significant at the 0.05 level are indicated by ***.

Simultaneous

TRT Comparison	Lower Confidence Limit	Difference Between Means	Upper Confidence Limit
B - C	-29.824	-6.903	16.019
B - D	-27.293	-4.707	17.880
B - A	-20.568	2.731	26.029
C - B	-32.112	-9.633	12.845
C - D	-29.574	-7.437	14.699
C - A	-26.029	-2.731	20.568

Simultaneous

TRT Comparison	Lower Confidence Limit	Difference Between Means	Upper Confidence Limit
B - C	-19.544	2.196	23.936
B - D	-16.019	6.903	29.824
B - A	-12.845	9.633	32.112
C - B	-23.936	-2.196	19.544
C - D	-17.880	4.707	27.293
C - A	-14.699	7.437	29.574

*No D
B, C
A*

5. ANALYSIS OF LE DATA

23

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Class Level Information

Class	Levels	Values
TRT	4	A B C D

Number of observations in data set = 61

NOTE: Due to missing values, only 58 observations can be used in this analysis.

5. ANALYSIS OF LE DATA

24

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dependent Variable: RESP

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	3	609.5398237	203.1799419	0.44	0.7278
Error	54	25134.3912088	465.4516891		

Corrected Total

57

25743.9310345

RESP Mean

R-Square	C.V.	Root MSE
0.023677	61.70173	21.57433

RESP Mean

DF	Type I SS	Mean Square	F Value	Pr > F
3	609.5398257	203.1799419	0.44	0.7278

Source

DF	Type III SS	Mean Square	F Value	Pr > F
3	609.5398257	203.1799419	0.44	0.7278

5. ANALYSIS OF LE DATA

25

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Duncan's Multiple Range Test for variable: RESP

NOTE: This test controls the type I comparisonwise error rate, not the experimentwise error rate.

Alpha= 0.05 df= 54 MSE= 465.4517

WARNING: Cell sizes are not equal.

Harmonic Mean of cell sizes= 14.41346

Number of Means 2 3 4


*No D
B, C*

*No D
B, C
A*

File:e:mallard.out Page 13 Critical Range 16.12 16.95 17.50

Means with the same letter are not significantly different.

Duncan Grouping	Mean	N	TRT
A	38.000	16	C
A	37.600	15	B
A	33.385	13	D
A	30.143	14	A



5. ANALYSIS OF LE DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dunnnett's T tests for variable: RESP

NOTE: This tests controls the type I experimentwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 465.4517

Critical Value of Dunnnett's T= 2.415

Comparisons significant at the 0.05 level are indicated by ***.

Simultaneous Lower Confidence Limit	Difference Between Means	Upper Confidence Limit
-11.209	7.857	26.924
-11.904	7.457	26.818
-16.825	3.242	23.309

5. ANALYSIS OF LE DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Bonferroni (Dunn) T tests for variable: RESP

NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 465.4517

Critical Value of T= 2.73804

Comparisons significant at the 0.05 level are indicated by ***.

Simultaneous Lower Confidence Limit	Difference Between Means	Upper Confidence Limit
-20.837	0.600	21.637
-17.449	4.655	26.680
-13.768	7.057	29.482

File:e:mallard.out Page 14

File:e:mallard.out Page 14

-19.

-19.

-19.

-19.

6. ANALYSIS OF NH DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Class Level Information

Class Levels Values

TRT 4 A B C D

Number of observations in dataset = 61

NOTE: Due to missing values, only 58 observations can be used in this analysis.

6. ANALYSIS OF NH DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 3

R-Square

C.V.

Root MSE

Type I SS

Mean Square

F Value

Pr > F

6. ANALYSIS OF NH DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dependent Variable: RESP

Source DF

Model 4

R-Square

C.V.

General Linear Models Procedure
 Duncan's Multiple Range Test for variable: RESP
 Alpha= 0.05 df= 54 MSE= 426.7902
 WARNING: Cell sizes are not equal
 Harmonic Mean of cell sizes= 14.4346

NOTE: This test controls the type I comparisonwise error rate, not the experimentwise error rate

Alpha= 0.05 df= 54 MSE= 426.7902
 WARNING: Cell sizes are not equal
 Harmonic Mean of cell sizes= 14.4346

Number of Means 2 3 4
 Critical Range 15.44 16.23 16.76

Means with the same letter are not significantly different.

Duncan Grouping	Mean	N	TRT
A	32.125	16	C P, F, D
A	30.000	15	B
A	28.923	13	D
A	23.000	14	A

6. ANALYSIS OF NH DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dunnett's T tests for variable: RESP

NOTE: This tests controls the type I experimentwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 426.7902
 Critical Value of Dunnett's T= 2.415

Comparisons significant at the 0.05 level are indicated by ****.

TRT Comparison	Simultaneous Lower Confidence Limit	Difference Between Means	Upper Confidence Limit
C - A	-9.133	9.125	27.383
B - A	-11.539	7.000	25.539
D - A	-13.292	5.923	25.139

6. ANALYSIS OF NH DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Bonferroni (Dunn) T tests for variable: RESP

NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

2

7. ANALYSIS OF HS DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure Class Level Information

Class	Levels	Values
TRT	4	A B C D

Number of observations in data set = 61
 NOTE: Due to missing values, only 58 observations can be used in this analysis.

7. ANALYSIS OF HS DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dependent Variable: RESP	Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Corrected Total	57	234.92.0172414				
Model	3	617.7524042	205.9174887	0.49	0.6933	RESP Mean

Dependent Variable: RESP	Source	DF	Type I SS	Mean Square	F Value	Pr > F
Model	54	22874.2648352	423.5974969			

Dependent Variable: RESP	Source	DF	Type I SS	Mean Square	F Value	Pr > F
Model	0.026296	72.74382	20.58148			

TRT	3	617.7524062	205.9174687	0.49	0.6933
Source	DF	Type III SS	Mean Square	F Value	Pr > F
TRT	3	617.7524062	205.9174687	0.49	0.6933

7. ANALYSIS OF HS DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

NOTE: This test controls the type I comparisonwise error rate, not the experimentwise error rate

Alpha= 0.05 df= 54 MSE= 423.5975

WARNING: Cell sizes are not equal.
Harmonic Mean of cell sizes= 14.41346

Number of Means 2

Critical Range 15.38 16.17 16.69

Means with the same letter are not significantly different.

Duncan Grouping	Mean	N	TRT
A	31.500	16	C
A	29.600	15	B
A	28.769	13	D
A	22.786	14	A

C
B
D
A

7. ANALYSIS OF HS DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dunnett's T tests for variable: RESP

NOTE: This tests controls the type I experimentwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 423.5975

Critical Value of Dunnett's T= 2.415

Comparisons significant at the 0.05 level are indicated by ***.

TRT Comparison	Simultaneous Lower Confidence Limit	Difference Between Means	Upper Confidence Limit
C - A	-9.475	8.714	26.903
B - A	-11.656	6.814	25.284
D - A	-13.160	5.984	25.127

N.O.

S.P.

7. ANALYSIS OF HS DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Bonferroni (Dunn) T tests for variable: RESP

NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 423.5975

Critical Value of T= 2.3894

Comparisons significant at the 0.05 level are indicated by ***.

TRT Comparison	Simultaneous Lower Confidence Limit	Difference Between Means	Upper Confidence Limit
C - B	-18.360	1.900	22.160
C - D	-18.318	2.731	23.780
C - A	-11.916	8.714	29.344
B - C	-22.160	-1.900	18.360
B - D	-20.530	-0.831	22.192
B - A	-14.134	6.814	27.763
D - C	-23.780	-2.731	18.318
D - B	-22.192	-0.831	20.530
D - A	-15.729	5.984	27.696
A - C	-29.344	-8.714	11.916
A - B	-27.763	-6.814	14.134
A - D	-27.696	-5.984	15.729

8. ANALYSIS OF EGGSHELL THICKNESS DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Class Level Information

Class	Levels	Values
TRT	4	A B C D

Number of observations in data set = 61

NOTE: Due to missing values, only 56 observations can be used in this analysis.

8. ANALYSIS OF EGGSHELL THICKNESS DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Dependent Variable: RESP					

N.O.

S.P.

S.P.

Model	3	0.00105004	0.00035001	0.64	0.5916
Error	52	0.02835594	0.00054531		
Corrected Total	55	0.02940598			
	R-Square	C.V.	Root MSE		
	0.035708	6.320143	0.023352		
Source	DF	Type I SS	Mean Square	F Value	Pr > F
TRT	3	0.00105004	0.00035001	0.64	0.5916
Source	DF	Type III SS	Mean Square	F Value	Pr > F
TRT	3	0.00105004	0.00035001	0.64	0.5916

8. ANALYSIS OF EGGSHELL THICKNESS DATA

40
9:46 Tuesday, March 29, 1994

General Linear Models Procedure

NOTE: This test controls the type I comparisonwise error rate, not the experimentwise error rate

Alpha= 0.05 df= 52 MSE= 0.000545
WARNING: Cell sizes are not equal
Harmonic Mean of cell sizes= 13.8206

Number of Means 2 3 4
Critical Range .0178 .0188 .0194

Means with the same letter are not significantly different.

Duncan Grouping	Mean	N	TRT
A	0.37492	13	A D S P
A	0.37260	15	B D
A	0.36613	16	C D
A	0.36417	12	D

8. ANALYSIS OF EGGSHELL THICKNESS DATA

41
9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dunnnett's T tests for variable: RESP
NOTE: This tests controls the type I comparisonwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 52 MSE= 0.000545
Critical Value of Dunnnett's T= 2.415

Comparisons significant at the 0.05 level are indicated by ***.

TRT Comparison	Simultaneous		
	Lower Confidence Limit	Upper Confidence Limit	Pr > F
B - A	-0.0289	-0.00232	0.01905
C - A	-0.02986	-0.00880	0.01226
D - A	-0.03333	-0.01076	0.01182

8. ANALYSIS OF EGGSHELL THICKNESS DATA

42
9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Bonferroni (Dunn) T tests for variable: RESP

NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 52 MSE= 0.000545
Critical Value of T= 2.74295

Comparisons significant at the 0.05 level are indicated by ***.

TRT Comparison	Simultaneous		
	Lower Confidence Limit	Upper Confidence Limit	Pr > F
A - B	0.02195	0.02659	
A - C	0.01512	0.03272	
A - D	-0.01489	0.03640	
B - A	-0.02659	-0.02195	
B - C	-0.01655	-0.00647	
B - D	-0.01637	0.03324	

9 ANALYSIS OF HATCHLING WEIGHT DATA

43
9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Class Level Information

Class	Levels	Values
TRT	4	A B C D

Number of observations in data set = 61

File:emallard.out Page 21
Note: Due to missing values, only 54 observations can be used in this analysis.

File:emallard.out Page 22 9. ANALYSIS OF HATCHLING WEIGHT DATA ***** 9:46 Tuesday, March 29, 1994

9. ANALYSIS OF HATCHLING WEIGHT DATA

***** 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dependent Variable: RESP	Sum of Squares	Mean Square	F Value	Pr > F	
Source	DF				
Model	3	20.69919477	6.89973159	0.77	
Error	50	445.65062005	8.91301240		
Corrected Total	53	466.34981481			
	R-Square	C.V.	Root MSE	RESP Mean	
	0.044386	7.939680	2.985467	37.6018519	
Source	DF	Type I SS	Mean Square	F Value	Pr > F
TRT	3	20.69919477	6.89973159	0.77	0.5140
Source	DF	Type III SS	Mean Square	F Value	Pr > F
TRT	3	20.69919477	6.89973159	0.77	0.5140

9. ANALYSIS OF HATCHLING WEIGHT DATA

***** 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Duncan's Multiple Range Test for variable: RESP

NOTE: This test controls the type I comparisonwise error rate, not the experimentwise error rate

Alpha= 0.05 df= 50 MSE= 8.913012
WARNING: Cell sizes are not equal.
Harmonic Mean of cell sizes = 13.28173
Number of Means 2 3 4
Critical Range 2.328 2.448 2.527

Means with the same letter are not significantly different.

Duncan Grouping	Mean	N	TRT	Pr
A	38.382	11	D	
A	38.120	15	B	
A	37.133	15	C	
A	36.885	13	A	

51

General Linear Models Procedure

Dunnett's T tests for variable: RESP

NOTE: This tests controls the type I experimentwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 50 MSE= 8.913012
Critical Value of Dunnett's T= 2.421

Comparisons significant at the 0.05 level are indicated by ****.

TRT Comparison	Simultaneous Lower Confidence Limit	Difference Between Means	Upper Confidence Limit
D - A	-1.464	1.497	4.458
B - A	-1.503	1.235	3.974
C - A	-2.430	0.249	2.988

9. ANALYSIS OF HATCHLING WEIGHT DATA

***** 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Bonferroni (Dunn) T tests for variable: RESP

NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 50 MSE= 8.913012
Critical Value of T= 2.74730

Comparisons significant at the 0.05 level are indicated by ****.

TRT Comparison	Simultaneous Lower Confidence Limit	Difference Between Means	Upper Confidence Limit
D - B	-2.994	0.262	3.518
D - C	-2.007	1.248	4.504
D - A	-1.863	1.497	4.357

9. ANALYSIS OF HATCHLING WEIGHT DATA

***** 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

TRT Comparison	Simultaneous Lower Confidence Limit	Difference Between Means	Upper Confidence Limit
D - B	-3.518	-0.262	2.994
D - C	-2.008	0.987	3.982
B - A	-1.873	1.235	4.343

10. ANALYSIS OF 14-DAY SURVIVOR WEIGHT DATA

***** 9:46 Tuesday, March 29, 1994

52

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Class Level Information

Class	Levels	Values
TRT	4	A B C D

Number of observations in data set = 61

NOTE: Due to missing values, only 54 observations can be used in this analysis.

10. ANALYSIS OF 14-DAY SURVIVOR WEIGHT DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dependent Variable: RESP

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	3	6858.754935	2286.251645	2.50	0.0704
Error	50	45791.240065	915.824801		
Corrected Total	53	52649.995000			
	R-square	C.V.	Root MSE		
	0.130271	10.48539	30.26260		
	DF	Type I SS	Mean Square	F Value	Pr > F
TRT	3	6858.754935	2286.251645	2.50	0.0704

Source	DF	Type III SS	Mean Square	F Value	Pr > F
TRT	3	6858.754935	2286.251645	2.50	0.0704

10. ANALYSIS OF 14-DAY SURVIVOR WEIGHT DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Duncan's Multiple Range Test for variable: RESP

NOTE: This test controls the type I comparisonwise error rate, not the experimentwise error rate

Alpha= 0.05 df= 50 MSE= 915.8248

WARNING: Cell sizes are not equal.
Harmonic Mean of cell sizes = 13.28173

Number of Means 2 3 4
Critical Range 23.60 24.81 25.62

Means with the same letter are not significantly different.

JJ

Duncan Grouping

	A	A	A	A	N	TRT
	A	A	A	A	298.11	D
					294.41	B
					292.99	C
					268.85	A

D : FF

B

51

10. ANALYSIS OF 14-DAY SURVIVOR WEIGHT DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dunnett's T tests for variable: RESP

NOTE: This tests controls the type I experimentwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 50 MSE= 915.8248
Critical Value of Dunnett's T= 2.421

Comparisons significant at the 0.05 level are indicated by ****.

Simultaneous Lower Comparison	Simultaneous Upper Comparison
TRT Comparison	TRT Comparison
D - A	D - A
B - A	B - A
C - A	C - A
Simultaneous Lower Comparison	Simultaneous Upper Comparison
TRT Comparison	TRT Comparison
D - B	D - B
D - C	D - C
D - A	D - A

10. ANALYSIS OF 14-DAY SURVIVOR WEIGHT DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Bonferroni (Dunn) T tests for variable: RESP

NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 50 MSE= 915.8248
Critical Value of T= 2.74730

Comparisons significant at the 0.05 level are indicated by ****.

Simultaneous Lower Comparison	Simultaneous Upper Comparison
TRT Comparison	TRT Comparison
D - B	D - B
D - C	D - C
D - A	D - A
Simultaneous Lower Comparison	Simultaneous Upper Comparison
TRT Comparison	TRT Comparison
D - B	D - B
D - C	D - C
D - A	D - A

51

C	-D	-38.12	-5.12	27.89
C	-B	-31.77	-1.41	28.95
C	-A	-7.37	24.14	55.64
A	-D	-63.32	-29.26	4.81
A	-B	-51.06	-25.55	5.95
A	-C	-55.64	-24.14	7.37

(A) (A) (A)

11. ANALYSIS OF FOOD CONSUMPTION DATA *****

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Class Level Information

Class	Levels	Values
TRT	4	A B C D

Number of observations in data set = 61

11. ANALYSIS OF FOOD CONSUMPTION DATA *****

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dependent Variable: RESP	Sum of Squares	Mean Square	F Value	Pr > F
Source DF				
Model	3	209105207.7	69701735.9	1.40
Error	57	2847743743.3	49960416.5	
Corrected Total	60	3056848951.0		
R-Square	C.V.	Root MSE	RESP Mean	
0.088405	19.52658	7068.268	36198.1803	
DF	Type I SS	Mean Square	F Value	Pr > F
TRT	3	209105207.7	69701735.9	1.40
Source DF	Type III SS	Mean Square	F Value	Pr > F
TRT	3	209105207.7	69701735.9	1.40

Dependent Variable: RESP	Sum of Squares	Mean Square	F Value	Pr > F
Source DF				
Model	3	209105207.7	69701735.9	0.2536
Error	57	2847743743.3	49960416.5	
Corrected Total	60	3056848951.0		
R-Square	C.V.	Root MSE	RESP Mean	
0.088405	19.52658	7068.268	36198.1803	
DF	Type I SS	Mean Square	F Value	Pr > F
TRT	3	209105207.7	69701735.9	0.2536
Source DF	Type III SS	Mean Square	F Value	Pr > F
TRT	3	209105207.7	69701735.9	0.2536

11. ANALYSIS OF FOOD CONSUMPTION DATA *****

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Duncan's Multiple Range Test for variable: RESP

NOTE: This test controls the type I comparisonwise error rate, not the experimentwise error rate

JQ

Alpha= 0.05 df= 57 MSE= 49960417
 WARNING: Cell sizes are not equal
 Harmonic Mean of cell sizes= 15.2381
 Number of Means 2 Critical Range 5131 5335 5569

Means with the same letter are not significantly different.

TRT	Mean	N	TRT
A	38048	15	B
A	37631	16	C
A	35656	15	A
A	33363	15	D

Duncan Grouping

D.f.f

P

11. ANALYSIS OF FOOD CONSUMPTION DATA *****

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dunnnett's T tests for variable: RESP

NOTE: This tests controls the type I experimentwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 57 MSE= 49960417
 Critical Value of Durnett's T= 2.412

Comparisons significant at the 0.05 level are indicated by ***.

TRT Comparison	Simultaneous Lower Confidence Limit	Simultaneous Upper Confidence Limit
B - A	-3834	2392
C - A	-4153	1975
D - A	-8518	-2292

11. ANALYSIS OF FOOD CONSUMPTION DATA *****

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Bonferroni (Dunn) T tests for variable: RESP

NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 57 MSE= 49960417
 Critical Value of T= 2.7346

Comparisons significant at the 0.05 level are indicated by ***.

Simultaneous Difference Lower Upper

TRT Comparison	Confidence Limit	Between Means	Confidence Limit
B - C	-6527	417	7361
B - A	-4663	2392	9447
B - D	-2371	4684	11739
C - B	-7361	-417	6527
C - A	-4969	1975	8919
C - D	-2677	4267	11211
A - B	-9447	-2392	4663
A - C	-8919	-1975	4969
A - D	-4763	2292	9347
D - B	-11739	-4684	2371
D - C	-11211	-4267	2677
D - A	-9347	-2292	4763

No Df

8. ANALYSIS OF ES/EL DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Class Level Information

Class	Levels	Values
TRT	4	A B C D

Number of observations in data set = 61

NOTE: Due to missing values, only 57 observations can be used in this analysis.

8. ANALYSIS OF ES/EL DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dependent Variable: RESPONSE

Weight: Wt

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	3	524.2922558	174.7640853	0.24	0.8687
Error	53	38747.6348442	731.0874499		
Corrected Total	56	39271.9271000			
	R-Square	C.V.	Root MSE	RESPONSE Mean	
	0.013350	37.60984	27.03863	71.8924270	

Source DF Type I SS Mean Square F Value Pr > F

TRT	3	524.2922558	174.7640853	0.24	0.8687
Source	DF	Type III SS	Mean Square	F Value	Pr > F

Source DF Type I SS Mean Square F Value Pr > F

TRT	3	524.2922558	174.7640853	0.24	0.8687

8. ANALYSIS OF ES/EL DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Duncan's Multiple Range Test for variable: RESPONSE

NOTE: This test controls the type I comparisonwise error rate, not the experimentwise error rate


Alpha= 0.05 df= 53 MSE= 731.0874

WARNING: Cell sizes are not equal
Harmonic Mean of cell sizes= 14.20026

Number of Means 2 3 4

Critical Range 20.36 21.41 22.10

Means with the same letter are not significantly different.



8. ANALYSIS OF ES/EL DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dunnnett's T tests for variable: RESPONSE

NOTE: This tests controls the type I experimentwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 53 MSE= 731.0874

Critical Value of Dunnnett's T= 2.417

Comparisons significant at the 0.05 level are indicated by ***.

Simultaneous Lower Upper
Comparison TRT Confidence Between Confidence
Means Limit Means Limit

D - A 24.461 0.713 25.887
B - A -23.362 0.426 24.714
C - A -24.662 -0.374 23.914

8. ANALYSIS OF ES/EL DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Wt

60

Bonferroni Dunn) T tests for variable: RESPONSE

NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 53 MSE= 731.0874 Critical Value of T= 2.74091

Comparisons significant at the 0.05 level are indicated by ***.

TRT Comparison	Simultaneous Lower Confidence Limit	Difference Between Means	Upper Confidence Limit
D - B	-27.796	0.287	28.370
D - A	-27.832	0.713	29.258
D - C	-26.995	1.087	29.170

TRT Comparison	Simultaneous Lower Confidence Limit	Difference Between Means	Upper Confidence Limit
B - D	-28.370	-0.287	27.796
B - A	-27.114	0.426	27.966
B - C	-26.261	0.800	27.862
A - D	-29.258	-0.713	27.832
A - B	-27.966	-0.426	27.114
A - C	-27.166	0.374	27.915
C - D	-29.170	-1.087	26.995
C - B	-27.862	-0.800	26.261
C - A	-27.915	-0.374	27.166

(A) (B) (C) (D)

File:e:mallard.out Corrected Total Page 50 870676.81391

	R-Square	F.V.	Root MSE	RESPONSE Mean
	0.024194	178.013	125.4334	70.3097203

Source	DF	Type I SS	Mean Square	F Value	Pr > F
TRT	3	21065.30029	7021.76676	0.45	0.7209

Source	DF	Type III SS	Mean Square	F Value	Pr > F
TRT	3	21065.30029	7021.76676	0.45	0.7209

9. ANALYSIS OF VE/ES DATA *****

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Duncan's Multiple Range Test for variable: RESPONSE

NOTE: This test controls the type I comparisonwise error rate, not the experimentwise error rate

Alpha= 0.05 df= 54 MSE= 15733.55

WARNING: Cell sizes are not equal

Harmonic Mean of cell sizes= 14.41346

Number of Means 2 Critical Range 93.7 98.5 101.7

Means with the same letter are not significantly different.

Duncan Grouping	Mean	N	TRT
A	74.59	14	A
A	72.44	13	D
A	69.01	16	C
A	67.30	15	B

Number of observations in data set = 61

NOTE: Due to missing values, only 58 observations can be used in this analysis.

9. ANALYSIS OF VE/ES DATA *****

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dunnett's T tests for variable: RESPONSE

NOTE: This tests controls the type I experimentwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 15733.55

Critical Value of Dunnett's T= 2.415

Comparisons significant at the 0.05 level are indicated by ***.

Simultaneous Difference Upper Lower

6

9. ANALYSIS OF VE/ES DATA *****

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

NOTE: This tests controls the type I experimentwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 15733.55

Critical Value of Dunnett's T= 2.415

Comparisons significant at the 0.05 level are indicated by ***.

Simultaneous Difference Upper Lower

General Linear Models Procedure

Dunnett's T tests for variable: RESPONSE


NOTE: This tests controls the type I experimentwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 6275.304
Critical Value of Dunnett's T= 2.415

Comparisons significant at the 0.05 level are indicated by ****.

Simultaneous Lower Difference Upper Confidence Between Means Limit

TRT Comparison	C - A	-76.875	2.528	72.537	W _o
C - B	-A	-72.858	1.857	75.539	S
C - D	-A	-1.769	-72.858	69.321	P



10. ANALYSIS OF LE/VE DATA

72

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Bonferroni (Dunn) T tests for variable: RESPONSE

NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 6275.304
Critical Value of T= 2.73894

Comparisons significant at the 0.05 level are indicated by ****.

Simultaneous Lower Difference Upper Confidence Between Means Limit

TRT Comparison	C - D	-80.344	0.672	81.687	W _o
C - A	-A	-76.875	2.528	81.931	S
C - B	-B	-73.682	4.297	82.275	P



TRT Comparison	A - C	-81.931	-2.528	76.875	W _o
A - D	-D	-85.426	-1.857	81.712	S
A - B	-B	-78.880	1.769	82.397	P

TRT Comparison	B - C	-82.275	-4.297	73.682	W _o
B - D	-D	-85.842	-3.625	78.592	S
B - A	-A	-82.397	-1.769	78.860	P

11 ANALYSIS OF NV/LE DATA

73

9:46 Tuesday, March 29, 1994

General Linear Models Procedure
Class Level Information

Number of Means 56.24 59.14 61.05
Critical Range 2 3 4

Duncan Grouping A 69.94 12 D

Means with the same letter are not significantly different.

Number of observations in data set = 61

NOTE: Due to missing values, only 57 observations can be used in this analysis.

11 ANALYSIS OF NV/LE DATA

74

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dependent Variable: RESPONSE WT

Source DF Sum of Squares Mean Square F Value Pr > F

Model 3 15505.77954 5168.59318 0.93 0.4308

Error 53 293270.19013 5533.39981

Corrected Total 56 308775.96967

R-Square 0.050217 111.5993 74.38683

Root MSE 0.93 66.6552988

Source DF Type I SS

TRT 3 15505.77954 5168.59318 0.93 0.4308

Source DF Type III SS

TRT 3 15505.77954 5168.59318 0.93 0.4308

11 ANALYSIS OF NV/LE DATA

75

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Duncan's Multiple Range Test for variable: RESPONSE

NOTE: This test controls the type I comparisonwise error rate, not the experimentwise error rate

Alpha= 0.05 df= 53 MSE= 5533.4
WARNING: Cell sizes are not equal;
Harmonic Mean of cell sizes= 14.08805

Number of Means 2 3 4

Critical Range 56.24 59.14 61.05

Duncan Grouping A 69.94 12 D

Means with the same letter are not significantly different.

Number of Means 56.24 59.14 61.05
Critical Range 2 3 4

Duncan Grouping A 69.94 12 D

63

Alpha= 0.05 df= 53 MSE= 15308.79
WARNING: Cell sizes are not equal

Harmonic Mean of cell sizes= 14.20266
Number of Means 2 3 4
Critical Range 93.2 98.0 101.2

Means with the same letter are not significantly different.

Duncan Grouping	Mean	N	TRT
A	51.32	13	D, F, G
A	47.87	15	C
A	47.22	14	A
A	44.06	15	B

12 ANALYSIS OF NH/EL DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dunnnett's T tests for variable: RESPONSE

NOTE: This test controls the type I experimentwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 53 MSE= 15308.79
Critical Value of Dunnnett's T= 2.417

Comparisons significant at the 0.05 level are indicated by *****.

Simultaneous TRT Comparison	Lower Difference	Upper Difference	Between Means	Confidence Limit
D - A	-111.095	4.101	119.296	
C - A	-10.483	0.659	111.801	
B - A	-114.294	-3.152	107.991	

12 ANALYSIS OF NH/EL DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Bonferroni (Dunn) T tests for variable: RESPONSE

NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 53 MSE= 15308.79
Critical Value of T= 2.74091

Comparisons significant at the 0.05 level are indicated by *****.

Simultaneous

Alpha= 0.05 df= 53 MSE= 15308.79
WARNING: Cell sizes are not equal

Harmonic Mean of cell sizes= 14.20266
Number of Means 2 3 4
Critical Range 93.2 98.0 101.2

Means with the same letter are not significantly different.

Duncan Grouping	Mean	N	TRT
A	51.32	13	D, F, G
A	47.87	15	C
A	47.22	14	A
A	44.06	15	B

17. ANALYSIS OF HS/NH DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Class Level Information

Class	Levels	Values
TRT	4	A B C D

Number of observations in data set = 61

NOTE: Due to missing values, only 54 observations can be used in this analysis.

17. ANALYSIS OF HS/NH DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Class Level Information

Class	Levels	Values
TRT	4	A B C D

Dependent Variable: RESPONSE

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	3	1978.894547	659.631516	0.70	0.5536
Error	50	46789.493341	935.789927		

General Linear Models Procedure

Class Level Information

Class	Levels	Values
TRT	4	A B C D

Dependent Variable: RESPONSE

Class Level Information

Dependent Variable: RESPONSE

Class Level Information

Dependent Variable: RESPONSE

Class Level Information

Dependent Variable: RESPONSE

65

17. ANALYSIS OF HS/NH DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure
File:e:mallard.out Page 40
General Linear Models Procedure

Alpha= 0.05 df= 50 MSE= 935.7899
WARNING: Cell sizes are not equal.
Harmonic Mean of cell sizes= 13.28173

85

Duncan's Multiple Range Test for variable: RESPONSE
General Linear Models Procedure

NOTE: This test controls the type I comparisonwise error rate, not
the experimentwise error rate

Alpha= 0.05 df= 50 MSE= 935.7899
WARNING: Cell sizes are not equal.
Harmonic Mean of cell sizes= 13.28173

Number of Means 2 3 4
Critical Range 23.85 25.08 25.89

Means with the same letter are not significantly different.

Duncan Grouping
Mean N TRT
A 87.79 (11 D P.C.F
A 87.28 13 A P
A 85.97 15 B P
A 85.06 15 C P

NOTE: This test controls the type I experimentwise error rate but
generally has a higher type II error rate than Tukey's for all
pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 50 MSE= 935.7899
Critical Value of T= 2.74730

Comparisons significant at the 0.05 level are indicated by ****.

TRT Comparison	Simultaneous Lower Confidence Limit		Simultaneous Upper Confidence Limit	
	D - A	D - B	D - C	B - C
D - A	-33.914	-31.537	0.516	34.946
D - B	-30.629	-2.732	1.824	35.185
D - C	-30.539	-0.516	33.914	36.093
A - B	-29.630	2.216	33.154	34.062
A - C	-29.630	2.216	33.154	34.062

17. ANALYSIS OF HS/NH DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dunnett's T tests for variable: RESPONSE
General Linear Models Procedure

NOTE: This tests controls the type I experimentwise error for
comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 50 MSE= 935.7899
Critical Value of Dunnett's T= 2.421

Comparisons significant at the 0.05 level are indicated by ****.

TRT Comparison	Simultaneous Lower Confidence Limit		Simultaneous Upper Confidence Limit	
	D - A	B - A	C - A	P
D - A	-29.824	0.516	30.856	P
B - A	-29.371	1.308	26.756	P
C - A	-30.280	-2.216	25.848	P

17. ANALYSIS OF HS/NH DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure
File:e:mallard.out Page 41

General Linear Models Procedure
File:e:mallard.out Page 40
General Linear Models Procedure

NOTE: This test controls the type I experimentwise error rate but
generally has a higher type II error rate than Tukey's for all
pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 50 MSE= 935.7899
Critical Value of T= 2.74730

Comparisons significant at the 0.05 level are indicated by ****.

TRT Comparison	Simultaneous Lower Confidence Limit		Simultaneous Upper Confidence Limit	
	D - A	B - A	C - A	P
D - A	-33.914	-31.537	0.516	34.946
B - A	-30.629	-2.732	1.824	35.185
C - A	-30.539	-0.516	33.914	36.093
A - B	-29.630	2.216	33.154	34.062
A - C	-29.630	2.216	33.154	34.062

18. ANALYSIS OF EC/EL DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure
Class Level Information

Class Levels Values
TRT 4 A B C D

Number of observations in data set = 61

NOTE: Due to missing values, only 58 observations can be used in this analysis.

Source	Sum of Squares		F Value	PR > F
	DF	Mean Square		
Model	3	1259.657767	419.885922	0.21
Error	54	110326.708822	2043.087200	0.8921

18. ANALYSIS OF EC/EL DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure
File:e:mallard.out Page 42

87

17. ANALYSIS OF HS/NH DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure
File:e:mallard.out Page 41

66

	Corrected Total	57	111586.366589	
Source	R-Square	C.V.	Root MSE	RESPONSE Mean
TRT	0.011289	765.6460	45.20052	5.90357941
Source	DF	Type I SS	Mean Square	F Value
TRT	3	1259.657767	419.885922	0.21
Source	DF	Type III SS	Mean Square	F Value
TRT	3	1259.657767	419.885922	0.21

18. ANALYSIS OF EC/EL DATA

90

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Duncan's Multiple Range Test for variable: RESPONSE

NOTE: This test controls the type I comparisonwise error rate, not the experimentwise error rate

Alpha= 0.05 df= 54 MSE= 2043.087

WARNING: Cell sizes are not equal
Harmonic Mean of cell sizes= 14.41346Number of Means 2 3 4
Critical Range 33.77 35.51 36.66

Means with the same letter are not significantly different.

Duncan Grouping	Mean	N	TRT
A	6.858	14	A D C F
A	6.304	16	C
A	5.324	15	B
A	5.241	13	D

18. ANALYSIS OF EC/EL DATA

91

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dunnnett's T tests for variable: RESPONSE

NOTE: This tests controls the type I experimentwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 2043.087

Comparisons significant at the 0.05 level are indicated by ***.
Simultaneous

	Page 42	Page 42
TRT Comparison		
C - A	-40.501	-0.555
B - A	-42.097	-1.534
D - A	-43.659	-1.617

18. ANALYSIS OF EC/EL DATA

92

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Bonferroni (Dunn) T tests for variable: RESPONSE

NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 2043.087

Critical Value of T= 2.73894

Comparisons significant at the 0.05 level are indicated by ***.

	Simultaneous	Simultaneous
TRT Comparison		
A - C	-44.752	0.555
A - B	-44.472	1.534
A - D	-46.067	1.617
C - A	-45.861	-0.555
C - B	-43.514	0.980
C - D	-45.164	1.062

	Simultaneous	Simultaneous
TRT Comparison		
A - C	-44.752	0.555
A - B	-44.472	1.534
A - D	-46.067	1.617
C - A	-45.861	-0.555
C - B	-43.514	0.980
C - D	-45.164	1.062

19. ANALYSIS OF NH/ES DATA

93

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Class Level Information

Class	Levels	Values
TRT	4	A B C D

Number of observations in data set = 61

NOTE: Due to missing values, only 58 observations can be used in this analysis.

Simultaneous

61

19. ANALYSIS OF NH/ES DATA

94

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dependent Variable: RESPONSE							
WT	Weight:	Sum of Squares	Mean Square	F Value	Pr > F		
Source	DF						
Model	3	23756.66208	7918.88736	0.48	0.7004		
Error	54	898529.41166	16639.43355				
Corrected Total	57	922286.07374					
Source	DF	C.V.	Root MSE	RESPONSE Mean			
	R-Square						
	0.025758	250.3141	128.9939	51.5328356			
Source	DF	Type I SS	Mean Square	F Value	Pr > F		
TRT	3	23756.66208	7918.88736	0.48	0.7004		
Source	DF	Type III SS	Mean Square	F Value	Pr > F		
TRT	3	23756.66208	7918.88736	0.48	0.7004		

19. ANALYSIS OF NH/ES DATA

95

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

NOTE: This test controls the type I comparisonwise error rate, not

the experimentwise error rate

Alpha= 0.05 df= 54 MSE= 16639.43

WARNING: Cell sizes are not equal
Harmonic Mean of cell sizes= 14.41346

Number of Means 2 3 4

Critical Range 96.4 101.3 104.6

Means with the same letter are not significantly different.

Duncan Grouping

Mean	N	TRT
55.86	13	D
52.53	16	C
51.42	14	A
47.62	15	B

19. ANALYSIS OF NH/ES DATA

96

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dunnett's T tests for variable: RESPONSE

NOTE: This tests controls the type I experimentwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 16639.43

Critical Value of Dunnett's T= 2.415

Comparisons significant at the 0.05 level are indicated by ****.

Simultaneous TRT Comparison		Lower Confidence Limit	Upper Confidence Limit
D - A	-115.535	4.446	126.428
D - C	-112.885	1.115	115.115
D - B	-119.558	-3.798	111.962

19. ANALYSIS OF NH/ES DATA

97

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Bonferroni (Dunn) T tests for variable: RESPONSE

NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 16639.43

Critical Value of T= 2.73894

Comparisons significant at the 0.05 level are indicated by ****.

Simultaneous TRT Comparison		Lower Confidence Limit	Upper Confidence Limit
D - C	-128.591	3.331	135.254
D - A	-131.635	4.446	140.527
D - B	-125.635	8.244	142.123

Simultaneous TRT Comparison		Lower Confidence Limit	Upper Confidence Limit
C - D	-135.254	-3.331	128.591
C - A	-128.182	1.115	130.412
C - B	-122.065	4.913	131.890

20. ANALYSIS OF HS/ES DATA

98

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

68

Class	Levels	Values
TRT	4	A B C D

Number of observations in data set = 61

NOTE: Due to missing values, only 58 observations can be used in this analysis.

20. ANALYSIS OF HS/ES DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dependent Variable: RESPONSE

Weight:	Sum of Squares	Mean Square	F Value	Pr > F
Source	DF			
Model	3	24386.72243	8128.90748	0.49
Error	54	889140.42397	16465.56341	
Corrected Total	57	915527.14639		
R-Square	C.V.	Root MSE	RESPONSE Mean	
0.026695	251.4734	128.3182	51.0265580	
Source	DF	Type I SS	Mean Square	F Value
TRT	3	24386.72243	8128.90748	0.49
Source	DF	Type III SS	Mean Square	F Value
TRT	3	24386.72243	8128.90748	0.49

0.6882

0.6882

0.6882

0.6882

20. ANALYSIS OF HS/ES DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

20. ANALYSIS OF HS/ES DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Duncan's Multiple Range Test for variable: RESPONSE

NOTE: This test controls the type I comparisonwise error rate, not the experimentwise error rate

Alpha= 0.05 df= 54 MSE= 16465.56

WARNING: Cell sizes are not equal
Harmonic Mean of cell sizes= 14.41346

Number of Means 2 Critical Range 95.9 10.8 104.1

Mens with the same letter are not significantly different.
Duncan Grouping

Mean N TRT

69

13	D
16	C
14	A
15	B

20. ANALYSIS OF HS/ES DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

NOTE: This tests controls the type I experimentwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 16465.56
Critical Value of Dunnett's T= 2.415

Comparisons significant at the 0.05 level are indicated by ****.

TRT Comparison	Simultaneous Lower Confidence Limit	Simultaneous Upper Confidence Limit
D - A	-114.762	4.591
C - A	-112.692	123.943
B - A	-119.025	114.13

P.

20. ANALYSIS OF HS/ES DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dunnett's T tests for variable: RESPONSE

NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 16465.56
Critical Value of T= 2.738%

Comparisons significant at the 0.05 level are indicated by ****.

TRT Comparison	Simultaneous Lower Confidence Limit	Simultaneous Upper Confidence Limit
D - C	-127.351	3.880
B - A	-130.778	135.112
B - B	-124.716	4.591
C - D	-135.112	139.959
C - A	-127.909	141.640
C - C	-121.730	8.442
A - D	-139.959	5.700

TRT Comparison	Simultaneous Lower Confidence Limit	Simultaneous Upper Confidence Limit
D - C	-127.351	3.880
B - A	-130.778	135.112
B - B	-124.716	4.591
C - D	-135.112	139.959
C - A	-127.909	141.640
C - C	-121.730	8.442
A - D	-139.959	5.700

TRT Comparison	Simultaneous Lower Confidence Limit	Simultaneous Upper Confidence Limit
D - C	-127.351	3.880
B - A	-130.778	135.112
B - B	-124.716	4.591
C - D	-135.112	139.959
C - A	-127.909	141.640
C - C	-121.730	8.442
A - D	-139.959	5.700

TRT Comparison	Simultaneous Lower Confidence Limit	Simultaneous Upper Confidence Limit
D - C	-127.351	3.880
B - A	-130.778	135.112
B - B	-124.716	4.591
C - D	-135.112	139.959
C - A	-127.909	141.640
C - C	-121.730	8.442
A - D	-139.959	5.700

TRT Comparison	Simultaneous Lower Confidence Limit	Simultaneous Upper Confidence Limit
D - C	-127.351	3.880
B - A	-130.778	135.112
B - B	-124.716	4.591
C - D	-135.112	139.959
C - A	-127.909	141.640
C - C	-121.730	8.442
A - D	-139.959	5.700

TRT Comparison	Simultaneous Lower Confidence Limit	Simultaneous Upper Confidence Limit
D - C	-127.351	3.880
B - A	-130.778	135.112
B - B	-124.716	4.591
C - D	-135.112	139.959
C - A	-127.909	141.640
C - C	-121.730	8.442
A - D	-139.959	5.700

TRT Comparison	Simultaneous Lower Confidence Limit	Simultaneous Upper Confidence Limit
D - C	-127.351	3.880
B - A	-130.778	135.112
B - B	-124.716	4.591
C - D	-135.112	139.959
C - A	-127.909	141.640
C - C	-121.730	8.442
A - D	-139.959	5.700

N
A. P.

NOTE: The $X'X$ matrix has been found to be singular and a generalized inverse was used to solve the normal equations. Estimates followed by the letter 'B' are biased, and are not unique estimators of the parameters.

A	- C	-129.330	-0.710	127.909
A	- B	-126.733	3.872	134.77
B	- D	-141.640	-8.462	124.716
B	- C	-130.894	-4.582	121.730
B	- A	-134.477	-3.872	126.733

21. COVARIATE ANALYSIS OF MALE BODY WEIGHT DATA

103

9:46 Tuesday, March 29, 1994

General Linear Models Procedure
Class Level Information

Class	Levels	Values
TRT	4	A B C D

Number of observations in data set = 61

NOTE: Due to missing values, only 59 observations can be used in this analysis.

21. COVARIATE ANALYSIS OF MALE BODY WEIGHT DATA

104

9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dependent Variable: POSTM	Sum of Squares	Mean Square	F Value	Pr > F
Model	4 238918.9700	59729.7425	4.51	0.0032
Error	54 715212.5894	13244.6776		
Corrected Total	58 954131.5593			
R-Square	0.250405	9.843071	115.0855	1169.20339

PREM

Effect

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

D

INTERCEPT

TRT

A

B

C

NOTE: To ensure overall protection level, only probabilities associated with pre-planned comparisons should be used.

21. COVARIATE ANALYSIS OF MALE BODY WEIGHT DATA ***** 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Duncan's Multiple Range Test for variable: POSTM
NOTE: This test controls the type I comparisonwise error rate, not the experimentwise error rate

Alpha= 0.05 df= 54 MSE= 13244.68
WARNING: Cell sizes are not equal
Harmonic Mean of cell sizes= 14.7046

Number of Means = 2 Critical Range = 85.14 89.52 92.42

Duncan Grouping
Mean TRT
A 1196.20 15 B D f f
A 1192.00 14 A P
A 1156.29 14 D
A 1135.25 16 C

Means with the same letter are not significantly different.

Dunnett's T tests for variable: POSTM
NOTE: This tests controls the type I experimentwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 13244.68
Critical Value of Dunnett's T= 2.413

Comparisons significant at the 0.05 level are indicated by ****.

TRT Comparison	Simultaneous Lower Confidence Limit	Simultaneous Upper Confidence Limit
B - A	-99.01	4.20
D - A	-140.69	-35.71

NOTE: To ensure overall protection level, only probabilities associated with pre-planned comparisons should be used.

21. COVARIATE ANALYSIS OF MALE BODY WEIGHT DATA ***** 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dunnett's T tests for variable: POSTM
NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 13244.68
Critical Value of T= 2.73894

Comparisons significant at the 0.05 level are indicated by ****.

TRT Comparison	Simultaneous Lower Confidence Limit	Simultaneous Upper Confidence Limit
B - A	-112.96	6.20
B - D	-77.22	39.91
B - C	-52.34	60.95
A - B	-121.34	-4.20
A - D	-83.42	35.71
A - C	-58.61	56.75
D - B	-157.05	-39.91
D - A	-154.85	77.22
D - C	-94.32	83.32
C - B	-174.24	-60.95
C - A	-172.11	58.61
C - D	-136.39	94.32

21. COVARIATE ANALYSIS OF MALE BODY WEIGHT DATA ***** 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dunnett's T tests for variable: POSTM
NOTE: This tests controls the type I experimentwise error for comparisons of all treatments against a control.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 13244.68
Critical Value of Dunnett's T= 2.413

Comparisons significant at the 0.05 level are indicated by ****.

TRT Comparison	Simultaneous Lower Confidence Limit	Simultaneous Upper Confidence Limit
B - A	-99.01	4.20
D - A	-140.69	-35.71

21. COVARIATE ANALYSIS OF MALE BODY WEIGHT DATA ***** 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 54 MSE= 13244.68
Critical Value of T= 2.73894

Comparisons significant at the 0.05 level are indicated by ****.

TRT Comparison	Simultaneous Lower Confidence Limit	Simultaneous Upper Confidence Limit
B - A	-112.96	6.20
B - D	-77.22	39.91
B - C	-52.34	60.95
A - B	-121.34	-4.20
A - D	-83.42	35.71
A - C	-58.61	56.75
D - B	-157.05	-39.91
D - A	-154.85	77.22
D - C	-94.32	83.32
C - B	-174.24	-60.95
C - A	-172.11	58.61
C - D	-136.39	94.32

22. COVARIATE ANALYSIS OF FEMALE BODY WEIGHT DATA ***** 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Class Level Values
TRT 4 A B C D

Number of observations in data set = 61

NOTE: Due to missing values, only 57 observations can be used in this analysis.

22. COVARIATE ANALYSIS OF FEMALE BODY WEIGHT DATA ***** 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Dependent Variable: POSTF

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	4	266588.494	66647.1236	5.50	0.0009
Error	52	629600.0670	12107.6936		
Corrected Total	56	896188.5614			
R-Square		C.V.	Root MSE	POSTF Mean	
0.297469		9.739725	110.0350	1129.75439	
PREF					

22. COVARIATE ANALYSIS OF FEMALE BODY WEIGHT DATA

9:46 Tuesday, March 29, 1994

General Linear Models Procedure
Least Squares Means

1

0

0

0

1

1010.1929825

1

0

0

0

1

1010.1929825

1

0

0

0

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

22. COVARIATE ANALYSIS OF FEMALE BODY WEIGHT DATA

115 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Duncan's Multiple Range Test for variable: POSTF

NOTE: This test controls the type I comparisonwise error rate, not the experimentwise error rate

Alpha= 0.05 df= 52 MSE= 12107.69

WARNING: Cell sizes are not equal

Harmonic Mean of cell sizes= 14.17032

Number of Means 2 3 4

Critical Range 82.99 87.26 90.09

Means with the same letter are not significantly different.

Duncan Grouping	Mean	N	TRT
A	1164.00	16	C
A	1135.57	14	B
A	1111.43	14	A
A	1101.08	13	D

22. COVARIATE ANALYSIS OF FEMALE BODY WEIGHT DATA

116 9:46 Tuesday, March 29, 1994

General Linear Models Procedure

Bonferroni (Dunn) T tests for variable: POSTF

NOTE: This test controls the type I experimentwise error rate but generally has a higher type II error rate than Tukey's for all pairwise comparisons.

Alpha= 0.05 Confidence= 0.95 df= 52 MSE= 12107.69

Critical Value of T= 2.7425

Comparisons significant at the 0.05 level are indicated by ***.

TRT Comparison	Simultaneous Lower Confidence Limit	Simultaneous Difference Between Means	Upper Confidence Limit
C - B	-82.03	28.43	138.88
C - A	-57.88	52.57	163.03
C - D	-69.77	62.92	175.62
B - C	-138.88	-28.43	82.03
B - A	-89.93	24.14	138.22
B - D	-81.76	34.49	150.75
A - C	-163.03	-52.57	57.88
A - B	-138.22	-24.14	89.93
A - D	-105.90	10.35	126.60

No S. P

3