

US EPA ARCHIVE DOCUMENT



# FESTF Tools to Support Registration Review

Providing resources to support the  
Agency's Endangered Species  
Assessments under Registration Review

PPDC PRIA Process Improvement Workgroup Meeting  
April 19, 2011





FESTF provides quality-checked locational data and a means to thoroughly document how it can be applied in a given situation.





# Agenda

- FESTF's long history of research and application
- Aggregating reliable data sources
- FESTF MJD
- FESTF IMS
- Building for the future



# Where we started



In 1997, FESTF began to address the data requirement to provide OPP with access to multi-jurisdictional and best-available information on the proximity of listed species to pesticide use sites.

For four years, FESTF – with OPP input – researched species data resources as well as how they could be accessed, collected, aggregated and efficiently distributed.



Over the next eight years, FESTF and OPP gave structure to the design concepts, developed a licensing agreement with NatureServe, and conducted 6 investigational pilot or case studies.

**The result: Licensed access to NatureServe locational and biological data and an information management system (IMS) to document risk management decisions**

# Where we started



In 1997, FESTF began to address the data requirement to provide OPP with access to multi-jurisdictional and best-available information on the proximity of listed species to pesticide use sites.

For four years, FESTF – with OPP input – researched species data resources as well as how they could be accessed, collected, aggregated and efficiently distributed.



Over the next eight years, FESTF and OPP gave structure to the design concepts, developed a licensing agreement with NatureServe, and conducted 6 investigational pilot or case studies.

**The result: Licensed access to NatureServe locational and biological data and an information management system (IMS) to document risk management decisions**

# Where we started



In 1997, FESTF began to address the data requirement to provide OPP with access to multi-jurisdictional and best-available information on the proximity of listed species to pesticide use sites.

For four years, FESTF – with OPP input – researched species data resources as well as how they could be accessed, collected, aggregated and efficiently distributed.



Over the next eight years, FESTF and OPP gave structure to the design concepts, developed a licensing agreement with NatureServe, and conducted 6 investigational pilot or case studies.

**The result: Licensed access to NatureServe locational and biological data and an information management system (IMS) to document risk management decisions**

# Where we started



In 1997, FESTF began to address the data requirement to provide OPP with access to multi-jurisdictional and best-available information on the proximity of listed species to pesticide use sites.

For four years, FESTF – with OPP input – researched species data resources as well as how they could be accessed, collected, aggregated and efficiently distributed.




Over the next eight years, FESTF and OPP gave structure to the design concepts, developed a licensing agreement with NatureServe, and conducted 6 investigational pilot or case studies.

**The result: Licensed access to NatureServe locational and biological data and an information management system (IMS) to document risk management decisions**



# Where we are now




EPA has two pilot studies, addressing OPP's emerging process for endangered species assessments and exploring FESTF data's role.

Registrants and FESTF have submitted extensive species and proximity information that can be accessed to examine species and crop locations.

*FESTF appreciates the opportunity to introduce the manner in which data are aggregated, used and documented so that we can best meet data requirements for OPP and support the Agency's endangered species assessment needs under Registration Review.*

# Where we are now




EPA has two pilot studies, addressing OPP's emerging process for endangered species assessments and exploring FESTF data's role.

Registrants and FESTF have submitted extensive species and proximity information that can be accessed to examine species and crop locations.

*FESTF appreciates the opportunity to introduce the manner in which data are aggregated, used and documented so that we can best meet data requirements for OPP and support the Agency's endangered species assessment needs under Registration Review.*

# Where we are now



EPA has two pilot studies, addressing OPP's emerging process for endangered species assessments and exploring FESTF data's role.

Registrants and FESTF have submitted extensive species and proximity information that can be accessed to examine species and crop locations.

*FESTF appreciates the opportunity to introduce the manner in which data are aggregated, used and documented so that we can best meet data requirements for OPP and support the Agency's endangered species assessment needs under Registration Review.*

# Foundational data sources - species



County-level species presence list sent to FESTF



Licensed multi-jurisdictional database (FESTF MJD) provides spatial data on species locations



•County-level species presence lists obtained from state offices and verified through Regional/Field offices

•Critical Habitat locations downloaded from the USFWS Critical Habitat Portal and Federal Register documents

# Foundational data sources – land use

Census of Agriculture



County-level crop information downloaded from website

National Land Cover Data (NLCD)









Spatial land use data downloaded from website

Cropland Data Layer (CDL)



Crop-specific spatial land use data downloaded from website


# Fundamental data sources are updated regularly

Data Source	Update Interval
	<p>Last update received in June, 2003</p>
	<p>According to license; annual renewal is typical</p>
 	<p>County-level location data are collected annually; critical habitat designations are collected as they occur and will be updated regularly</p>
<p>Census of Agriculture</p>  <p>Cropland Data Layer</p>	<p>As new data are available (2007 is the most recent)</p> <p>2009 CDL is most recent available</p>
<p>National Land Cover Data (NLCD)</p> 	<p>2001 dataset is currently used; 2006 dataset under review</p>

# FESTF Tools

## FESTF MJD

Licensed multi-jurisdictional database (**FESTF MJD**) provides sub-county locational data *but not all species or all occurrences have specific locational data, therefore*



## FESTF IMS

**County-level** presence and Critical Habitat locations are also important

FESTF's species location dataset, delivered through the **FESTF MJD** or the **FESTF IMS**



The **FESTF MJD** is a portal to locational and biological data provided through FESTF's NatureServe data license

Section: **Biological Spatial**

### NatureServe Endangered Species Information

States

State	Rank	Rank Change Date	Protection Status	Protection Status Date	ESA Status	Element Occurrence Count																					
Alabama	S1	3/1/89	SP	No data specified	No data specified	2																					
<table border="1"> <thead> <tr> <th>Row #</th> <th>EO_ID &lt;Sorting: Up, Order: 1&gt;</th> <th>Comb_ID &lt;Sorting: Up, Order: 2&gt;</th> <th>Counties &lt;Click to Sort&gt;</th> <th>Last Observation Date &lt;Click to Sort&gt;</th> <th>Occurrence Data</th> <th>General Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><a href="#">968580</a></td> <td><a href="#">102208_AL_000001</a></td> <td>Mobile</td> <td>1920</td> <td>Several specimens in the sandy palmetto covered hills at Grand Bay.</td> <td>Sandy, palmetto-covered hills</td> </tr> <tr> <td>2</td> <td><a href="#">970513</a></td> <td><a href="#">102208_AL_000003</a></td> <td>Baldwin</td> <td>10/2/79</td> <td>Four separate releases: on 23 Sept 1978, 5 hatchlings were released; 9 Oct 1978, 2 one-year old juveniles and 3 hatchlings released; 6 Sept 1979, 15 hatchlings released; 2 Oct 1979, 12 hatchlings released .</td> <td>Deep sandy ridges and mounds comprised of coastal scrub community are interlaced by low depression and swabs that support deep sphagnum mats, titi, along with several additional wet affinities.</td> </tr> </tbody> </table>							Row #	EO_ID <Sorting: Up, Order: 1>	Comb_ID <Sorting: Up, Order: 2>	Counties <Click to Sort>	Last Observation Date <Click to Sort>	Occurrence Data	General Description	1	<a href="#">968580</a>	<a href="#">102208_AL_000001</a>	Mobile	1920	Several specimens in the sandy palmetto covered hills at Grand Bay.	Sandy, palmetto-covered hills	2	<a href="#">970513</a>	<a href="#">102208_AL_000003</a>	Baldwin	10/2/79	Four separate releases: on 23 Sept 1978, 5 hatchlings were released; 9 Oct 1978, 2 one-year old juveniles and 3 hatchlings released; 6 Sept 1979, 15 hatchlings released; 2 Oct 1979, 12 hatchlings released .	Deep sandy ridges and mounds comprised of coastal scrub community are interlaced by low depression and swabs that support deep sphagnum mats, titi, along with several additional wet affinities.
Row #	EO_ID <Sorting: Up, Order: 1>	Comb_ID <Sorting: Up, Order: 2>	Counties <Click to Sort>	Last Observation Date <Click to Sort>	Occurrence Data	General Description																					
1	<a href="#">968580</a>	<a href="#">102208_AL_000001</a>	Mobile	1920	Several specimens in the sandy palmetto covered hills at Grand Bay.	Sandy, palmetto-covered hills																					
2	<a href="#">970513</a>	<a href="#">102208_AL_000003</a>	Baldwin	10/2/79	Four separate releases: on 23 Sept 1978, 5 hatchlings were released; 9 Oct 1978, 2 one-year old juveniles and 3 hatchlings released; 6 Sept 1979, 15 hatchlings released; 2 Oct 1979, 12 hatchlings released .	Deep sandy ridges and mounds comprised of coastal scrub community are interlaced by low depression and swabs that support deep sphagnum mats, titi, along with several additional wet affinities.																					
Florida	S3	12/6/84	LT	No data specified	No data specified	506																					

Species locations with spatial components

Information about species location



**FESTF MJD** species locations can be post-processed and used to calculate distances from species locations to land use categories (from NLCD, 2001)

Microsoft Access - [EO\_NLCD2001\_C81\_C82\_Distances : Table]

File Edit View Insert Format Records Tools Window Help

	idpDistance	chrComb_ID	idfEO_ID	idfElement_Glot	idfSpecies	idfCounty_1	idfCounty_2	fltMin_C81_Dist	fltMin_C81_Dist	fltMin_C82_Dist	fltMin_C82_Dist
▶	1	100015_CO_000	515819	100015	905	310	310	1772.27038648	1.10123776302	15419.7259553	9.58137350083
	2	100015_CO_000	515819	100015	905	310	327	9949.70097692	6.18245755843		
	3	100015_CO_000	515819	100015	905	310	328	71100.7719769	13.172898384	29112.6830055	18.0897825484
	4	100015_CO_000	515819	100015	905			7615	13.5817064354	25627.5793322	15.9242395238
	5	100015_CO_000	515819	100015	905			3129	17.1610103327	38484.4717439	23.9131420901
	6	100015_CO_000	515819	100015	905			3135	22.9165450727	36881.3640519	22.9170171523
	7	100015_CO_000	515819	100015	905			3254	19.8179867234	31838.3092097	19.7834081525

**The result: New information ( e.g., proximity) that can be stored in the IMS**

## FESTF Information Management System 2.7



The **FESTF IMS** is a warehouse for accumulation and storage of data

County-level locational data

Sub-county details collected through assessment process

## Sub-county locational data are not available for all species locations

### **FESTF Information Management System 2.7**




To deal with these circumstances, the IMS operates on county-level location data, identifying its source and serving as a platform for further data collection.

Allows it to interface with the county-based risk management strategy OPP uses in its Endangered Species Protection Program.

## **FESTF Information Management System 2.7**

The **FESTF IMS** utilizes aggregated county-level data sources to determine potential species/crop co-occurrence

County with potential co-occurrence of species and crop



## FESTF Information Management System 2.7

### Expert Contact Association References

First Name:	Phil
Middle Initial:	
Last Name:	Delphey
Title:	Biologist
Affiliation:	USFWS
Address 1:	Twin Cities Ecological Services Office, 4101 East 80th Street
Address 2:	
City:	Bloomington
State:	MN
Zip Code:	55425
Phone Number:	(612) 725-3548 X206
Fax Number:	
Email Address:	phil_delphey@fws.gov
Date Contacted:	4/28/2008
Reference Comments:	According to conversations with Phil Delphey, USFWS biologist (pers. comm., 4/28/2008), there are currently no known populations of Minnesota dwarf trout lily in Dodge County, Minnesota.

**Records** experts contacted and documents consulted to verify species location data and other information

**Stores** collected opinions

### General Association References

Reference Citation	USFWS. 2003. Final Recovery Plan for the Karner Blue Butterfly ( <i>Lycaeides melissa samuelis</i> ). U.S. Fish and Wildlife Service, Fort Snelling, Minnesota. 273 pp. <a href="#">Karner Blue Butterfly Recovery Plan.pdf</a>
Reference Comments	See distribution starting on page 6, life history/ecology on page 11, and habitat on page 28.

**Links** the user to the original reference

## FESTF Information Management System 2.7

Spatial and Temporal Details						
Spatial Details:						
Pogonia, small whorled ( <i>Isotria medeoloides</i> ) in Madison, VA						
	Shortest distance from EO to cultivated land in each county					
EO Identifier (Comb_ID)	Madison, VA <sup>1</sup> (County of Interest)	Culpeper, VA <sup>2</sup> (Neighboring)	Greene, VA <sup>3</sup> (Neighboring)	Orange, VA <sup>4</sup> (Neighboring)	Page, VA <sup>5</sup> (Neighboring)	Rappahannock, VA <sup>6</sup> (Neighboring)
137976_VA_000043	3.49 mi.	10.3 mi.	10.34 mi.	19.85 mi.	3.13 mi.	8.04 mi.
<p><b>The following clomazone use sites occur in this county (USDA Agricultural Census, 2002):</b></p> <p><sup>1</sup> Beans - snap; Cantaloups; Cucumbers and pickles; Peppers, bell; Peppers, chile (all peppers - excluding bell); Pumpkins; Soybeans for beans; Watermelons</p> <p><sup>2</sup> Beans - snap; Cucumbers and pickles; Pumpkins; Soybeans for beans; Sweet potatoes; Vegetables, other; Watermelons</p> <p><sup>3</sup> Beans - snap; Cantaloups; Cucumbers and pickles; Peppers, bell; Peppers, chile (all peppers - excluding bell); Pumpkins; Soybeans for beans; Squash; Vegetables, other; Watermelons</p> <p><sup>4</sup> Beans - snap; Cantaloups; Cucumbers and pickles; Pumpkins; Soybeans for beans; Squash; Watermelons</p> <p><sup>5</sup> Beans - snap; Cantaloups; Cucumbers and pickles; Peppers, bell; Pumpkins; Soybeans for beans; Vegetables, other; Watermelons</p> <p><sup>6</sup> Beans - snap; Cantaloups; Cucumbers and pickles; Peppers, bell; Peppers, chile (all peppers - excluding bell); Pumpkins; Soybeans for beans; Squash; Vegetables, other; Watermelons</p>						
Temporal Details:	N/A					
General Exclusion Comments:	The nearest cultivated land (NLCD, 2001, Class 82) to any occurrence of Pogonia, small whorled ( <i>Isotria medeoloides</i> ) in Madison County, VA is at least 2 miles.					


*Organizes* calculated distances

*Displays* AgCensus data

## FESTF Information Management System 2.7



Allows for *retrieval* and, if appropriate, *reuse* of information in subsequent evaluations.



## **FESTF Information Management System 2.7**



FESTF data and tools are designed to be fluid systems to evolve and change as needed.



Species/County Selection

- Select by species
- Select by county

Species: Hidden due to sensitivity

County:

Zoom to Selection

Results

Layer Transparency

MJD EOs: 0

NLCD Class 82: 30

Set Transparency

Map Contents


- States
- Counties
- MJD EO Locators
- MJD EOs (2008/9/25)
- NLCD Class 82
- Shaded Relief
- Streetmap
- Imagery
- Topographic Map
- No base layer

Update Map Layers

0 2 4 8 12 16 Miles

Legend

- NatureServe Species Occurrence
- NLCD Cultivated Crops (Class 82)
- Species Occurrence Locator



FESTF MJD data can be post-processed by using site specific public data layers: Elevation.

The result: New information (e.g., a relationship) that can be stored in the IMS

Species locations reference: NatureServe 2008. NatureServe Central databases. Arlington, Virginia, USA

**FESTF MJD** species locations can be post-processed and used to calculate distances from species locations to land use categories (from NLCD, 2001) and specific crops (from CDL, 2009)

	A	B	C	D	E	F	G	H
1	EO_ID (from FESTF MJD, 2011)	COMMON NAME (from FESTF MJD, 2011)	SCIENTIFIC NAME (from FESTF MJD, 2011)	TAXON	FROM COUNTY	TO COUNTY	NEAREST NLCD 2001 CROPLAND (Class 82) (M)	NEAREST CDL 2010 HOPS (M)
2	280130	Steelhead (Upper Willamette River ESU, winter run)	Oncorhynchus mykiss pop. 33	Fish	Marion	Clackamas	0	0
3	280130	Steelhead (Upper Willamette River ESU, winter run)	Oncorhynchus mykiss pop. 33	Fish	Marion	Jefferson	109,150	NA
4	280130	Steelhead (Upper Willamette River ESU, winter run)	Oncorhynchus mykiss pop. 33	Fish	Marion	Linn	23,435	25,460
5	280130	Steelhead (Upper Willamette River ESU, winter run)	Oncorhynchus mykiss pop. 33	Fish	Marion	Marion	0	0
6	280130	Steelhead (Upper Willamette River ESU, winter run)	Oncorhynchus mykiss pop. 33	Fish	Marion	Polk	12,954	13,058
7	280130	Steelhead (Upper Willamette River ESU, winter run)	Oncorhynchus mykiss pop. 33	Fish	Marion	Wasco	102,265	NA
8	280130	Steelhead (Upper Willamette River ESU, winter run)	Oncorhynchus mykiss pop. 33			nhill	7,784	9,894
9	284819	Chinook salmon (Upper Willamette River ESU, spring run)	Oncorhynchus tshawytscha pop.			ckamas	26,459	30,705

**The result: proximity to specific crops that can be stored in the IMS**




Aggregating reliable data sources

FESTF MJD

FESTF IMS

Building for the future








### Locations of Federally Listed Fish, Cultivated Crops and Hops in Marion County, Oregon



Species Location Data Source: NatureServe and its natural heritage member programs, under license to the FIFRA Endangered Species Task Force (FESTF; dataset received by FESTF on March 24, 2011). The absence of data in any particular geographic area does not necessarily mean that species or ecological communities of concern are not present. For display purposes, species locations have been generalized to an arbitrary section grid per agreement with NatureServe and its natural heritage member programs.

Land Cover Data Sources: NLCD (National Landcover Dataset) 2001, U.S. Geological Survey Land Cover Institute (LCI), retrieved from <http://landcover.usgs.gov/>. USDA National Agricultural Statistical Service (NASS) 2010 Cropland Data Layer (CDL), retrieved from

-  Marion County Fish Locations (EOs from FESTF MJD)
-  NASS CDL 2010 Hops
-  NLCD 2001 Cultivated Crops (Class 82)
-  County Boundaries



FESTF data not yet fully considered in the Registration Review process may bring efficiencies to the effects determination and consultation process.



How can these resources be utilized during the consultation process?

FESTF began its effort to meet OPP endangered species data requirements over a dozen years ago.



The first products in Registration Review are defining the species assessment and consultation process.

**How can FESTF support and contribute to the resources needed?**