US EPA ARCHIVE DOCUMENT

KPDES FORM C

KENTUCKY POLLUTANT DISCHARGE ELIMINATION SYSTEM

PERMIT APPLICATION

A complete application consists of this form and Form 1.
For additional information, contact Surface Water Permits Branch, (502) 564-3410.

Name of Facility: **Czar Coal Corporation – 880-0194 original**	County: Martin County							
I. OUTFALL LOCATION	AGENCY USE							

For each outfall list the latitude and longitude of its location to the nearest 15 seconds and the name of the receiving water.

Outfall No. (list)	LATITUDE			LONGITUDE			RECEIVING WATER (name)
	Degrees	Minutes	Seconds	Degrees	Minutes	Seconds	
Pond 1	37	43	45	82	37	07	Middle Fork Rockcastle Creek
Pond FWP-1	37	43	43	82	37	12	Grassy Gap Branch
Pond 100	37	43	06	82	37	13	Sand Gap Branch
Pond 101	37	43	05	82	37	04	Middle Fork Rockcastle Creek
Pond 102	37	42	59	82	37	24	Music Fork

II. FLOWS, SOURCES OF POLLUTION, AND TREATMENT TECHNOLOGIES

A. Attach a line drawing showing the water flow through the facility. Indicate sources of intake water, operations contributing wastewater to the effluent, and treatment units labeled to correspond to the more detailed descriptions in Item B. Construct a water balance on the line drawing by showing average flows between intakes, operations, treatment units, and outfall. If a water balance cannot be determined (e.g., for certain mining activities), provide a pictorial description of the nature and amount of any sources of water and any collection or treatment measures.

B. For each outfall, provide a description of: (1) all operations contributing wastewater to the effluent, including process wastewater, sanitary wastewater, cooling water, and storm water runoff; (2) the average flow contributed by each operation; and (3) the treatment received by the wastewater. Continue on additional sheets if necessary.

OUTFALL NO. (list)	OPERATION(S) CONTRIBUTING FLOW		TREATMENT	
	Operation (list)	Avg/Design Flow (include units)	Description	List Codes from Table C-1
Pond 1	Surface Runoff	314.556 25 yr. –24 hr.	Sedimentation	1-U
			Discharge to surface water	4-A
Pond FWP-1	Surface Runoff	288.791 25 yr. –24 hr.	Sedimentation	1-U
			Discharge to surface water	4-A
Pond 100	Surface Runoff	16.651 25 yr. –24 hr.	Sedimentation	1-U
			Discharge to surface water	4-A

US EPA ARCHIVE DOCUMENT

Pond 101	Surface Runoff	22.723 25 yr. –24 hr.	Sedimentation	1-U
			Discharge to surface water	4-A
Pond 102	Surface Runoff	15.236 25 yr. –24 hr.	Sedimentation	1-U
			Discharge to surface water	4-A

II. FLOWS, SOURCES OF POLLUTION, AND TREATMENT TECHNOLOGIES (Continued)

C. Except for storm water runoff, leaks, or spills, are any of the discharges described in Items II-A or B intermittent or seasonal?

☐ Yes (Complete the following table.) ☒ No (Go to Section III.)

OUTFALL NUMBER (list)	OPERATIONS CONTRIBUTING FLOW (list)	FREQUENCY		FLOW				
		Days Per Week (specify average)	Months Per Year (specify average)	Flow Rate (in mgd)		Total volume (specify with units)		Duration (in days)
				Long-Term Average	Maximum Daily	Long-Term Average	Maximum Daily	

III. PRODUCTION

A. Does an effluent guideline limitation promulgated by EPA under Section 304 of the Clean Water Act apply to your facility?

☐ Yes (Complete Item III-B) List effluent guideline category:

☒ No (Go to Section IV)

B. Are the limitations in the applicable effluent guideline expressed in terms of production (or other measures of operation)?

☐ Yes (Complete Item III-C) ☒ No (Go to Section IV)

C. If you answered "Yes" to Item III-B, list the quantity which represents the actual measurement of your maximum level of production, expressed in the terms and units used in the applicable effluent guideline, and indicate the affected outfalls.

AVERAGE DAILY PRODUCTION			Affected Outfalls (list outfall numbers)
Quantity Per Day	Units of Measure	Operation, Product, Material, Etc. (specify)	

IV. IMPROVEMENTS

A. Are you now required by any federal, state or local authority to meet any implementation schedule for the construction, upgrading, or operation of wastewater equipment or practices or any other environmental programs which may affect the discharges described in this application? This includes, but is not limited to, permit conditions, administrative or enforcement orders, enforcement compliance schedule letters, stipulations, court orders and grant or loan conditions.

☐ Yes (Complete the following table) ☒ No (Go to Item IV-B)

US EPA ARCHIVE DOCUMENT

IDENTIFICATION OF CONDITION AGREEMENT, ETC.	AFFECTED OUTFALLS		BRIEF DESCRIPTION OF PROJECT	FINAL COMPLIANCE DATE	
	No.	Source of Discharge		Required	Projected

B. OPTIONAL: You may attach additional sheets describing any additional water pollution control programs (or other environmental projects which may affect your discharges) you now have under way or which you plan. Indicate whether each program is now under way or planned, and indicate your actual or planned schedules for construction.

V. INTAKE AND EFFLUENT CHARACTERISTICS

A, B, & C: See instructions before proceeding – Complete one set of tables for each outfall – Annotate the outfall number in the space provided.
NOTE: Tables V-A, V-B, and V-C are included on separate sheets numbered 5-18.

D. Use the space below to list any of the pollutants (refer to SARA Title III, Section 313) listed in Table C-3 of the instructions, which you know or have reason to believe is discharged or may be discharged from any outfall. For every pollutant you list, briefly describe the reasons you believe it to be present and report any analytical data in your possession.

POLLUTANT	SOURCE	POLLUTANT	SOURCE

VI. POTENTIAL DISCHARGES NOT COVERED BY ANALYSIS

A. Is any pollutant listed in Item V-C a substance or a component of a substance which you currently use or manufacture as an intermediate or final product or byproduct?

☐ Yes (List all such pollutants below) ☒ No (Go to Item VI-B)

US EPA ARCHIVE DOCUMENT

VII. BIOLOGICAL TOXICITY TESTING DATA

Do you have any knowledge of or reason to believe that any biological test for acute or chronic toxicity has been made on any of your discharges or on a receiving water in relation to your discharge within the last 3 years?

☐ Yes (Identify the test(s) and describe their purposes below) ☒ No (Go to Section VIII)

VIII. CONTRACT ANALYSIS INFORMATION

Were any of the analyses reported in Item V performed by a contract laboratory or consulting firm?

☐ Yes (list the name, address, and telephone number of, and pollutants analyzed by each such laboratory or firm below) ☒ No (Go to Section IX)

NAME	ADDRESS	TELEPHONE (Area code & number)	POLLUTANTS ANALYZED (list)

US EPA ARCHIVE DOCUMENT

IX. CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME AND OFFICIAL TITLE (type or print):	TELEPHONE NUMBER (area code and number):
Larry D. Adams, P.E. Vice President in Permitting & Environmental Affairs	606-298-2300
SIGNATURE	DATE 3/23/11

LIMITED POWER OF ATTORNEY

KNOW ALL MEN BY THESE PRESENTS, that **Czar Coal Corporation** ("Czar"), a Kentucky corporation, hereby constitutes and appoints **Larry D. Adams**, an employee of Matrix Energy, LLC, a Kentucky limited liability company and affiliate of Czar, its true and lawful attorney-in-fact and agent, with full power and authority to execute and deliver on behalf of Czar, all mining permit and related documentation required by the Kentucky Energy and Environmental Cabinet (including all departments and divisions thereunder), the Kentucky Division of Water, West Virginia Department of Environment Protection, the Army Corp. of Engineers, or any other state or federal agency in order to participate in mining activities in the Commonwealth of Kentucky or in the State of West Virginia.

This Power of Attorney shall be effective as of its date of execution and shall remain in effect until revoked in writing. No person acting in reliance upon this power shall be charged with notice of any revocation hereof in the absence of actual knowledge of such revocation.

It is Czar's intention to grant to its attorney-in-fact full and complete authority to act for it and in its stead in the specific matter above described. In no event shall persons relying on this Power of Attorney be required to ascertain the authority of Czar's attorney-in-fact to act hereunder, and all persons dealing with said attorney-in-fact shall be entitled, in the absence of actual knowledge of revocation, to rely upon the authority of such person, and the acts of such person shall bind Czar and acquit persons dealing with my said attorney-in-fact to the same extent as if Czar had been acting in its own behalf.

IN TESTIMONY WHEREOF, witness my signature this 30th day of December, 2010.

Czar Coal Corporation

By: James H Booth
James H. Booth, President

STATE OF KENTUCKY)
) SCT.
COUNTY OF MARTIN)

The foregoing Limited Power of Attorney was subscribed, sworn to and acknowledged before me on this the 30th day of December, 2010, by James H. Booth, President of **Czar Coal Corporation**, a Kentucky corporation, on behalf of said corporation.

My Commission Expires:
08-18-2013

Cynthia Cline
Notary Public, State at Large, Kentucky

THIS INSTRUMENT PREPARED BY:

Willeene D. Bohmann
Czar Coal Corporation
Legal Department
107 Dennis Drive
Lexington, KY 40503

US EPA ARCHIVE DOCUMENT

PLEASE PRINT OR TYPE IN THE UNSHADED AREAS ONLY. You may report some or all of this information on separate sheets (use the same format) instead of completing these pages. (See instructions)

A water sample has not been included with the Form C application because the five required water samples will be collected in the near future and submitted following approval of the Quality Assurance Protection Plan.

V. INTAKE AND EFFLUENT CHARACTERISTICS (Continued from page 3 of Form C) | **OUTFALL NO.**

Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

1. POLLUTANT	2. EFFLUENT							3. UNITS (specify if blank)		4. INTAKE (optional)		
	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg. Value		b. No of Analyses
	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
a. Biochemical Oxygen Demand (BOD)	WAVIER REQUESTED											
b. Chemical Oxygen Demand (COD)	WAVIER REQUESTED											
c. Total Organic Carbon (TOC)	WAVIER REQUESTED											
d. Total Suspended Solids (TSS)												
e. Ammonia (as N)	WAVIER REQUESTED											
f. Flow (in units of MGD)	VALUE		VALUE		VALUE			MGD		VALUE		
g. Temperature (winter)	VALUE		VALUE		VALUE			°c		VALUE		
h. Temperature (summer)	VALUE		VALUE		VALUE			°c		VALUE		
i. pH	MINIMUM	MAXIMUM	MINIMUM	MAXIMUM				STANDARD UNITS				

US EPA ARCHIVE DOCUMENT

Part B - In the MARK "X" column, place an "X" in the Believed Present column for each pollutant you know or have reason to believe is present. Place an "X" in the Believed Absent column for each pollutant you believe to be absent. If you mark the Believed Present column for any pollutant, you must provide the results of at least one analysis for that pollutant. Complete one table for each outfall. See the instructions for additional details and requirements.

1. POLLUTANT AND CAS NO. (if available)	2. MARK "X"		3. EFFLUENT							4. UNITS		6. INTAKE (optional)		
	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. of Analyses
			(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
a. Bromide (24959-67-9)														
b. Chloride														
c. Chlorine, Total Residual														
d. Color														
e. Fecal ☐ Coliform Or E.coli ☐														
f. Fluoride (16984-48-8)														
g. Hardness (as $CaCO_3$)														
h. Nitrate – Nitrite (as N)														
i. Nitrogen, Total Organic (as N)														
j. Oil and Grease														
k. Phosphorous (as P), Total 7723-14-0														
l. Radioactivity														
(1) Alpha, Total														
(2) Beta, Total														
(3) Radium Total														
(4) Radium, 226, Total														
(5) Strontium-90, Total														
(6 Uranium														

Part B - Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"		3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg. Value		b. No. of Analyses
			(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
m. Sulfate (as SO_4) (14808-79-8)														
n. Sulfide (as S)														
o. Sulfite (as SO_4) (14286-46-3)														
p. Surfactants														
q. Aluminum, Total (7429-90)														
r. Barium, Total (7440-39-3)														
s. Boron, Total (7440-42-8)														
t. Cobalt, Total (7440-48-4)														
u. Iron, Total (7439-89-6)														
v. Magnesium Total (7439-96-4)														
w. Molybdenum Total (7439-98-7)														
x. Manganese, Total (7439-96-6)														
y. Tin, Total (7440-31-5)														
z. Titanium, Total (7440-32-6)														

Part C – If you are a primary industry and this outfall contains process wastewater, refer to Table C-2 in the instructions to determine which of the GC/MS fractions you must test for. Mark "X" in the **Testing Required** column for all such GC/MS fractions that apply to your industry and for ALL toxic metals, cyanides, and total phenols. If you are not required to mark this column (secondary industries, nonprocess wastewater outfalls, and non-required GC/MS fractions), mark "X" in the **Believed Present** column for each pollutant you know or have reason to believe is present. Mark "X: in the **Believed Absent** column for each pollutant you believe to be absent. If you mark either the **Testing Required** or **Believed Present** columns for any pollutant, you must provide the result of at least one analysis for that pollutant. Note that there are seven pages to this part; please review each carefully. Complete one table (all seven pages) for each outfall. See instructions for additional details and requirements.

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. of Analyses
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
METALS, CYANIDE AND TOTAL PHENOLS															
1M. Antimony Total (7440-36-0)															
2M. Arsenic, Total (7440-38-2)															
3M. Beryllium Total (7440-41-7)															
4M. Cadmium Total (7440-43-9)															
5M. Chromium Total (7440-43-9)															
6M. Copper Total (7550-50-8)															
7M. Lead Total (7439-92-1)															
8M. Mercury Total (7439-97-6)															
9M. Nickel, Total (7440-02-0)															
10M. Selenium, Total (7782-49-2)															
11M. Silver, Total (7440-28-0)															

Part C – Continued																
1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. of Analyses
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
METALS, CYANIDE AND TOTAL PHENOLS (Continued)															
12M. Thallium, Total (7440-28-0)															
13M. Zinc, Total (7440-66-6)															
14M. Cyanide, Total (57-12-5)															
15M. Phenols, Total															
DIOXIN															
2,3,7,8 Tetra-chlorodibenzo, P, Dioxin (1784-01-6)				DESCRIBE RESULTS:											
GC/MS FRACTION – VOLATILE COMPOUNDS															
1V. Acrolein (107-02-8)															
2V. Acrylonitrile (107-13-1)															
3V. Benzene (71-43-2)															
5V. Bromoform (75-25-2)															
6V. Carbon Tetrachloride (56-23-5)															
7V. Chloro-benzene (108-90-7)															
8V. Chlorodibro-momethane (124-48-1)															

Part C – Continued																
1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. of Analyses
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
9V. Chloroethane (74-00-3)															
10V. 2-Chloro-ethylvinyl Ether (110-75-8)															
11V. Chloroform (67-66-3)															
12V. Dichloro-bromomethane (75-71-8)															
14V. 1,1-Dichloroethane (75-34-3)															
15V. 1,2-Dichloroethane (107-06-2)															
16V. 1,1-Dichlorethylene (75-35-4)															
17V. 1,2-Di-chloropropane (78-87-5)															
18V. 1,3-Dichloropro-pylene (452-75-6)															
19V. Ethyl-benzene (100-41-4)															
20V. Methyl Bromide (74-83-9)															

Part C – Continued																
1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg. Value		b. No. of Analyses
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
21V. Methyl Chloride (74-87-3)															
22V. Methylene Chloride (75-00-2)															
23V. 1,1,2,2-Tetrachloro-ethane (79-34-5)															
24V. Tetrachloro-ethylene (127-18-4)															
25V. Toluene (108-88-3)															
26V. 1,2-Trans-Dichloro-ethylene (156-60-5)															
27V. 1,1,1-Tri-chloroethane (71-55-6)															
28V. 1,1,2-Tri-chloroethane (79-00-5)															
29V. Trichloro-ethylene (79-01-6)															
30V. Vinyl Chloride (75-01-4)															

Part C – Continued																
1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. of Analyses
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
GC/MS FRACTION – ACID COMPOUNDS															
1A. 2-Chloro-phenol (95-57-8)															
2A. 2,4-Dichlor-Orophenol (120-83-2)															
3A. 2,4-Dimeth-ylphenol (105-67-9)															
4A. 4,6-Dinitro-o-cresol (534-52-1)															
5A. 2,4-Dinitro-phenol (51-28-5)															
6A. 2-Nitro-phenol (88-75-5)															
7A. 4-Nitro-phenol (100-02-7)															
8A. P-chloro-m-cresol (59-50-7)															
9A. Pentachloro-phenol (87-88-5)															
10A. Phenol (108-05-2)															
11A. 2,4,6-Tri-chlorophenol (88-06-2)															
GC/MS FRACTION – BASE/NEUTRAL COMPOUNDS															
1B. Acena-phthene (83-32-9)															

Part C – Continued															
1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. of Analyses
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
GC/MS FRACTION – BASE/NEUTRAL COMPOUNDS (Continued)															
2B. Acena-phtylene (208-96-8)															
3B. Anthra-cene (120-12-7)															
4B. Benzidine (92-87-5)															
5B. Benzo(a)-anthracene (56-55-3)															
6B. Benzo(a)-pyrene (50-32-8)															
7B. 3,4-Benzo-fluoranthene (205-99-2)															
8B. Benzo(ghl) perylene (191-24-2)															
9B. Benzo(k)-fluoranthene (207-08-9)															
10B. Bis(2-chlor-oethoxy)-methane (111-91-1)															
11B. Bis (2-chlor-oisopropyl)-Ether															
12B. Bis (2-ethyl-hexyl)-phthalate (117-81-7)															

Part C – Continued															
1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. of Analyses
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
GC/MS FRACTION – BASE/NEUTRAL COMPOUNDS (Continued)															
13B. 4-Bromo-phenyl Phenyl ether (101-55-3)															
14B. Butyl-benzyl phthalate (85-68-7)															
15B. 2-Chloro-naphthalene (7005-72-3)															
16B. 4-Chloro-phenyl phenyl ether (7005-72-3)															
17B. Chrysene (218-01-9)															
18B. Dibenzo-(a,h) Anthracene (53-70-3)															
19B. 1,2-Dichloro-benzene (95-50-1)															
20B. 1,3-Dichloro-Benzene (541-73-1)															
21B. 1,4-Dichloro-benzene (106-46-7)															
22B. 3,3-Dichloro-benzidene (91-94-1)															
23B. Diethyl Phthalate (84-66-2)															

Part C – Continued															
1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg. Value		b. No. of Analyses
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
GC/MS FRACTION – BASE/NEUTRAL COMPOUNDS (Continued)															
24B. Dimethyl Phthalate (131-11-3)															
25B. Di-N-butyl Phthalate (84-74-2)															
26B. 2,4-Dinitro-toluene (121-14-2)															
27B. 2,6-Dinitro-toluene (606-20-2)															
28B. Di-n-octyl Phthalate (117-84-0)															
29B. 1,2-diphenyl-hydrazine (as azonbenzene) (122-66-7)															
30B. Fluoranthene (208-44-0)															
31B. Fluorene (86-73-7)															
32B. Hexachloro-benzene (118-71-1)															
33B. Hexachloro-butadiene (87-68-3)															
34B. Hexachloro-cyclopenta-diene (77-47-4)															

Part C – Continued															
1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. of Analyses
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
GC/MS FRACTION – BASE/NEUTRAL COMPOUNDS (Continued)															
35B. Hexachlo-roethane (67-72-1)															
36B. Indneo-(1,2,3-oc)-Pyrene (193-39-5)															
37B. Isophorone (78-59-1)															
38B. Napthalene (91-20-3)															
39B. Nitro-benzene (98-95-3)															
40B. N-Nitroso-dimethyl-amine (62-75-9)															
41B. N-nitrosodi-n-propylamine (621-64-7)															
42B. N-nitro-sodiphenyl-amine (86-30-6)															
43B. Phenan-threne (85-01-8)															
44B. Pyrene (129-00-0)															
45B. 1,2,4 Tri-chloro-benzene (120-82-1)															

Part C – Continued															
1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg. Value		b. No. of Analyses
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
GC/MS FRACTION – PESTICIDES															
1P. Aldrin (309-00-2)															
2P. α-BHC (319-84-6)															
3P. β-BHC (58-89-9)															
4P. gamma-BHC (58-89-9)															
5P. δ-BHC (319-86-8)															
6P. Chlordane (57-74-9)															
7P. 4,4'-DDT (50-29-3)															
8P. 4,4'-DDE (72-55-9)															
9P. 4,4'-DDD (72-54-8)															
10P. Dieldrin (60-57-1)															
11P. α-Endosulfan (115-29-7)															
12P. β-Endosulfan (115-29-7)															
13P. Endosulfan Sulfate (1031-07-8)															
14P. Endrin (72-20-8)															

Part C – Continued															
1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. of Analyses
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
GC/MS FRACTION – PESTICIDES															
15P. Endrin Aldehyde (7421-93-4)															
16P Heptachlor (76-44-8)															
17P. Heptaclor Epoxide (1024-57-3)															
18P. PCB-1242 (53469-21-9)															
19P. PCB-1254 (11097-69-1)															
20P. PCB-1221 (11104-28-2)															
21P. PCB-1232 (11141-16-5)															
22P. PCB-1248 (12672-29-6)															
23P. PCB-1260 (11096-82-5)															
24P. PCB-1016 (12674-11-2)															
25P. Toxaphene (8001-35-2)															