

US EPA ARCHIVE DOCUMENT

Prepared for:

Waste Management of Virginia, Inc.
Maplewood Recycling and Waste Disposal Facility
20221 Maplewood Road
Jetersville, Virginia 23083

**LANDFILL BIOREACTOR PROGRAM
JULY 2003 SEMI-ANNUAL REPORT OF
MONITORING ACTIVITIES**

**MAPLEWOOD RECYCLING AND
WASTE DISPOSAL FACILITY
AMELIA COUNTY, VIRGINIA
VADEQ Solid Waste Permit No. 540**

Prepared by:



GEOSYNTEC CONSULTANTS

10015 Old Columbia Road, Suite A-200
Columbia, Maryland 21046

Project No. ME0275

17 July 2003

TABLE OF CONTENTS

1. INTRODUCTION	1
1.1 Terms of Reference.....	1
1.2 Project Overview	1
1.3 Report Organization.....	2
2. REQUIREMENTS OF FEDERAL REGISTER SITE-SPECIFIC RULE MAKING.....	4
3. REQUIREMENTS OF VADEQ EXPERIMENTAL PERMIT	7
4. MONITORING PROGRAM AND SAMPLING AND ANALYSIS ACTIVITIES.....	9
4.1 Monitoring Program	9
4.2 Field Sampling Activities	11
4.2.1 Leachate Quality	11
4.2.2 Landfill Gas Quality and Quantity.....	12
4.2.3 Waste Sampling	12
4.3 Laboratory Analysis Program	12
4.3.1 Leachate Quality	12
4.3.2 Landfill Gas Quality	13
4.3.3 Solid Waste Composition	13
4.4 Other Data.....	13
4.4.1 Leachate Generation Quantities.....	13
4.4.2 Quantity of Liquid Applied to Landfill.....	13
4.4.3 Landfill Settlement.....	13
5.1 Leachate Quality and Quantity	14
5.2 Landfill Gas Quality and Quantity.....	15

TABLE OF CONTENTS (Continued)

5.3 Solid Waste Analysis	16
6. CONCLUSIONS	17
7. REFERENCES	18

TABLES

Table 1	2003 Monitoring Activities
Table 2	Summary of Sampling Activities
Table 3	Leachate Analysis Parameters
Table 4	Landfill Gas Data
Table 5	Summary of Leachate Quality Data
Table 6	Summary of Leachate Quantity Data
Table 7	Liquid Application Summary
Table 8	Summary of Landfill Settlement Data
Table 9	Summary of Rainfall Data
Table 10	Summary of Waste Characterization Data

FIGURES

Figure 1	Existing Conditions
Figure 2	Liquid Applied to Landfill – Cumulative
Figure 3	BOD/COD Ratio
Figure 4	COD/TOC Ratio
Figure 5	Chloride Concentration
Figure 6	Nitrate Nitrogen Concentration
Figure 7	Ammonia Nitrogen Concentration
Figure 8	Landfill Gas Quantity
Figure 9	Landfill Gas Quality Data – Methane
Figure 10	Landfill Gas Quality Data – Carbon Dioxide

TABLE OF CONTENTS (Continued)

DRAWINGS (reduced copies included in this report)

- Drawing 1 Existing Conditions (CAD)
- Drawing 2 Landfill Gas Monitoring Plan (CAD)
- Drawing 3 Settlement Monitoring Plan (CAD)
- Drawing 4 Settlement Contours

APPENDICES

Appendix A – Leachate Quality Test Results

- December 2002
- January 2003
- April 2003

Appendix B – Daily Liquid Application Log

Appendix C – Trench Monitoring Log

Appendix D – Settlement Data

- March 2003
- June 2003

Appendix E – Landfill Gas Data

- January 2003
- April 2003

Appendix F – Groundwater Quality Compliance

1. INTRODUCTION

1.1 Terms of Reference

The purpose of this semi-annual monitoring report is to present the results obtained between January 1, 2003 and June 30, 2003, of the Landfill Bioreactor Program at the Maplewood Recycling and Waste Disposal Facility (Maplewood Landfill) in Amelia County, Virginia. The bioreactor study is being performed by Waste Management of Virginia, Inc. (a Waste Management, Inc. (WMI) company) under the United States Environmental Protection Agency's (USEPA's) Project XL program. This monitoring report was prepared for the Virginia Department of Environmental Quality (VADEQ) by Mr. Douglas T. Mandeville, and reviewed by Mr. Thomas B. Ramsey, P.E., and Mr. Michael F. Houlihan, P.E., all of GeoSyntec Consultants (GeoSyntec), in accordance with the internal peer review policy of the firm. This report describes the monitoring activities between the above mentioned dates. To aid in the interpretation of the data, the tables and figures contain all of the data collected since leachate recirculation began on August 20, 2002.

1.2 Project Overview

The Maplewood Landfill is located in Amelia County, Virginia, approximately 30 miles southwest of Richmond, Virginia. The waste disposal area will cover approximately 404 acres upon completion. Construction of the first phases started in 1992; construction of the most recent phase was completed in 2000. The Maplewood Landfill was constructed having a geomembrane composite double-liner system, with primary leachate collection and leak detection (secondary collection) layers. The current configuration of Phases 1 through 4 is shown in Figure 1 and Drawing 1. As part of the XL program, Phases 1 and 2 are operated as bioreactors (i.e., leachate is recirculated); whereas Phases 3 and 4 are operated as standard landfill cells (i.e., no leachate is recirculated). Phases 1 and 2 of the Maplewood Landfill are referred to as the test area. Phases 3 and 4 are referred to as the control area.

A landfill becomes a bioreactor when leachate and other liquids are added to the landfill. The purposes of operating a landfill as a bioreactor are to increase the rate of biodegradation in the landfill and to facilitate the management of leachate and other waste liquids. The original intent of the program was to recirculate all of the leachate

generated at the site, typically between 3 to 4 million gallons per year. WMI will seek to recirculate this amount, and maintain compliance with applicable rules and regulations. At the time the XL program was initially implemented, an increase in the occurrence of leachate seeps was observed, causing site personnel to reduce or curtail recirculation operations. In the interest of maintaining compliance with good landfill operating practices and environmental protection, the actual amount of leachate recirculated may be less than 4 million gallons per year. The amount of liquid applied to the waste will vary based on site inspections and observations. Regardless of the quantity of leachate recirculated, the requirement to perform monitoring during the course of the program will continue.

It is anticipated that operating Phases 1 and 2 as a bioreactor will result in several environmental and cost saving benefits including, but not limited to, the following: (i) decreased leachate management costs; (ii) increased waste density in the landfill; (iii) reduced period of landfill gas generation; and (iv) improved long-term leachate quality. These benefits are discussed in depth in WMI's Project XL application [GeoSyntec, 2000].

The performance of the landfill is evaluated based on measurements of critical chemical and physical parameters associated with the solids, liquids, and gasses obtained from the test and control areas. Parameters to be measured include: settlement, leachate quantity and quality, in-place density of waste, and air quality. The parameters measured in the bioreactor (i.e., test area) are compared to similar parameters measured from the control area.

1.3 Report Organization

In this report, the results of the analytical tests conducted during the first half of calendar year 2003 will be provided. The organization of this report is described below.

- Section 2 addresses the Federal register site specific rule making.
- Section 3 presents the requirements of VADEQ Experimental Permit.
- Section 4 describes the monitoring program and sampling and analysis activities performed during the first half of calendar year 2003.

- Section 5 describes the analytical test results and other data collected during the first half of calendar year 2003.
- Section 6 presents closing comments.
- Section 7 provides references.
- Appendix A presents the leachate laboratory analysis results.
- Appendix B presents the liquid application logs (a daily and monthly liquid application summary is presented in Table 7).
- Appendix C presents the trench monitoring logs.
- Appendix D presents the landfill settlement data.
- Appendix E presents landfill gas data.
- Appendix F presents groundwater quality compliance data.

2. REQUIREMENTS OF FEDERAL REGISTER SITE-SPECIFIC RULE MAKING

On July 18, 2002, the EPA promulgated a site-specific rule to implement this project under the EPA's Project Excellence and Leadership Program (Project XL). This rule was published in the Federal Register and provides site-specific regulatory flexibility under the Resource Conservation and Recovery Act (RCRA) for the Maplewood Landfill. Part 258, Subpart D of the rule identifies 14 conditions that are to be met while leachate is recirculated at Maplewood. The remainder of this section addresses 12 of these conditions; the last two conditions are related to the duration of, and compliance, with the site specific rule.

- 1) *Item 1 relates to the integrity of the liner system and maintaining less than 30 cm of head on the liner system.* In accordance with Item 1, the integrity of the liner system was maintained during construction of the recirculation trenches and the leachate collection system has been maintained in good operating order. To date, the leachate collection records for the test and control areas do not indicate an increase in the leakage rate through the primary liner system. There is no apparent slippage of the liner system based on daily observations at the site. It should be noted that design calculations estimating the amount of head on the liner system indicated that up to 3 to 4 million gallons of liquid per year could be added to the waste mass and that the head on the liner system would remain less than 30 cm. The liquid application rate is approximately 1.5 million gallons per year based on data between January 1, 2003 and June 30, 2003. Therefore, the head on the liner system is expected to be less than 30 cm. Additionally, the leachate collection system has been designed to operate such that the leachate removal pumps turn on when the head acting on the liner system is near 30 cm.
- 2) *Item 2 relates to the Code of Federal Regulations (CFR) Section 258.40.* In accordance with Item 2, the groundwater quality has been monitored and analyzed at the compliance point. This analysis was performed by Joyce Engineering, Inc.; a copy of the letter is presented in Appendix F. Lead has been detected at concentrations that exceed the current MCL; however, it is noted that the detected concentrations were less than the facility background concentrations at the time of detection. Consequently, the concentrations did

not represent statistically significant concentrations and the monitoring program at the Maplewood Landfill, Permit No. 540, was allowed to continue in the Detection Monitoring Program.

- 3) *Item 3 relates to the occurrence of seeps at the landfill.* Surface seeps have occurred at the Maplewood Landfill after leachate recirculation operations started. These minor seeps were short in duration and were repaired quickly. WMI is in the process of identifying operating procedures that minimize the occurrence of seeps. Because WMI will operate Maplewood in an environmentally responsible manner, the amount of leachate that is recirculated may need to be reduced. Hence, the actual amount of leachate recirculated may be less than the target amount of 4 million gallons per year.
- 4) *Item 4 relates to the leachate quality parameters to be analyzed as part of this project.* The evaluation of the key leachate quality parameters occurred at the frequency presented in the Final Project Agreement [GeoSyntec, 2000] and the VADEQ state permit [GeoSyntec, 2001]. The test results are discussed in Section 5.1. It should be noted that these parameters (or groups of parameters) have been analyzed in leachate samples collected from the test and control areas. Appendix A includes a summary of the leachate parameters that exceeded the MCL or were detected. A complete set of laboratory results is available upon request.
- 5) *Item 5 relates to the quantity of leachate applied to the test area and the amount of leachate collected in the test and control areas of the landfill.* These issues are discussed in Section 5.1.
- 6) *Item 6 relates to an initial characterization of the liquid that was added to the test area.* An initial characterization of the leachate added to the landfill was performed in August 2002. The results of this characterization indicate that the leachate is comparable to typical landfill leachate. In the first half of calendar year 2003, leachate was the only liquid added to the test area at Maplewood.
- 7) *Item 7 relates to the occurrence of landfill fires in the test area and the measurement of gas temperature at the wellheads.* The test area at

Maplewood has been operated in a manner to prevent landfill fires from occurring. The gas temperature at the wellheads is discussed in Section 5.2.

- 8) *Item 8 relates to topographic surveys at the site.* In accordance with Item 8, two topographic surveys were performed in 2003. The first survey was conducted in March 2003; the second survey was conducted in June 2003. The difference in ground surface elevation between the June survey and the original survey in August 2002 was used to calculate settlement. Settlement of the test and control areas is discussed in Section 5.3.
- 9) *Item 9 relates to odor complaints resulting from liquid application events.* No odor complaints associated with the liquid application events were recorded at Maplewood during the reporting period.
- 10) *Item 10 relates to an initial waste characterization in the test area of the landfill.* A total of 5 borings were drilled in the summer of 2001. Three of these borings were in the control area and two were in the test area. The results of this testing indicates that the waste is typical MSW. Section 5.3 addresses future waste sampling activities.
- 11) *Item 11 relates to the preparation of semi-annual reports to the EPA Regional Administrator.* The first semi-annual monitoring report was submitted on 8 May 2003. The next semi-annual monitoring report will be submitted in January 2004.
- 12) *Item 11 relates to additional landfill gas monitoring.* The monitoring requirements for the New Source Performance Standards and the Title V Air Permit for the site were met. Copies of the wellhead monitoring results and the surface scans are presented in Appendix E.

3. REQUIREMENTS OF VADEQ EXPERIMENTAL PERMIT

On 18 July 2002, VADEQ issued a permit modification allowing bioreactor operations in Phases 1 and 2 at the Maplewood Landfill. Permit module I.F. of the permit amendment issued 18 July 2002 identifies several site specific conditions that must be met while leachate is recirculated at Maplewood. The remainder of this section addresses each of these conditions.

- 1) *Item I.F.1 relates to the issuance of a Certificate to Operate.* Construction of the liquid application trenches was completed within 180 days of the issuance of the permit amendment. A renewal letter to continue recirculation operations will be submitted in July 2003.
- 2) *Item I.F.2 relates to the expiration of the experimental permit and request for a full permit amendment.* This report presents the data obtained during the first half of calendar year 2003. At this time, there is not enough data available to draw conclusions from the experiment. If the project is found to be a success, WMI anticipates submitting a request for a full permit amendment.
- 3) *Item I.F.3 relates to the permitted landfill bioreactor area, Phases 1 and 2.* In accordance with the permit requirements, the liquid application trenches were constructed in Phases 1 and 2, and liquid was applied only in this part of the landfill.
- 4) *Item I.F.4 relates to the monitoring, sampling, and reporting requirements.* In accordance with Item I.F.4, the monitoring was completed as identified in Permit Attachment IIB-2. Previous quarterly monitoring reports were submitted in May 2003 and June 2003. It is anticipated that the next quarterly monitoring report will be submitted in September 2003.
- 5) *Item I.F.5 relates to the Title V Air Permit Issued January 10, 2002 and the New Source Performance Standards Subpart WWW.* In accordance with Item I.F.5, WMI complied with the regulations identified in the Title V Air Permit and the New Source Performance Standards Subpart WWW.

- 6) *Item I.F.6 relates to the characterization of leachate as a hazardous waste and the Virginia Hazardous Waste Management Regulations (9 VAC 20-60-10). (It should be that leachate is not explicitly listed as a hazardous waste in the Virginia Hazardous Waste Management Regulations). In accordance with Item I.F.6, WMI managed leachate as required by the Virginia Hazardous Waste Management Regulations.*
- 7) *Item I.F.7 relates to the monitoring of leachate head over the liner at its lowest disposal point to ensure that no more than 1 foot of head of leachate accumulated over the liner. The issue of hydraulic head acting on the liner system is addressed in Section 2, Item 1.*
- 8) *Item I.F.8 relates to the closure of the bioreactor landfill area. At this time, WMI plans to continue bioreactor operations in Phases 1 and 2 at Maplewood. In accordance with Item I.F.8, WMI will notify VADEQ at least 180 days prior to the anticipated date of closing.*

4. MONITORING PROGRAM AND SAMPLING AND ANALYSIS ACTIVITIES

4.1 Monitoring Program

As shown in Table 1, the monitoring activities at the Maplewood Landfill consist of tracking the quality and quantity of leachate, landfill gas, and solid waste in the test and control areas. Detailed monitoring activities for the Landfill Bioreactor Program are described in the document entitled, “*Monitoring, Sampling, and Analysis Plan*” (Monitoring Plan) [GeoSyntec, 2001], which is contained in the permit application submitted to VADEQ. As part of the USEPA XL program and VADEQ permit requirements, a series of site-specific rules and monitoring requirements have been developed. The USEPA site-specific rule appeared in the Federal Register on 18 July 2002; these requirements are addressed in Section 2 of this report. The VADEQ site-specific permit requirements appeared in the state permit modification issued for the site on 18 July 2002; these requirements are addressed in Section 3 of this report. Table 1 shows the schedule followed for the 2003 monitoring events; Table 2 summarizes the dates and sampling events that occurred to date. The leachate monitoring events include collecting leachate samples from the control area and the test area for subsequent laboratory analysis. The landfill gas monitoring events includes measuring landfill gas composition at the wellheads in the control and test areas, obtaining landfill gas composition samples, and performing a surface scan to measure surface emissions. The solid waste monitoring event includes obtaining waste samples for subsequent analysis. In addition to these field monitoring events, leachate generation volumes, liquid application volumes, and landfill settlement are monitored.

The purpose of the monitoring program is to evaluate the performance of the landfill bioreactor throughout the duration of the project. The evaluation is based on the following performance criteria:

- leachate quality and quantity;
- landfill gas quality and quantity; and
- solid waste decomposition/stabilization.

The manner in which these criteria are being evaluated is described in the following three subsections.

Leachate Quality and Quantity

Sampling activities are conducted in both the test area and control area. Leachate sampling was conducted in Phases 1, 2, 3, 4, and at the leachate storage tank, according to the frequency described in Table 1. Leachate samples are collected by filling the appropriate sample bottles directly from the sampling ports from the primary leachate collection system for the respective phase being sampled. The sampling ports for each of the primary leachate collection systems are located within the vault/riser house of the leachate collection system for each phase. The specific parameters measured, and the associated test methods, are provided in Table 3. Several key parameters that identify the presence of biological processes in the landfill have been identified (Pohland and Harper, 1986) and are presented in detail in this report. These parameters include: (i) Biological Oxygen Demand (BOD); (ii) Chemical Oxygen Demand (COD); (iii) Total Organic Carbon (TOC); (iv) Chloride; (v) Sulfate; (vi) Nitrate as Nitrogen; and (vii) Ammonia as Nitrogen. From these indicators, a qualitative inference can be made regarding the degree of organic composition of landfill wastes.

In addition to evaluating the leachate quality in the landfill over time, the amount of liquid added to the leachate recirculation trenches and the amount of leachate collected in the leachate collection sumps was recorded.

Landfill Gas Quality and Quantity

Measurements of landfill gas quality are obtained from composite gas samples of the landfill gas collection system. The parameters measured and the test methods for the landfill gas monitoring and sampling are described in the Monitoring Plan [GeoSyntec, 2001]. The non methane organic compounds (NMOCs), gas samples were obtained in accordance with the requirements of USEPA Method 25 and samples obtained for volatile organic compounds were obtained in accordance with USEPA Method TO-14.

Landfill gas monitoring is performed at each of the existing landfill gas wells to monitor activity within the test and control areas. Measurements of methane (CH₄), oxygen (O₂), carbon dioxide (CO₂), temperature, and flow rate were obtained from each gas well using portable field instruments, (i.e., a Landtech, Inc., GEM 500). Hydrogen

sulfide (H_2S) measurements were obtained using a GasTech GT-2 Hydrogen sulfide detector.

Surface emissions monitoring is performed in accordance with the requirements specified by the New Source Performance Standards (NSPS) and Emissions Guidelines (EG) for MSW landfills [40 CFR 60.755]. Methane concentrations were measured within 5 to 10 centimeters (2 to 4 inches) from the landfill surface in the test and control areas.

Solid Waste Decomposition/Stabilization

To evaluate the degree of decomposition of the solid waste, a series of borings were drilled in the test and control areas in 2001. Samples of the solid waste were obtained from these borings. The parameters evaluated from these solid waste samples include: (i) moisture content; (ii) cellulose; (iii) lignin; (iv) pH; and (v) biochemical methane potential. The moisture content is the percentage of water that is present in the waste. Cellulose is the portion of the volatile solids that will degrade over time; lignin is the portion of the volatile solids that will not degrade. Biochemical methane potential is a measure of how much methane the waste may generate.

To evaluate waste settlement in both the test area and the control area, a series of topographic surveys of the test and control areas are conducted.

4.2 Field Sampling Activities

The overall monitoring and sampling program was implemented by GeoSyntec with sampling performed by Joyce Engineering (Joyce), Golder Associates (Golder) and WMI site personnel.

4.2.1 Leachate Quality

Leachate samples from the test and control areas were obtained by Joyce on the dates presented in Table 2. The leachate samples were collected from sumps in Phases 1, 2, 3, and 4, and the leachate storage tank. The leachate samples were collected using

the field sampling procedures described in the Monitoring Plan contained in the permit application for leachate recirculation at the site [GeoSyntec, 2001].

4.2.2 Landfill Gas Quality and Quantity

The landfill gas samples were collected using the procedures described in the Monitoring Plan contained in the permit application for leachate recirculation at the site [GeoSyntec, 2001]. Drawing 2 shows the landfill gas monitoring plan. These activities were conducted by Golder on the dates presented in Table 2. The landfill gas composition at the wellheads in the test and control areas were tested for the percentages of oxygen, carbon dioxide, methane, flow rate, and temperature. The landfill gas composition at the well heads measured during the field sampling events is summarized in Table 4.

4.2.3 Waste Sampling

Prior to construction of the leachate recirculation system, a series of exploratory borings were drilled in both the test and control areas. Samples of solid waste were collected from a variety of depths at each boring location. No solid waste samples were obtained during this reporting period. The results from the initial background samples are discussed in Section 5.3.

4.3 Laboratory Analysis Program

4.3.1 Leachate Quality

Leachate samples were analyzed by Geochemical Testing, Inc., and were tested for the parameters listed in Table 3. A summary of the key parameters identified in Section 1.3 are presented in Table 5. Also included in Table 5 are the parameters listed in the Federal Register site-specific rule (i.e., wet chemistry parameters, heavy metals, and common ions). The test results for the organic priority pollutants are not anticipated to indicate the overall performance of the test area and are not presented in Table 5 at this time. Section 5.1 of this report provides an analysis of the leachate quality data.

4.3.2 Landfill Gas Quality

The landfill gas samples from the header pipes in the landfill gas collection system were sent to Triangle Environmental Services for laboratory analysis. These landfill gas samples were tested in accordance with USEPA Method TO-14. Copies of these results are presented in Appendix D.

4.3.3 Solid Waste Composition

The solid waste samples collected during the field activities were sent to Virginia Tech and were analyzed for moisture content, lignin, cellulose, pH, and biochemical methane potential.

4.4 Other Data

4.4.1 Leachate Generation Quantities

Leachate flow was measured weekly in Phases 1, 2, 3, 4, 11, and 12 by site personnel using flowmeters that are installed in the leachate riser vaults near each cell. The leachate generation quantities for each phase are presented in Table 6.

4.4.2 Quantity of Liquid Applied to Landfill

The amount of liquid added to each trench was recorded by site personnel. In general, liquid was added to each trench approximately every 3 days. A summary of the liquid added to the landfill is presented in Table 7.

4.4.3 Landfill Settlement

A series of topographic surveys of the test and control areas have been performed by Flora Surveying. An approximately 100-ft grid system was established, with the elevation measured at the same locations over time. A summary table containing the point number, northing, easting, and elevations at different survey times is presented in Table 8. Drawing 3 shows the settlement monitoring plan and Drawing 4 shows the settlement contours.

5. DATA ANALYSIS

5.1 Leachate Quality and Quantity

Liquid application at the Maplewood Landfill commenced on 20 August 2002. During the reporting period, leachate was the only liquid added to the test area. Figure 2 shows the liquid added to the landfill, the target rate of 4 million gallons per year (333,333 gallons per month or 6,500 gallons per day), as well as the amount of leachate collected in the test and control areas. The total amount of leachate applied to the landfill during 2002 was 864,282 gallons. Between 1 January 2003 and 30 June 2003, approximately 396,045 gallons of leachate have been recirculated. To date, a total of 1,260,327 gallons of leachate has been recirculated at Maplewood. It should be noted that several site conditions (i.e., weather and construction) made recirculation operations difficult. Table 9 shows the average monthly precipitation, 2003 monthly precipitation (through 20 June 2003), and departure from normal. Through 30 June 2003, the site is approximately 8.7 inches ahead of its normal annual precipitation.

The amount of leachate collected in the test and control areas during the operation of the liquid application system in the first half of calendar year 2003 was 137,335 and 549,655 gallons, respectively. Since August 2002, the total amount of leachate collected in the test and control areas was 217,967 and 1,005,358 gallons, respectively. It should be noted that the average monthly leachate collection rates for the test and control areas was 15,720 gallons and 102,000 gallons, respectively. The total amount of leachate sent off-site for disposal in the first half of calendar year 2003 was 763,223 gallons. Figure 2 also indicates that more leachate is being collected in the control area than in the test area. It should be noted that the outward facing side slopes in the test area have been capped with the final cover system, limiting the amount of infiltration and subsequent leachate generation.

In examining Figure 2, there does not appear to be a correlation between the liquid applied to the landfill and the leachate collected in the leachate collection system. This indicates that at this time, the waste in the test area had not yet reached its absorptive capacity.

Because the program is still in its initial stages, there is not enough data to identify any consistent trends in the leachate quality test results. The leachate samples in both the test and control areas continue to indicate a biological oxygen demand (BOD) value

in the lower ranges of typical landfill leachate (typical values range from 20 mg/l to 35,000 mg/l, [Kjeldsen et al., 2002]).

Figures 3 through 7 show variation with time in the BOD to COD ratio, COD to TOC ratio, Chloride, Nitrate Nitrogen, and Ammonia Nitrogen, respectively. These figures represent the variation in the key leachate parameters identified in Table 5. Because of the limited amount of data collected so far, trends in the data cannot be identified.

Additional data related to the leachate quality results is presented in Appendix A. The tables in Appendix A summarize the leachate parameters that exceeded the MCL or were at detectable levels.

5.2 Landfill Gas Quality and Quantity

Table 4 summarizes the landfill gas composition and temperature measured at the wellheads. The wellheads are identified as being located in the test or control areas. The temperatures measured at the wellheads are within normal ranges; this indicates that there are no landfill fires within the test or control areas.

The trends in the landfill gas quantity for the gas wells in the test and control areas are shown in Figure 8. None of the gas wells shown in Figure 8 show consistent behavior; the flow rate measured at each of the wells appears to fluctuate in a similar pattern.

Figure 9 shows the percentage methane in the landfill gas at the wells in the test and control areas. At this time, there does not appear to be a clear difference between the percentage methane present in the landfill gas in the test or control areas.

Figure 10 shows the percentage carbon dioxide in the landfill gas at the wells in the test and control areas. In 2003, the percentage carbon dioxide present in the gas measured at the wells appears to be fairly consistent between 35 and 40 percent. At this time, there does not appear to be a clear difference between the percentage carbon dioxide present in the landfill gas in the test and control areas.

5.3 Solid Waste Analysis

Table 10 summarizes the baseline solid waste sampling results from the field work conducted in the summer of 2001. These results appear at this time to indicate few differences between the organic constituents in the landfill as waste. Future comparisons will be made as subsequent solid waste samples are obtained from the test and control areas. It is anticipated that additional solid waste samples will be obtained in late summer 2003.

Drawing 4 presents the settlement contours for both the test and control areas. These contours are based on the data presented in Table 8 and show the difference in grade between the initial background survey on 2 August 2002 and a recent survey on 9 June 2003. The values range from no settlement to up to 5 feet of settlement. In examining Drawing 4, two items become apparent. The settlement appears to be relatively uniform over most of the test and control areas, with the exception of the northwest corner of Phase 1 and near the Phase 4 boundary with Phase 11. Secondly, it appears that settlement in the control area is larger than in the test area. Considering the relatively short timeframe over which these contours are based, this may not be indicative of the performance of the bioreactor system but the result of waste compression in the relatively newer portions of the landfill (i.e., the control area).

6. CONCLUSIONS

This report provides a summary of the monitoring activities at the Maplewood Landfill as part of the leachate recirculation operations conducted under the USEPA's XL Program. Because the program has been operating for only approximately 1 year, definitive conclusions regarding the performance of the test area at the Maplewood Landfill cannot yet be made. However, based on the experience gained during the design, permitting, and construction processes, the following comments are offered.

- Operational conditions (i.e., weather, site access, etc.) may make leachate recirculation without a pump system difficult. For example, during periods of wet weather, leachate haul trucks may not be able to safely drive around the site.
- The trench systems designed for the site appear to be working well after one year of operation. The operators have not noted excessive problems related to drainage of the trenches.
- Using the operational techniques identified in the Project XL program for Maplewood, the anticipated benefits (i.e., settlement, improved leachate quality, and improved landfill gas quality) require more than one year to be realized.
- Based on the information obtained to date, it has been observed that leachate recirculation has been performed without detrimental impacts (i.e., excessive odors, slope stability problems, etc.).

A summary of the 2003 monitoring events planned for the remainder of the year is presented in Table 1.

7. REFERENCES

GeoSyntec Consultants “*Project XL – Final Project Agreement for Landfill Bioreactor Systems – King George County Landfill and Recycling Center and Maplewood Recycling and Waste Disposal Facility*”, dated 28 September 2000.

GeoSyntec Consultants “*Landfill Bioreactor Project Application for Permit Amendment for Experimental Permit*”, Maplewood Recycling and Waste Disposal Facility, dated 19 September 2001.

Kjeldsen, P., Barlaz, M.P., Rooker, A.P., Baun, A., Ledin, A., and Christensen, T.H., “*Present and Long-Term Composition of MSW Landfill Leachate: A Review*”, Critical Reviews in Environmental Science and Technology, 32 (4), pp. 297-336.

Pohland, F.G., and Harper, S.R., 1986, “*Critical Review and Summary of Leachate and Gas Production From Landfills*”, EPA/600/2-86/073, U.S. Environmental Protection Agency, Cincinnati, Ohio.

Title 40, Code of Federal Regulations, Part 60.

TABLE 1
2003 MONITORING ACTIVITIES
Project XL
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia

	Monitoring Parameters	Responsible Party	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1. LEACHATE	Chemical parameters measured on site	WM personnel	X			X			X					
	Physical parameters measured on site	WM personnel	X	X	X	X	X	X	X	X	X	X	X	X
	Chemical parameters sampled on site from test area	Sampled by subcontractor, tested offsite by Geochemical	X			X			X					
	Chemical parameters sampled on site from storage tanks	Sampled by subcontractor, tested offsite by Geochemical	X			X			X					
2. LANDFILL GAS	Landfill gas composition measured on site	WM personnel	X	X	X	X	X	X	X	X	X	X	X	X
	Physical parameters measured on site	WM personnel	X	X	X	X	X	X	X	X	X	X	X	X
	Chemical parameters	WM personnel, testing by subcontractor	X			X			X					
	Surface landfill gas measured on site	Subcontractor	X			X			X					
3. SOLID WASTE	Survey, on site	Subcontractor	X		X		X		X		X		X	
	Solid waste stabilization and decomposition measured on site	WM personnel								X				

TABLE 2
SUMMARY OF SAMPLING ACTIVITIES
Project XL
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia

Date	Sampling Event
8/2/2002	Topographical site survey
8/12/2002	Background leachate and landfill gas sampling
9/12/2002	Monthly landfill gas sampling
9/13/2002	Monthly leachate sampling
10/17/2002	Monthly landfill gas sampling
10/24/2002	Topographical site survey
10/28/2002	Monthly leachate sampling
11/20/2002	Monthly leachate sampling
11/21/2002	Monthly landfill gas sampling
12/18/2002	Monthly landfill gas sampling
12/26/2002	Monthly leachate sampling
1/23/2003	Monthly leachate sampling
1/28/2003	Monthly landfill gas sampling
2/15/2003	Monthly landfill gas sampling
3/10/2003	Topographical site survey
3/16/2003	Monthly landfill gas sampling
4/16/2003	Quarterly leachate sampling
5/21/2003	Monthly landfill gas sampling
6/9/2003	Topographical site survey
6/22/2003	Monthly landfill gas sampling

TABLE 3
LEACHATE ANALYSIS PARAMETERS
Project XL
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia

Parameter	Method	Parameter	Method
Cadmium	EPA 200.7	Bromochloromethane	EPA 8260B
Potassium	EPA 200.7	Bromomethane	EPA 8260B
Chloride	EPA 325.2	Carbon Disulfide	EPA 8260B
Ammonia Nitrogen	EPA 350.1	Carbon Tetrachloride	EPA 8260B
Total Kjeldahl Nitrogen	EPA 351.3	Chlorobenzene	EPA 8260B
Nitrate Nitrogen	EPA 353.2	Chlorodibromomethane	EPA 8260B
Phosphorus, ortho	EPA 365.2	Chloroethane	EPA 8260B
Phosphorus, total	EPA 365.2	Chloromethane	EPA 8260B
Sulfate	EPA 375.4	cis-1,2-Dichloroethene	EPA 8260B
Arsenic	EPA 6010 B	cis-1,3-Dichloropropene	EPA 8260B
Barium	EPA 6010 B	Dibromomethane	EPA 8260B
Chromium	EPA 6010 B	Dichlorobromomethane	EPA 8260B
Lead	EPA 6010 B	Dichlorodifluoromethane	EPA 8260B
Selenium	EPA 6010 B	Ethyl Methacrylate	EPA 8260B
Silver	EPA 6010 B	Ethylbenzene	EPA 8260B
Mercury	EPA 7470	Iodomethane	EPA 8260B
1,2-Dibromo-3-chloropropane	EPA 8011	Methacrylonitrile	EPA 8260B
1,2-Dibromoethane	EPA 8011	Methyl Ethyl Ketone	EPA 8260B
1,1,1,2-Tetrachloroethane	EPA 8260B	Methyl methacrylate	EPA 8260B
1,1,1-Trichloroethane	EPA 8260B	Methylene Chloride	EPA 8260B
1,1,2,2-Tetrachloroethane	EPA 8260B	Propionitrile	EPA 8260B
1,1,2-Trichloroethane	EPA 8260B	Styrene	EPA 8260B
1,1-Dichloroethane	EPA 8260B	Tetrachloroethene	EPA 8260B
1,1-Dichloroethene	EPA 8260B	Toluene	EPA 8260B
1,1-Dichloropropene	EPA 8260B	Total Xylene	EPA 8260B
1,2,3-Trichloropropane	EPA 8260B	trans-1,2-Dichloroethene	EPA 8260B
1,2-Dichlorobenzene	EPA 8260B	trans-1,3-Dichloropropene	EPA 8260B
1,2-Dichloroethane	EPA 8260B	trans-1,4-Dichloro-2-butene	EPA 8260B
1,2-Dichloropropane	EPA 8260B	Tribromomethane	EPA 8260B
1,3-Dichlorobenzene	EPA 8260B	Trichloroethene	EPA 8260B
1,3-Dichloropropane	EPA 8260B	Trichlorofluoromethane	EPA 8260B
1,4-Dichlorobenzene	EPA 8260B	Trichloromethane	EPA 8260B
2,2-Dichloropropane	EPA 8260B	Vinyl Acetate	EPA 8260B
2-chloro-1,3-butadiene	EPA 8260B	Vinyl Chloride	EPA 8260B
2-Hexanone	EPA 8260B	1,2,4,5-Tetrachlorobenzene	EPA 8270C
2-Methyl-1-propanol	EPA 8260B	1,2,4-Trichlorobenzene	EPA 8270C
3-Chloro-1-Propene	EPA 8260B	1,3-Dinitrobenzene	EPA 8270C
4-Methyl-2-Pentanone	EPA 8260B	1,4-Naphthoquinone	EPA 8270C
Acetone	EPA 8260B	1-Naphthylamine	EPA 8270C
Acetonitrile	EPA 8260B	1-Nitrosopiperidine	EPA 8270C
Acrolein	EPA 8260B	2,3,4,6-Tetrachlorophenol	EPA 8270C
Acrylonitrile	EPA 8260B	2,4,5-Trichlorophenol	EPA 8270C
Benzene	EPA 8260B	2,4,6-Trichlorophenol	EPA 8270C

TABLE 3
LEACHATE ANALYSIS PARAMETERS
(continued)

Parameter	Method	Parameter	Method
2,4-Dichlorophenol	EPA 8270C	Dibenzofuran	EPA 8270C
2,4-Dimethylphenol	EPA 8270C	Diethyl Phthalate	EPA 8270C
2,4-Dinitrophenol	EPA 8270C	Dimethoate	EPA 8270C
2,4-Dinitrotoluene	EPA 8270C	Dimethyl Phthalate	EPA 8270C
2,6-Dichlorophenol	EPA 8270C	Di-N-Butyl Phthalate	EPA 8270C
2,6-Dinitrotoluene	EPA 8270C	Di-N-Octylphthalate	EPA 8270C
2-Acetylaminofluorene	EPA 8270C	Di-n-propylnitrosamine	EPA 8270C
2-Chloro-Naphthalene	EPA 8270C	Diphenylamine	EPA 8270C
2-Chlorophenol	EPA 8270C	Disulfoton	EPA 8270C
2-Methyl-4,6-dinitrophenol	EPA 8270C	Ethyl Methanesulfonate	EPA 8270C
2-Methylnaphthalene	EPA 8270C	Famphur	EPA 8270C
2-Naphthylamine	EPA 8270C	Fluoranthene	EPA 8270C
2-Nitroaniline	EPA 8270C	Fluorene	EPA 8270C
2-Nitrophenol	EPA 8270C	Hexachlorobenzene	EPA 8270C
3,3-Dichlorobenzidine	EPA 8270C	Hexachlorobutadiene	EPA 8270C
3,3'-Dimethylbenzidine	EPA 8270C	Hexachlorocyclopentadiene	EPA 8270C
3-Methylcholanthrene	EPA 8270C	Hexachloroethane	EPA 8270C
3-Nitroaniline	EPA 8270C	Hexachloropropene	EPA 8270C
4-Aminobiphenyl	EPA 8270C	Indeno(1,2,3-cd)pyrene	EPA 8270C
4-Bromophenylphenylether	EPA 8270C	Isodrin	EPA 8270C
4-Chloro-3-methylphenol	EPA 8270C	Isophorone	EPA 8270C
4-Chloroaniline	EPA 8270C	Isosafrole	EPA 8270C
4-Chlorophenylphenylether	EPA 8270C	m,p-Cresol	EPA 8270C
4-Nitroaniline	EPA 8270C	Methapyrilene	EPA 8270C
4-Nitrophenol	EPA 8270C	Methyl Methanesulfonate	EPA 8270C
5-Nitro-o-toluidine	EPA 8270C	Methyl Parathion	EPA 8270C
7,12Dimethylbenz(a)-anthracene	EPA 8270C	Naphthalene	EPA 8270C
Acenaphthene	EPA 8270C	Nitrobenzene	EPA 8270C
Acenaphthylene	EPA 8270C	N-Nitrosodibutylamine	EPA 8270C
Acetophenone	EPA 8270C	N-Nitrosodiethylamine	EPA 8270C
Anthracene	EPA 8270C	n-Nitrosodimethylamine	EPA 8270C
Benzo(a)anthracene	EPA 8270C	n-Nitrosodiphenylamine	EPA 8270C
Benzo(a)pyrene	EPA 8270C	N-Nitrosomethylethylamine	EPA 8270C
Benzo(b)fluoranthene	EPA 8270C	N-Nitrosopyrrolidine	EPA 8270C
Benzo(ghi)perylene	EPA 8270C	o,o,o-Triethylphosphothioate	EPA 8270C
Benzo(k)fluoranthene	EPA 8270C	o-Cresol	EPA 8270C
Benzyl Alcohol	EPA 8270C	o-Toluidine	EPA 8270C
bis(2-Chloroethoxy)methane	EPA 8270C	Parathion	EPA 8270C
bis(2-Chloroethyl)ether	EPA 8270C	p-Dimethylaminoazobenzene	EPA 8270C
bis(2-Chloroisopropyl)ether	EPA 8270C	Pentachlorobenzene	EPA 8270C
bis(2-Ethylhexyl)phthalate	EPA 8270C	Pentachloronitrobenzene	EPA 8270C
Butyl benzylphthalate	EPA 8270C	Phenacetin	EPA 8270C
Chlorobenzilate	EPA 8270C	Phenanthrene	EPA 8270C
Chrysene	EPA 8270C	Phenol	EPA 8270C
Diallate	EPA 8270C	Phorate	EPA 8270C
Dibenzo(a,h)anthracene	EPA 8270C	p-Phenylenediamine	EPA 8270C

TABLE 3
LEACHATE ANALYSIS PARAMETERS
(continued)

Parameter	Method	Parameter	Method
Pronamide	EPA 8270C	Endrin Aldehyde	EPA 8081
Pyrene	EPA 8270C	Gamma BHC (Lindane)	EPA 8081
Saffrole	EPA 8270C	Heptachlor	EPA 8081
sym-Trinitrobenzene	EPA 8270C	Heptachlor epoxide	EPA 8081
Thionazin	EPA 8270C	Methoxychlor	EPA 8081
Chemical Oxygen Demand	HACH 8000	Toxaphene	EPA 8081
Total dissolved solids	SM 2540C	2,4,5-T	EPA 8151A
Nitrite Nitrogen	SM 4500-NO2B	2,4-D	EPA 8151A
BOD 5-day	SM 5210B	Dinoseb	EPA 8151A
Total Organic Carbon	SM 5310C	Pentachlorophenol	EPA 8151A
Aldrin	EPA 8081	Silvex	EPA 8151A
Alpha BHC	EPA 8081	Pyruvic	
Beta BHC	EPA 8081	Lactic	
Chlordane	EPA 8081	Formic	
DDD	EPA 8081	Acetic	
DDE	EPA 8081	Propionic	
DDT	EPA 8081	Butyric	
Delta BHC	EPA 8081		
Dieldrin	EPA 8081		
Endosulfan I	EPA 8081		
Endosulfan II	EPA 8081		
Endosulfan Sulfate	EPA 8081		
Endrin	EPA 8081		

Note

This list of parameters was developed from the Monitoring, Sampling, and Analysis Report included in the permit amendment submitted in October 2001.

TABLE 4
LANDFILL GAS DATA
Project XL
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia

LFG WELL 1 (TEST AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	95	82	96	91	100	77	77
Flow Rate (scfm)	19	37	107	80	53	74	65
Methane (%)	53	56.1	63.3	51.3	55.9	51.4	48.9
Carbon Dioxide (%)	39.6	40.3	36.1	38.8	37.1	39.3	37.4
Oxygen (%)	0.6	0.2	0.5	0.1	0.1	0.6	0.4
Balance (%)	6.8	3.4	0	9.8	6.9	8.7	13.3

LFG WELL 2 (TEST AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	98	87	96	88	100	77	77
Flow Rate (scfm)	47	75	62	109	53	74	65
Methane (%)	54	59	58.6	59.8	55.9	51.4	48.9
Carbon Dioxide (%)	42.7	40.6	39	39.6	37.1	39.3	37.4
Oxygen (%)	0.9	0.4	0.8	0.4	0.1	0.6	0.4
Balance (%)	2.4	0	2	0.2	6.9	8.7	13.3

LFG WELL 3 (TEST AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	115	102	105	100	92	98	96
Flow Rate (scfm)	2	20	53	75	65	56	55
Methane (%)	53	59.5	50.1	58.2	52.3	54.6	54.5
Carbon Dioxide (%)	38.6	40.1	36.1	39.8	34.9	39.8	36.5
Oxygen (%)	0.6	0.4	0.2	0.6	0.8	1.2	1.2
Balance (%)	7.8	0	14	1.4	12	4.4	7.8

LFG WELL 4 (TEST AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	98	63	124	100	119	92	97
Flow Rate (scfm)	22	36	56	59	105	26	67
Methane (%)	54	58	50.9	57.3	57.1	60.2	57.4
Carbon Dioxide (%)	40	40.2	33.7	39.9	36	39.1	36.9
Oxygen (%)	0.4	0.8	1.5	0.6	0.9	0.5	1.6
Balance (%)	5.6	1	14	2.2	6	0.2	4.4

TABLE 4
LANDFILL GAS DATA
(continued)

LFG WELL 5 (TEST AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	97	98	102	90	81	96	95
Flow Rate (scfm)	6	36	45	65	76	42	41
Methane (%)	52	59.8	50.4	60.2	60.8	60.7	53.1
Carbon Dioxide (%)	39.1	39.7	36.7	38.6	27.7	38.5	37.5
Oxygen (%)	1.9	0.5	0.4	1.1	4	0.6	2.5
Balance (%)	7	0	13	0.1	0.2	0.2	6.9

LFG WELL 6 (TEST AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	100	111	120	101	56	106	102
Flow Rate (scfm)	0	12	59	56	75	21	35
Methane (%)	60	48.8	59.8	59.8	56.3	58.9	48.9
Carbon Dioxide (%)	39	32.8	38.3	38.8	36.7	40.1	37.1
Oxygen (%)	0.5	3.6	0.2	1.2	1.2	0.9	2.1
Balance (%)	0.5	14.8	2	0.2	5.8	0.1	11.9

LFG WELL 7 (TEST AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	110	100	81	100	82	99	92
Flow Rate (scfm)	23	38	64	76	92	56	81
Methane (%)	53	61.8	62.8	65.2	61.1	58.8	57.3
Carbon Dioxide (%)	46.2	38.1	36.9	34.7	38.6	40.4	38.4
Oxygen (%)	0.8	0.1	0.2	0	0.2	0.6	1.1
Balance (%)	0	0	0	0.1	0.1	0.2	3.2

LFG WELL 8 (TEST AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	115	67	78	90	82	101	92
Flow Rate (scfm)	33	18	51	39	87	48	81
Methane (%)	59	60.7	65.2	63.9	60.8	60	57.3
Carbon Dioxide (%)	39.9	38.8	33.5	35.9	38.6	39.4	38.4
Oxygen (%)	1.1	0.5	1.1	0.1	0.6	0.4	1.1
Balance (%)	0	0	0	0.1	0	0.2	3.2

TABLE 4
LANDFILL GAS DATA
(continued)

LFG WELL 9 (TEST AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	110	66	80	110	110	97	92
Flow Rate (scfm)	31	45	10	66	81	42	62
Methane (%)	60	63.1	60.8	63.7	50.4	61.2	56.4
Carbon Dioxide (%)	39.6	36.5	38.6	35.9	34.9	38	39.5
Oxygen (%)	0.4	0.4	0.5	0.3	9.8	0.7	1
Balance (%)	0	0	0	0.1	4.9	0.1	3.1

LFG WELL 10 (TEST AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	109	114	80	110	92	103	95
Flow Rate (scfm)	40	55	36	36	81	63	41
Methane (%)	50	49.9	60.8	56.9	57.3	51.9	53.1
Carbon Dioxide (%)	41	33.3	38.6	39.5	38.5	39.4	37.5
Oxygen (%)	1	3	0.5	1	0.7	2.2	2.5
Balance (%)	8	13.8	0	2.6	3.5	6.5	6.9

LFG WELL 11 (CONTROL AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	119	98	101	100	94	95	98
Flow Rate (scfm)	25	48	56	77	72	49	50
Methane (%)	58	60.2	57.8	61.6	60.8	58.3	52.6
Carbon Dioxide (%)	41.7	39.3	40.3	37.6	38.5	40.5	36
Oxygen (%)	0.3	0.5	0.9	0.6	0.5	1.1	2.8
Balance (%)	0	0	1	0.2	0.2	0.1	8.6

LFG WELL 12 (IN CONTROL AREA, BUT NEAR APPLICATION TRENCHES)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	115	119	84	100	77	110	111
Flow Rate (scfm)	35	54	102	66	85	31	59
Methane (%)	61	60.4	62.1	61	52.5	60.6	56.5
Carbon Dioxide (%)	38.6	39.2	37.3	38.5	36.9	38.6	35.9
Oxygen (%)	0.4	0.4	0.4	0.3	0.1	0.7	1.8
Balance (%)	0	0	0	0.2	10.5	0.1	5.8

TABLE 4
LANDFILL GAS DATA
(continued)

LFG WELL 13 (IN CONTROL AREA, BUT NEAR APPLICATION TRENCHES)

Parameter	12-Sep-02	17-Oct-02	1-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	110	75	94	100	99	108	109
Flow Rate (scfm)	40	61	41	76	65	59	82
Methane (%)	60	61.3	62.3	60.4	56.3	59.1	57.3
Carbon Dioxide (%)	39.5	38.1	37.2	38.9	36.7	40.2	37.2
Oxygen (%)	0.5	0.6	0.4	0.5	1.2	0.6	1.4
Balance (%)	0	0	0	0.2	5.8	0.1	4.1

LFG WELL 14 (CONTROL AREA)

Parameter	12-Sep-02	17-Oct-02	1-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	109	71	107	90	96	92	104
Flow Rate (scfm)	19	36	60	62	79	34	53
Methane (%)	56	66.7	59.7	62.2	61.1	56.2	58
Carbon Dioxide (%)	41.9	33.1	39.3	36.7	38.6	39.7	32.9
Oxygen (%)	1	0.2	0.8	1	0.2	2.2	2.5
Balance (%)	1.1	0	0	0.1	0.1	1.9	6.6

LFG WELL 15 (CONTROL AREA)

Parameter	12-Sep-02	17-Oct-02	1-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	111	73	93	79	99	88	75
Flow Rate (scfm)	22	49	49	46	79	21	60
Methane (%)	54	56.7	56.7	51	56.8	59.1	51.7
Carbon Dioxide (%)	40.6	41.3	38.6	36.4	36.9	39.6	37.2
Oxygen (%)	0.6	0.4	1.9	1.7	0.5	1.1	2.9
Balance (%)	4.8	1.6	3	10.9	5.8	0.2	8.2

LFG WELL 16 (CONTROL AREA)

Parameter	12-Sep-02	17-Oct-02	1-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	90	94	61	110	62	79	91
Flow Rate (scfm)	0	12	65.4	52	79	9	66
Methane (%)	53	57.6	57.2	58	60.8	48.7	60.3
Carbon Dioxide (%)	40	40.5	41.3	41.2	38.5	36.2	35.3
Oxygen (%)	1.7	0.8	1.3	0.7	0.6	4.9	2.7
Balance (%)	5.3	1.1	0	0.1	0.1	10.2	1.7

TABLE 4
LANDFILL GAS DATA
(continued)

LFG WELL 17 (CONTROL AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	90	83	90	96	97	99	98
Flow Rate (scfm)	30	48	51	69	43	39	13
Methane (%)	52	54.1	59	55.5	54.6	53.8	53.3
Carbon Dioxide (%)	39.4	39.2	39.6	37.1	37.5	39.1	37
Oxygen (%)	0.8	0.4	1.2	0.4	1.3	1.4	2.3
Balance (%)	7.8	6.3	0	7	6.6	5.7	7.4

LFG WELL 18 (CONTROL AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	109	93	103	103	70	101	117
Flow Rate (scfm)	10	25	23	60	72	22	24
Methane (%)	58	63.1	64.4	67.5	59.3	57.6	62.7
Carbon Dioxide (%)	41.3	36.4	35.3	31.5	39.3	41.4	36.5
Oxygen (%)	0.7	0.5	0.2	0.8	1	0.7	0.7
Balance (%)	0	0	0	0.2	0.4	0.3	0.1

LFG WELL 29 (CONTROL AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	105	85	103	110	69	105	129
Flow Rate (scfm)	43	6	25	56	81	41	77
Methane (%)	55	59.3	64.4	50.5	45.9	59.4	55.7
Carbon Dioxide (%)	36.9	39.5	35.3	34.1	35	39.7	38.1
Oxygen (%)	2.1	1.2	0.2	4.5	0.3	0.8	1
Balance (%)	6	0	0	10.9	18.8	0.1	5.2

LFG WELL 30 (CONTROL AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	105	69	96	100	83	129	99
Flow Rate (scfm)	5	62	55	64	96	27	49
Methane (%)	60	53.7	64.3	46.7	50.9	43.8	51.6
Carbon Dioxide (%)	39.5	35.3	35.2	35.9	36.1	35.4	34.4
Oxygen (%)	0.5	0.5	0.3	0.3	0.6	0.3	3.5
Balance (%)	0	10.5	0	17.1	12.4	20.5	10.5

TABLE 4
LANDFILL GAS DATA
(continued)

LFG WELL 31 (CONTROL AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	100	89	111	100	64	96	112
Flow Rate (scfm)	30	65	39	64	66	30	73
Methane (%)	55	41.6	64.8	46.9	59	39	51.4
Carbon Dioxide (%)	42.3	33.4	34.4	34.7	35.7	34.4	37.1
Oxygen (%)	0.9	0.5	0.6	0.2	1.8	1.1	1.2
Balance (%)	1.8	24.5	0	18.2	3.5	25.5	10.3

LFG WELL 37 (CONTROL AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	101	93	111	103	80	116	120
Flow Rate (scfm)	58	73	53	120	82	119	139
Methane (%)	60	66.9	64.8	59.6	63	52.2	56.4
Carbon Dioxide (%)	39	32.5	34.4	38.5	366.1	40.8	39.3
Oxygen (%)	1	0.6	0.6	0.7	0.8	2.2	0.8
Balance (%)	0	0	0	1.2	0.1	4.8	3.5

LFG Well 38 (CONTROL AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	110	93	85	102	80	105	120
Flow Rate (scfm)	49	50	54	84	82	39	77
Methane (%)	55	58.3	62.9	53.1	63	39.9	56.8
Carbon Dioxide (%)	35.8	39.1	36.3	35.7	36.1	37	41
Oxygen (%)	2.1	0.8	0.7	0.3	0.8	0.8	0.4
Balance (%)	7.1	1.8	0	10.9	0.1	22.3	1.8

LFG WELL 39 (CONTROL AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	101	102	86	96	61	125	82
Flow Rate (scfm)	88	52	36	66	63	85	94
Methane (%)	56	50	66	45.7	64.1	44.9	57.6
Carbon Dioxide (%)	40.5	32.8	32.9	34.5	35.4	43.3	38.1
Oxygen (%)	0.8	0.4	1	0.1	0.4	0.5	1
Balance (%)	2.7	16.8	0	19.7	0.1	11.3	3.3

TABLE 4
LANDFILL GAS DATA
(continued)

LFG WELL 80 (TEST AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	88	123	115	98	61	103	94
Flow Rate (scfm)	48	44	25	77	61	60	65
Methane (%)	48	53.2	68.3	55.4	50.3	51.9	52.1
Carbon Dioxide (%)	36.8	36.6	30.7	40.2	35	42.1	39.6
Oxygen (%)	0.2	0.4	0.8	0.4	0.2	0.8	1.1
Balance (%)	15	9.9	0	4	14.5	5.2	7.2

LFG WELL 81 (CONTROL AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	112	65	90	94	97	98	98
Flow Rate (scfm)	52	45	42	86	69	86	94
Methane (%)	44	55	54.7	59.8	49.7	52	54.7
Carbon Dioxide (%)	36.2	40.9	37.2	39.6	35.8	40.9	37.7
Oxygen (%)	0.8	0.4	0.7	0.5	0.5	1.1	0.8
Balance (%)	19	3.7	7	0.1	14	6	6.8

LFG WELL 82 (CONTROL AREA)

Parameter	12-Sep-02	17-Oct-02	21-Nov-02	19-Dec-02	28-Jan-03	22-Apr-03	22-Jun-03
Temperature (degrees F)	98	68	101	95	71	110	100
Flow Rate (scfm)	29	55	64	72	74	40	56
Methane (%)	55	59.1	62.2	47.9	51.2	48.2	55.5
Carbon Dioxide (%)	42.1	40.4	36.8	32.8	35.9	35.2	38.1
Oxygen (%)	0.6	0.5	0.8	2	0.1	1	1
Balance (%)	2.3	0	0	17.3	12.8	15.6	5.4

TABLE 5
SUMMARY OF LEACHATE QUALITY DATA
Project XL
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia

TEST AREA (PHASE 1-2N)

Key Parameters	Units	12-Aug-02	13-Sep-02	30-Oct-02	20-Nov-02	26-Dec-02	23-Jan-03	16-Apr-03
Biological Oxygen Demand	mg/l	34	25	36	15	60	54	91
Chemical Oxygen Demand	mg/l	505	780	598	1,150	912	784	477
Total Organic Carbon	mg/l	155	152	160	164	171	241	214
BOD/COD Ratio	-	0.07	0.03	0.06	0.01	0.07	0.07	0.19
COD/TOC Ratio	-	3.26	5.13	3.74	7.01	5.33	3.25	2.23
Chloride	mg/l	886	938	984	930	949	1,140	1,040
Sulfate	mg/l	<10	<10	<10	<10	< 10	< 10	< 10
Nitrate Nitrogen	mg/l as N	0.05	0.05	0.12	1.37	0	0	0
Ammonia Nitrogen	mg/l as N	293	352	284	352	344	450	391

Secondary Parameters	Units	12-Aug-02	13-Sep-02	30-Oct-02	20-Nov-02	26-Dec-02	23-Jan-03	16-Apr-03
Arsenic	ug/L	20	20	< 10	20	20	20	30
Barium	ug/L	770	1070	110	890	950	1,100	860
Cadmium	ug/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 5
Chromium	ug/L	20	30	< 10	30	30	40	40
Lead	ug/L	< 5	< 5	< 5	< 5	< 5	< 5	< 5
Mercury	ug/L	< 0.2	< 0.2	< 0.2	< 0.4	< 0.0004	< 0.0004	< 0.2
Nitrite Nitrogen	mg/L	< 0.05	< 0.05	< 0.05	0.16	< 0.05	< 0.05	< 0.05
Total Kjeldahl Nitrogen	mg/L	312	445	252	399	432	567	404
Ortho Phosphorus	mg/L	6.6	1.6	2.2	0.9	1.8	0.9	2.3
Potassium	ug/L	214,000	215,000	227,000	251,000	273,000	328,000	320,000
Selenium	ug/L	< 5	< 5	< 5	< 5	< 5	< 5	< 5
Silver	ug/L	< 10	< 10	< 10	< 10	< 10	< 10	< 10
Total Dissolved Solids	mg/L	3490	3,440	3480	3,670	3,660	4,440	4,300
Total Phosphorus	mg/L	1.9	2.1	3.1	0.7	2.2	1.4	2.1

TABLE 5
SUMMARY OF LEACHATE QUALITY DATA
(continued)

TEST AREA (PHASE 1-2S)

Parameter		12-Aug-02	13-Sep-02	30-Oct-02	20-Nov-02	26-Dec-02	23-Jan-03	16-Apr-03
Biological Oxygen Demand	mg/l	51	33	17	9	51	63	74
Chemical Oxygen Demand	mg/l	776	897	1,020	526	547	648	759
Total Organic Carbon	mg/l	211	203	181	147	153	201	180
BOD/COD Ratio	-	0.07	0.04	0.02	0.02	0.09	0.10	0.10
COD/TOC Ratio	-	3.68	4.42	5.64	3.58	3.58	3.22	4.22
Chloride	mg/l	465	1,210	1,160	832	948	220	1,080
Sulfate	mg/l	<10	<10	<10	<10	< 10	< 10	< 10
Nitrate Nitrogen	mg/l as N	0.09	0.11	0.05	0.05	< 0.05	< 0.05	< 0.05
Ammonia Nitrogen	mg/l as N	319	380	327	295	350	416	346

Secondary Parameters	Units	12-Aug-02	13-Sep-02	30-Oct-02	20-Nov-02	26-Dec-02	23-Jan-03	16-Apr-03
Arsenic	ug/L	10	< 10	10	< 10	10	< 10	10
Barium	ug/L	830	990	970	640	760	790	810
Cadmium	ug/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 5
Chromium	ug/L	20	20	30	20	30	30	30
Lead	ug/L	< 5	< 5	< 5	< 5	< 5	< 5	< 5
Mercury	ug/L	< 0.2	< 0.2	< 0.2	< 0.4	< 0.0004	< 0.0004	< 0.2
Nitrite Nitrogen	mg/L	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Total Kjeldahl Nitrogen	mg/L	354	597	227	319	468	489	359
Ortho Phosphorus	mg/L	2.5	2	2.9	1.2	2.3	3.1	2.7
Potassium	ug/L	235,000	239,000	257,000	211,000	246,000	282,000	269,000
Selenium	ug/L	< 5	< 5	< 5	< 5	< 5	< 5	< 5
Silver	ug/L	< 10	< 10	< 10	< 10	< 10	< 10	< 10
Total Dissolved Solids	mg/L	3240	3320	10800	2580	2800	3130	3270
Total Phosphorus	mg/L	2.6	2.7	2.5	0.6	2.5	2.2	2.8

TABLE 5
SUMMARY OF LEACHATE QUALITY DATA
(continued)

CONTROL AREA (PHASE 3)

Parameter	Units	12-Aug-02	13-Sep-02	30-Oct-02	20-Nov-02	26-Dec-02	16-Apr-03
Biological Oxygen Demand	mg/l	148	118	159	12	129	416
Chemical Oxygen Demand	mg/l	7,830	2,950	2,950	2,910	149	2,710
Total Organic Carbon	mg/l	873	812	763	814	835	805
BOD/COD Ratio	-	0.02	0.04	0.05	0.00	0.87	0.15
COD/TOC Ratio	-	8.97	3.63	3.87	3.57	0.18	3.37
Chloride	mg/l	2,180	2,990	2,990	2,930	2,950	3,270
Sulfate	mg/l	<10	<10	<10	<10	<10	< 10
Nitrate Nitrogen	mg/l as N	0.08	0.08	0.16	0.19	0.13	0.09
Ammonia Nitrogen	mg/l as N	1,480	1,620	1,110	2,130	1,560	2,150

Secondary Parameters	Units	12-Aug-02	13-Sep-02	30-Oct-02	20-Nov-02	26-Dec-02	16-Apr-03
Arsenic	ug/L	30	30	40	30	40	40
Barium	ug/L	680	660	580	650	660	910
Cadmium	ug/L	< 0.5	< 0.5	< 0.5	< 0.5	<0.5	< 5
Chromium	ug/L	140	150	180	160	170	190
Lead	ug/L	< 5	< 5	< 5	< 5	<5	< 5
Mercury	ug/L	< 0.2	< 0.2	< 0.2	< 0.4	<0.0004	< 0.2
Nitrite Nitrogen	mg/L	< 0.05	< 0.05	< 0.05	< 0.05	<0.05	< 0.05
Total Kjeldahl Nitrogen	mg/L	932	809	1693	1666	1,756	2,198
Ortho Phosphorus	mg/L	0.4	0.8	13	5.5	15.1	16.2
Potassium	ug/L	984,000	900,000	946,000	1,060,000	10,400,000	1,080,000
Selenium	ug/L	5	< 5	8	6	6	< 5
Silver	ug/L	< 10	< 10	< 10	< 10	<10	< 10
Total Dissolved Solids	mg/L	8280	7250	7620	7600	7350	8150
Total Phosphorus	mg/L	13.3	11.5	14.6	7.3	16.1	14.9

Note: Leachate samples could not be obtained for the January 2003 event in Phase 3 because of frozen sampling ports.

TABLE 5
SUMMARY OF LEACHATE QUALITY DATA
(continued)

CONTROL AREA (PHASE 4)

Parameter		12-Aug-02	13-Sep-02	30-Oct-02	20-Nov-02	26-Dec-02	16-Apr-03
Biological Oxygen Demand	mg/l	3,150	495	1650	24		960
Chemical Oxygen Demand	mg/l	8,230	4,980	4,680	6,880	170	7,480
Total Organic Carbon	mg/l	2,150	1,420	1,560	1,790	2,240	2,390
BOD/COD Ratio	-	0.38	0.10	0.35	0.00	0.00	0.13
COD/TOC Ratio	-	3.83	3.51	3.00	3.84	0.08	3.13
Chloride	mg/l	3,290	4,280	3,520	2,890	1,980	2,960
Sulfate	mg/l	<10	<10	<10	<10	2,000	<10
Nitrate Nitrogen	mg/l as N	0.1	0.11	0.23	0.16	0.17	0.17
Ammonia Nitrogen	mg/l as N	1,750	2,630	1,120	2,040	1,390	2,170

Secondary Parameters	Units	12-Aug-02	13-Sep-02	30-Oct-02	20-Nov-02	26-Dec-02	16-Apr-03
Arsenic	ug/L	80	70	70	50	60	60
Barium	ug/L	490	450	370	410	400	810
Cadmium	ug/L	< 0.5	2.1	< 0.5	< 0.5	0.9	<5
Chromium	ug/L	270	260	220	200	1,980	210
Lead	ug/L	< 5	5	< 5	< 5	6	<5
Mercury	ug/L	< 0.2	< 0.2	< 0.2	< 0.4	<0.2	<0.2
Nitrite Nitrogen	mg/L	< 0.05	< 0.05	< 0.05	< 0.05	<0.05	<0.05
Total Kjeldahl Nitrogen	mg/L	481	2,417	1,579	1,830	1,556	2,227
Ortho Phosphorus	mg/L	0.5	0.5	9.5	6.3	13.7	19.6
Potassium	ug/L	714,000	604,000	487,000	479,000	442,000	528,000
Selenium	ug/L	7	8	6	< 5	9	<5
Silver	ug/L	< 10	< 10	< 10	< 10	<10	<10
Total Dissolved Solids	mg/L	7,530	9,430	6,030	5,300	4,740	6,130
Total Phosphorus	mg/L	21.3	18.9	12.2	7.9	5.4	15.9

Note: Leachate samples could not be obtained for the January 2003 event in Phase 4 because of frozen sampling ports.

The BOD value for the 26 December 2002 sampling event is erroneous and has been omitted from this table.

TABLE 5
SUMMARY OF LEACHATE QUALITY DATA
(continued)

LEACHATE TANK

Parameter	Units	12-Aug-02	13-Sep-02	30-Oct-02	20-Nov-02	26-Dec-02	23-Jan-03	16-Apr-03
Biological Oxygen Demand	mg/l	52	143	1,310	120	398		800
Chemical Oxygen Demand	mg/l	2,490	2,630	2,150	2,340	2,300	2,850	2,480
Total Organic Carbon	mg/l	603	746	708	710	742	999	1,000
BOD/COD Ratio	-	0.02	0.05	0.61	0.05	0.17	0.00	0.32
COD/TOC Ratio	-	4.13	3.53	3.04	3.30	3.10	2.85	2.48
Chloride	mg/l	2,310	1,380	2,820	54	1,900	2,250	1,880
Sulfate	mg/l	<10	<10	<10	<10	< 10	< 10	< 10
Nitrate Nitrogen	mg/l as N	0.05	0.09	0.16	0.11	0.15	0.11	0.07
Ammonia Nitrogen	mg/l as N	1,510	1,590	1,390	1,560	1,280	989	520

Secondary Parameters	Units	12-Aug-02	13-Sep-02	30-Oct-02	20-Nov-02	26-Dec-02	23-Jan-03	16-Apr-03
Arsenic	ug/L	40	40	40	30	30	30	30
Barium	ug/L	640	660	600	680	720	500	1040
Cadmium	ug/L	< 0.5	0.9	< 0.5	< 0.5	< 0.5	< 5	< 5
Chromium	ug/L	150	150	170	120	140	130	110
Lead	ug/L	< 5	< 5	< 5	< 5	< 5	< 5	< 5
Mercury	ug/L	< 0.2	< 0.2	< 0.2	< 0.4	< 0.0004	< 0.2	< 0.2
Nitrite Nitrogen	mg/L	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Total Kjeldahl Nitrogen	mg/L	1,373	1,476	2,919	1,647	1,471	1,181	549
Ortho Phosphorus	mg/L	15.9	0.8	20	5	8.4	11.8	10.5
Potassium	ug/L	535,000	568,000	535,000	455,000	524,000	493,000	438,000
Selenium	ug/L	< 5	6	6	< 5	5	< 5	< 5
Silver	ug/L	< 10	< 10	< 10	< 10	< 10	< 10	< 10
Total Dissolved Solids	mg/L	6,370	5,960	5,900	5,490	5,180	5,640	4,900
Total Phosphorus	mg/L	18.8	8.3	11.9	8.3	23.3	12.9	8.3

Note: The BOD value for the 23 January 2002 sampling event is erroneous and has been omitted from this table.

**TABLE 6
SUMMARY OF LEACHATE QUANTITY DATA
Project XL
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia
2002**

	Phase	Area (Acres)		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec	Annual Total	
Test Area	PH 1 & 2 NOR	12.5	PRIMARY	GAL	6,602	6,020	8,699	4,353	6,378	6,557	15,895	9,197	7,269	5,616	5,776	8,392	90,754
			SECONDARY	GAL	0	7	48	35	99	2	103	0	0	0	800	267	1,361
	PH 1 & 2 SOU	13.9	PRIMARY	GAL	6,268	6,122	10,433	9,806	8,706	6,050	5,667	6,448	5,168	7,497	9,608	13,059	94,832
			SECONDARY	GAL	0	0	830	614	226	497	20	853	0	268	0	414	3,722
Control Area	PHASE 3	10.5	PRIMARY	GAL	45,672	40,965	40,811	40,111	43,156	38,889	39,249	44,639	39,007	40,324	35,410	38,804	487,037
			SECONDARY	GAL	1,481	29	0	1	1	1	1,477	0	0	0	0	23	3,013
	PHASE 4	11.1	PRIMARY	GAL	66,608	58,153	59,725	65,014	57,183	52,606	54,192	26,630	49,656	56,191	53,529	61,528	661,015
			SECONDARY	GAL	0	0	4,928	0	5,005	1	0	6	0	4,970	0	4,986	19,896
Current Disposal Area	PHASE 11	10.3	PRIMARY	GAL	38,454	35,476	34,927	37,692	35,345	29,802	33,545	29,377	29,552	30,663	6,989	34,497	376,319
			SECONDARY	GAL	27	2	0	0	0	2,901	1	1	5	2,811	0	0	5,748
	PHASE 12	9.5	PRIMARY	GAL	33,029	32,091	38,396	36,128	23,929	21,136	10,925	17,031	31,174	21,403	28,763	34,472	328,477
			SECONDARY	GAL	2,060	0	0	0	1	0	0	20	0	0	3,115	0	5,196
	Monthly Total			200,201	178,865	198,797	193,754	180,029	158,442	161,074	134,202	161,831	169,743	143,990	196,442	2,077,370	

Note:

This table is based on site records for the Maplewood Recycling and Waste Disposal Facility showing the amount of leachate collected in the primary and secondary leachate collection system. These records were provided by Waste Management and the site manager (Brian McClung) in a series faxes between September 2002 and December 2002.

The test area is represented by Ph 1&2 Nor and Ph 1&2 Sou, the control area is represented by Phase 3 and Phase 4, Phase 11 and Phase 12 are the current disposal areas and are provided for information purposes only.

TABLE 6
SUMMARY OF LEACHATE QUANTITY DATA
 continued

2003

	Phase	Area (Acres)		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec	Annual Total
Test Area	PH 1 & 2 NOR	12.5	PRIMARY	GAL	7,782	7,791	11,921	13,256	13,931	8,616						63,297
			SECONDARY	GAL	36	0	0	0	0	0						36
	PH 1 & 2 SOU	13.9	PRIMARY	GAL	6,199	13,138	13,531	13,963	14,949	12,109						73,889
			SECONDARY	GAL	113	0	0	0	0	0						113
Control Area	PHASE 3	10.5	PRIMARY	GAL	33,587	27,737	24,356	24,771	36,537	33,400						180,388
			SECONDARY	GAL	0	26	3,713	0	347	0						4,086
	PHASE 4	11.1	PRIMARY	GAL	55,062	55,445	64,356	63,242	60,276	51,538						349,919
			SECONDARY	GAL	29	5,164	4,974	55	5,040	0						15,262
Current Disposal Area	PHASE 11	10.3	PRIMARY	GAL	12,262	48,395	37,288	35,899	39,611	38,576						212,031
			SECONDARY	GAL	0	2,968	10	0	2,583	0						5,561
	PHASE 12	9.5	PRIMARY	GAL	29,879	35,866	47,430	44,029	44,761	45,277						247,242
			SECONDARY	GAL	0	4,287	0	0	3,229	89						7,605
	Monthly Total				144,949	200,817	207,579	195,215	221,264	189,605	0	0	0	0	0	1,159,429

TABLE 7
LIQUID APPLICATION SUMMARY
Project XL
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia

Date	Liquid Applied (gallons)				Monthly Summary			
	Trench 1	Trench 2	Trench 3	Cumulative Total	Trench 1	Trench 2	Trench 3	Monthly Total
8/20/2002	13,441	7,203	0	20,644				
8/21/2002	0	0	0	20,644				
8/22/2002	6,695	6,662	6,669	40,670				
8/23/2002	0	0	0	40,670				
8/24/2002	0	0	0	40,670				
8/25/2002	13,281	13,210	13,369	80,530				
8/26/2002	0	0	0	80,530				
8/27/2002	0	0	0	80,530				
8/28/2002	0	0	0	80,530				
8/29/2002	0	0	0	80,530				
8/30/2002	0	0	0	80,530				
8/31/2002	0	0	0	80,530	33,417	27,075	20,038	80,530
9/1/2002	0	0	0	80,530				
9/2/2002	0	0	0	80,530				
9/3/2002	0	6,500	0	87,030				
9/4/2002	0	0	0	87,030				
9/5/2002	6,600	6,524	6,570	106,724				
9/6/2002	0	0	0	106,724				
9/7/2002	0	0	0	106,724				
9/8/2002	0	0	0	106,724				
9/9/2002	6,722	13,456	13,439	140,341				
9/10/2002	0	0	0	140,341				
9/11/2002	13,396	13,420	13,405	180,562				
9/12/2002	13,408	13,405	13,470	220,845				
9/13/2002	0	0	0	220,845				
9/14/2002	0	0	0	220,845				
9/15/2002	0	0	0	220,845				
9/16/2002	0	13,415	13,482	247,742				
9/17/2002	0	0	0	247,742				
9/18/2002	13,422	13,446	13,492	288,102				
9/19/2002	0	0	0	288,102				
9/20/2002	0	0	0	288,102				
9/21/2002	0	0	0	288,102				
9/22/2002	0	0	0	288,102				
9/23/2002	13,544	13,468	13,506	328,620				
9/25/2002	13,523	13,470	13,511	369,124				
9/26/2002	0	0	0	369,124				
9/27/2002	0	0	0	369,124				
9/28/2002	0	0	0	369,124				
9/29/2002	0	0	0	369,124				
9/30/2002	13,468	13,506	13,470	409,568	94,083	120,610	114,345	329,038

TABLE 7
LIQUID APPLICATION SUMMARY
(continued)

Date	Liquid Applied (gallons)				Monthly Summary			
	Trench 1	Trench 2	Trench 3	Cumulative Total	Trench 1	Trench 2	Trench 3	Monthly Total
10/1/2002	6,700	6,698	6,733	429,699				
10/2/2002	6,726	6,707	0	443,132				
10/3/2002	0	0	0	443,132				
10/4/2002	0	0	0	443,132				
10/5/2002	0	0	0	443,132				
10/6/2002	0	0	0	443,132				
10/7/2002	6,743	6,699	6,700	463,274				
10/8/2002	6,690	6,664	6,757	483,385				
10/9/2002	0	0	0	483,385				
10/10/2002	13,454	6,683	6,709	510,231				
10/11/2002	0	0	0	510,231				
10/12/2002	0	0	0	510,231				
10/13/2002	0	0	0	510,231				
10/14/2002	0	0	0	510,231				
10/15/2002	6,757	6,683	13,459	537,130				
10/16/2002	0	0	0	537,130				
10/17/2002	13,455	6,762	13,464	570,811				
10/18/2002	0	0	0	570,811				
10/19/2002	0	0	0	570,811				
10/20/2002	0	0	0	570,811				
10/21/2002	13,637	6,792	13,521	604,761				
10/22/2002	0	0	0	604,761				
10/23/2002	0	0	0	604,761				
10/24/2002	13,502	0	13,388	631,651				
10/25/2002	0	0	0	631,651				
10/26/2002	0	0	0	631,651				
10/27/2002	0	0	0	631,651				
10/28/2002	13,234	6,610	13,281	664,776				
10/29/2002	0	0	0	664,776				
10/30/2002	0	0	0	664,776				
10/31/2002	0	0	0	664,776	100,898	60,298	94,012	255,208
11/1/2002	13338	0	13265	691,379				
11/2/2002	0	0	0	691,379				
11/3/2002	0	0	0	691,379				
11/4/2002	13364	6676	13321	724,740				
11/5/2002	0	0	0	724,740				
11/6/2002	0	0	0	724,740				
11/7/2002	13362	6645	13345	758,092				
11/8/2002	0	0	0	758,092				
11/9/2002	0	0	0	758,092				
11/10/2002	0	0	0	758,092				
11/11/2002	0	0	0	758,092				

TABLE 7
LIQUID APPLICATION SUMMARY
(continued)

Date	Liquid Applied (gallons)				Monthly Summary			
	Trench 1	Trench 2	Trench 3	Cumulative Total	Trench 1	Trench 2	Trench 3	Monthly Total
11/12/2002	0	0	0	758,092				
11/13/2002	0	0	0	758,092				
11/14/2002	0	0	0	758,092				
11/15/2002	0	0	0	758,092				
11/16/2002	0	0	0	758,092				
11/17/2002	0	0	0	758,092				
11/18/2002	0	0	0	758,092				
11/19/2002	6664	0	6631	771,387				
11/20/2002	0	0	0	771,387				
11/21/2002	0	0	0	771,387				
11/22/2002	0	0	0	771,387				
11/23/2002	0	0	0	771,387				
11/24/2002	0	0	0	771,387				
11/25/2002	0	0	0	771,387				
11/26/2002	0	0	0	771,387				
11/27/2002	0	0	0	771,387				
11/28/2002	0	0	0	771,387				
11/29/2002	0	0	0	771,387				
11/30/2002	0	0	0	771,387	46,728	13,321	46,562	106,611
12/1/2002	0	0	0	771,387				
12/2/2002	0	0	0	771,387				
12/3/2002	0	0	0	771,387				
12/4/2002	6477	6520	6493	790,877				
12/5/2002	0	0	0	790,877				
12/6/2002	0	0	0	790,877				
12/7/2002	0	0	0	790,877				
12/8/2002	0	0	0	790,877				
12/9/2002	0	0	0	790,877				
12/10/2002	13200	13429	19940	837,446				
12/11/2002	0	0	0	837,446				
12/12/2002	6795	0	6572	850,813				
12/13/2002	0	0	0	850,813				
12/14/2002	0	0	0	850,813				
12/15/2002	0	0	0	850,813				
12/16/2002	0	0	0	850,813				
12/17/2002	0	0	0	850,813				
12/18/2002	0	0	0	850,813				
12/19/2002	0	0	0	850,813				
12/20/2002	0	0	0	850,813				
12/21/2002	0	0	0	850,813				
12/22/2002	0	0	0	850,813				
12/23/2002	0	0	0	850,813				

TABLE 7
LIQUID APPLICATION SUMMARY
(continued)

Date	Liquid Applied (gallons)				Monthly Summary			
	Trench 1	Trench 2	Trench 3	Cumulative Total	Trench 1	Trench 2	Trench 3	Monthly Total
12/24/2002	0	0	0	850,813				
12/25/2002	0	0	0	850,813				
12/26/2002	13469	0	0	864,282				
12/27/2002	0	0	0	864,282				
12/28/2002	0	0	0	864,282				
12/29/2002	0	0	0	864,282				
12/30/2002	0	0	0	864,282				
12/31/2002	0	0	0	864,282	39,941	19,949	33,005	92,895
1/1/2003	0	0	0	864,282				
1/2/2003	0	0	0	864,282				
1/3/2003	0	0	0	864,282				
1/4/2003	0	0	0	864,282				
1/5/2003	0	0	0	864,282				
1/6/2003	7032	6690	6932	884,936				
1/7/2003	0	0	0	884,936				
1/8/2003	0	0	0	884,936				
1/9/2003	0	0	0	884,936				
1/10/2003	0	0	0	884,936				
1/11/2003	0	0	0	884,936				
1/12/2003	0	0	0	884,936				
1/13/2003	7238	0	0	892,174				
1/14/2003	12681	6669	6605	918,129				
1/15/2003	0	0	0	918,129				
1/16/2003	0	0	0	918,129				
1/17/2003	0	0	0	918,129				
1/18/2003	0	0	0	918,129				
1/19/2003	0	0	0	918,129				
1/20/2003	0	0	13306	931,435				
1/21/2003	6427	6652	12605	957,119				
1/22/2003	7130	0	0	964,249				
1/23/2003	0	0	0	964,249				
1/24/2003	0	0	0	964,249				
1/25/2003	0	0	0	964,249				
1/26/2003	0	0	0	964,249				
1/27/2003	6904	6017	6406	983,576				
1/28/2003	0	0	0	983,576				
1/29/2003	0	0	0	983,576				
1/30/2003	6320	6087	5988	1,001,971				
1/31/2003	0	0	0	1,001,971	53,732	32,115	51,842	137,689
2/1/2003	0	0	0	1,001,971				
2/2/2003	0	0	0	1,001,971				
2/3/2003	0	0	0	1,001,971				

TABLE 7
LIQUID APPLICATION SUMMARY
(continued)

Date	Liquid Applied (gallons)				Monthly Summary			
	Trench 1	Trench 2	Trench 3	Cumulative Total	Trench 1	Trench 2	Trench 3	Monthly Total
2/4/2003	0	0	0	1,001,971				
2/5/2003	12529	6377	6358	1,027,235				
2/6/2003	2878	0	9528	1,039,641				
2/7/2003	0	0	0	1,039,641				
2/8/2003	0	0	0	1,039,641				
2/9/2003	0	0	0	1,039,641				
2/10/2003	0	0	0	1,039,641				
2/11/2003	0	0	0	1,039,641				
2/12/2003	0	0	0	1,039,641				
2/13/2003	6384	6213	4828	1,057,066				
2/14/2003	7406	0	0	1,064,472				
2/15/2003	0	0	0	1,064,472				
2/16/2003	0	0	0	1,064,472				
2/17/2003	0	0	0	1,064,472				
2/18/2003	0	0	0	1,064,472				
2/19/2003	0	0	0	1,064,472				
2/20/2003	0	0	0	1,064,472				
2/21/2003	0	0	0	1,064,472				
2/22/2003	0	0	0	1,064,472				
2/23/2003	0	0	0	1,064,472				
2/24/2003	0	0	0	1,064,472				
2/25/2003	0	0	0	1,064,472				
2/26/2003	0	0	0	1,064,472				
2/27/2003	0	0	0	1,064,472				
2/28/2003	0	0	0	1,064,472	29,197	12,590	20,714	62,501
3/1/2003	0	0	0	1,064,472				
3/2/2003	0	0	0	1,064,472				
3/3/2003	0	0	0	1,064,472				
3/4/2003	0	0	0	1,064,472				
3/5/2003	0	0	0	1,064,472				
3/6/2003	0	0	0	1,064,472				
3/7/2003	0	0	0	1,064,472				
3/8/2003	0	0	0	1,064,472				
3/9/2003	0	0	0	1,064,472				
3/10/2003	0	0	0	1,064,472				
3/11/2003	0	0	0	1,064,472				
3/12/2003	0	0	0	1,064,472				
3/13/2003	0	0	0	1,064,472				
3/14/2003	0	0	0	1,064,472				
3/15/2003	0	0	0	1,064,472				
3/16/2003	0	0	0	1,064,472				
3/17/2003	0	0	0	1,064,472				

TABLE 7
LIQUID APPLICATION SUMMARY
(continued)

Date	Liquid Applied (gallons)				Monthly Summary			
	Trench 1	Trench 2	Trench 3	Cumulative Total	Trench 1	Trench 2	Trench 3	Monthly Total
3/18/2003	0	0	0	1,064,472				
3/19/2003	0	0	0	1,064,472				
3/20/2003	0	0	0	1,064,472				
3/21/2003	0	0	0	1,064,472				
3/22/2003	0	0	0	1,064,472				
3/23/2003	0	0	0	1,064,472				
3/24/2003	0	0	0	1,064,472				
3/25/2003	0	0	0	1,064,472				
3/26/2003	6646	13154	13062	1,097,334				
3/27/2003	12919	0	6558	1,116,811				
3/28/2003	0	0	0	1,116,811				
3/29/2003	0	0	0	1,116,811				
3/30/2003	0	0	0	1,116,811				
3/31/2003	0	0	0	1,116,811	19,565	13,154	19,620	52,339
4/1/2003	6308	6536	6432	1,136,087				
4/2/2003	0	0	0	1,136,087				
4/3/2003	0	0	0	1,136,087				
4/4/2003	0	0	0	1,136,087				
4/5/2003	0	0	0	1,136,087				
4/6/2003	0	0	0	1,136,087				
4/7/2003	0	0	0	1,136,087				
4/8/2003	3278	0	12750	1,152,115				
4/9/2003	0	0	0	1,152,115				
4/10/2003	6208	5734	0	1,164,057				
4/11/2003	0	0	0	1,164,057				
4/12/2003	0	0	0	1,164,057				
4/13/2003	0	0	0	1,164,057				
4/14/2003	0	0	0	1,164,057				
4/15/2003	6441	0	6087	1,176,585				
4/16/2003	0	0	0	1,176,585				
4/17/2003	5746	6168	6420	1,194,919				
4/18/2003	0	0	0	1,194,919				
4/19/2003	0	0	0	1,194,919				
4/20/2003	0	0	0	1,194,919				
4/21/2003	0	0	0	1,194,919				
4/22/2003	0	0	0	1,194,919				
4/23/2003	0	0	0	1,194,919				
4/24/2003	0	0	0	1,194,919				
4/25/2003	0	0	0	1,194,919				
4/26/2003	0	0	0	1,194,919				
4/27/2003	0	0	0	1,194,919				
4/28/2003	0	0	0	1,194,919				

TABLE 7
LIQUID APPLICATION SUMMARY
(continued)

Date	Liquid Applied (gallons)				Monthly Summary			
	Trench 1	Trench 2	Trench 3	Cumulative Total	Trench 1	Trench 2	Trench 3	Monthly Total
4/29/2003	5725	6052	11881	1,218,577				
4/30/2003	0	0	0	1,218,577	33,706	24,490	43,570	101,766
5/1/2003	0	0	0	1,218,577				
5/2/2003	0	0	0	1,218,577				
5/3/2003	0	0	0	1,218,577				
5/4/2003	0	0	0	1,218,577				
5/5/2003	0	0	0	1,218,577				
5/6/2003	5943	6028	6192	1,236,740				
5/7/2003	0	0	0	1,236,740				
5/8/2003	0	0	0	1,236,740				
5/9/2003	0	0	0	1,236,740				
5/10/2003	0	0	0	1,236,740				
5/11/2003	0	0	0	1,236,740				
5/12/2003	0	0	0	1,236,740				
5/13/2003	0	0	0	1,236,740				
5/14/2003	0	0	0	1,236,740				
5/15/2003	5962	6446	11179	1,260,327				
5/16/2003	0	0	0	1,260,327				
5/17/2003	0	0	0	1,260,327				
5/18/2003	0	0	0	1,260,327				
5/19/2003	0	0	0	1,260,327				
5/20/2003	0	0	0	1,260,327				
5/21/2003	0	0	0	1,260,327				
5/22/2003	0	0	0	1,260,327				
5/23/2003	0	0	0	1,260,327				
5/24/2003	0	0	0	1,260,327				
5/25/2003	0	0	0	1,260,327				
5/26/2003	0	0	0	1,260,327				
5/27/2003	0	0	0	1,260,327				
5/28/2003	0	0	0	1,260,327				
5/29/2003	0	0	0	1,260,327				
5/30/2003	0	0	0	1,260,327				
5/31/2003	0	0	0	1,260,327	11,905	12,474	17,371	41,750
6/1/2003	0	0	0	1,260,327				
6/2/2003	0	0	0	1,260,327				
6/3/2003	0	0	0	1,260,327				
6/4/2003	0	0	0	1,260,327				
6/5/2003	0	0	0	1,260,327				
6/6/2003	0	0	0	1,260,327				
6/7/2003	0	0	0	1,260,327				
6/8/2003	0	0	0	1,260,327				
6/9/2003	0	0	0	1,260,327				

TABLE 7
LIQUID APPLICATION SUMMARY
(continued)

Date	Liquid Applied (gallons)				Monthly Summary			
	Trench 1	Trench 2	Trench 3	Cumulative Total	Trench 1	Trench 2	Trench 3	Monthly Total
6/10/2003	0	0	0	1,260,327				
6/11/2003	0	0	0	1,260,327				
6/12/2003	0	0	0	1,260,327				
6/13/2003	0	0	0	1,260,327				
6/14/2003	0	0	0	1,260,327				
6/15/2003	0	0	0	1,260,327				
6/16/2003	0	0	0	1,260,327				
6/17/2003	0	0	0	1,260,327				
6/18/2003	0	0	0	1,260,327				
6/19/2003	0	0	0	1,260,327				
6/20/2003	0	0	0	1,260,327				
6/21/2003	0	0	0	1,260,327				
6/22/2003	0	0	0	1,260,327				
6/23/2003	0	0	0	1,260,327				
6/24/2003	0	0	0	1,260,327				
6/25/2003	0	0	0	1,260,327				
6/26/2003	0	0	0	1,260,327				
6/27/2003	0	0	0	1,260,327				
6/28/2003	0	0	0	1,260,327				
6/29/2003	0	0	0	1,260,327				
6/30/2003	0	0	0	1,260,327				

Total per trench	315,067	241,253	307,962	Total Leachate Recirculated	1,260,327
------------------	---------	---------	---------	-----------------------------	-----------

Daily Average	1,003	768	981	Total Daily Average	4,014
---------------	-------	-----	-----	---------------------	-------

All units are in gallons

TABLE 8
SUMMARY OF LANDFILL SETTLEMENT DATA
Project XL
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia

Point No.	Northing	Easting	Elev 8/2/2002	Elev 10/24/2002	Elev 3/10/2003	Elev 6/9/2003	Difference in grade 10/24/02 to 8/2/02
Control Area							
1004	3,635,349.73	11,610,244.17	485.87	485.39	484.32	484.13	-1.73
1005	3,635,448.00	11,610,262.56	485.51	485.04	483.96	483.96	-1.54
1006	3,635,546.31	11,610,280.96	488.10	487.72	486.94	486.84	-1.26
1007	3,635,644.56	11,610,299.35	489.08	488.77	488.12	487.53	-1.55
1008	3,635,742.79	11,610,317.74	489.29	489.21	488.64	487.82	-1.48
1018	3,635,662.70	11,610,201.04	486.24	486.08	485.38	485.31	-0.93
1019	3,635,564.34	11,610,182.66	484.57	484.27	483.48	483.48	-1.08
1020	3,635,466.17	11,610,164.24	483.05	482.72	481.84	481.84	-1.21
1021	3,635,367.83	11,610,145.87	482.26	481.94	481.14	480.70	-1.56
1022	3,635,269.54	11,610,127.55	480.97	480.59	479.64	478.91	-2.05
1023	3,635,171.30	11,610,109.13	477.72	477.37	476.35	476.35	-1.37
1024	3,635,189.69	11,610,010.81	472.04	471.74	471.08	471.08	-0.96
1025	3,635,091.34	11,609,992.34	468.72	468.35	468.35	468.00	-0.72
1026	3,635,288.00	11,610,029.13	474.30	474.05	473.33	473.09	-1.20
1027	3,635,386.32	11,610,047.53	475.71	475.20	474.73	474.48	-1.22
1028	3,635,484.54	11,610,066.03	477.62	477.36	476.44	476.44	-1.18
1029	3,635,582.91	11,610,084.37	479.07	478.85	478.18	478.18	-0.89
1030	3,635,681.10	11,610,102.80	480.72	480.53	480.04	479.70	-1.02
1041	3,635,699.44	11,610,004.53	472.92	472.85	472.55	472.55	-0.37
1042	3,635,601.14	11,609,986.14	472.03	471.81	471.20	471.04	-0.99
1043	3,635,502.84	11,609,967.77	471.02	470.75	470.05	470.05	-0.97
1044	3,635,404.59	11,609,949.32	470.05	469.80	469.09	468.54	-1.50
1045	3,635,306.31	11,609,930.87	468.07	467.72	467.18	466.62	-1.45
1046	3,635,208.01	11,609,912.58	465.01	464.78	464.63	464.63	-0.38
1047	3,635,109.73	11,609,894.15	461.57	461.29	461.29	460.78	-0.79
1048	3,635,011.39	11,609,875.70	452.50	452.28	452.21	452.21	-0.29
1049	3,635,029.78	11,609,777.38	452.53	452.46	452.03	451.09	-1.45
1050	3,635,128.05	11,609,795.71	454.78	454.55	454.02	454.02	-0.76
1051	3,635,226.37	11,609,814.18	457.93	457.68	457.03	456.81	-1.12
1052	3,635,324.67	11,609,832.49	460.81	460.65	460.12	460.12	-0.69
1053	3,635,422.98	11,609,850.93	463.32	462.89	462.30	462.30	-1.02
1054	3,635,521.22	11,609,869.39	465.71	465.18	464.52	464.52	-1.19
1055	3,635,619.61	11,609,887.68	466.06	465.78	465.30	465.01	-1.05
1056	3,635,717.83	11,609,906.15	466.95	466.84	466.58	466.58	-0.37
1067	3,635,736.32	11,609,807.82	463.21	463.04	462.80	462.25	-0.96
1068	3,635,638.08	11,609,789.37	461.01	460.97	460.44	460.44	-0.57
1069	3,635,539.79	11,609,770.95	460.16	460.00	459.25	458.78	-1.38
1070	3,635,441.45	11,609,752.58	457.70	457.48	456.88	456.88	-0.82
1071	3,635,343.15	11,609,734.20	455.12	455.02	454.67	454.65	-0.47
1072	3,635,244.85	11,609,715.82	451.48	451.32	450.68	450.68	-0.79
1073	3,635,146.56	11,609,697.41	448.58	448.38	447.76	447.76	-0.82
1074	3,635,048.25	11,609,679.00	448.55	448.41	448.64	445.64	-2.91

TABLE 8
SUMMARY OF LANDFILL SETTLEMENT DATA
(continued)

Point No.	Northing	Easting	Elev 8/2/2002	Elev 10/24/2002	Elev 3/10/2003	Elev 6/9/2003	Difference in grade 10/24/02 to 8/2/02
1075	3,635,066.63	11,609,580.65	439.54	439.45	438.48	438.48	-1.05
1076	3,635,164.92	11,609,599.02	440.47	440.40	440.16	440.16	-0.31
1077	3,635,263.23	11,609,617.48	445.99	445.91	445.44	445.42	-0.58
1078	3,635,361.52	11,609,635.86	448.91	448.78	448.43	448.43	-0.48
1079	3,635,459.84	11,609,654.19	451.72	451.54	450.93	450.93	-0.79
1080	3,635,558.09	11,609,672.62	452.56	452.25	451.37	451.37	-1.19
1081	3,635,656.40	11,609,691.02	455.31	455.09	454.79	454.79	-0.53
1094	3,635,674.74	11,609,592.74	450.59	450.51	450.09	449.89	-0.71
1095	3,635,576.47	11,609,574.29	447.01	446.77	446.03	445.82	-1.19
1096	3,635,478.15	11,609,555.97	445.83	445.63	445.28	445.28	-0.55
1097	3,635,379.86	11,609,537.48	444.65	444.56	444.13	443.40	-1.25
1098	3,635,281.56	11,609,519.19	440.66	440.57	440.24	440.24	-0.42
1099	3,635,183.28	11,609,500.81	437.68	437.37	437.46	437.72	0.04
1100	3,635,084.97	11,609,482.37	435.45	435.41	435.41	435.41	-0.03
1101	3,635,092.33	11,609,443.10	434.95	434.92	434.70	434.70	-0.25
1103	3,635,201.68	11,609,402.49	434.51	434.30	434.30	434.30	-0.20
1104	3,635,299.97	11,609,420.80	435.96	435.88	435.55	435.55	-0.40
1105	3,635,398.26	11,609,439.26	438.83	438.82	438.54	438.42	-0.41
1106	3,635,496.53	11,609,457.76	439.74	439.74	439.32	439.32	-0.42
1107	3,635,594.83	11,609,476.11	440.55	440.34	439.86	439.86	-0.70
1108	3,635,693.11	11,609,494.53	444.53	444.34	443.75	443.75	-0.78
1121	3,635,711.48	11,609,396.28	443.54	443.45	442.99	442.99	-0.54
1122	3,635,613.24	11,609,377.78	439.75	439.61	438.85	438.50	-1.25
1123	3,635,514.93	11,609,359.43	436.73	436.49	435.93	435.93	-0.81
1124	3,635,416.63	11,609,341.06	435.79	435.75	435.35	435.22	-0.57
1125	3,635,629.81	11,609,289.23	437.70	437.58	437.58	437.03	-0.67
1126	3,635,729.92	11,609,297.95	441.94	441.94	441.61	441.61	-0.33
Test Area							
1009	3,635,841.19	11,610,336.14	489.94	489.75	489.19	488.98	-0.96
1010	3,635,939.49	11,610,354.55	489.88	489.60	488.93	488.87	-1.01
1011	3,636,037.73	11,610,372.92	490.38	490.18	489.75	489.32	-1.06
1012	3,636,135.89	11,610,391.31	490.32	490.16	490.16	489.57	-0.76
1013	3,636,154.20	11,610,293.02	486.99	486.87	486.64	486.28	-0.71
1014	3,636,056.01	11,610,274.63	487.20	487.11	486.87	486.04	-1.16
1015	3,635,957.68	11,610,256.23	486.71	486.52	486.27	485.94	-0.76
1016	3,635,859.38	11,610,237.82	485.21	484.90	484.28	484.28	-0.92
1017	3,635,761.00	11,610,219.44	486.48	486.20	485.55	485.55	-0.93
1031	3,635,779.51	11,610,121.17	481.41	481.18	480.61	480.31	-1.09
1032	3,635,877.83	11,610,139.57	481.09	480.95	480.56	480.56	-0.53
1033	3,635,976.12	11,610,157.96	482.03	482.03	481.81	481.50	-0.53
1034	3,636,074.38	11,610,176.37	482.34	482.28	482.05	482.05	-0.29
1035	3,636,172.64	11,610,194.76	477.76	477.64	477.11	476.83	-0.93
1036	3,636,190.94	11,610,096.48	473.03	472.87	472.80	472.27	-0.77

TABLE 8
SUMMARY OF LANDFILL SETTLEMENT DATA
(continued)

Point No.	Northing	Easting	Elev 8/2/2002	Elev 10/24/2002	Elev 3/10/2003	Elev 6/9/2003	Difference in grade 10/24/02 to 8/2/02
1037	3,636,092.58	11,610,078.09	476.70	476.52	476.41	476.41	-0.29
1038	3,635,994.28	11,610,059.72	475.69	475.55	475.35	475.33	-0.37
1039	3,635,896.02	11,610,041.31	476.49	476.49	476.09	475.47	-1.02
1040	3,635,797.72	11,610,022.91	475.24	475.24	474.94	474.65	-0.58
1057	3,635,816.15	11,609,924.54	468.79	468.65	468.58	468.40	-0.39
1058	3,635,914.40	11,609,942.95	470.40	470.33	470.08	470.08	-0.32
1059	3,636,012.73	11,609,961.33	471.67	471.67	471.59	471.56	-0.11
1060	3,636,111.00	11,609,979.74	473.09	473.02	472.97	472.51	-0.58
1061	3,636,209.35	11,609,998.10	469.98	469.84	469.74	468.83	-1.14
1062	3,636,227.79	11,609,899.79	466.12	466.11	465.87	465.32	-0.80
1063	3,636,129.59	11,609,881.36	468.41	468.33	468.13	468.13	-0.28
1064	3,636,031.25	11,609,862.99	469.26	469.21	469.11	468.61	-0.66
1065	3,635,932.97	11,609,844.58	466.66	466.63	466.42	466.24	-0.42
1066	3,635,834.57	11,609,826.23	463.00	463.00	463.00	462.65	-0.34
1082	3,635,754.73	11,609,709.37	458.29	458.25	457.83	457.83	-0.46
1083	3,635,853.02	11,609,727.79	459.15	459.05	458.79	458.79	-0.36
1084	3,635,951.27	11,609,746.21	463.12	463.12	462.82	462.76	-0.36
1085	3,636,049.55	11,609,764.61	464.37	464.35	464.35	463.92	-0.45
1086	3,636,147.94	11,609,782.97	463.55	463.49	463.43	463.43	-0.12
1087	3,636,246.13	11,609,801.40	463.11	463.11	462.86	462.86	-0.25
1088	3,636,264.49	11,609,703.13	462.28	462.28	462.11	461.42	-0.87
1089	3,636,166.21	11,609,684.72	461.07	461.07	460.63	460.58	-0.49
1090	3,636,067.97	11,609,666.29	460.16	460.16	459.60	459.59	-0.57
1091	3,635,969.64	11,609,647.92	458.71	458.71	458.57	458.44	-0.27
1092	3,635,871.35	11,609,629.52	455.39	455.32	455.23	454.72	-0.67
1093	3,635,773.00	11,609,611.20	453.10	453.01	452.57	452.33	-0.78
1109	3,635,791.40	11,609,512.91	447.00	446.88	446.80	446.80	-0.20
1110	3,635,889.74	11,609,531.28	449.69	449.63	449.40	449.40	-0.29
1111	3,635,988.07	11,609,549.63	452.44	452.44	452.44	452.44	0.00
1112	3,636,086.37	11,609,568.01	455.21	455.21	452.44	452.44	-2.77
1113	3,636,184.68	11,609,586.40	455.94	455.94	455.90	455.50	-0.44
1114	3,636,282.85	11,609,604.89	457.94	457.94	457.70	456.55	-1.38
1115	3,636,301.28	11,609,506.56	452.17	452.17	452.05	450.28	-1.89
1116	3,636,202.99	11,609,488.15	450.20	450.04	449.94	449.94	-0.25
1117	3,636,104.71	11,609,469.78	449.09	449.09	448.97	448.97	-0.12
1118	3,636,006.39	11,609,451.41	448.42	448.42	448.09	448.09	-0.32
1119	3,635,908.14	11,609,432.94	447.08	447.08	446.77	446.67	-0.41
1120	3,635,809.87	11,609,414.54	442.72	442.72	442.56	442.48	-0.25
1127	3,635,828.22	11,609,316.33	442.36	442.19	442.00	442.00	-0.36
1128	3,635,926.52	11,609,334.68	443.66	443.66	443.53	441.95	-1.71
1129	3,636,024.81	11,609,353.11	446.31	446.29	446.25	443.41	-2.90
1130	3,636,123.13	11,609,371.52	446.79	446.79	446.76	446.29	-0.50
1131	3,636,221.45	11,609,389.88	446.82	446.67	446.62	446.62	-0.20

TABLE 8
SUMMARY OF LANDFILL SETTLEMENT DATA
(continued)

Point No.	Northing	Easting	Elev 8/2/2002	Elev 10/24/2002	Elev 3/10/2003	Elev 6/9/2003	Difference in grade 10/24/02 to 8/2/02
1132	3,636,319.64	11,609,408.34	446.62	446.62	446.60	446.57	-0.05
1133	3,636,337.98	11,609,310.06	443.94	443.93	443.75	444.59	0.65
1134	3,636,239.72	11,609,291.66	447.32	447.32	447.22	442.16	-5.16
1135	3,636,141.46	11,609,273.23	447.30	447.30	447.20	446.83	-0.48
1136	3,636,043.11	11,609,254.88	445.01	445.01	445.00	445.95	0.94


TABLE 9
RAINFALL DATA SUMMARY
Project XL
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia

Month	Average Precipitation	2003 Precipitation	Departure from Normal
January	3.24	2.18	-1.06
February	3.16	4.21	1.05
March	3.61	5.92	2.31
April	2.96	4.38	1.42
May	3.84	8.59	4.75
June	3.62	3.87	0.25
July	5.03	-	-
August	4.4	-	-
September	3.34	-	-
October	3.53	-	-
November	3.17	-	-
December	3.26	-	-
Total	43.16	29.15	8.72

Note: The totals for 2003 precipitation and departure from normal are for the year to date.
 Rainfall data is for Richmond, Virginia.

TABLE 10
SUMMARY OF WASTE CHARACTERIZATION DATA
Project XL
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia

	Sample Date	Location	Depth (ft)	Moisture (%)	VS (%)	Cellulose (%)	Lignin (%)	Cell/Lig Ratio	pH (Field)	BMP (mL/g)
Control Area	8/7/2001	Control-1	0-10	31.57	46.36 48.94 45.40	28.13 26.62	22.1 22.2	1.27 1.20	5.5	73.03 71.98 69.86
	8/7/2001	Control-1	10-20	40.72	57.93 50.16 57.92	30.31 27.86	21.7 21	1.40 1.33	5.5	69.08 76.15 76.44
	8/7/2001	Control-1	20-30	33.16	55.12 62.96 35.33	38.72 31.33	15.50 15.00	2.50 2.09	5.8	71.56 87.68 85.19
	8/7/2001	Control-1	30-40	38.47	59.26 52.16 61.08	31.58 29.16	25.00 28.90	1.26 1.01	7.8	79.45 82.94 80.67
	8/7/2001	Control-2	0-10	34.72	50.13 53.26 47.55	27.79 35.11	16.60 16.90	1.67 2.08	5.8	70.58 76.51 77.80
	8/7/2001	Control-2	10-20	40.05	45.61 46.31 45.96	30.19 36.68	20.40 18.10	1.48 2.03	5.5	68.75 75.78 75.34
	8/7/2001	Control-2	20-30	41.83	47.98 48.18 48.64	30.42 30.50	19.10 18.30	1.59 1.67	6.7	78.75 76.23 78.51
	8/7/2001	Control-2	30-40	52.70	73.51 75.16 75.05	35.62 36.63	24.80 25.70	1.44 1.43	8.2	98.48 101.18 105.73
	5/11/2001	Bio 1	0-10	42.56	76.57 75.24 75.86	- 29.50	31.70 28.70	- 1.03	5.7	83.18 117.79 175.70
	5/11/2001	Bio 1	10-20	39.80	62.15 85.41 * 61.47	25.01 22.56	19.50 19.30	1.28 1.17	7.7	69.46 106.17 65.85
	5/11/2001	Bio 1	20-30	33.62	47.83 53.86 51.18	19.00 23.00	20.40 20.40	0.93 1.13	5.3	134.09 84.04 121.08
	5/11/2001	Bio 1	30-40	37.20	71.67 76.08 71.20	33.77 25.30	28.80 27.10	1.17 0.93	5.6	90.47 118.13 104.92
Test Area	5/10/2001	Bio 2	0-10	28.75	78.03 76.90 78.52	32.87 36.58	24.40 23.90	1.35 1.53	5.8	115.60 93.32 112.01
	5/10/2001	Bio 2	10-20	51.20	61.91 67.41 62.31	22.74 23.07	22.50 22.10	1.01 1.04	8.4	85.83 134.03 174.36
	5/10/2001	Bio 2	20-30	40.56	67.96 68.32 70.42	26.36 27.10	22.40 24.60	1.18 1.10	8.2	78.18 86.14 50.74
	5/10/2001	Bio 2	30-40	27.80	69.90 71.24 68.27	34.22 29.04	22.90 25.00	1.49 1.16	7.5	38.61 43.11 31.50
	5/10/2001	Bio 3	0-10	39.86	78.94 49.19 * 79.46	36.38 32.61	25.20 27.60	1.44 1.18	5.3	19.12 18.72 38.36
	5/10/2001	Bio 3	10-20	38.59	62.23 60.58 63.07	36.15 37.58	17.60 16.10	2.05 2.33	8.5	98.93 51.21 119.14
	5/10/2001	Bio 3	20-30	38.46	81.44 78.17 80.78	39.96 39.48	24.70 23.70	1.62 1.67	5.5	101.60 95.59 40.51
	5/10/2001	Bio 3	30-40	32.80	74.58 75.85 73.58	39.80 41.00	18.40 18.70	2.16 2.19	6.2	109.92 104.25 189.83




LEGEND

---	PHASE BOUNDARY
---	EXISTING GRADE CONTOUR (FEET, MSL)
---	LEAGUE REGULATION TRENCH

NOTES:

1. TOPOGRAPHIC INFORMATION IS FROM AN ELECTRONIC FILE BY FLURA SURVEYING OF A SURVEY CONDUCTED ON 24 APRIL 2002.



REV.	DATE	DESCRIPTION	DR BY	APP BY
1	SEPTEMBER 2002	PROJECT NO. 0275-001		
2	SEPTEMBER 2002	PROJECT NO. 0275-001		
3	SEPTEMBER 2002	PROJECT NO. 0275-001		
4	SEPTEMBER 2002	PROJECT NO. 0275-001		
5	SEPTEMBER 2002	PROJECT NO. 0275-001		
6	SEPTEMBER 2002	PROJECT NO. 0275-001		
7	SEPTEMBER 2002	PROJECT NO. 0275-001		
8	SEPTEMBER 2002	PROJECT NO. 0275-001		
9	SEPTEMBER 2002	PROJECT NO. 0275-001		
10	SEPTEMBER 2002	PROJECT NO. 0275-001		
11	SEPTEMBER 2002	PROJECT NO. 0275-001		

FILE NO.	0275-001
DRAWING NO.	1
SHEET NO.	4
OF	

WASTE MANAGEMENT, INC.

SIGNATURE	DATE

FIGURE 2
LIQUID APPLIED TO LANDFILL - CUMULATIVE
Project XL
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia




FIGURE 3
BOD/COD RATIO
Project XL
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia




FIGURE 4
COD/TOC RATIO
Project XL
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia




FIGURE 5
CHLORIDE CONCENTRATION
Project XL
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia




FIGURE 6
NITRATE NITROGEN CONCENTRATION
Project XL
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia




FIGURE 7
AMMONIA NITROGEN CONCENTRATION
Project XL
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia




FIGURE 8
LANDFILL GAS QUANTITY DATA
Project XL
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia




FIGURE 9
LANDFILL GAS QUALITY DATA - METHANE
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia






FIGURE 10
LANDFILL GAS QUALITY DATA - CARBON DIOXIDE
Maplewood Recycling and Waste Disposal Facility
Amelia County, Virginia



LEACHATE REDISTRIBUTION TRENCH

NOTES:

1. TOPOGRAPHIC INFORMATION IS FROM AN ELECTRONIC FILE BY FLORIDA SURVEYING OF A SURVEY CONDUCTED ON 24 APRIL 2002.

[illegible]

NORTH

LEGEND

PHASE BOUNDARY

EXISTING SHADE CONTOUR (FEET, MSL)


LEAKNATE GAS COLLECTION HEADER

LAMPFILL GAS COLLECTION LATERAL

LAMPFILL GAS WELL

RESER PIPE

GAS HEADER SAMPLING POINT



NOTES:

- TOPOGRAPHIC INFORMATION IS FROM AN ELECTRONIC FILE BY FLORIDA SURVEYING ASSOCIATES, INC. OF A SURVEY CONDUCTED ON 24 APRIL 2002.
- LAMPFILL GAS INFORMATION (WELLS, HEADERS, PIPES, ETC.) IS FROM AN ELECTRONIC FILE BY FLORIDA SURVEYING ASSOCIATES, INC. OF A SURVEY CONDUCTED IN SEPTEMBER 2002.



DATE: NOVEMBER 2002		PROJECT NO.: 0275-002		DR BY: JWP		APP BY:	
DES BY: JWP		REV 02		PROJECT TITLE: LAMPFILL GAS MONITORING PLAN		FILE NO.: 0275-002	
APP BY: JWP		REV 01		PROJECT TITLE: LAMPFILL GAS MONITORING PLAN		DRAWING NO.: 2	
APP BY: JWP		REV 01		PROJECT TITLE: LAMPFILL GAS MONITORING PLAN		OF 4	

WASTE MANAGEMENT, INC.

WMA

NORTH

LEGEND

PHASE BOUNDARY

EXISTING SHADE CONTOUR (FEET, MSL)


LEAKNATE GAS COLLECTION HEADER

LAMPFILL GAS COLLECTION LATERAL

LAMPFILL GAS WELL

RESER PIPE

GAS HEADER SAMPLING POINT



NOTES:

- TOPOGRAPHIC INFORMATION IS FROM AN ELECTRONIC FILE BY FLORIDA SURVEYING ASSOCIATES, INC. OF A SURVEY CONDUCTED ON 24 APRIL 2002.
- LAMPFILL GAS INFORMATION (WELLS, TRENCHES, PIPING, ETC.) IS FROM AN ELECTRONIC FILE BY FLORIDA SURVEYING ASSOCIATES, INC. OF A SURVEY CONDUCTED IN SEPTEMBER 2002.




DATE: NOVEMBER 2002		PROJECT NO.: 0275-002		DR BY: JWP		APP BY:	
DES BY: JWP		REV 02		PROJECT TITLE: LAMPFILL GAS MONITORING PLAN		FILE NO.: 0275-002	
CHK BY: JWP		REV 02		PROJECT TITLE: LAMPFILL GAS MONITORING PLAN		DRAWING NO.: 2	
APP BY:		REV 02		PROJECT TITLE: LAMPFILL GAS MONITORING PLAN		SHEET NO.: 4	
APP BY:		REV 02		PROJECT TITLE: LAMPFILL GAS MONITORING PLAN		SHEET NO.: 4	

WASTE MANAGEMENT, INC.

2

4



LEGEND

PHASE BOUNDARY

EXISTING GRADE CONTOUR (FEET, MSL)

SETTLEMENT GRID

SETTLEMENT GRID POINT NUMBER

SETTLEMENT POINT SCHEDULE (SEE NOTE 2)			
POINT NO.	10/24/02	10/24/02	10/24/02
10004	457.70	457.70	457.48
10005	457.70	457.70	457.48
10006	457.70	457.70	457.48
10007	457.70	457.70	457.48
10008	457.70	457.70	457.48
10009	457.70	457.70	457.48
10010	457.70	457.70	457.48
10011	457.70	457.70	457.48
10012	457.70	457.70	457.48
10013	457.70	457.70	457.48
10014	457.70	457.70	457.48
10015	457.70	457.70	457.48
10016	457.70	457.70	457.48
10017	457.70	457.70	457.48
10018	457.70	457.70	457.48
10019	457.70	457.70	457.48
10020	457.70	457.70	457.48
10021	457.70	457.70	457.48
10022	457.70	457.70	457.48
10023	457.70	457.70	457.48
10024	457.70	457.70	457.48
10025	457.70	457.70	457.48
10026	457.70	457.70	457.48
10027	457.70	457.70	457.48
10028	457.70	457.70	457.48
10029	457.70	457.70	457.48
10030	457.70	457.70	457.48
10031	457.70	457.70	457.48
10032	457.70	457.70	457.48
10033	457.70	457.70	457.48
10034	457.70	457.70	457.48
10035	457.70	457.70	457.48
10036	457.70	457.70	457.48
10037	457.70	457.70	457.48
10038	457.70	457.70	457.48
10039	457.70	457.70	457.48
10040	457.70	457.70	457.48
10041	457.70	457.70	457.48
10042	457.70	457.70	457.48
10043	457.70	457.70	457.48
10044	457.70	457.70	457.48
10045	457.70	457.70	457.48
10046	457.70	457.70	457.48
10047	457.70	457.70	457.48
10048	457.70	457.70	457.48
10049	457.70	457.70	457.48
10050	457.70	457.70	457.48
10051	457.70	457.70	457.48
10052	457.70	457.70	457.48
10053	457.70	457.70	457.48
10054	457.70	457.70	457.48
10055	457.70	457.70	457.48
10056	457.70	457.70	457.48
10057	457.70	457.70	457.48
10058	457.70	457.70	457.48
10059	457.70	457.70	457.48
10060	457.70	457.70	457.48
10061	457.70	457.70	457.48
10062	457.70	457.70	457.48
10063	457.70	457.70	457.48
10064	457.70	457.70	457.48
10065	457.70	457.70	457.48
10066	457.70	457.70	457.48
10067	457.70	457.70	457.48
10068	457.70	457.70	457.48
10069	457.70	457.70	457.48
10070	457.70	457.70	457.48
10071	457.70	457.70	457.48
10072	457.70	457.70	457.48
10073	457.70	457.70	457.48
10074	457.70	457.70	457.48
10075	457.70	457.70	457.48
10076	457.70	457.70	457.48
10077	457.70	457.70	457.48
10078	457.70	457.70	457.48
10079	457.70	457.70	457.48
10080	457.70	457.70	457.48
10081	457.70	457.70	457.48
10082	457.70	457.70	457.48
10083	457.70	457.70	457.48
10084	457.70	457.70	457.48
10085	457.70	457.70	457.48
10086	457.70	457.70	457.48
10087	457.70	457.70	457.48
10088	457.70	457.70	457.48
10089	457.70	457.70	457.48
10090	457.70	457.70	457.48
10091	457.70	457.70	457.48
10092	457.70	457.70	457.48
10093	457.70	457.70	457.48
10094	457.70	457.70	457.48
10095	457.70	457.70	457.48
10096	457.70	457.70	457.48
10097	457.70	457.70	457.48
10098	457.70	457.70	457.48
10099	457.70	457.70	457.48
10100	457.70	457.70	457.48

NOTES:


1. SURVEYING INFORMATION IS FROM AN ELECTRONIC FILE BY FLORIDA SURVEYING & MAPPING, INC. DATED ON 12/15/2002.
2. ELEVATIONAL DATA PROVIDED BY FLORIDA SURVEYING & MAPPING, INC. BASED ON FIELD SURVEYS CONDUCTED ON 2 AUGUST 2002 AND 24 OCTOBER 2002.



GeosynTec Consultants, Inc.		DATE: _____	
PROJECT NO. 0275-003		DRAWING NO. _____	
REV.	DATE	DESCRIPTION	DR BY
1	NOVEMBER 2002	PROJECT NO. 0275-003	APR 07
2	NOV 02	PROJECT NO. 0275-003	APR 07
3	NOV 02	PROJECT NO. 0275-003	APR 07
4	NOV 02	PROJECT NO. 0275-003	APR 07
5	NOV 02	PROJECT NO. 0275-003	APR 07
6	NOV 02	PROJECT NO. 0275-003	APR 07
7	NOV 02	PROJECT NO. 0275-003	APR 07
8	NOV 02	PROJECT NO. 0275-003	APR 07
9	NOV 02	PROJECT NO. 0275-003	APR 07
10	NOV 02	PROJECT NO. 0275-003	APR 07
11	NOV 02	PROJECT NO. 0275-003	APR 07
12	NOV 02	PROJECT NO. 0275-003	APR 07
13	NOV 02	PROJECT NO. 0275-003	APR 07
14	NOV 02	PROJECT NO. 0275-003	APR 07
15	NOV 02	PROJECT NO. 0275-003	APR 07
16	NOV 02	PROJECT NO. 0275-003	APR 07
17	NOV 02	PROJECT NO. 0275-003	APR 07
18	NOV 02	PROJECT NO. 0275-003	APR 07
19	NOV 02	PROJECT NO. 0275-003	APR 07
20	NOV 02	PROJECT NO. 0275-003	APR 07
21	NOV 02	PROJECT NO. 0275-003	APR 07
22	NOV 02	PROJECT NO. 0275-003	APR 07
23	NOV 02	PROJECT NO. 0275-003	APR 07
24	NOV 02	PROJECT NO. 0275-003	APR 07
25	NOV 02	PROJECT NO. 0275-003	APR 07
26	NOV 02	PROJECT NO. 0275-003	APR 07
27	NOV 02	PROJECT NO. 0275-003	APR 07
28	NOV 02	PROJECT NO. 0275-003	APR 07
29	NOV 02	PROJECT NO. 0275-003	APR 07
30	NOV 02	PROJECT NO. 0275-003	APR 07
31	NOV 02	PROJECT NO. 0275-003	APR 07
32	NOV 02	PROJECT NO. 0275-003	APR 07
33	NOV 02	PROJECT NO. 0275-003	APR 07
34	NOV 02	PROJECT NO. 0275-003	APR 07
35	NOV 02	PROJECT NO. 0275-003	APR 07
36	NOV 02	PROJECT NO. 0275-003	APR 07
37	NOV 02	PROJECT NO. 0275-003	APR 07
38	NOV 02	PROJECT NO. 0275-003	APR 07
39	NOV 02	PROJECT NO. 0275-003	APR 07
40	NOV 02	PROJECT NO. 0275-003	APR 07
41	NOV 02	PROJECT NO. 0275-003	APR 07
42	NOV 02	PROJECT NO. 0275-003	APR 07
43	NOV 02	PROJECT NO. 0275-003	APR 07
44	NOV 02	PROJECT NO. 0275-003	APR 07
45	NOV 02	PROJECT NO. 0275-003	APR 07
46	NOV 02	PROJECT NO. 0275-003	APR 07
47	NOV 02	PROJECT NO. 0275-003	APR 07
48	NOV 02	PROJECT NO. 0275-003	APR 07
49	NOV 02	PROJECT NO. 0275-003	APR 07
50	NOV 02	PROJECT NO. 0275-003	APR 07
51	NOV 02	PROJECT NO. 0275-003	APR 07
52	NOV 02	PROJECT NO. 0275-003	APR 07
53	NOV 02	PROJECT NO. 0275-003	APR 07
54	NOV 02	PROJECT NO. 0275-003	APR 07
55	NOV 02	PROJECT NO. 0275-003	APR 07
56	NOV 02	PROJECT NO. 0275-003	APR 07
57	NOV 02	PROJECT NO. 0275-003	APR 07
58	NOV 02	PROJECT NO. 0275-003	APR 07
59	NOV 02	PROJECT NO. 0275-003	APR 07
60	NOV 02	PROJECT NO. 0275-003	APR 07
61	NOV 02	PROJECT NO. 0275-003	APR 07
62	NOV 02	PROJECT NO. 0275-003	APR 07
63	NOV 02	PROJECT NO. 0275-003	APR 07
64	NOV 02	PROJECT NO. 0275-003	APR 07
65	NOV 02	PROJECT NO. 0275-003	APR 07
66	NOV 02	PROJECT NO. 0275-003	APR 07
67	NOV 02	PROJECT NO. 0275-003	APR 07
68	NOV 02	PROJECT NO. 0275-003	APR 07
69	NOV 02	PROJECT NO. 0275-003	APR 07
70	NOV 02	PROJECT NO. 0275-003	APR 07
71	NOV 02	PROJECT NO. 0275-003	APR 07
72	NOV 02	PROJECT NO. 0275-003	APR 07
73	NOV 02	PROJECT NO. 0275-003	APR 07
74	NOV 02	PROJECT NO. 0275-003	APR 07
75	NOV 02	PROJECT NO. 0275-003	APR 07
76	NOV 02	PROJECT NO. 0275-003	APR 07
77	NOV 02	PROJECT NO. 0275-003	APR 07
78	NOV 02	PROJECT NO. 0275-003	APR 07
79	NOV 02	PROJECT NO. 0275-003	APR 07
80	NOV 02	PROJECT NO. 0275-003	APR 07
81	NOV 02	PROJECT NO. 0275-003	APR 07
82	NOV 02	PROJECT NO. 0275-003	APR 07
83	NOV 02	PROJECT NO. 0275-003	APR 07
84	NOV 02	PROJECT NO. 0275-003	APR 07
85	NOV 02	PROJECT NO. 0275-003	APR 07
86	NOV 02	PROJECT NO. 0275-003	APR 07
87	NOV 02	PROJECT NO. 0275-003	APR 07
88	NOV 02	PROJECT NO. 0275-003	APR 07
89	NOV 02	PROJECT NO. 0275-003	APR 07
90	NOV 02	PROJECT NO. 0275-003	APR 07
91	NOV 02	PROJECT NO. 0275-003	APR 07
92	NOV 02	PROJECT NO. 0275-003	APR 07
93	NOV 02	PROJECT NO. 0275-003	APR 07
94	NOV 02	PROJECT NO. 0275-003	APR 07
95	NOV 02	PROJECT NO. 0275-003	APR 07
96	NOV 02	PROJECT NO. 0275-003	APR 07
97	NOV 02	PROJECT NO. 0275-003	APR 07
98	NOV 02	PROJECT NO. 0275-003	APR 07
99	NOV 02	PROJECT NO. 0275-003	APR 07
100	NOV 02	PROJECT NO. 0275-003	APR 07






WASTE MANAGEMENT, INC.



SETTLEMENT SCHEDULE (SEE NOTE 2)			
POINT NO.	SETTLEMENT 8/02-6/03 (FEET)	POINT NO.	SETTLEMENT 8/02-6/03 (FEET)
1004	-1.73	1070	-0.82
1005	-1.54	1071	-0.47
1006	-1.26	1072	-0.79
1007	-1.55	1073	-0.74
1008	-1.43	1074	-2.57
1009	-0.86	1075	-1.05
1010	-1.01	1076	-0.31
1011	-0.68	1077	-0.58
1012	-0.71	1078	-0.86
1013	-0.71	1079	-0.79
1014	-1.16	1080	-1.19
1015	-0.76	1081	-0.53
1016	-0.70	1082	-0.86
1017	-0.83	1083	-0.36
1018	-0.93	1084	-0.36
1019	-1.08	1085	-0.45
1020	-1.56	1086	-0.77
1021	-1.56	1087	-0.25
1022	-2.05	1088	-0.87
1023	-1.37	1089	-0.49
1024	-1.83	1090	-0.77
1025	-0.72	1091	-0.27
1026	-1.22	1092	-0.67
1027	-1.22	1093	-0.78
1028	-0.86	1094	-0.73
1029	-0.86	1095	-0.55
1030	-1.02	1096	-0.41
1031	-1.09	1097	-1.25
1032	-0.53	1098	0.42
1033	-0.53	1099	-0.25
1034	-0.29	1100	-0.53
1035	-0.83	1101	-0.25
1036	-0.77	1102	-0.20
1037	-0.57	1103	-0.41
1038	-0.37	1104	-0.40
1039	-1.02	1105	-0.42
1040	-0.36	1106	-0.70
1041	-0.79	1107	-0.42
1042	-0.89	1108	-0.20
1043	-0.97	1109	-0.29
1044	-1.50	1110	0.00
1045	-0.38	1111	-0.44
1046	-0.38	1112	-1.89
1047	-0.29	1113	-1.38
1048	-0.79	1114	-0.57
1049	-0.46	1115	-0.23
1050	-1.12	1116	-0.32
1051	-0.69	1117	-0.41
1052	-1.02	1118	-0.24
1053	-1.05	1119	-0.52
1054	-0.37	1120	-0.81
1055	-0.39	1121	-0.57
1056	-0.39	1122	-0.33
1057	-0.11	1123	-0.33
1058	-0.58	1124	-0.36
1059	-1.14	1125	-1.71
1060	-0.58	1126	-0.50
1061	-0.66	1127	-0.50
1062	-0.42	1128	-0.50
1063	-0.42	1129	-0.50
1064	-0.42	1130	-0.50
1065	-0.42	1131	-0.50
1066	-0.42	1132	-0.50
1067	-0.42	1133	-0.50
1068	-0.42	1134	-0.50
1069	-0.42	1135	-0.48
1070	-0.42	1136	0.94

1. TOPOGRAPHIC INFORMATION IS FROM AN ELECTRONIC FILE BY FLORA SURVEYING OF A SURVEY CONDUCTED ON 24 APRIL 2002.
2. SETTLEMENT VALUES DETERMINED FROM ELEVATIONAL DATA PROVIDED BY FLORA SURVEYING ASSOCIATE, INC. BASED ON FIELD SURVEYS CONDUCTED ON 2 AUGUST 2007 AND 9 JUNE 2002.
3. SETTLEMENT CONTROL INTERVAL IS 0.25 FEET. CONTOURS SHOWN IN RED INDICATE ELEVATION OF 100 FEET. CONTOURS SHOWN IN GREEN INDICATE FILL DURING THAT SAME TIME PERIOD.



 GeoSYNTEC CONSULTANTS COLUMBIA, MARYLAND (410)581-4333									
REV. DATE JULY 2003		DESCRIPTION DR BY APP BY							
DATE: JULY 2003		PROJECT NO. ME0275-1		SCALE: 1" = 100'					
DES BY DTM NOV 02		PROJECT: XL PROJECT							
DRN BY JOC NOV 02		MAPLEWOOD LANDFILL							
CHK BY MHH NOV 02		SHEET TITLE:							
REV BY		SETTLEMENT MONITORING PLAN -							
APP BY		AUGUST 2002 VS. JUNE 2003							
SIGNATURE				FILE NO: 0275-28/36					
DATE		WASTE MANAGEMENT, INC.		DRAWING NO:		4 OF 4			

APPENDIX A

LEACHATE QUALITY TEST RESULTS

(available upon request)

Leachate Parameters Detected - Phase 1-2N
 Project XL
 Maplewood Recycling and Waste Disposal Facility
 Amelia County, Virginia

Parameter	Units	MCL	12-Aug-02	13-Sep-02	30-Oct-02	20-Nov-02	26-Dec-02	23-Jan-03	16-Apr-03
1,1-Dichloroethene	ug/L	7	< 25	< 25	-	-	-	< 10	-
1,4-Dichlorobenzene	ug/L	NA	-	-	16	16	15	10	15
4-Methyl-2-Pentanone	ug/L	NA	-	-	800	-	-	-	-
Acetone	ug/L	NA	-	-	12100	-	-	42	-
Acetonitrile	ug/L	NA	-	-	1060	-	-	-	93
Benzene	ug/L	5	< 25	< 25	7	8	7	-	8
Benzo(a)pyrene	ug/L	0.2	< 10	< 10	< 10	< 10	< 26	< 26	< 26
Carbon Tetrachloride	ug/L	5	< 25	< 25	-	-	-	< 10	-
Ethylbenzene	ug/L	700	43	56	56	55	58	-	55
Hexachlorobenzene	ug/L	1	< 10	< 10	< 10	< 10	< 21	< 21	< 21
m,p-Cresol	ug/L	NA	-	-	16	-	-	-	-
Naphthalene	ug/L	NA	14	19	-	21	-	-	-
Phenol	ug/L	NA	-	-	2200	-	-	-	-
Total Xylene	ug/L	10000	87	114	130	134	114	39	148
Trichloroethene	ug/L	5	< 25	< 25	-	-	-	< 10	-
Vinyl Chloride	ug/L	2	< 10	< 10	-	-	-	5	4

Notes:

This table summarizes the leachate parameters that were detected in Phase 1-2N. Samples where the concentration may be greater than the MCL are show in in **bold**.

In some cases, the method detection limit is higher than the MCL.

Leachate Parameters Detected - Phase 1-2S
 Project XL
 Maplewood Recycling and Waste Disposal Facility
 Amelia County, Virginia

Parameter	Units	MCL	12-Aug-02	13-Sep-02	30-Oct-02	20-Nov-02	26-Dec-02	23-Jan-03	16-Apr-03
1,1-Dichloroethene	ug/L	7	< 25	< 25	< 10	-	< 10	-	-
1,2,4-Trichlorobenzene	ug/L	70	14	-	-	-	-	-	-
1,4-Dichlorobenzene	ug/L	NA	-	26	11	13	11	14	16
Benzene	ug/L	5	< 25	< 25	< 10	8	< 10	10	8
Benzo(a)pyrene	ug/L	0.2	< 10	< 10	< 10	< 10	< 26	< 26	< 26
Carbon Tetrachloride	ug/L	5	< 25	< 25	< 10	-	< 10	-	-
Ethylbenzene	ug/L	700	53	134	41	35	37	34	61
Hexachlorobenzene	ug/L	1	< 10	< 10	< 10	< 10	< 21	< 21	< 21
Total Xylene	ug/L	10000	133	336	146	166	146	167	203
Trichloroethene	ug/L	5	< 25	< 25	< 10	-	< 10	-	-
Vinyl Chloride	ug/L	2	< 10	< 10	< 4	-	< 4	-	-

Notes:

This table summarizes the leachate parameters that were detected in Phase 1-2S. Samples where the concentration may be greater than the MCL are show in in **bold**.

In some cases, the method detection limit is higher than the MCL.

Leachate Parameters Detected - Phase 3
 Project XL
 Maplewood Recycling and Waste Disposal Facility
 Amelia County, Virginia

Parameter	Units	MCL	12-Aug-02	13-Sep-02	30-Oct-02	20-Nov-02	26-Dec-02	23-Jan-03	16-Apr-03
1,1-Dichloroethene	ug/L	7	< 100	< 25	< 25	< 10	< 10	-	-
1,2,4-Trichlorobenzene	ug/L	70	< 100	-	-	-	< 73	-	-
1,4-Dichlorobenzene	ug/L	NA	-	-	-	11	13	-	16
4-Methyl-2-Pentanone	ug/L	NA	-	-	47	173	-	-	6
Acetone	ug/L	NA	1070	-	1060	-	-	-	36
Acetonitrile	ug/L	NA	385	-	272	-	144	-	295
Benzene	ug/L	5	< 100	< 25	< 25	< 10	< 10	-	-
Benzo(a)pyrene	ug/L	0.2	< 100	< 10	< 20	< 10	< 100	-	< 53
Carbon Tetrachloride	ug/L	5	< 100	< 25	< 25	< 10	< 10	-	-
cis-1,2-Dichloroethene	ug/L	70	< 100	-	-	-	-	-	-
Ethylbenzene	ug/L	700	-	30	49	-	31	-	44
Hexachlorobenzene	ug/L	1	< 100	< 10	< 20	< 10	< 83	-	< 42
Hexachlorocyclopentadiene	ug/L	50	< 500	-	-	-	< 57	-	-
m,p-Cresol	ug/L	NA	420	32	71	43	<170	-	<84
Methyl Ethyl Ketone	ug/L	NA	917	-	1680	12	-	-	16
Naphthalene	ug/L	NA	-	-	-	10	-	-	-
o-Cresol	ug/L	NA	-	28	29	43	<68	-	<34
Toluene	ug/L	1000	233	105	155	67	86	-	135
Total Xylene	ug/L	10000	194	109	134	78	108	-	128
Trichloroethene	ug/L	5	< 100	< 25	< 25	< 10	< 10	-	-
Vinyl Chloride	ug/L	2	< 40	< 10	< 10	< 4	< 4	-	-

Notes:

This table summarizes the leachate parameters that were detected in Phase 3. Samples where the concentration may be greater than the MCL are show in in **bold**.

In some cases, the method detection limit is higher than the MCL.

Leachate Parameters Detected - Phase 4
 Project XL
 Maplewood Recycling and Waste Disposal Facility
 Amelia County, Virginia

Parameter	Units	MCL	12-Aug-02	13-Sep-02	30-Oct-02	20-Nov-02	26-Dec-02	23-Jan-03	16-Apr-03
1,1-Dichloroethene	ug/L	7	< 50	< 25	< 50	< 100	< 50	-	< 25
1,2,4-Trichlorobenzene	ug/L	70	< 710	-	-	-	< 73	-	-
1,4-Dichlorobenzene	ug/L	NA	-	-	-	-	-	-	-
2,4-Dimethylphenol	ug/L	NA	-	-	-	57	-	-	<84
2-Methyl-1-propanol	ug/L	NA	9780	-	-	6920	9330	-	6010
4-Methyl-2-Pentanone	ug/L	NA	795	227	800	1180	1460	-	730
Acenaphthylene	ug/L	NA	-	-	-	12	-	-	-
Acetone	ug/L	NA	6990	3950	12100	11500	33900	-	46600
Acetonitrile	ug/L	NA	1340	564	1060	1450	1260	-	1420
Acetophenone	ug/L	NA	-	-	81	88	220	-	62
Benzene	ug/L	5	< 50	< 25	< 50	< 100	< 50	-	< 25
Benzo(a)pyrene	ug/L	0.2	< 710	< 20	< 10	< 10	< 100	-	< 52
Benzyl Alcohol	ug/L	NA	-	-	-	180	230	-	<32
Carbon Tetrachloride	ug/L	5	< 50	-	< 50	< 100	< 50	-	< 50
cis-1,2-Dichloroethene	ug/L	70	-	-	-	< 100	-	-	-
Diethyl Phthalate	ug/L	NA	-	24	-	43	-	-	-
Ethylbenzene	ug/L	700	58	34	-	-	-	-	40
Hexachlorobenzene	ug/L	1	< 710	< 20	< 10	< 10	< 83	-	< 41
Hexachlorocyclopentadiene	ug/L	50	< 3600	-	-	-	< 57	-	-
m,p-Cresol	ug/L	NA	2000	496	900	1760	2800	-	-
Methyl Ethyl Ketone	ug/L	NA	9830	4010	17100	15700	48400	-	62900
Naphthalene	ug/L	NA	-	-	-	20	<68	-	<34
o-Cresol	ug/L	NA	-	44	180	41	-	-	-
Phenanthrene	ug/L	NA	-	-	-	29	-	-	-
Phenol	ug/L	NA	4700	770	2200	1500	2000	-	9660
Toluene	ug/L	1000	326	180	173	170	190	-	209
Total Xylene	ug/L	10000	147	89	79	-	96	-	109
Trichloroethene	ug/L	5	< 50	< 25	< 50	< 100	< 50	-	< 25
Vinyl Chloride	ug/L	2	< 20	< 10	< 20	< 40	< 20	-	< 10

Notes:

This table summarizes the leachate parameters that were detected in Phase 4. Samples where the concentration may be greater than the MCL are show in in **bold**.

In some cases, the method detection limit is higher than the MCL.

Leachate Parameters Detected - Leachate Tank
 Project XL
 Maplewood Recycling and Waste Disposal Facility
 Amelia County, Virginia

Parameter	Units	MCL	12-Aug-02	13-Sep-02	30-Oct-02	20-Nov-02	26-Dec-02	23-Jan-03	16-Apr-03
1,1-Dichloroethene	ug/L	7	< 25	< 50	< 10	< 50	< 25	< 250	< 50
4-Methyl-2-Pentanone	ug/L	NA	-	167	121	194	397	537	646
Acetone	ug/L	NA	-	-	1690	7700	15600	18300	23600
Acetonitrile	ug/L	NA	183	-	146	-	-	-	-
Acetophenone	ug/L	NA	-	-	-	23	-	27	36
Benzene	ug/L	5	< 25	< 50	< 10	< 50	< 25	< 250	< 50
Benzo(a)pyrene	ug/L	0.2	< 10	< 20	< 10	< 10	< 53	< 100	< 53
Carbon Tetrachloride	ug/L	5	< 25	< 50	< 10	-	< 25	< 250	< 50
Hexachlorobenzene	ug/L	1	< 10	< 20	< 10	< 10	< 42	< 83	< 42
Hexachlorocyclopentadiene	ug/L	50	28	-	-	-	-	<57	-
m,p-Cresol	ug/L	NA	-	-	82	134	-	81	67
Methyl Ethyl Ketone	ug/L	NA	-	-	3750	11100	24500	25400	30500
o-Cresol	ug/L	NA	-	21	-	-	-	-	-
Phenol	ug/L	NA	-	56	72	150	-	200	91
Toluene	ug/L	1000	86	380	50	-	41	-	-
Total Xylene	ug/L	10000	-	52	23	-	36	-	-
Trichloroethene	ug/L	5	< 25	< 50	< 10	< 50	< 25	< 250	< 50
Vinyl Chloride	ug/L	2	< 10	< 20	< 4	< 20	< 10	< 100	< 20

Notes:

This table summarizes the leachate parameters that were detected in the Leachate Tank. Samples where the concentration may be greater than the MCL are show in in **bold**.

In some cases, the method detection limit is higher than the MCL.

APPENDIX B

DAILY LIQUID APPLICATION LOG

APPENDIX C

TRENCH MONITORING LOG

APPENDIX D

SETTLEMENT

(available upon request)

APPENDIX E

LANDFILL GAS DATA

(summary data included, complete data
available upon request)

Golder Associates Inc.

3701 Saunders Avenue
Richmond, VA USA 23227
Telephone (804) 358-7900
Fax (804) 358-2900



February 6, 2003

Waste Management
Maplewood Recycling and Disposal Facility
P.O. Box 168
Amelia, Virginia 23002

Proj# 023-6780

Attn: Brian McClung, District Manager

**Re: Wellfield, LFG Sampling, H2S Monitoring and NSPS Surface Emissions
Monitoring Event, Project XL January 2003
Maplewood Recycling and Waste Disposal Facility**

Dear Mr. McClung:

Golder Associates Inc. (Golder) performed technical services in support of the Project XL leachate recirculation activity at the Maplewood Recycling and Waste Disposal Facility site located in Amelia County, Virginia on January 28, 2003. The effort included a NSPS Surface Emissions Monitoring Event and was conducted in accordance with guidelines set forth in the New Source Performance Standards (NSPS), 40 CFR, 60.755 (c) and (d) and 40 CFR 60, Appendix A, Method 21.

In addition, pursuant to the Golder proposal # PR7-8392 dated October 4, 2002, Golder, in conjunction with WM, collected a full round of monitoring data from all active LFG extraction wells as well as monitoring data from all extraction wells and the flare station for the presence of H₂S. Finally, Golder collected LFG gas samples using Summa Canisters at the main header line and at two branch header locations.

Field Monitoring

Golder was provided with a Surface Emissions Monitoring Plan detailing topography, Landfill Gas (LFG) extraction system details and surface emission monitoring traverse locations, as a reference document.

The Golder technician utilized a MicroFID Organic Vapor Analyzer (SN# CZJG303), meeting Method 21 requirements. The instrument was calibrated in the field in accordance with Method 21. Calibration Tables can be found in Attachment A of this summary report.

Golder assisted WM (Pat McCann) in monitoring all active LFG extraction wells using a GEM 2000 owned by WM. During this effort, Golder monitored all LFG extraction

wells and the inlet to the flare using a VRAE specific gas monitor calibrated to a known standard for H₂S.

Site Specific Summary

The Golder technician monitored the landfill surface along the site-specific traverse pattern and at areas suspected of exceeding 500 ppm above background of methane gas based on visual observation.

No exceedances (> 500 ppm) were found during this event.

LFG extraction well monitoring data for January 28, 2003 to include H₂S at each wellhead is attached to this summary.

Golder collected four (4) Summa Canister samples of LFG at the following locations:

- Blower Discharge
- Sample Point #1 from Cells 1 & 2 North
- Sample Point #2 from Cells 1 & 2 South
- Sample Point #3 from Cells 3 & 4


Sampling was performed using a pre-prepared evacuated Summa Canisters provided by Triangle Environmental Services. The Blower Flare System was turned off in order to facilitate sample collection. Each Canister was filled using Teflon hose routed through a flow meter at a rate of 60-80 cc/min until zero pressure was reached and no flow was measured.

Attachments to this summary report include, information regarding monitoring dates, monitoring data, background and exceedance measurements, equipment and calibration data and a copy of the Chain of Custody for the four (4) Summa Canisters samples. A site-specific map showing the traverse patterns is also included.

Thank you for this opportunity for Golder to provide monitoring services for Waste Management. Feel free to contact me at any time at 804-358-7900 if you have any questions regarding this summary report.

Sincerely,

Golder Associates Inc.



Robert E. Caron
Project Manager

C.C.: J. Stenborg, P.E.
D. Mandeville, Geosyntec

ATTACHMENT A
TABLE 4
DAILY SURFACE MONITORING LOG

PERFORMED BY: Robert E. Caron

START TIME: 09:59 AM PM

DATE: January 28, 2003

LANDFILL NAME: Maplewood Recycling and Waste Disposal Facility

**Location Identifier
of Leak**

Time of Detection

**Concentration of
Leak (PPM)**

NO EXCEEDANCES

Exceedance and Monitoring Logs

[illegible]

Golder Associates Inc.

3701 Saunders Avenue
Richmond, VA USA 23227
Telephone (804) 358-7900
Fax (804) 358-2900



RECEIVED MAY 05 2003

May 2, 2003

Waste Management
Maplewood Recycling and Disposal Facility
P.O. Box 168
Amelia, Virginia 23002

Proj# 023-6780

Attn: Brian McClung, District Manager

Re: **Wellfield, LFG Sampling, H2S Monitoring and NSPS Surface Emissions
Monitoring Event, Project XL April 2003
Maplewood Recycling and Waste Disposal Facility**

Dear Mr. McClung:

Golder Associates Inc. (Golder) performed technical services in support of the Project XL leachate recirculation activity at the Maplewood Recycling and Waste Disposal Facility site located in Amelia County, Virginia on April 22, 2003. The effort did not include a NSPS Surface Emissions Monitoring Event as a recent Quarterly Event had been performed by others. All efforts were conducted in accordance with guidelines set forth in the New Source Performance Standards (NSPS), 40 CFR, 60.755 (c) and (d) and 40 CFR 60, Appendix A, Method 21.

In addition, pursuant to the Golder proposal # PR7-8392 dated October 4, 2002, Golder, in conjunction with WM, collected a full round of monitoring data from all active LFG extraction wells as well as monitoring data from all extraction wells and the flare station for the presence of H₂S. Finally, Golder collected LFG gas samples using Summa Canisters at the main header line and at two branch header locations.

Field Monitoring

Golder assisted WM (Pat McCann) in monitoring all active LFG extraction wells using a GEM 2000 owned by WM. During this effort, Golder monitored all LFG extraction wells and the inlet to the flare using a VRAE specific gas monitor calibrated to a known standard for H₂S.

Site Specific Summary

LFG extraction well monitoring data for April 22, 2003 to include H₂S at each wellhead is attached to this summary.

Golder collected four (4) Summa Canister samples of LFG at the following locations:

- Blower Discharge
- Sample Point #1 from Cells 1 & 2 North
- Sample Point #2 from Cells 1 & 2 South
- Sample Point #3 from Cells 3 & 4


Sampling was performed using a pre-prepared evacuated Summa Canisters provided by Triangle Environmental Services. Each Canister was filled using Teflon hose routed through a flow meter at a rate of 60-80 cc/min until zero pressure was reached and no flow was measured.

Attachments to this summary report include, information regarding monitoring dates, monitoring data, background and exceedance measurements, equipment and calibration data and a copy of the Chain of Custody for the four (4) Summa Canisters samples.

Thank you for this opportunity for Golder to provide monitoring services for Waste Management. Feel free to contact me at any time at 804-358-7900 if you have any questions regarding this summary report.

Sincerely,

Golder Associates Inc.



Robert E. Caron
Project Manager

C.C.: J. Stenborg, P.E.
D. Mandeville, Geosyntec

Golder Associates Inc.

3701 Saunders Avenue
Richmond, VA USA 23227
Telephone (804) 358-7900
Fax (804) 358-2900



July 3, 2003

Waste Management
Maplewood Recycling and Disposal Facility
P.O. Box 168
Amelia, Virginia 23002

Proj# 023-6780

Attn: Brian McClung, District Manager

Re: **Wellfield, LFG Sampling, H₂S Monitoring and NSPS Surface Emissions
Monitoring Event, Project XL June 2003
Maplewood Recycling and Waste Disposal Facility**

Dear Mr. McClung:

Golder Associates Inc. (Golder) performed technical services in support of the Project XL leachate recirculation activity at the Maplewood Recycling and Waste Disposal Facility site located in Amelia County, Virginia on June 20, 2003. The effort did not include a NSPS Surface Emissions Monitoring Event as a recent Quarterly Event had been performed by others. All efforts were conducted in accordance with guidelines set forth in the New Source Performance Standards (NSPS), 40 CFR, 60.755 (c) and (d) and 40 CFR 60, Appendix A, Method 21.

In addition, pursuant to the Golder proposal # PR7-8392 dated October 4, 2002, Golder, in conjunction with WM, collected a full round of monitoring data from all active LFG extraction wells as well as monitoring data from all extraction wells and the flare station for the presence of H₂S. Finally, Golder collected LFG gas samples using Summa Canisters at the main header line and at three branch header locations.

Field Monitoring

Golder assisted WM (Pat McCann) in monitoring all active LFG extraction wells using a GEM 2000 owned by WM. During this effort, Golder monitored all LFG extraction wells and the inlet to the flare using a VRAE specific gas monitor calibrated to a known standard for H₂S.

Site Specific Summary

LFG extraction well monitoring data for April 22, 2003 to include H₂S at each wellhead is attached to this summary.

Golder collected four (4) Summa Canister samples of LFG at the following locations:

- Blower Discharge
- Sample Point #1 from Cells 1 & 2 North
- Sample Point #2 from Cells 1 & 2 South
- Sample Point #3 from Cells 3 & 4

Sampling was performed using a pre-prepared evacuated Summa Canisters provided by Triangle Environmental Services. Each Canister was filled using Teflon hose routed through a flow meter at a rate of 60-80 cc/min until zero pressure was reached and no flow was measured.

Attachments to this summary report include, information regarding monitoring dates, monitoring data, background and exceedance measurements, equipment and calibration data and a copy of the Chain of Custody for the four (4) Summa Canisters samples.

Thank you for this opportunity for Golder to provide monitoring services for Waste Management. Feel free to contact me at any time at 804-358-7900 if you have any questions regarding this summary report.

Sincerely,

Golder Associates Inc.



Robert E. Caron
Project Manager

C.C.: J. Stenborg, P.E.
D. Mandeville, Geosyntec

APPENDIX F

GROUNDWATER QUALITY
COMPLIANCE



Joyce Engineering, Inc.
4808 Radford Ave
Richmond, VA 23230

tel: 804/355-4520
fax: 804/355-4282

www.JoyceEngineering.com

July 14, 2003

Mr. James Stenborg, P.E.
Regional Engineer
Waste Management, Inc.
P.O. Box 168
Amelia, Virginia 23002

**Re: Maplewood Recycling and Waste Disposal Facility, Permit No. 540
XL Project
Amelia County, Virginia
JEI Project No. 448.00/Task No. 23/File No. 2.2**

Dear Jim:

Per your request, Joyce Engineering, Inc. has compared the available groundwater monitoring data (1996 to June 2003) for the uppermost aquifer compliance monitoring network at the Maplewood Recycling and Waste Disposal Facility, Permit No. 540, to the current Maximum Contaminant Levels (MCL) for the constituents that are listed in Table 1 of 40 CFR Part 258.40. I understand that this comparison is required pursuant to the Site Rule Making Requirements for the XL Project.

Based on my review, the following constituents in Table 1 of 40 CFR Part 258.40 have been detected at concentrations that exceed the current MCL; however, it is noted that the detected concentrations were less than the facility background concentrations at the time of detection. Subsequently, the concentrations did not represent statistically significant concentrations and the monitoring program at the Maplewood Recycling and Waste Disposal Facility, Permit No. 540, was allowed to continue in the Detection Monitoring Program.

Constituent	Current MCL (ug/L)	Sample Location	Sample Date	Monitoring Result (ug/L)
Lead	15.0	MW-17R2	7/15/97	61
		MW-18	10/14/96	19
		MW-22	7/9/96	30
		MW-24	7/9/96	20

Note that monitoring wells MW-22 and MW-24 are not part of the existing permitted monitoring network for this facility. Wells MW-22 and MW-24 are scheduled to be added to the monitoring network with expansion of the waste management unit boundary and are currently monitored for background purposes.

Mr. Jim Stenborg
July 14, 2003
Page 2

If you have any questions, please contact me at 804-355-4520.

Sincerely
JOYCE ENGINEERING, INC.



Michael G. Williams, C.P.G.
Senior Project Hydrogeologist

Cc: Doug Mandeville, Staff Engineer, Geosyntec Consultants, Inc.,
10015 Old Columbia Road, Suite A-200, Columbia, Maryland 21046
Brian McClung, Waste Management, Inc., P.O. Box 168, Amelia, Virginia 23002

P:\Waste Management\Virginia\Maplewood Landfill - WMI\Environmental\Letters\Part 258.40 Review Letter July 14 2003 update.doc

