US ERA ARCHIVE DOCUMENT

7. REFERENCES

Abernathy, CO; Cantilli, R; Du, JT. (1993) Essentiality versus toxicity; some considerations in the risk assessment of essential trace elements. In: Saxena, J, ed. Hazard assessment of chemicals. Washington, DC: Taylor and Francis, pp. 81–113.

Adams, WJ. (2000) Hazard identification for metals and metal compounds: an alternative to the U.S. EPA strategy for identifying hazards associated with metals and metal substances. Presentation at the expert workshop: state of the science regarding PBT concepts and metals and metal compounds. U.S. EPA, EPRI, ICA, ILZRO, NiPERA and ICME. January 19. Arlington, VA.

Adams, SM; Crumby, WD; Greeley, MS; et al. (1992) Relationships between physiological and fish population responses in a contaminated stream. Environ Toxicol Chem 11:1549–1557.

Adams, WJ; Conard, B; Ethier, G; et al. (2000) The challenges of hazard identification and classification of insoluble metals and metal substances for the aquatic environment. Hum Ecol Risk Assess 6:1019–1038.

Adams, WA; Brix, KV; Edwards, M; et al. (2003) Analysis of field and laboratory data to derive selenium toxicity thresholds for birds. Environ Toxicol Chem 22(9):2020–2029.

AIHA (American Industrial Hygiene Association). (2003) The occupational environment: its evaluation, control, and management. 2nd Edition. Ed. Salvatore Dinardi. Fairfax, VA; AIHA Press, American Industrial Hygiene Association: pp 37-38, 356.

Allen, HE. (2002) Bioavailability of metals in terrestrial ecosystems: Importance of partitioning for bioavailability to invertebrates, microbes and plants. ISBN 1-880611-46-5. Society of Environmental Toxicology and Chemistry. Pensacola, FL: SETAC Press. 158 pp.

Allison, JD; Brown, DS; Novo-Gradac, KJ. (1991) MINTEQA2/PRODEFA2, A geochemical assessment model for environmental systems: version 3.0, user's manual, USEPA ERL ORD, Athens, GA. EPA/600/3-91/021.

Alloway, BJ. (1995) Metals in soils, 2nd ed. New York: Blackie Academic & Professional, Chapman & Hall.

Ambrose, RB; Wool, TA; Martin, JL. (1993) The water quality analysis simulation program, WASP5. Version 5.10 . Part A: Model documentation. U.S. Environmental Protection Agency, Athens, GA .

Ambrose, T.M., M. Al-Lozi, and M.G. Scott. (2000) Bone lead concentrations assessed by in vivo x-ray fluorescence. Clin. Chem. 46:1171-1178.

Andersen, M.E, H.J. Clewell, M.L. Gargas, F.A. Smith, and R.H. Reitz. (1987) Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. Toxicol. Appl. Pharmacol. 87:185-205.

Andersen, ME. (1995) Development of physiologically based pharmacokinetic and physiologically based pharmacodynamic model for applications in toxicology and risk assessment. Toxicol Lett 79:35

Ankley, GT; Phipps, GL; Leonard, EN; et al. (1991) Acid-volatile sulfide as a factor mediating cadmium and nickel bioavailability in contaminated sediments. Environ Toxicol Chem 10:1299–1307.

11/24/2004 Peer Review Draft

Ankley, GT; Mattson, V; Leonard, E; et al. (1993) Predicting the acute toxicity of copper in freshwater sediments: evaluation of the role of acid volatile sulfide. Environ Toxicol Chem 12:312–320.

Ankley, GT; Phipps, GL; Leonard, EN; et al. (1991) Acid-volatile sulfide as a factor mediating cadmium and nickel bioavailability in contaminated sediments. Environ Toxicol Chem 10:1299–1307.

Ankley, GT; Di Toro, DM; Hansen, DJ; et al. (1996) Technical basis and proposal for deriving sediment quality criteria for metals. Environ Toxicol Chem 15:2056–2066.

Antonovics, J; Bradshaw, AD; Turner, RG. (1971) Metal tolerance in plants. Adv Ecol Res 7:1-85.

ANZECC and ARMCANZ (Australian and New Zealand Environment and Conservation Council and Agriculture and Resource Management Council of Australia and New Zealand). (2000) Australian and New Zealand Guidelines for Fresh and Marine Water Quality, vols. 1 and 2.

Archer, D; Emerson, S; Reimers, C. (1989) Dissolution of calcite in deep-sea sediments: pH and oxygen microelectrode results. Geochim Cosmochim Acta 53:2831–2845.

Arnold, PT; Kapustka, LA. (1993) Comparative uptake kinetics and transport of cadmium and phosphate in *Phleum pratense-Glomus deserticolum* associations. Environ Toxicol Chem 12:177–186.

Arnold, M.L., F.E. McNeill, and D.R. Chettle. (1999) The feasibility of measuring manganese concentrations in human liver using neutron activation analysis. Neurotoxicology 20:407-412.

ATSDR (Agency for Toxic Substance and Disease Registry). (1995) Multiple lead and cadmium exposure study with biological markers incorporated. Atlanta, GA.

ATSDR (1999a) Toxicological profile for Lead. Atlanta, GA

ATSDR (1999b) Toxicological profile for Mercury. Atlanta, GA.

ATSDR (2003) Toxicological profile for Nickel, Draft for Public Comment, Atlanta, GA.

ATSDR (2004) Evaluation of the toxicology of chemical mixtures commonly found at hazardous waste sites. Draft. Atlanta, GA.

AWWA (American Water Works Association). (1999) Water Quality and Treatment. A Handbook of Community Water Supplies. 5th Edition. 1233 pp. ISBN 0-07-001659-3.

Azar, A; Snee, RD; Habibi, K. (1975) An epidemiologic approach to community air lead exposure using personal air samplers. In: Griffin, TB; Knelson, JH, eds. Lead. Stuttgart: Georg Thieme Pub; pp. 254–290.

Azenha, M; Vasconcelos, MT; Cabral, JPS. (1995) Organic ligands reduce copper toxicity in Pseudomonas syringae. Environ Toxicol Chem 14:369–373.

Baas-Becking, LGM; Kaplan, IR; Moore, D. (1960) Limits of the natural environment in terms of pH and oxidation-reduction potentials. J. Geol. 68:243-284.

11/24/2004 Peer Review Draft

Babukutty, Y; Chacko, J. (1995) Chemical partitioning and bioavailability of lead and nickel in an estuarine system. Environ Toxicol Chem 14:427–434.

Bailey, RG. (1998) Ecoregions: the ecosystem geography of the oceans and continents. New York: Springer.

Bailey, MR; Roy, M. (1994) Clearance of particles from the respiratory tract. Annals of the ICRP (Publication No. 66) 24(1–3):301–413.

Ball, JW; Runkel, RL; Nordstrom, DK. (1999) Transport modeling of reactive and nonreactive constituents from Summittville, Colorado: Preliminary results from the application of the OTIS/OTEQ model to the Whitman Fork/Alamosa River System. In: Proc. Technical Meeting, Charleston, SC, Mar. 8-12, 1999. Vol. 1 of 3. Contamination from hard-rock mining. U.S. Geological Survey Water Resources Investigations Report 99-4018A.

Ballatori, N. (2002) Transport of toxic metals by molecular mimicry. Environ Health Perspect 110(Suppl. 5):689–694.

Barak, P. (1999) Essential elements for plant growth. Department of Soil Science, University of Wisconsin-Madison. Available at: http://www.soils.wisc.edu/~barak/soilscience326/essentl.htm.

Barbour, MT; Plafkin, JL; Bradley, BP; et al. (1992) Evaluation of EPA's rapid bioassessment benthic metrics: metric redundancy and variability among reference stream sites. Environ Toxicol Chem 11:437–449.

Barltrop, D. (1966) The prevalence of pica. Am J Dis Child 112:116–123.

Barltrop, D; Meek, F. (1979) Effect of particle size on lead absorption from the gut. Arch Environ Health 34:280–285.

Barnes RM. (1990) Childhood soil ingestion: how much dirt do kids eat? Anal Chem 62:1023–1033.

Basta, NT; Pantone, DJ; Tabatabai, MA. (1993) Path analysis of heavy metal adsorption by soil. Agron J 85:1054–1057.

Beck, BD; Mattuck; RL; Bowers, TS; et al. (2001) The development of a stochastic physiologically-based pharmacokinetic model for lead. Sci Total Environ 274:15–19.

Beckett, PHT. (1989) The use of extractants in studies on trace metals in soil, sewage sludges, and sludge-treated soils. Adv Soil Sci 9:143–176.

Bell, PF; Adamu, CA; Mulchi, CL; McIntosh, M; Chaney, RL. (1988) Residual effects of land applied municipal sludge on tobacco. I: Effects on heavy metals concentrations in soils and plants. Tob. Sci. 32:33-38.

Benjamin, MM; Leckie, JO. (1981) Competitive adsorption of Cd, Cu, Zn and Pb on amorphous iron hydroxides. J. Colloid Interface Sci. 83:410-419.

Berding, V; Schwartz, S; Matthies, M. (1999) Visualisation of the complexities of EUSES. Environ Sci Pollut Res 6:37–43.

11/24/2004 Peer Review Draft

Berglund, M., A. Askesson, B. Nermell, and M. Vahter. (1994) Intestinal absorption of dietary cadmium in women depends on body stores and fiber intake. Environ. Health Perspect. 102:1058-1065.

Berry, WJ; Hansen, DJ; Mahony, JD; et al. (1996) Predicting the toxicity of metal-spiked laboratory sediments using acid-volatile sulfide and interstitial water normalizations. Environ Toxicol Chem 15:2067–2079.

Beyer, WN; Heinz, GH; Redmon-Norwood, AW. (1996) Environmental contaminants in wildlife: intepreting tissue concentrations. Boca Raton, FL: Lewis Publishers.

Beyer, WN; Audet, DJ;, Morton, A; et al. (1998) Lead exposure of waterfowl ingesting Coeur d'Alene River Basin sediments. J Environ Qual 27:1533–1538.

Biesinger, KE; Christensen, GM; Fiandt, JT. (1986) Effects of metal salt mixtures on *Daphnia magna* reproduction. Ecotoxicol Environ Saf 11:9–14.

Binder, S; Sokal, D; Maugham, G. (1986) Estimating soil ingestion: the use of tracer elements in estimating the amount of soil ingestion by young children. Arch Environ Health 41:341–345.

Bingham, FT; Sposito, G; Strong, JE. (1986) The effect of sulfate on the availability of cadmium. Soil Sci 141:172–177.

Bjerregaard, P., S. Topçuoglu, N.S. Fisher and S.W. Fowler. (1985) Accumulation and retention of ²³⁷Pu and ²⁴¹Am in the mussel Mytilus edulis. Mar. Ecol. Prog. Ser. 21:99-111.

Blanck, H; Wangberg, SA; Molander, S. (1988) Pollution-induced community tolerance: a new ecotoxicological tool. In: Cairns, J, Jr; Pratt, JR,eds. Functional testing of aquatic biota for estimating hazards of chemicals. ASTM STP 998. American Society for Testing and Materials, Philadelphia, PA; pp. 219–230.

Blumberg, AF; Mellor, GL. (1987) A description of a three-dimensional coastal ocean circulation model. In: Heaps, N, ed. Three-dimensional coastal ocean models. American Geophysical Union, Washington, DC.

Blus, LJ; Henny, CJ; Hoffman, DJ; et al. (1991) Lead toxicosis in tundra swans near a mining and smelting complex in northern Idaho. Arch Environ Contam Toxic 21:549–555.

Bodek, IB; Lyman, WJ; Reehl, WF; Rosenblatt, DH, eds. (1988) Environmental inorganic chemistry: Properties, processes, and estimation methods. SETAC Spec. Publ. Ser. New York: Pergamon Press. Bohn, HL; McNeal, BL; O'Connor, GA. (1985) Soil chemistry, 2nd ed. New York: John Wiley & Sons.

Bogumil, R; Faller, Pl; Binz, PA; Vasak, M; Charnock, JM; and Garner, CD. (1998) Structural characterization of Cu(I) and Zn(II) sites in neuronal-growth-inhibitory factor by extended X-ray absorption fine structure (EXAS). Eur.J. Biochem. 255:172-177.

Bolger, PM; Yess, NJ; Gunderson, EL; Troxell, TC; Carrington, CD. (1996) Identification and reduction of sources of dietary lead in the United States. Food Additives Contam. 13:53-60.

Bossuyt, BT; Janssen, CR. (2002). Influence of bioavailability on acclimation of Daphnia magna to copper. Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen 67(4). 2002. 133-136.

11/24/2004 Peer Review Draft

Bowers, TS; Mattuck, RL. (2001) Further comparisons of empirical and epidemiological data with predictions of the integrated exposure uptake biokinetic model for lead in children. Hum Ecol Risk Assess 7(6):1699–1713.

Bowers, TS; Beck, BD; Karam, HS. (1994) Assessing the relationship between environmental lead concentrations and adult blood lead levels. Risk Anal 14(2):183–189.

Bradham, KD. (2002) Effect of soil properties on the bioavailability and toxicity of metals to *Eisenia andrei*. Ph.D. dissertation. Dept. of Zoology, Oklahoma State University.

Brady JA, Gemmiti-Nunn D, Polan AK, Mitchell D, Weil R, Vianna NJ. (1980) The relationship of dental practice characteristics to blood mercury levels. NY State Dental J 46:420-424.

Brix, KV; DeForest, DK. (2000) Critical review of the use of bioconcentration factors for hazard classification of metals and metal compounds. Parametrix, Inc., Kirkland, WA.

Brooks, RR. (1972) Geobotany and biogeochemistry in mineral exploration. New York: Harper & Row.

Brown, DS; Allison, JD. (1987) MINTEQA1. An Equilibrium Metal Speciation Model. User's Manual. U.S. Environmental Protection Agency, Athens, GA. EPA-600-3-87-012.

Brown, PL; Markich, SJ. (2000) Evaluation of the free ion activity model of metal-organism interaction: extension of the conceptual model. Aquat Toxicol 51:177–194.

Brown, GE, Jr; Foster, AL; Ostergren, JD. (1999a) Mineral surfaces and bioavailability of heavy metals: a molecular-scale perspective. Proc Natl Acad Sci 96:3388–95.

Brown, SL; Chaney, RL; Berti, W. (1999b) Field test of amendments to reduce the in situ availability of soil lead. In: Wenzel, WW; Adriano, DC; Alloway, B; et al., eds. Abstracts of the 5th international conference on biogeochemistry of trace elements. International Society for Trace Element Research. July 11–15, Vienna, Austria.

Brown, SL; Henry, CL; Compton, H; et al. (2000) Using municipal biosolids in combination with other residuals to restore metal-contaminated mining areas. In: Proceedings of a symposium on mining, forest and land restoration: the successful use of residual/biosolids/organic matter for reclamation activities. Rocky Mountain Water Environment Association. July 17–20, Denver, CO.

Brumbaugh, WG; Ingersoll, CG; Kemble, NE; May, TW; Zajicek, JL. (1994) Chemical characterization of sediments and pore water from the Upper Clark Fork River and Milltown Reservoir, Montana. *Environ Sci Chem* 13:1971-1983.

Bullock, O.R. (2000) Current methods and research strategies for modeling atmospheric mercury. Fuel Processing Technology 65-66:459-471; EPA/600/J-00/261.

Bullock, O.R. (2000) The importance of emissions speciation to the atmospheric transport and deposition of mercury. Presented at: EPA Conference on Assessing and Managing mercury from Historic and Current Mining Activities, San Francisco, CA, November 28-30, 2000.

Bullock, O.R., and Brehme, K.A. (2002) Atmospheric mercury simulation using the CMAQ model: formulation description and analysis of wet deposition results. Atmospheric Environment 36 (13):2135-2146; EPA/600/J-03/227.

11/24/2004 Peer Review Draft

Burgess, RM; Scott, KJ. (1992) The significance of in-place contaminated marine sediments on the water column: processes and effects. In Burton GA, Jr., ed. Sediment toxicity assessment. Boca Raton, FL: Lewis Publishing; pp 129-154.

Cabana, G; Tremblay, A; Kalff, J; et al. (1994) Pelagic food chain structure in Ontario lakes: a determinant of mercury levels in lake trout (*Salvelinus namaycush*). Can J Fish Aquat Sci 51:381–389.

Calabrese, EJ; Baldwin, LA. (1994) A toxicological basis to derive a generic interspecies uncertainty factor. Environ Health Perspect 102:14–17.

Calabrese, EJ; Stanek, EJ. (1993) Soil pica:nNot a rare event. J Environ Sci Health (Part A) 28:373–384.

Calabrese, EJ; Barnes, R; Stanek, EJ, III; et al. (1989) How much soil do young children ingest: an epidemiologic study. Regul Toxicol Pharmacol 10:123–137.

Calabrese, EJ; Stanek, EJ; Gilbert, CE; et al. (1990) Preliminary adult soil ingestion estimates: results of a pilot study. Regul Toxicol Pharmacol 12:88–95.

Calabrese, EJ; Stanek, EJ, III; Pekow, P; et al. (1997) Soil ingestion estimates for children residing on a Superfund site. Ecotoxicol Environ Safety 36:258–268.

Calamari, D; Alabaster, JS. (1980) An approach to theoretical models in evaluating the effects of mixtures of toxicants in the aquatic environment. Chemosphere 9:533–538.

Campbell, PGC. (1995) Interactions between trace metals and aquatic organisms:a critique of the free-ion activity model. In: Tessier, A; Turner, DR, eds. Metal speciation and bioavailability in aquatic systems. Chichester, UK: Wiley; pp. 45-102.

Campbell, PGC; Hansen, HJ; Dubreuil, B; et al. (1992) Geochemistry of Quebec North Shore salmon rivers during snowmelt: organic acid pulse and aluminum mobilization. Can J Fish Aquat Sci 49:1938–1952.

Campbell, PGC; Hontela, A; Rasmussen, JB; Giguère, A; Gravel, A; Kraemer, L; Kovesces, J; Lacroix, A; Levesque, H; Sherwood, G. (2003) Differentiating between direct (physiological) and food-chain mediated (bioenergetic) effects on fish in metal-impacted lakes. Human Ecol Risk Assess 9: 847-866.

Capar, S.G. and W.C. Cunningham. (2000) Element and radionuclide concentrations in food: FDA Total Diet Study 1991-1996. J. AOAC International. 83:157-177.

Carbanaro, R. (1999). Modeling metal sulfide fluxes from sediments. MS thesis. Department of Environmental Engineering. Manhattan College, Riverdale, NY.

Carignan, R; Tessier, A. (1985). Zinc deposition in acid lakes: the role of diffusion. Science, 228, 1524-1526.

Carlisle, JC; Wade, MJ. (1992) Predicting blood lead concentrations from environmental concentrations. Regul Toxicol Pharmacol 16:280–289.

Carlisle, J., J. Christopher, B. Davis, K. Klein, B. Renzi, and M. Wade. (2000) Updated version of the California

11/24/2004 Peer Review Draft

EPA lead risk assessment spreadsheet model for predicting blood lead in children and adults. Available at: http://www.dtsc.ca.gov/docs/sppt/herd/ledspred.html

Carlson, AR; Phipps, GL; Mattson, VR; et al. (1991) The role of acid-volatile sulfide in determining cadmium bioavailability and toxicity in freshwater sediments. Environ Toxicol Chem 10:1309–1319.

Casas, AM; Crecelius, EA. (1994) Relationship between acid volatile sulfide and the toxicity of zinc, lead and copper in marine-sediments. *Environ Toxicol Chem* 13:529-536.

Cataldo, DA; Wildung, RE. (1978) Soil and plant factors influencing the accumulation of heavy metals by plants. Environ Health Perspect 27:149–159.

Cederberg, GA; Street, RTL; Leckie, JO. (1985) A groundwater mass transport and equilibrium chemistry model for multicomponent systems. Water Resour. Res. 21:1095-1104.

CDC (Center for Disease Control and Prevention) (1991). Preventing lead poisoning in young children. Atlanta, GA, U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention.

CDC (2003) National Report on Human Exposure to Environmental Chemicals: Second Report) available at www.cdc.gov/exposurereport

Chaney, RL. (1980) Health risks associated with toxic metals in municipal sludge. In: Bitton, G., B.L. Damron, G.T. Edds, and J.M. Davidson, eds. Sludge—Health risks of land application. AnnArbor, MI: Ann Arbor Sci. Publ. Inc., pp. 59-83.

Chaney, RL; Mielke, HW; Sterrett, SW. (1988) Speciation, mobility and bioavailability of soil lead. In: Davis, BE; Wixon, BG, eds. Lead in soil: issues and guidelines. Northwood: Science Reviews; pp. 104-129.

Chaney, RL; Ryan, JA. (1993) Heavy metals and toxic organic pollutants in MSW-composts: Research results on phytoavailability, bioavailability, etc. In: Hoitink, A.J. and H.M. Keener, eds. Science and engineering of composting: Design, environmental, microbiological and utilization aspects. Columbus, OH: Ohio State University, pp. 451-506.

Chaney, RL; Ryan, JA. (1994) Risk-based standards for arsenic, lead and cadmium in urban soils. Frankfurt, Germany: DECHMEA.

Chaney, RL; Mielke, HW; Sterrett, SW. (1988) Speciation, mobility and bioavailability of soil lead. In: Davis, BE; Wixon, BG, eds. Lead in soil: issues and guidelines. Northwood: Science Reviews; pp. 104-129.

Chaney, RL; Brown, SL; Angle, JS; et al. (2000) In situ remediation/reclamation/ restoration of metals contaminated soils using tailor-made biosolids mixtures. In: Proceedings of mining, forest and land restoration symposium/workshop. Rocky Mountain Water Environment Association Biosolids Committee. July 17-19, Golden, CO.

Chang, SI; Reinfelder, JR. (2000) Bioaccumulation, subcellular distribution and trophic transfer of copper in a coastal marine diatom. Environ. Sci. Technol. 34:4931-4935.

11/24/2004 Peer Review Draft

Chapman, GA. (1987) Establishing sediment criteria for chemicals: regulatory perspective. In: Dickson, KL; Maki, AW; Brungs, WA, eds. Fate and effects of sediment-bound chemicals in aquatic systems. New York: Pergamon Press; pp 355-376.

Chapman, PM; Wang, F. Undated. Issues in ecological risk assessments of inorganic metals and metalloids. Available at: http://www.uoguelph.ca/cntc/files/era-metals.pdf.

Chapman, PM; Wang, F. (2000) Issues in ecological risk assessment of inorganic metals and metalloids. Hum Ecol Risk Assess 6(6):965–988.

Chapman, PM; Dias, GM (2003) [DRAFT] Topic: Assessing Atmospheric Metals Deposition. ORD Order No. 3W-0748-NASX.

Chapman, PM; Wang, F; Janssen, CR; et al. (2003) Conducting ecological risk assessments of inorganic metals and metalloids: current status. Human Ecol Risk Assess 9:641–697.

Charlatchka, R; Cambier, P; Bourgeois, S. (1997) Mobilization of trace metals in contaminated soils under anaerobic conditions. In: Prost, R, ed. Contaminated soils. Proceedings of the 3rd international conference on biogeochemistry trace elements. May 15–19, Paris, France.

Chen, CY; Folt, CL. Bioaccumulation and diminution of arsenic and lead in a freshwater food web. Environmental Science & Technology. 34(18):3878-3884.

Chen, Z; Mayer, LM. (1998) Mechanisms of Cu solubilization during deposit feeding. Environ Sci Technol 32:770775.

Cherian, MD; Goyer, RA. (1995) Part Three, Chapter 9, Section A, In: Berthon, G. ed. Handbook of metal-ligand interactions in biological fluids, Vol. 1. New York: Marcel Dekker, Inc., pp. 648-654.

Chiodo LM; Jacobson, SW; Jacobson, JL. (2004). Neurodevelopmental effects of postnatal lead exposure at very low levels. Neurotoxicol Teratol. 26(3):359-71.

Choudhury, H; Harvey, T; Thayer, WC; et al. (2001) Urinary cadmium elimination as a biomarker of exposure for evaluating a cadmium dietary exposure-biokinetics model. J Toxicol Environ Health 63:101–130.

Cia, L; Tsiapalis, G; Cherian, MG. (1998) Protective role of zinc metallothionein on DNA damage in vitro by ferric nitriloacaetate (Fe-NTA) and ferric salts. Chem-Biol Interact 115:141–151.

Clark TP, Chieffo C, Huhn JC, Nimz EL, Wang C, Boy MG. (2003) The steady-state pharmacokinetics and bioequivalence of carprofen administered orally and subcutaneously in dogs. J Vet Pharmacol Ther. 2003 Jun;26(3):187-92.

Clarke, R.H. (1995) ICRP recommendations applicable to the mining and minerals processing industries and to natural sources. International Commission on Radiological Protection. Health Phys. 69:454-60.

Clarkson, TW. (1986) Effects—general principles underlying the toxic action of metals. In: Friberg, L; Nordberg, GF; Vouk, V. eds. Handbook on the toxicology of metals, 2nd ed., Vol. 1. Amsterdam: Elsevier, pp. 85-127.

11/24/2004 Peer Review Draft

Clarkson, TW. (1993) Molecular and ionic mimicry of toxic metals. Ann Rev Pharmacol Toxicol 32:545–571.

Clausing, P; Brunekreef, B; van Wijen, JH. (1987) A method for estimating soil ingestion by children. Int Arch Occup Environ Health 59:73–82.

Clayton, CA; Pellizzari, ED; Whitmore, R; et al. (1999) National Human Exposure Assessment Survey (NHEXAS): distributions and associations of lead, arsenic and volatile organic compounds in EPA Region 5. J Exp Anal Environ Epidem 9:381–392.

Clayton, CA; Pellizzari, ED; Quackenboss, JJ. (2002) National Human Exposure Assessment Survey: analysis of exposure and routes for arsenic and lead in EPA Region 5. J Exp Anal Environ Epidem 12:29–43.

Clements, WH; Cherry, DS; Van Hassel, JH. (1992) Assessment of the impact of heavy metals on benthic communities at the Clinch River (Virginia): evaluation of an index of community sensitivity. Can J Fish Aquat Sci 49:1686–1694.

Clewell, HJ. (1995) The application of physiologically based pharmacokinetic modeling in human health risk assessment of hazardous substances. Toxicol Lett 79:207–217.

Cohen, J.T., B.D. Beck, T.S. Bowers, R.L. Bornschein, and E.J. Calabrese. (1998) An arsenic exposure model: Probabilistic validation using empirical data. Hum. Ecol. Risk Assess. 4(2):341-377.

Conder, JM; Seals, LD; Lanno, RP. (2002) Method for determining toxicologically relevant cadmium residues in the earthworm *Eisenia fetida*. Chemosphere 49:1–7.

Coombs, TL; George, SG. (1978) Mechanisms of immobilization and detoxication of metals in marine organisms. In: McLusky, DS; Berry, JA, eds. Physiology and behavior of marine organisms. Oxford: Pergamon Press; pp. 179–187.

Crecelus, EA; Hardy, JT; Bobson, CI; et al. (1982) Copper bioavailability to marine bivalves and shrimp: Relationship to cupric ion activity. Mar Environ Res 6:13–26.

Cress, WA; Throneberry, GO; Lindsey, DI..(1979) Kinetics of phosphorus absorption by mycorrhizal and nonmycorrhizal tomato roots. Plan Physiol 64:484–487.

Crist, ME; Oberhoiser, K; Schwartz, D; et al. (1988) Interactions of metals and protons with algae. Environ Sci Technol 22:755–760.

Crommentuijn, T; Doodeman, CJAM; Van der Pol, JJC; et al. (1994) Lethal body concentrations and accumulation patterns determine time-dependent toxicity of cadmium in soil arthropods. Environ Toxicol Chem 13:1781–1789.

Crommentuijn, T; Doodeman, CJAM; Van der Pol, JJC: et al. (1997) Bioavailability and ecological effects of cadmium on *Folsomia candida* (Willem) in an artificial soil substrate as influenced by pH and organic matter. Appl Soil Ecol 5:261–271.

Dabeka RW; McKenzie, AD. (1995) Survey of lead, cadmium, fluoride, nickel, and cobalt in food composites and estimation of the dietary intakes of these elements by Canadian adults and children. Journal of AOAC International 78: 897-909.

11/24/2004 Peer Review Draft

Dabeka RW; McKenzie, AD; Lacroix, GM; Cleroux, C; Bowe, S; Graham, RA; Conacher, HBS; Verdier, P. (1993) Survey of arsenic in total diet food composites and estimation of the dietary intake of arsenic by Canadian adults and children. Journal of AOAC International 76:14-25.

Davison, AG; Taylor, A; Darbyshire, J. (1988) Cadmium fume inhalation and emphysema. Lancet 26:663-667.

Davidson, W; Zhang, H. (1994) In situ speciation measurements of trace components in natural waters using thin-film gels. Nature 367:546–548.

Davis, S; Waller, P; Buschbom, JR; et al. (1990) Quantitative estimates of soil ingestion in normal children between the ages of 2 and 7 years: population-based estimates using aluminum, silicon, and titanium as soil tracer elements. Arch Environ Health 45:112–122.

Dawson, DC; Ballatori, N. (1995) Membrane transporters as site of action and routes of entry for toxic metals. In: Goyer, RA; Cherian, MG, eds. Toxicology of metals: biochemical aspects. New York: Springer-Verlag; pp. 53–76.

Delos, CG; Richardson, WI; DePinto, JV; et al. (1984) Technical guidance manual for performing waste load allocations: Book II. streams and rivers. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

de Schamphelaere, KAC; Janssen, CR. (2002) A biotic ligand model predicting acute copper toxicity for *Daphnia magna*: The effects of calcium, magnesium, sodium, potassium and pH. Environ. Sci. Technol. 36:48-54.

de Schamphelaere, KAC; Janssen, CR. (2004) Development and field validation of a biotic ligand model predicting chronic copper toxicity to *Daphnia magna*. Environ. Toxicol. Chem. 23:1365-1375.

de Schamphelaere, KAC; Heijerick, DG; Janssen, CR. (2002) Refinement and Field validation of a biotic ligand model predicting acute copper toxicity to *Daphnia magna*. Special issue: The biotic ligand model for metals—current research, future directions, regulatory implications. Comp. Biochem. Physiol. C 133:243-

DeVoto, E; Yokel, RA. (1994) The biological speciation and toxicokinetics of aluminum. Environ Health Perspect 102:940–51.

Diamond, ML. (1995) Application of a mass balance model to assess in-place arsenic pollution. Environ. Sci. Technol. 28(1): 29-42.

Diamond, ML; Mackay, D; et al. (1990) A model of the exchange of inorganic chemicals between water and sediments. Environ Sci Technol 24:713–722.

Diamond ML; Mudroch A. (1990) Review of techniques for quantifying the transfer of contaminants and nutrients from bottom sediments. National Water Research Institute Contribution No. 90-43, National Water Research Institute, Environment Canada, Burlington, Ontario, Canada.

Diamond ML; Mackay, D; Cornett, RJ; Chant, L. (1990) A model of the exchange of inorganic chemicals between water and sediments. *Environ. Sci. Tech.* 24: 713-722.

Dias, GM; Edwards, GC. (2003) Differentiating natural and anthropogenic sources of metals to the environment. Human Ecol Risk Assess 9: 699-721.

11/24/2004 Peer Review Draft

Dill, LM; Heithaus, MR; Walters, CJ. (2003) Behaviorally mediated indirect interactions in marine communities and their conservation implications. Ecology 84: 1151-1157.

Di Toro, DM. (1984) Probability model of stream quality due to runoff. J Environ Engineer ASCE 110:607-628.

Di Toro, DM. (1987) Modeling the fate of toxic chemicals in surface waters. Short course notes from 8th annual SETAC meeting. Pensacola, FL.

Di Toro, DM. (2001). Sediment flux modeling. New York: J. Wiley and Sons; pp 624.

Di Toro, DM; Fitzpatrick, JJ; Thomann, RV. (1981) Water quality analysis simulation program (WASP) and model verification program (MVP). Hrydroscience Inc. for U.S. EPA. Grosse Ile Laboratory, Grosse Ile, MI (revised in 1983).

Di Toro, DM; Mahony, JD; Hansen, DJ; et al. (1990) Toxicity of cadmium in sediments: the role of acid volatile sulfide. Environ Toxicol Chem 9:1487–1502.

Di Toro, D M; Hallden, JA; et al. (1991) Modeling ceriodaphnia toxicity in the Naugatuck River: II. copper, hardness and effluent interactions. Environ Toxicol Chem 10:261–274.

Di Toro, DM; Mahony, JD; Hansen, DJ; et al. (1992). Acid volatile sulfide predicts the acute toxicity of cadmium and nickel in sediments. Environ Toxicol Chem 26:96–101.

Di Toro, DM; Mahony, JD; Hansen, DJ; et al. (1996) A model of the oxidation of iron and cadmium sulfide in sediments. Environ Toxicol Chem 15:2168–2186.

Di Toro, DM; Hansen, DJ; McGrath, JA; et al. (1999) Predicting the toxicity of metals in sediments. In: Integrated approach to assessing the bioavailability and toxicity of metals in surface waters and sediments. Presented to the EPA Science Advisory Board, Office of Water, Office of Research and Development, Washington, DC. EPA-822-E-99-001.

Di Toro, DM; Allen, H; Bergman, H; et al. (2000) Biotic ligand model of the acute toxicity of metals: I. technical basis. Environ Toxicol Chem 20(10):2383–2396.

Di Toro, DM; Allen, HE; Bergman, HL; Meyer, JS; Paquin, PR; Santore, RC. (2001) A biotic ligand model of the acute toxicity of metals. I: Technical basis. Environ. Toxicol. Chem. 20:2383-2396.

Di Toro, DM; McGrath, JA; Hansen, DJ; Berry, WJ; Paquin, PR; Mathew, R; Wu, KB; Santore, RC. (2004) Predicting sediment metal toxicity using a sediment biotic ligand model: (I) single metals. Submitted.

Dlugaszek, M; Fiejka, MA; Graczy, A; et al. (2000) Effects of various aluminum compounds given orally to mice on Al tissue distribution and tissue concentrations of essential elements. Annu Rev Pharmacol Toxicol 86:135–139.

Domingo, JL. (1995) Reproductive and developmental toxicity of aluminum: a review. Neurotoxicol Teratol 17:515–521.

Duggan, MJ; Inskip, MJ. (1985) Childhood exposure to lead in surface dust and soil: a community health problem. Public Health Rev 13:1–54.

11/24/2004 Peer Review Draft

Duggan, MJ; Inskip, MJ; Rundle, SA; et al. (1985) Lead in playground dust and on the hands of schoolchildren. Sci Total Environ 44(1):65–80.

Dzombak, DA; Ali, MA. (1993) Hydrochemical modeling of metal fate and transport in freshwater environments. Watr Pollut Res J Can 28(1):7–50.

Dzombak, DA; Morel, FMM. (1990) Surface complexation modeling: Hydrous ferric oxide. New York: Wiley InterScience.

EC (European Commission). (1996) EUSES documentation: the European Union system for the evaluation of substances. National Institute of Public Health and the Environment (RIVM), The Netherlands.

Efroymson, RA; Sample, BE; Suter GW, II. (2001) Bioaccumulation of inorganic chemicals from soil by plants: regressions of field data. Environ. Toxicol. Chem 20:2561-2571.

Egan, SK; Tao, SS; Pennington, JA; et al. (2002) U.S. Food and Drug Administration's total diet study: intake of nutritional and toxic elements, 1991-1996. Food Addit Contam 19:103–125.

Ellis, KJ; Vartsky, D; Zanzi, I; et al. (1979) Cadmium: in vivo measurement in smokers and nonsmokers. Science 205:323–325.

Enserink, EL; Maas-Diepeveen, JL; Van Leeuwen, CJ. (1991) Combined effects of metals: an ecotoxicological evaluation. Wat Res 25:679–687.

Epstein, E. (1965) Mineral metabolism. In: Bonner, J; Varner, JE., eds. Plant biochemistry. London: Academic Press; pp. 438–466.

Epstein, E. (1972) Mineral nutrition of plants: principles and perspectives. New York: John Wiley & Sons.

(EC Health and Consumer Protection) European Commission Health & Consumer Protection Directorate-General Directorate C – Public Health and Risk Assessment C7 – Risk Assessment Brussels, C7/GF/csteeop/WFD/280504 D(04) Opinion of the Scientific Committee on Toxicity, Ecotoxicity and the Environment (CSTEE) On "The Setting of Environmental Quality Standards for the Priority Substances included in Annex X of Directive 2000/60/EC in Accordance with Article 16 thereof" Adopted by the CSTEE during the 43rd plenary meeting of 28 May 2004

EU (European Union) (1996). Technical Guidance Document in support of commission directive 93/67/EEC on risk assessment for new notified substances and commission regulation (EC) No 1488/94 on risk assessment of existing substances. Part II. Brussles, European Union. ISBN 92-827-8012-0.

Fairbrother, A. ed. (2002) Test Methods for Hazard Determination of Metals and Sparingly Soluble Metal Compounds in Soils. SETAC Press, Pensacola, FL.

Fairbrother, A. (2003) Lines of evidence in ecological risk assessment. Human Ecol. Risk Assess. 9:1475-1491.

Fairbrother, A; Kapustka, LA. (1997) Hazard classification of inorganic substances in terrestrial systems: A discussion paper. International Council on Metals and the Environment, Ottawa, Canada.

Fairbrother, A., L. Locke, and G. L. Hoff, eds. (1996) Non-infectious diseases of wildlife. 2nd Ed. Iowa State

11/24/2004 Peer Review Draft

University Press, Ames, IA.

Fan, W; Wang, W-X. (2001) Sediment geochemical controls on Cd, Cr, and Zn assimilation by the clam *Ruditapes philippinarum*. Environ Toxicol Chem 20:2309–2317.

Fargašová, A. (2001) Winter third- to fourth-instar larvae of *Chironomus plumosus* as bioassay tools for assessment of acute toxicity of metals and their binary combinations. Ecotoxicol Environ Saf 48:1–5.

Felmy, AR; Brown, SM; Onishi, Y; et al. (1984) MEXAMS: the metals exposure analysis modeling system. U.S. Environmental Protection Agency, Athens, GA. NTIS No. PB84 157155.

Fergusson, JE; Ryan, DE. (1984) The elemental composition of street dust from large and small urban areas related to city type, source and particle size. Sci Total Environ 34:101–116.

Field, L; Macdonald, D; et al. (2002). Predicting amphipod toxicity from sediment chemistry using logistic regression models. Environ Toxicol Chem 21(9):1993–2005.

Finney, DJ. (1947) Probit analysis: a statistical treatment of the sigmoidal response curve. Cambridge, UK: Cambridge University Press.

FIU (Florida International University), Dietary Reference Intakes (DRIs)/Recommended Dietary Allowances (RDAs) (2004) Dietary Reference Intakes for Older Adults (updated 03/19/04), compiled by the National Policy and Resource Center on Nutrition and Aging, FIU, Miami, FL.

Fisher, NS. (1986) On the reactivity of metals for marine phytoplankton. Limnol Oceangr 31:443-447.

Fisher, NS; Teyssié, J-L; Fowler, SW; Wang, W-X. (1996) Accumulation and retention of metals in mussels from food and water: a comparison under field and laboratory conditions. Environ. Sci. Technol. 30:3232-3242.

Fleming, D.E.B., D.R. Chettle, J.G. Wetmur, R.G. Desnick, J. Robin, D. Boulay, N.S. Richard, C.L. Gordon, and C.E. Webber. (1998) Effect of the d-aminolevulinic dehydratase polymorphism on the accumulation of lead in bone and blood in lead smelter workers. Environ. Res. 77:49-61.

FNB (Food and Nutrition Board). (2000) Dietary Reference Intakes for Vitamin A, Vitamin K, Arsenic, Boron, Chromium, Copper, Iodine, Iron, Manganese, Molybdenum, Nickel, Silicon, Vanadium, and Zinc. Washington: National Academies Press. Summary Pp 1-28.

Forstner, U. (1987) Sediment-associated contaminants: an overview of scientific basis for developing remedial options. Hydrobiologia 149:221–246.

Forstner U. (1995a) In: Biogeodynamics of Pollutants in Soils and Sediments. W Salomons, WM Stigliani (Eds). Springer, Berlin.

Forstner, U. (1995b) Land contamination by metals: Global scope and magnitude of the problem. In: Allen, H. Et al., eds. Metal speciation and contamination of soil. Boca Raton, FL: Lewis Publishers.

Fowler BA. ed. (1983) Biological and environmental effects of arsenic. New York: Elsevier Science Publishing Company.

11/24/2004 Peer Review Draft

Fowler, BA; Mahaffey, KR. (1978) Interactions among lead, cadmium and arsenic in relation to porphyrin excretion patterns. Environ Health Perspect 25:87–90.

Foulkes, E.C. 2000. Transport of toxic heavy metals across cell membranes. Proc. Soc. Exp. Biol. Med 223:234-40.

Fowler, B.A., and K.R. Mahaffey. 1978. Interactions among lead, cadmium and arsenic in relation to porphyrin excretion patterns. Environ. Health Perspect. 25:87-90.

Foy, CD; Chaney, RL; White, MC. (1978) The physiology of metal toxicity in plants. Ann Rev Plant Physiol 29:511–566.

Franke, C; Studinger, G; Berger, G; et al. (1994) The assessment of bioaccumulation. Chemosphere 29:1501–1514.

Freeman, GB; Johnson, JD; Killinger, JM; et al. (1993) Bioavailability of arsenic in soil impacted by smelter activities following oral administration in rabbits. Fund Appl Toxicol 21: 83–88.

Freeman, G.B., RA. Schoof, M.V. Ruby, A.O. Davis, J.A. Dill, S.C. Liao, C.A. Lapin, and P.D. Bergstrom. (1995) Bioavailability of arsenic in soil and house dust impacted by smelter activities following oral administration in cynomolgus monkeys. Fundam. Appl. Toxicol. 28:215-22.

Freeze, SA; Cherry, JA (1979) Groundwater. Englewood Cliffs, NJ: Prentice Hall, Inc.

Friis, L; Petersson, L; Edling, C. (1998) Reduced cadmium levels in human kidney cortex in Sweden. Environ Health Perspect 106:175–178.

George, SG. (1982) Subcellular accumulation and detoxication of metals in aquatic animals. In: Vernberg, WB; Calabrese, A; Thurberg, FP; et al., eds. Physiological mechanisms of marine pollutant toxicity. Oxford: Academic Press.

George, SG. (1990) Biochemical and cytological assessments of metal toxicity in marine animals. In: Heavy metals in the marine environment. Furness, RW; Rainbow, PS, eds. Boca Raton, FL: CRC Press; pp.123–142.

George, E; Römheld, V; Marschner, H. (1994) Contribution of Mycorrhizal Fungi to Micronutrient Uptake by Plants. IN: Manthey, J.A., D.E. Crowley, and D.G. (eds). Biochemistry of metal micronutrients in the rhizosphere Lewis Publishers, Boca Raton, FL pp.93-110.

Gerbel, T. (1998) Suppression of arsenic induced-chromosome mutagencity by antimony. Mut. Res. 412:213-218.

Gettier, SW; Martens, DC; Donohue, SI. (1985) Soybean yield response prediction from soil and tissue manganese levels. Agron J 77:63–67.

Goodrum, PE; Diamond, GL; Hassett, JM; et al. (1996) Monte Carlo modeling of childhood lead exposure: development of a probabilistic methodology for use with the U.S. EPA IEUBK Model for Lead in Children. Hum Ecol Risk Assess 2:681–708.

Gooddy, DC; Shand, P; Kinniburgh, DG; Van Riemsdijk, WH (1995) Field-based partition coefficients for trace elements in soil solutions. Eur. J. Soil Scie. 46(2):265-286.

11/24/2004 Peer Review Draft

Gorsuch, JW; Janssen, C; Lee, CM; et al. (eds). (2002) The biotic ligand model for metals: current research, future directions, regulatory implications. Comp Biochem Physiol C 133:343.

Goyer, R.A. 1995. Transplacental transfer of lead and cadmium. In: Goyer, R.A. and M.G. Cherian, eds. Toxicology of metals. New York: Springer-Verlag, pp. 1-13.

Goyer, RA; Clarkson, TM (2001) Toxic effects of metals. In: Klaassen, CD, ed. Casarett & Doull's toxicology. New York: McGraw-Hill; pp. 811–868.

Goyer, RA; Golub, M; Choudhury, H; Hughes, M; Kenyon, E; Stifelman, M. (2004) Issue paper on the human health effects of metals. September 2004. Available at: http://cfpub1.epa.gov/ncea/raf/recordisplay.cfm?deid=86119.

Grandjean, P., S.S. Brown, P. Reavey, and D.S. Young. (1994) Biomarkers of chemical exposure: State of the art. Clin. Chem. 40:1360-1362.

Granick, J.L., S. Sassa, R.D. Granick, R.D. Levere, and A. Kappas. (1973) Studies in lead poisoning II: Correlation between the ration of activated to inactivated d-aminolevulinic acid dehydrates of whole blood and the blood lead level. Biochem. Med. 8:149-159.

Graziano, JH; Blum, CB; LoIacano, NJ; et al. (1996) A human in vivo model for the determination of lead bioavailability using stable isotope dilution. Environ Health Perspect 104:176–179.

Greszta, J. (1982) Correlation between the content of copper, zinc, lead and cadmium in the soil and the content of these metals in the seedlings of selected forest tree species. Frag Flor Geobot 28:(1):29–52.

Griffin, S; Goodrum, PE; Diamond, GL; et al. (1999) Application of a probabilistic risk assessment methodology to a lead smelter site. Hum Ecol Risk Assess 5:845–868.

Gulson, BL; Pounds, JG; Mushak, P; et al. (1999a) Estimation of cumulative lead releases (lead flux) from the maternal skeleton during pregnancy and lactation. J Lab Clin Med 13(6):631–640

Gulson, BL; Mahaffey, KR; Jameson, C; et al. (1999b) Impact of diet on lead in blood and urine in female adults and relevance to mobilization of lead from bone stores. Environ Health Perspect 107(44):257–263.

Gulson, BL; Mahaffey, KR; Mizon, KJ; Korsch, M; Cameron, MA, Vimpani, G. (1995) Contribution of tissue lead to blood lead in adult female subjects based on stable lead isotope methods. J. Lab. Clin. Med. 12:703-712.

Gunderson, BL (1995) FDA total diet study, July 1986-April 1991, dietary intakes of pesticides, selected elements, and other chemicals. Journal of AOAC International, 1353-1363.

Gundersen, JK; Jorgensen, EL; Larsen, E; et al. (1992) Mats of giant sulfur bacteria on deep-sea sediments due to fluctuating hydrothermal flow. Nature 360:454–455.

Guo, Z. (2002) Review of indoor emission source models. Overview Environ. Pollut 120:533-549.

Gupta, SK; Chen, KY. (1975) Partitioning of trace elements in selective chemical fractions of nearshore sediments.

11/24/2004 Peer Review Draft

Environ Lett 10:129-158.

Gustafson, JP (2003) Visual MINTEQ, version 2.14; a Windows version of MINTEQA2, version 4.0. http://www.lwr.kth.se/english/OurSoftware/Vminteq/

Hansen, DJ; Berry, WJ; Mahony, JD; et al. (1996) Predicting the toxicity of metal contaminated field sediments using interstitial water concentrations of metals and acid volatile sulfide normalizations. Environ Toxicol Chem 15:2080–2094.

Hare, L; Carignan, R; Heurtadiaz, MA. (1994). Field-study of metal toxicity and accumulation by benthic invertebrates – implications for the acid volatile sulfide (AVS). Limnol Oceanography 39:1653-1668.

Hare, L; Tessier, A; Borgmann, U. (2003) Metal sources for freshwater invertebrates: pertinence for risk assessment. Human Ecol Risk Assess. 9: 779-793.

Hargrove, WW; Hoffman, FM. (1999) Locating and characterizing the borders between ecoregions using multivariate geographic clustering. Oak Ridge National Laboratory, TN. Available at: http://research.esd.ornl.gov/~hnw/borders/.

Hawley, JK. (1985) Assessment of health risk from exposure to contaminated soil. Risk Anal 5:289-302.

Haygarth, PM; Jones, KC. (1992) Atmospheric deposition of metals to agricultural surfaces. In: Adriano, DC, ed. Biogeochemistry of trace metals. Boca Raton, FL: CRC/Lewis Publishers; pp. 249–276.

Hendriks, AJ; Heikens, A. (2001) The power of size. 2. Rate constants and equilibrium ratios for accumulation of inorganic substances related to species weight. Environ. Toxicol. and Chem. 20:1421-1437.

Henny, CJ; Blus, LJ; Hoffman, D; et al. (2000) Field evaluation of lead effects on Canada geese and mallards in the Coeur d'Alene River Basin, Idaho. Arch Environ Contam Toxicol 39:97–112.

Hertzberg, R. C., G. E. Rice, and L. K. Teuschler. 1999. Methods for health risk assessment of combustion mixtures. Pages 105-148 in S. Roberts, C. Teaf, and J. Bean, editors. Hazardous Waste Incineration: evaluating the human health and environmental risks. CRC Press, Boca Raton.

Hill, CH. (1979) The effect of dietary protein levels on mineral toxicity in chicks. J. Nutr. 109:501-507.

Hilsenhoff, WL. (1987) An improved biotic index of organic pollution. Great Lakes Entomol 20:31–39.

Hoffman, AA; Parsons, PA. (1997). Extreme environmental change and evolution. Cambridge University Press, Cambridge, UK.

Hoffmann, MR. (1981) Thermodynamic, kinetic and extrathermodynamic considerations in the development of equilibrium models for aquatic systems. Environ Sci Technol 15:345–353.

Hogan, K; Marcus, A; Smith, R; et al. (1998) Integrated exposure uptake biokinetic model for lead in children: Empirical comparisons with epidemiological data. Environ Health Perspect 106(Suppl. 6):1557–1567.

Hook, SE. (2001) Sublethal toxicity of metals to copepods. Ph.D. dissertation. State University of New York

11/24/2004 Peer Review Draft

(SUNY) at Stony Brook.

Hostynek, JJ; Hinz, RS; Lorence, CR; Price, M; Guy, RH. (1993). Metals and the skin. Crit. Rev. Toxicol. 23:171-235.

Hostynek, JJ; Hinz, RS, Lorence, CR, Guy, RH. (1998) Human skin penetration by metal compounds. In Roberts, MS; Walters, KA, eds. Dermal Absorption and Toxicity Assessment, Marcell Dekker Inc., New York.

Hook, S.E., and N.S. Fisher. (2001) Reproductive toxicity of metals in calanoid copepods. Mar. Biol. 138:1131-1140.

Hook, SE; Fisher, NS. (2002) Relating the reproductive toxicity of five ingested metals in calanoid copepods with sulfur affinity. Marine Environ Res 53:161–174.

Hopkin, SP. (1989) Ecophysiology of metals in terrestrial invertebrates. London: Elsevier Applied Science.

Hostynek, J.J., Hinz, R.S, Lorence, C.R, and Guy, R.H. (1998) Human Skin Penetration by Metal Compounds. In M.S. Roberts and K.A. Walters, eds. Dermal Absorption and Toxicity Assessment, Marcel Dekker, Inc., New York.

Hudson, RJM; Gherini, SA; Watras, CJ; et al. (1994) A mechanistic model for the biogeochemical cycle of mercury in lakes. In: Watras, CJ; Huckabee, JW, eds. Mercury as a global pollutant. Chelsea, MI: Lewis Publishers.

Huertadiaz, MA; Carignan, R; Tessier, A. (1993). Measurement of trace-metals associated with acid volatile sulfides and pyrite in organic fresh-water sediment. Environ Sci Technol 27:2367-2372.

Huheey, JE; Keiter EA; Keiter, RI. (1993) Inorganic chemistry—principles of structure and reactivity, 4th ed. New York: Harper Collins College Publishers, 964 pp.

Hunt, A; Johnson, DL; Watt, JM; et al. (1992) Characterizing the sources of particulate lead in house dust by automated scanning electron microscopy. Environ Sci Technol 26:1513–1523.

Hursh, JB; Clarkson, TW, Miles, EF, Goldsmith, LA. (1989) Percutaneous absorption of mercury vapor by man. Arch. Environ. Health 44:120-127.

HydroQual (1982) Application guide for CMA-HydroQual chemical fate models. Report No. C113 for the Chemical Manufacturers Association Aquatic Research Task Group, Washington, DC. 201pp. Mahway, NJ.

HydroQual (1997) Documentation for the probabilistic analysis program MONTE. Mahway NJ.

HydroQual (1998) A primer for ECOMSED, Version 1.3. Mahway NJ.

LTI. (1994) Dynamic toxics wasteload allocation model (DYNTOX), version 2.0 user's manual. Ann Arbor, MI..

IARC (International Agency for Research on Cancer) (2004) Inorganic and organic lead compounds. Volume 87. Available at: http://www-cie.iarc.fr/htdocs/announcements/vol87.htm

Idaho Department of Health and Welfare (2000) Coeur d'Alene River Basin environmental health assessment. Agency for Toxic Substances and Disease Registry, Atlanta, GA.

11/24/2004 Peer Review Draft

Ilyin, LA; Ivannikov, AT; Parfenov, YD; Stolyarov, VP. (1975) Strontium absorption through damaged and undamaged human skin. Health Phys 29:75-80.

Ingersoll, CG; Haverland, PS; Brunson, EL; et al. (1996) Calculation and evaluation of sediment effect concentrations for the amphipod *Hyalella azteca* and the midge *Chironomus riparius*. J Great Lakes Res 22:602–623.

Isaure, M.-P; Laboudique, A; Manceau, A; et al. (2002) Quantitative Zn speciation in a contaminated dredged sediment by μPixe, μ-SXRF, EXAFS spectroscopy and principal component analysis. Geochim Cosmochim Acta 66(9):1549–1567.

Jaffe, D., M. S. Landis, P. Weisspenzias, and E. Prestbo.. (2003) Comments on "Mercury Concentrations in Costal California Precipitation: Evidence of Local and Trans-Pacific Fluxes of Mercury to North America" By Steding and Flegal (2002). J Geophys Res-Atmos 108(D17):ACH 11-1 to ACH 11-2.

James, BR (1994) Hexavalent chromium solubility and reduction in alkaline soils enriched with chromite ore processing residue. J. Environ. Qual. 23:227-233.

James, AC; Stahlhofen, W; Rudolf, GR; et al. (1994) Deposition of inhaled particles. Annals of the ICRP (Pub. No. 66) 24(1–3):231–299.

Janes, N; Playle, RC. (1995) Modeling silver binding to gills of rainbow trout (Oncorhynchus mykiss). Environ Toxicol Chem 14:1847–1858.

Janssen, C; Muyssen, B. (2001) Essentiality of metals: consequences for environmental risk assessments. Fact sheet #5 on environmental risk assessment. International Council on Metals and the Environment (ICME), Ottawa, Ontario, Canada.

Janssen, CR; Heijerick, DG. (2003). Algal toxicity tests for environmental risk assessments of metals. IN: Ware, George W. [Editor,] Reviews of Environmental Contamination and Toxicology. 178:23-52.

Jarup, L.; Berglund, M.; Elander, C.; Nordberg, G.; Vahter, M. (1998) Health effects of cadmium exposure—a review of the literature and a risk estimate. Scand. J. Work Environ. Health 24(Suppl 1):1-52.

Jeffree, RA. (1988) Patterns of accumulation of alkaline-earth metals in the tissue of the freshwater mussel *Velesunio angasi*. Archiv fuer Hydrobiologie112: 67-90.

Jing, J; Logan, T (1992) Effects of sewage sludge cadmium concentration on chemical extractability and plant uptake. J. Environ. Qual. 21:73-81.

Jones, MM; Vaughn, WK. (1978) HSAB theory and acute metal ion toxicity and detoxification processes. J Inorg Nucl Chem 40:2081–2088.

Kabata-Pendias, A. and H. Pendias (2001). Trace elements in soils and plants. Boca Raton, Fla., CRC Press.

Kagi, J.H.R., and Y. Kogima, eds. 1987. Chemistry and biochemistry of metallothionein. Boston: Birkhäuser, pp. 25-61.

11/24/2004 Peer Review Draft

Kahle, J; Zauke, G-P. (2003) Bioaccumulation of trace metals in the Antarctic amphipod *Orchomene plebs*: evaluation of toxicokinetic models. Marine Environmental Research 55:359-384.

Kamunde, C; Grosell, MH; Wood, CM. (2002) Copper metabolism in actively growing rainbow trout (Oncorhynchus mykiss): interactions between dietary and waterborne copper uptake. J Exp Biol 205(Pt 2)279–290.

Kapustka, LA; Clements, WH; Ziccardi, L; Paquin, PR; Sprenger, M; Wall, D. (2004) Issue paper on the ecological effects of metals. September 2004. http://cfpub1.epa.gov/ncea/raf/recordisplay.cfm?deid=86119>.

Karunaratne, RS; Baker, JH; Barker, AV. (1986) Phosphorus uptake by mycorrhizal and nonmycorrhizal roots of soybean *Glycine max*. J Plant Nut 9:103–1314.

Kemp, PF; Swartz, RC. (1986) Acute toxicity of interstitial and particle-bound cadmium to a marine infaunal amphipod. Mar Environ Res 26:135–153.

Kheboian, C; Bauer, CF. (1987) Accuracy of selective extraction procedures for metal speciation in model aquatic sediments. Anal Chem 59:1417–1423.

Khoury, GA; Diamond, GL. (2003) Risks to children from remedial or removal activities at superfund sites: a case study of the rsr lead smelter Superfund site. J Exp Anal Environ Epidemiol. In press.

Kiffney, PM; Clements, WH. (1996) Effects of metals on stream macroinvertebrate assemblages from different altitudes. Ecol Appl 6:472–481.

Kimber I, Basketter DA. 1996. Contact Hypersensitivity to Metals. In: Chang LW Toxicology of Metals. Boca Raton: CRC Press, pp 827-834.

Kjellstrom, T., and G.F. Nordberg. 1978. A kinetic model of cadmium metabolism in the human being. Environ. Res. 16:248-269.

Klerks, PL; Levinton, JS. (1993) Evolution of resistance and changes in community composition in metal-polluted environments: a case study on foundry cove. In: Dallinger, R; Rainbow, PS, eds Ecotoxicology of metals in invertebrates. SETAC Special Publication Series. Ann Arbor, MI: Lewis Publishers; p. 223–241.

Kostial, K., D. Kello, S. Jugo, I. Rabar, and T. Maljkovic. 1978. Influence of age on metal metabolism and toxicity. Environ. Health Perspect. 25:81-86.

Kraak, MHS; Lavy, D; Schoon, H; et al. (1994) Ecotoxicity of mixtures of metals to the zebra mussel *Dreissena* polymorpha. Environ Toxicol Chem 13:109–114.

Krantzberg, C; Stokes, PM. (1988) The importance of surface adsorption and pH in metal accumulation by chironomids. Environ Toxicol Chem 7:653–670.

Krishnan, K., and M.E. Andersen. 1994. Physiologically based pharmacokinetic modeling in toxicology In: Hayes, A.W., ed. Principles and methods in toxicology, 3rd ed. New York: Raven Press, Ltd., pp. 149-188.

Landis, M. S., and R. K. Stevens. (2003) Comments on "Measurements of Atmospheric Mercury Species at a Costal Site in the Antarctic and Over the South Atlantic Ocean During Polar Summer"; Environ Sci Technol

11/24/2004 Peer Review Draft

37(14):3239-3240.

Langmuir, D. (1997) Aqueous environmental chemistry. Upper Saddle River, NJ: Prentice-Hall.

Langmuir, D; Chrostowsk, P; Vigneault, B Chaney, R. (2004) Issue paper on the environmental chemistry of metals. September 2004. http://cfpub1.epa.gov/ncea/raf/recordisplay.cfm?deid=86119.

Langston, WJ. (1980) Arsenic in U.K. estuarine sediments and its availability to benthic organisms. J Mar Biol Assn UK 60:869–881.

Lanno, RP; LeBlanc, S; Knight, B; et al. (1998) Application of body residues as a tool in the assessment of soil toxicity. In: Sheppard, S; Bembridge, J; Holmstrup, M; et al., eds. Advances in earthworm ecotoxicology. Pensacola, FL: SETAC Press; pp. 41–53.

Laperche, V; Logan, TI; Gaddam, P; et al. (1997). Effect of apatite amendments on plant uptake of lead from contaminated soil. Environ Sci Technol 31:2745–2753.

Larison, JR; Likens, GE; Fitzpatrick, JW; Crock, JG. (2000). Cadmium toxicity among wildlife in the Colorado Rocky Mountains. Nature. 406:181-183.

Larsson, P. (1985) Contaminated sediments of lakes and oceans act as sources of chlorinated hydrocarbons for release to water and atmosphere. Nature 317:347–349.

Laurie, SH; Manthey, JA. (1994) The Chemistry and Role of Metal Ion Chelation in Plant Uptake Processes. IN: Manthey, J.A., D.E. Crowley, and D.G. (eds). Biochemistry of metal micronutrients in the rhizosphere Lewis Publishers, Boca Raton, FL pp. 165-182.

LaVelle, JM; Poppenga, RH; Thacker, BJ; et al. (1991) Bioavailability of lead in mining waste: an oral intubation study in young swine. In: Proceedings of the International Symposium on the Bioavailability and Dietary Uptake of Lead. Sci Technol Lett 3:105–111.

Lazo, JS; Kuo, SM; Woo, ES; Pitt, BR. (1998) The protein thiol metallothionein as an antioxidant and protectant against antineoplastic drugs. Chem Biol Interact. Apr 24,111-112:255-262.

Lee, B-G; Griscom, SB; Lee, JS; et al. (2000) Influences of dietary uptake and reactive sulfides on metal bioavailability from aquatic sediments. Science 287:282–284.

Leggett, RW. (1993) An age-specific kinetic model of lead metabolism in humans. Environ Health Perspect 101:598–616.

LePoire, D; Arnish, J; Gnanapragasam, ES; et al. (2000) Probabilistic modules for the RESRAD and RESRAD-build computer codes. NUREG/CR-XX ANL/EAD/TM-91. Argonne National Laboratory, Argonne, IL.

Liess, M; Champeau, O; Riddle, M; Schulz, R; Duquesne, S.(2001) Combined effects of ultraviolet-B radiation and food shortage on the sensitivity of the Antarctic amphipod *Paramoera walkeri* to copper. Environ Toxicol Chem 20: 2088-2092.

LePoire, D; Arnish, J; Gnanapragasam, ES; et al. (2000) Probabilistic modules for the RESRAD and RESRAD-

11/24/2004 Peer Review Draft

build computer codes. NUREG/CR-XX ANL/EAD/TM-91. Argonne National Laboratory, Argonne, IL.

Llobet, JM; Domingo, JL; Gomez, M; et al (1987) Acute toxicity studies of aluminum compounds: antidotal efficacy of several chelating agents. Ann Rev Pharmacol Toxicol 60:80–3.

Lindqvist, O (1994) Atmospheric cycling of mercury: An overview. In: Watras, CJ and Huckabee, JW, eds. Mercury pollution: Integration and synthesis. Boca Raton, FL: Lewis Publishers.

Lofts, S; Tipping, E. (1998) An assemblage model for cation binding by natural particulate matter. Geochem Cosmochim Acta 62(15):2609–2625.

Logan, TJ; Traina, SJ. (1993) Trace metals in agricultural soils. Chapter 10 in: Metals in Groundwater. Eds. Allen, H.E., E.M. Perdue, and D.S. Brown. New York: Lewis Publishers, pp. 309-347.

Long, ER; Morgan, LG. (1990) The potential for biological effects of sediment sorbed contaminants tested in the National Status and Trends Program. NOS OMA 52. Technical Memorandum. National Oceanic and Atmospheric Administration, Office of Oceanography and Marine Assessment, Seattle, WA.

Long, ER; Morgan, LG. (1991). The potential for biological effects of sediment-sorbed contaminants tested in the National Status and Trends Program. NOAA Tech. Memo. NOS OMA 52. Seattle, WA

Loux, NT; Brown, DS; Chafin, CR; Allison, JD; Hassan, SM. (1990) Modeling geochemical processes attenuating inorganic contaminant transport in the subsurface region: Adsorption on amorphous iron oxide. In: Murarka, I. and S. Cordle, eds. Proc. Envir. Res. Conf. on Groundwater Qual. and Waste Disposal. Report EPRI EN-6749. Palo Alto, CA: Electrical Power Research Inst.

Lu, Y; Allen, HE. (2002) Characterization of copper complexation with natural dissolved organic matter (DOM): link to acidic moieties of DOM and competition by Ca and Mg. Water Res 36:5083–5101.

Lumsdon, DG; Evans, LJ. (1995) Predicting chemical speciation and computer simulation. In: Ure, AM; Davidson, CM, eds. Chemical speciation in the environment. London: Blackie; pp. 86–134.

Luoma, SN. (1989) Can we determine the biological availability of sediment-bound trace elements? Hydrobiologia 176/177:379–396.

Luoma, SN; Bryan, GW. (1978) Factors controlling the availability of sediment-bound lead to the estuarine bivalve *Scrobicularia plana*. J Mar Biol Assn UK 58:793–802.

Ma, YB; Uren, NC. (1995) Application of new fractionation scheme for heavy metals in soils. Commun Soil Sc Plant Ana 26:3291–3303.

MacDonald, DD; Carr, RS; Calder, FD; et al. (1996) Development and evaluation of sediment quality guidelines for Florida coastal waters. Ecotoxicol 5:253–278.

MacDonald, DD; Ingersoll, CG; Berger, TA. (2000) Development and Evaluation of Consensus-Based Sediment Quality Guidelines for Freshwater Ecosystems. Arch. Environ. Contam. Toxicol. 39:20-31.

Mackay, D. (1979) Finding fugacity feasible. Environ Sci Tech 13(10):1218.

11/24/2004 Peer Review Draft

Mackay, D. (1991) Multimedia Environmental Models. Chelsea, MI: Lewis Publishers.

Mackay, D; Paterson, S; et al. (1992). Generic models for evaluating the regional fate of chemicals. Chemosphere 24:695–717.

Maddaloni, M; et al. (1998) Meal-weighted bioavailability of soil-bourne lead in adults: use of empirical data analyzed by stable isotope dilution, and probabilistic worker exposure scenarios. Toxicologist 124:25.

Manceau, A; Lanson, B; Schlegel, ML; et al. (2000) Quantitative Zn speciation in smelter-contaminated soils by EXAFS spectroscopy. Fr Amer J Sci 300(4):289–343.

Manceau, A; Boisset, M-C; Sarret, G; et al. (1996) Direct determination of lead speciation in contaminated soils by EXAFS spectroscopy. Environ Sci Technol 30:1540–1552.

Markich, SJ; Brown, PL; Jeffree, RA; et al. (2000) Valve movement responses of *Velesunio angasi* (Bivalvia: Hyriidae) to manganese and uranium: an exception to the free ion activity model. Aquat Toxicol 51:155–175.

Markich, SJ; Brown, PL; and Jeffree, RA. (2001) Divalent metal accumulation in freshwater bivalves: an inverse relationship with metal phosphate solubility. The Science of the Total Environment 275: 27-41.

Marschner, H. (1995) Mineral nutrition of higher plants. ed. San Diego: Academic Press. 2nd Edition.

Marschner, H. (1998) Soil-root interface: biological and biochemical processes. In: Huang, PM, ed. Soil chemistry and ecosystem health. Soil Science Society of America, Madison, WI; pp. 191–232.

Martin, JL; Medine, AJ. (1998) Metal exposure and transformation assessment models: model documentation for version 3. Medine Environmental Engineering. Boulder, CO.

Mason, AZ; Jenkins, KD. (1995) Metal detoxification in aquatic organisms. In: Tessier, A; Turner, DR, eds. Metal speciation and bioavailability in aquatic systems. Chichester, UK: John Wiley & Sons; pp. 479–608.

Masters, BA; Kelly, EJ; Quaife, CJ; Brinster, RL; and Palmiter, RD. (1994) Targeted disruption of metallothionein I and II genes increases sensitivity to cadmium. Proc. Nat. Acad. Sci. 91:584-588.

Mayer, LM; Weston, DP; Bock, MJ. (2001) Benzo[a]pyrene and zinc solubilization by digestive fluids of benthic invertebrates: a cross-phyletic study. Environ Toxicol Chem 20:1890–1900.

McCarthy, LS; Mackay, D. (1993) Enhancing ecotoxicological modeling and assessment. Environ Sci Technol 27:1719–1728.

McCarty, K.M., D.B. Senn, M.L. Kile, Q. Quamruzzaman, M. Rahman, G. Mahiuddin, and D.C. Christian. 2004. Antimony: An unlikely confounder in the relationship between well water arsenic and health outcome in Bangladesh. Environ Health Perspect. 112:809-811.

McDowell, LR. (2003) Minerals in animal and human nutrition, 2nd ed. Amsterdam: Elsevier.

McGeer, JC; Playle, RC; Wood, CM; et al. (2000) A physiologically based biotic ligand model for predicting the acute toxicity of waterborne silver to rainbow trout in freshwaters. Environ Sci Technol 34:4199–4207.

11/24/2004 Peer Review Draft

McGeer, JC; Brix, KV; Skeaff, JM; et al. (2003) Inverse relationship between bioconcentration factor and exposure concentration for metals: implications for hazard assessment of metals in the aquatic environment. Environ Toxicol Chem 22(5)1017–1037.

McGeer, J; Henningsen, G; Lanno, R; Fisher, N; Sappington, K; Drexler, JW. (2004). Issue Paper on the Bioavailability and Bioaccumulation of Metals. September 2004. http://cfpub1.epa.gov/ncea/raf/recordisplay.cfm?deid=86119>.

McGrath, SP. (1995) Chromium and nickel. In: Alloway, BJ, ed. Heavy metals in soils. London: Blackie Academic and Professional; pp. 152–178.

McKinney JD; Richard, A; Waller, C; Newman, MC; Gerberick, F. (2000) The practice of structure activity relationships (SAR) in toxicity. Toxicol Sci 56: 8-17.

McKone, T.E. 1987. Human exposure to volatile organic compounds in household tap water: The indoor inhalation pathway. Environ. Sci. Technol. 21:1194-1201.

McLaughlin, MJ; Smolders, E. (2001) A rationale for the metalloregion approach to risk assessments for metals in soil: a case study for effects of zinc on microbial functions in soil. Environ Toxicol Chem 20:2639–2643.

McLaughlin, MJ; Tiller, KG; Beech, TA; et al. (1994) Soil salinity causes elevated cadmium concentrations in field-grown tubers. Aust J Soil Res 35:1–17.

McLaughlin, MJ; Hamon, RE; Parker, DR; Pierzynski, GM; Smolders, E; Thornton, I; and Welp, G. (2002). Soil chemistry. *In*: Fairbrother, A., P.W. Glazebrook, J.V. Terazona, and N.M. van Straalan, eds. Test methods to determine hazards of sparingly soluble metal compounds in soils. Pensacola, FL: SETAC Press, pp. 5-16.

Medlin, EA. (1997) Master's thesis, Department of Geological Sciences, University of Colorado. 111 pp.

Menzie-Cura & Associates, Inc. and TN&A, Inc. (2000). Development of a framework to address bioavailability issues in wildlife. Submitted to Randall Wentsel, U.S. EPA, National Center for Environmental Assessment, Washington, D.C.

Mertz, W. (1981) The essential elements. Science 213:1332–1338.

Meyer, J. (2002) The utility of the terms "bioavailability" and "bioavailable fraction" for metals. Mar Environ Res 53:41–423.

Meyer, JS; Santore, RC; Bobbitt, JP; DeBrey, LD; Boese, CJ; Paquin, PR; Allen, HE; Bergman, HL; DiToro, DM. (1999) Binding of Nickel and Copper to Fish Gills Predicts Toxicity When Water Hardness Varies, But Free-ion Activity Does Not. Environ. Sci. and Technol 33: 913-916.

Meyer, JS; Boese, CJ; Collyard, SA. (2002) Whole-body accumulation of copper predicts acute toxicity to an aquatic oligochaete (*Lumbriculus variegatus*) as pH and calcium are varied. Comp. Biochem. Physiol. Part C 133:99-109.

Mills, WB; Porcella, DV; Ungs, MJ; et al. (1985) Water quality assessment: a screening procedure for toxic and conventional pollutants in surface and ground water. Part 1. EPA-600-6-85-002a.

11/24/2004 Peer Review Draft

Mitrofanov, D. (1993) Ability of non-woody forest plants to accumulate metals. Aquilo Ser Bot 31:41-45.

Morel, F. (1983) Complexation: trace metal and microorganisms. In: Principles of aquatic chemistry. New York: John Wiley & Sons; pp. 405–418.

Morgan, JE; Morgan, AJ. (1988) Calcium-lead interactions involving earthworms: part 2. The effects of accumulated lead on endogenous calcium in *Lumbricus rubellus*. Environ Pollut 55:41–54.

Morrison, HA; Whittle, DM; Haffner, GD. (2000) The relative importance of species invasions and sediment disturbance in regulating chemical dynamics in western Lake Erie. Ecol Modeling 125:279-294.

Mowat, FS; Bundy, KJ. (2002) Experimental and mathematical/computational assessment of the acute toxicity of chemical mixtures from the Microtox assay. Adv Environ Res 6:547–558.

Moya, J., C. Howard-Reed, and R.L. Corsi. 1999. Volatization of chemicals from tap water to indoor air from contaminated water used for showering. Environ. Sci. Technol. 33:2321-2327.

Mulvey, M; Diamond, SA. (1991). Genetic factors and tolerance acquisition in populations exposed to metals and metalloids. Pages 301-321 in Newman, M.C., and A.W. McIntosh, editors. Metal ecotoxicology: concepts and applications. Lewis Publishers, Inc., Chelsea, Michigan.

Munthe, J (1994) The atmospheric chemistry of mercury: Kinetic studies of redox reactions. In: Mercury Pollution: Integration and Synthesis. Watras, CJ and Huckabee JW, eds. Boca Raton, FL: Lewis Publishers.

Mudroch, A; Azcue, JM; Mudroch, P. (1997) Manual of Physico-Chemical Analysis of Aquatic Sediments. Lewis Publishers, Boca Raton, Florida.

Mudroch, A; Azcue, JM; Mudroch, P. (1999) Manual of Bioassessment of Aquatic Sediment Quality. Lewis Publishers, Boca Raton, Florida.

NAS/NRC (National Academy of Sciences/National Research Council) (1980) Mineral tolerance of domestic animals. Washington, DC: NRC Press.

NAS/NRC (1993) Measuring lead exposure in infants, children, and susceptible populations. Washington, DC: National Academy of Sciences Press.

NAS/NRC (1994) Nutritional requirements of poultry, 9th rev. ed. National Academy of Sciences, Washington, DC: National Academy of Sciences Press.

NAS/NRC (1999) Arsenic in drinking water. Washington, DC: National Academy of Sciences Press.

NAS/NRC (2000) Toxicological Effects of methyl mercury. Washington, DC: National Academy of Sciences Press.

NAS/NRC (2001) Arsenic in drinking water: 2001 update. Washington, DC: National Academy of Sciences Press.

NAS/NRC (2002) Bioavailability of contaminants in soils and sediments: Processes, tools, and applications. Washington, DC: National Academy of Sciences Press.

11/24/2004 Peer Review Draft

NAS/IOM (National Academy of Sciences/Institute of Medicine) (2000) Dietary reference intakes for vitamin A, vitamin K, arsenic, boron, chromium, copper, iodine, iron, manganese, molybdenum, nickel, silicon, vanadium, and zinc. Food and Nutrition Board, Institute of Medicine, Washington, DC. ISBN 0-309-7279-4. Available at: http://www.nap.edu/catalog/10026.html.

NAS/IOM (2001) Dietary reference intakes for Vitamin A, Vitamin K, arsenic, boron, chromium, copper, iodine, iron, manganese, molybdenum, nickel, silicon, vanadium, and zinc. Standing Committee on the Scientific Evaluation of Dietary Reference Intakes, Panel on Micronutrients, Food and Nutrition Board, Institute. Available at: http://www.nap.edu/catalog/10026.html

NAS/IOM (2003) Dietary Reference Intakes: Guiding Principles for Nutrition Labeling and Fortification. Food and Nutrition Board, Institute of Medicine, Washington, DC.

NFESC (Naval Facilities Engineering Command) (2000a) Guide for Incorporating Bioavailability Adjustments into Human Health and Ecological Risk Assessments at U.S. Navy and Marine Corps Facilities. Part 1: Overview of Metals Bioavailability." Prepared by Battelle and Exponent.

NFESC (2000b) Guide for Incorporating Bioavailability Adjustments into Human Health and Ecological Risk Assessments at U.S. Navy and Marine Corps Facilities. Part 1: Technical Background Document for Assessing Metals Bioavailability. Prepared by Battelle and Exponent.

Newman, MC (1991) A statistical bias in the derivation of hardness-dependant metals criteria. Environ. Toxicol. Chem. 10: 1295-1297.

Newman, MC; McCloskey, JT. (1996) Predicting relative metal toxicity and interactions of divalent metal ions: microtox bioluminescence assay. Environ Toxicol Chem 15:275–281.

Newman, MC; McCloskey, JT; Tatara, CP. (1998) Using metal-ligand binding characteristics to predict metal toxicity: quantitative ion character-activity relationships (QICARs). Environ Health Perspect 106(Suppl. 6):1262–1270.

Newman, MC; Diamond, GL; Menzie, C; Moya, J; Nriagu, J. (2004). Issue paper on metal exposure assessment. September 2004. http://cfpub1.epa.gov/ncea/raf/recordisplay.cfm?deid=86119.

Ng, JC; Kratzmann, SM; Qi, L; et al. (1998) Speciation and absolute bioavailability: risk assessment of arsenic contaminated sites in a residential suburb in Canberra. Analyst 123:889–892.

Nieboer, E; Richardson, DHS. (1980) The replacement of the nondescript term "heavy metals" by a biologically and chemically significant classification of metal ions. Environ Pollut (Series B) 1:3-26.

Noorishad, JC, Carnahan, L.; Benson, LV. (1987) CHMTRNS: A temperature-dependent non-equilibrium reactive transport code. Earth Sciences Div., Lawrence Berkeley Laboratory.

Norwood, WP; Borgmann, U; Dixon, DG; et al. (2003) Effects of metal mixtures on aquatic biota: a review of observations and methods. Hum Ecol Risk Assess 9: 795–811.

Nott, JA; Nicolaidou, A. (1990). Mediterranean pollution from a ferro-nickel smelter: differential uptake of metals by some gastropods. Mar. Pollut. Bull. 21, pp. 137–143.

11/24/2004 Peer Review Draft

Nott, JA; Nicolaidou, A. (1994) Variable transfer of detoxified metals from snails to hermit crabs in marine food chains. Mar. Biol. 120:369-377.

Nriagu, JO; Pacyna JM. (1988) Quantitative assessment of worldwide contamination of air, water and soils by trace metals. Nature 333(6169):134-9.

NTP (National Toxicology Program). 2002. 10th Report on carcinogens. U.S. Department of Health and Human Services, Public Health Service, Washington, DC.

Nyffeler, UP; Santschi, PH; Li,Y-H. (1986) The relevance of scavenging kinetics to modeling of sediment water interactions in natural waters. Limnol. Oceanogr. 31: 277-292.

Oberdorster, G. (1992) Pulmonary deposition, clearance and effects of inhaled soluble and insoluble cadmium compounds. In: Nordberg, GF; Herber, RFM; Alessio, L, eds. Cadmium in the human environment: toxicity and carcinogenicity. Lyon, FR:IARC; pp. 189–204.

Oberdorster, G. (1992) Pulmonary deposition, clearance and effects of inhaled soluble and insoluble cadmium compounds. In: Nordberg, GF; Herber, RFM; Alessio, L, eds. Cadmium in the human environment: toxicity and carcinogenicity. Lyon, FR:IARC; pp. 189–204.

O'Connor, DJ. (1988) Models of sorptive toxic substances in freshwater systems: III. streams and rivers. J Environ Engr 114 (3):552–574.

O'Flaherty, EJ. (1998) Physiologically based models of metal kinetics. Crit Rev Toxicol 28:271–317.

O'Flaherty, E.J. 1995. Physiologically based models for bone-seeking elements. V: Lead absorption and disposition in childhood. Toxicol. Appl. Pharmacol. 131:297-308.

O'Flaherty, E.J. 1993. Physiologically based models for bone-seeking elements. IV: Kinetics of lead disposition in humans. Toxicol. Appl. Pharmacol. 118:16-29.

OECD (Organization for Economic Cooperation and Development). (2001) Classification of metals and metal compounds. In: Guidance document on the use of the harmonized system for the classification of chemicals which are hazardous for the aquatic environment. (OECD Series on testing and assessment, Number 27). pp. 97–115. Document ENV/JM/MONO(2001)8. Paris, France.

Omernik, JM. (1986) Aquatic ecoregions of the conterminous United States. Supllement to the Annals of the Assoc of Amer Geographers 77:(1).

O'Rourke, M.K., P.K. van de Water, S. Jin, S.P. Rogan, A.D. Weiss, S.M. Gordon, D.M. Moschandreas, and M.D. Lebowitz. 1999. Evaluations of primary metals from NHEXAS Arizona: distributions and preliminary exposures. J. Exposure Anal. Environ. Epidemiol. 9:435-445.

Ott, WR. (1985) Total human exposure. Environ Sci Technol 10:880-886.

Ownby, DR; Newman, MC. (2003) Advances in quantitative ion character-activity relationships (QICARs): using metal-ligand binding characteristics to predict metal toxicity. Quant Struct Act Relat (QSAR) Comb Sci 22:241–246.

11/24/2004 Peer Review Draft

Pabalan, RT; Turner, DR, Bertetti, FP; Prikryl, JD (1998) Uranium VI sorption onto selected mineral surfaces: Key geochemical parameters. Chap. 3. In Adsorption of metals by Geomedia. Ed. E.A. Jenne. Academic Press, New York: 99-130.

Pagenkopf, GK. (1983) Gill surface interaction model for trace-metal toxicity to fishes: Role of complexation, pH and water hardness. Environ Sci.Technol 17: 342–347

Paquin, PR; Santore, RC; Farley, KJ; Wu, KB; Mooney, K; DiToro, DM (2003) Review of metal fate, bioaccumulation and toxicity models for metals. Pensacola, FL: SETAC Press. In press.

Paquin, PR; Gorsuch, JW; Apte, S; Batley, GE; Bowles, KC; Campbell, PGC; Delos, CG; Di Toro, DM; Dwyer, RL; Galvez, F; Gensemer, RW, Goss, GG; Hogstrand, C; Janssen, CR; McGeer, JC; Naddy, RB; Playle, RC; Santore, RC; Schneider, U; Stubblefield, WA; Wood, CM; Wu, KB (2002a) The biotic ligand model: A historical overview. Special Issue: The biotic ligand model for metals—Current research, future directions, regulatory implications. Comp. Biochem. Physiol. C 133:3-35.

Paquin, PR; Zoltay, V; Winfield, RP; et al. (2002b) Extension of the biotic ligand model of acute toxicity to a physiologically-based model of the survival time of rainbow trout (*Oncorhynchus mykiss*) exposed to silver. Comp Biochem Physiol (Part C) 133:305–343.

Paquin, PR, DiToro, DM; Santore, RC; Trivedi, D; Wu, KB (1999) A biotic ligand model of the acute toxicity of metals. III: Application to fish and *daphnia* exposure to silver. Office of Water, Office of Research and Development.

Parent, L; Campbell, PGC. (1994) Aluminum bioavailability to the green alga *Chlorella pyrenoidosa* in acidified synthetic soft water. Environ Toxicol Chem 13:587–598.

Parker, DR; Pedler, JF. (1997) Reevaluating the free ion activity model of trace metal availability to higher plants. In: Ando, T; Fujita, K; Mae, T; et al., eds. Plant nutrition for sustainable food production and environment. Dordrecht, The Netherlands: Kluwer; pp. 107–112.

Parkhurst, DL (2002) PHAST:3D reactive transport model. U.S. Geological Survey. http://www.brr.cr.usgs.gov/projects/GWC_coupled/phast>

Parkhurst, DL, Appelo, CAJ (1999) User's Guide to PHREEQC (version 2)–A computer program for speciation, batch-reaction, one-dimensional transport, and inverse geochemical calculations. U.S. Geological Survey, Water Resources Inv. Report 99-4259.

Parkhurst, D.L., Thorstenson, D.C., and Plummer, L.N., 1980. PHREEQE—a computer program for geochemical calculations. U.S. Geological Survey Water-Resources Investigations Report 80-96, 210p.

Parkinson, A. 2001 Biotransformation of zenobiotics. In: Klaassen, C.D., ed. Casarett & Doull's toxicology. New York: McGraw-Hill, pp. 133-224.

Paulson, AJ; Balistrieri, LS (1999) Modeling removal of Cd, Cu, Pb, and Zn in acidic groundwater during neutralization by ambient surface waters and groundwaters. Environ. Sci. Technol. 33(21):3850-3856.

Paustenbach, DJ. (2000) The practice of exposure assessment: a state-of-the-art review. J Toxicol Environ Health

11/24/2004 Peer Review Draft

(Part B) 3:179-291.

Pearson, RG. (1973) Hard and soft acids and bases. Stroudsburg, PA: Dowden, Hutchinson & Ross.

Peijnenburg, WJGM; Posthuma, L; Zweers, PGPC; et al. (1999b) Prediction of metal bioavailability in Dutch field soils for the oligochaete *Enchytraeus crypticus*. Ecotoxicol Environ Saf 44:170–186.

Peijnenburg, WJGM; Baerselman, R; De Groot, AC; et al. (1999a) Relating environmental availability to bioavailability: soil-type dependent metal accumulation in the oligochaete *Eisenai andrei*. Ecotoxicol Environ Saf 44:294–310.

Persaud, D; Jacqumagi, R; Hayton, A. (1989) Development of provincial sediment quality guidelines. Draft Report. Water Resources Branch, Ontario Ministry of the Environment. Toronto, ON, Canada.

Phalen, RF; Oldham, MJ; Beaucage, CB; et al. (1985) Postnatal enlargement of human tracheobronchial airways and implications for particle deposition. Anat Rec 212:368–380.

Picciano, M.F. 1996. Pregnancy and lactation. In: Ziegler, E.E. and L.J. Filer, Jr., eds. Present knowledge in nutrition, 7th ed. Washington, DC: ILSI Press, pp. 384-395.

Pickering, WF. (1986) Metal Ion Speciation - Soils and Sediments (A Review). Ore Geology Reviews 1:8 3.

Pillet, S., M. Fournier, L.N. Measures, J. Bousquegneau, and D.G. Cyr. 2002. Presence and regulation of metallothioneins in peripheral blood leukocytes of grey seals. Toxicol. Appl. Pharmacol 185:207-217.

Pitt, BR; Schwarz, M; Woo, ES; Yee, E; Wasserloos, K; Tran, S; Weng, W; Mannix, RJ; Watkins, SA; Tyurina, YY; Tyurin, VA; Kagan, VE; Lazo, JS. (1997) Overexpression of metallothionein decreases sensitivity of pulmonary endothelial cells to oxidant injury. Am. J. Physiol. 273:856-865.

Playle, RC; Wood, CM. (1990) Is precipitation of aluminum fast enough to explain aluminum deposition on fish gills? Can J Fish Aquat Sci 47:1558–1561.

Playle, RC; Dixon, DG; Burnison, K. (1993a) Copper and cadmium binding to fish gills: modification by dissolved organic carbon and synthetic ligands. Can J Fish Aquat Sci 50 2667–2677.

Playle, RC; Dixon, DG; Burnison, K. (1993b) Copper and cadmium binding to fish gills: estimates of metal-gill stability constants and modelling of metal accumulation. Can J Fish Aquat Sci 50:2678–2687.

Posthuma, L; Janssen, GM. (1995) Genetic variation for life-history characteristics in reference populations of *O. cincta* in relation to adaptation to metals in soils. Acta Zoologica Fennica 196:301–306.

Posthuma, L; Van Straalen, NM. (1993) Heavy-metal adaptation in terrestrial invertebrates: A review of occurrence, genetics, physiology and ecological consequences. Comparative Biochemistry and Physiology. 106C(1):11-38.

Posthuma, L; Baerselman, R; Van Veen, RPM; et al. (1997) Single and joint toxic effects of copper and zinc on reproduction of *Enchytraeus crypticus* in relation to sorption of metals in soils. Ecotoxicol Environ Saf 38:108–121.

Posthuma, L; Suter, GW; Traas, TP. eds. (2001). Species Sensitivity Distributions in Ecotoxicology, Lewis CRC-

11/24/2004 Peer Review Draft

Presspublishers, Boca Raton, US.

Prosser, CL. (1986). Adaptational Biology; Molecules to Organisms. John Wiley & Sons, New York.

Rainbow, P.S. (2002) Trace metal concentrations in aquatic invertebrates: why and so what? *Environmental Pollution* **120**, 497-507.

Raskin, I.; Kumar, PBAN; Dushenkov, S; et al. (1994) Bioconcentration of heavy metals by plants. Curr Opin Biotechnol 5:285–290.

Regoli, F; Orlando, E. (1994) Bioavailability of biologically detoxified lead: Risks arising from consumption of polluted mussels. Environ. Health Perspectives, Supplement 3, 102: 335-338.

Reid, SD; McDonald, DG (1988) Effects of cadmium, copper and low pH on ion fluxes in the rainbow trout, *Salmo gairdneri*. Can J Fish Aquat Sci 45:244–253.

Reid, SD; McDonald, DG (1991) Metal binding activity of the gills of rainbow trout (*Oncorhynchus mykiss*). Can. J. Fish. Aquat. Sci. 48:1061-1068.

Reinfelder, JR; Fisher, NS; Luoma, SN; et al. (1998) Trace element trophic transfer in aquatic organisms: a critique of the kinetic model approach. Sci Total Environ 219:117–135.

Reinfelder, JR; Fisher, NS. (1991). The assimilation of elements ingested by marine copepods. Science 251:794–796.

Reuther, R. (1999) Trace metal speciation in aquatic sediments: methods, benefits, and limitations. In: Manual of Bioassessment of Aquatic Sediment Quality. Lewis Publishers, Boca Raton, Florida. Pp. 1-54.

Richardson, GM (2002) Natural sources and emissions of elements to the atmosphere. International Council on Mining and Metals. (February).

Robinson, B., K.R. Heid, T.L. Aldridge, and R.D. Glenn. 1983. 1976 Hanford americium exposure incident: Organ burden and radiation dose estimates. Health Phys. 45(4):911-921.

Rodriguez, RR; Basta, NT; Casteel, SW; et al. (1999) An in vitro gastrointestinal method to estimate bioavailable arsenic in contaminated soils and soil media. Environ Sci Technol 33:642–649.

Roesijadi, G. (1992) Metallothioneins in metal regulation and toxicity in aquatic animals. Aquat Toxicol 22:81-114.

Roy, I; Hare, L. (1999) Relative importance of water and food as Cd sources to the predatory insect Sialis vlata (Magaloptera). Can J Fish Aquat Sci 56(7):1143-1149.

Rozman, K.K. and C.D. Klaassen. 2001. Biotransformation of zenobiotics. In: Klaassen, C.D., ed. Casserett and Doull's toxicology. New York: McGraw-Hill, pp.107-132.

Ruby, MV; Davis, A; Link, TE; et al. (1993) Development of an in vitro screening test to evaluate the in vivo bioaccessibility of ingested mine-waste lead. Environ. Sci Technol 27:2870–2877.

Ruby, MV; Davis, A; Schoof, R; et al. (1996) Estimation of lead and arsenic bioavailability using a physiologically

11/24/2004 Peer Review Draft

based extraction test. Environ Sci Technol 30:422-430.

Ruby, MV; Schoof, R; Brattin, W; et al. (1999) Advances in evaluating the oral bioavailability of inorganics in soil for use in human health risk assessment. Environ. Sci. Technol. 33:3697-3705.

Runkel, RL; Kimball, BA; McKnight, DM; Bencala, KE (1999) Reactive solute transport in streams: A surface complexation approach for trace metal sorption. Water Resour. Res. 35(12):3829-3840.

Rusk, J.A., Hamon, R.E., Stevens, D.P., and M.J. McLaughlin. 2004. Adaptation of soil biological nitrification to heavy metals. Environ. Sci. Technol. 38:3092-97.

Ryan, P.B., K.A. Scanlon, and D.K. MacIntosh. 2001. Analysis of dietary intake of selected metals in the NHEXAS-Maryland investigation. Environ. Health Perspect. 109:121-129.

Ryan, PB. (1998) Historical perspective on the role of exposure assessment in human risk assessment. In: Newman MC; Strojan, CL, eds. Risk assessment: logic and measurement. Boca Raton, FL: CRC/Lewis Press; pp. 23–43.

Sakai, T. 2000. Biomarkers of lead exposure. Ind. Health 37:127-142.

Salocks, C; Hathaway, T; Ziarkowski, C; et al. (1996) Physical characterization, solubility and potential bioavailability of arsenic in tailings from a former gold mine. Toxicologist 16:48.

Salomons, W; De Rooij, NM; Kerdijk, H; et al. (1987) Sediments as sources of contaminants? Hydrobiol 149:13–30.

Sample, BE; Aplin, MS; Efroymson, RE, Suter, GW; Welsh, CE. (1997). Methods and tools for estimation of the exposure of terrestrial wildlife to contaminants. Oak Ridge National Laboratory. ORNL/TM-13391.

Sample, BE; Arenal, CA. (1999) Allometric models for interspecies extrapolation of wildlife toxicity data. Bulletin of Environmental Contamination & Toxicology. 62(6). 653-663.

Sample, BE; Beauchamp, JJ; Efroymson, RA; et al. (1998a) Development and validation of bioaccumulation models for earthworms. ES/ER/TM-220. Prepared for the U.S. Department of Energy under Contract DE-AC05-84OR21400. Code EW 20. Oak Ridge National Laboratory, Oak Ridge, TN.

Sample, BE; Beauchamp, JJ; Efroymson, R; et al. (1998b) Development and validation of bioaccumulation models for small mammals. ES/ER/TM-219. Oak Ridge National Laboratory, Lockheed Martin Energy Systems Environmental Restoration Program, Oak Ridge, TN.

Sample, BE; Beauchamp, JJ; Efroymson, R; Suter, GW. (1999). Literature-derived bioaccumulation models for earthworms: development and validation. Environmental Toxicology and Chemistry. 18: 2110-2120.

Sample, BE; Arenal, CA. (2001). Development of Literature-based Bioaccumulation Models for Terrestrial Arthropods. Platform presentation at 2001 SETAC Meeting in Baltimore, MD. November, 2001.

Santore, RC; Driscoll, CT. (1995) The CHESS model for calculating chemical equilibria in soils and solutions. Chemical equilibrium and reaction models. SSSA Special Publication 42. Soil Science Society of America, American Society of Agronomy, Madison, WI.

11/24/2004 Peer Review Draft

Santore, RC; Di Toro, DM; Paquin, PR. (2000) A biotic ligand model of the acute toxicity of metals: II. application to acute copper toxicity in freshwater fish and Daphnia. Environ Toxicol Chem 20(10):2397–2402

Santore, RC; Di Toro, DM; Paquin, PR; et al. (2001) Biotic ligand model of the acute toxicity of metals: 2. application to acute copper toxicity in freshwater fish and Daphnia. Environ Toxicol Chem 20:2397–2402.

Santore, RC; Mathew, R; Paquin, PR; et al. (2002) Application of the biotic ligand model to predicting zinc toxicity to rainbow trout, fathead minnow, and Daphnia magna. Comp Biochem Physiol 113C(1-2):271–286.

Santschi, PH; Nyffeler, UP; Li, Y-H. Li and P. O'Hara. (1986) Radionuclide cycling in natural waters: relevance of scavenging kinetics. In: Sediments and Water Interactions, P.G. Sly, ed., Springer Verlag, 183-191.

Santschi, PH; Amdurer, M; et al. (1987) Relative mobility of radioactive trace elements across the sediment-water interface in the MERL model ecosystems of Narragansett Bay. J Mar Res 45: 1007–1048.

Sauvé, S; Dumestre, A; McBride, M; et al. (1998) Derivation of soil quality criteria using predicted chemical speciation of Pb²⁺ and Cu²⁺. Environ Toxicol Chem 17:1481–1489.

Saxe, JK; Impellitteri, CA; Peijnenburg, WJGM; et al. (2001) Novel model describing trace metal concentrations in the earthworm, *Eisenia andrei*. Environ Sci Technol 35:4522–4529.

Saxena, DK, R.C., Murthy, S.V. Chandra. 1989. Zinc protects testicular injury induced by concurrent exposure to cadmium and lead in rats. Res. Commun. Chem. Pathol. Pharmacol. 64:317-329.

Schecher, WD; McAvoy, DC (1994) MINEQL+: A chemical equilibrium program for personal computers (version 3.01). Environmental Research Software, Hallowell, ME.

Schecher WD; McAvoy DC. (2001) MINEQL+ - A Chemical Equilibrium Modelling System, version 4.5 for windows User's Manual. Environmental Research Software, Hallowell, ME, USA.

Schlekat, CE; Lee, BY; Luoma, SN. (2001) Dietary metals exposure and toxicity to aquatic organisms: implications for ecological risk assessment. In: Newman, M, ed. Coastal and estuarine risk assessment. Boca Raton, FL: CRC Press.

Schnoor, JL; Sata, C; McKechnie, D; et al. (1987) Processes, coefficients, and models for simulating toxic organics and heavy metals in surface waters. EPA-600-3-87-015.

Schoof, R.A., J. Eickhoff, L.J. Yost, E.A. Crecelius, D.W. Cragin, D.M. Meacher, D.B. Menzel. 1999. Dietary exposure to inorganic arsenic. pp. 81-88. In: Proc. Third International Conference on Arsenic Exposure and Health Effects. W.R. Chappell, C.O. Abernathy, and R.L. Calderon (eds). Elsevier Science Ltd.

Schoof, R.A., L.J. Yost, J. Eickhoff, E.A. Crecelius, D.W. Cragin, D.M. Meacher, and D.B. Menzel. 1999. A market basket survey of inorganic arsenic in food. Food Chem. Toxicol. 37:839-846.

Shroeder, W.H. and Munthe, J. (1998) Atmospheric mercury - An overview. *Atmospheric Environment*, 32(5): 809-822.

11/24/2004 Peer Review Draft

Schulte, P.A. and G. Talaska. 1995. Validity criteria for the use of biological markers of exposure to chemical agents in environmental epidemiology. Toxicology 101:73-88.

Science and Research Working Group (SRWG) of the Non-Ferrous Metals Consultative Forum on Sustainable Development (RWG) (2002) Risk assessment of non-ferrous metals and sustainable development. http://200.20.105.7/cyted-xiii/Publicaciones/Outros_Artigos/Risk Assessment_DraftReport_NFSD.doc

Scott-Fordsmand, JJ; Odegard, K. (2002) Multi-element analysis as a marker of metal exposure in *Eisenia veneta*. Poster presentation. 7th International Symposium on Earthworm Ecology, September 1–6, 2002, Cardiff, Wales.

Seebaugh, D. R. and Wallace, W. G. (2004) Importance of metal-binding proteins in the partitioning of Cd and Zn as trophically available metal (TAM) in the brine shrimp Artemia franciscana. Marine Ecology-Progress Series 272: 215-230.

Seigneur, C. and Constantinou, E.(1995). Chemical kinetic mechanism for atmospheric chromium. Environ. Sci. Technol., 29: 222-231.

Seinfeld, JH; Pandis, SN (1998) Atmospheric chemistry and physics. New York: Wiley InterScience.

Selevan, SG; Rice, DC; Hogan, KA; Euling, SY; Pfahles-Hutchens, A; Bethel, J. (2003) Blood lead concentration and delayed puberty in girls. N Engl JMed 348:(16):1527-36.

Shacklette, HT; Boerngen, JG. (1984) Element concentrations in soils and other surficial materials of the conterminous United States. Professional Paper 1270. U.S. Dept. of Interior, Geological Survey, Alexandria, VA.

Sharma, A; Srivastava, PC; Johri, BN. (1994) Contribution of VA Mycorrhiza to Zinc Uptake in Plants. IN: Manthey, J.A., D.E. Crowley, and D.G. (eds). Biochemistry of metal micronutrients in the rhizosphere Lewis Publishers, Boca Raton, FL pp. 111-124.

Sheldrake, S; Stifelman, M. (2003) A case study of lead contamination cleanup effectiveness at Bunker Hill. Sci Total Environ 303:105–23.

Siegler, R.W., D.. Nierenberg, and W.F. Hickey. 1999. Fatal poisoning from liquid dimethylmercury: A neurophathologic study. Hum. Pathol. 30:720-3. http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=10374784.

Simkiss, K. (1983) Lipid solubility of metals in saline solutions. J Mar Biol Assoc UK 63: 1-7.

Simkiss, K. (1996) Ecotoxicants at the cell-membrane barrier. In: Newman, MC; Jagoe, CH, eds. Ecotoxicology: a hierarchical treatment. Boca Raton, FL: CRC/Lewis Publishers; pp. 59–83.

Slooff, W. (1983). Benthic macroinvertebrates and water quality assessment: some toxicological considerations. Aquat Toxicol 4:73–82.

Smit, E. (1997) Field relevance of the *Folsomia candida* soil toxicity test. Ph.D. dissertation. Vrije Universiteit, Amsterdam.

Smit, CB; Van Gestel, CM. (1998). Effects of soil type, prepercolation, and ageing on bioaccumulation and toxicity

11/24/2004 Peer Review Draft

of zinc for the springtail Folsomia candida. Environmental Toxicology and Chemistry 17, No. 6, pp. 1132–1141.

Smith, CM; Wang, X; Hu, H; et al. (1995) A polymorphism in the d-aminolevulinic acid dehydratase gene can modify the pharmacodynamics and toxicity of lead. Environ Health Perspect 103:248–253.

Smolders, E., S.P. McGrath, E. Lombi., M.J. McLaughlin, M Rutgers, A. Fairbrother, L. Van der Vliet, and B. Hale. (in prep). Hazard assessment of metals and metal compounds in terrestrial systems based on persistency, bioaccumulation, and toxicity IN: Hazard Identification Approach For Metals And Inorganic Metal Substances, Adams, W.J. et al. (eds.). SETAC Press, Pensacola, FL.

Spehar, RL; Fiandt, JT. (1986) Acute and chronic effects of water quality criteria-based metal mixtures on three aquatic species. Environ Toxicol Chem 5:917–931.

Sposito, G. (1989) The chemistry of soils. New York: Oxford University Press.

Stauber, JL; Florence, TM; Gulson, BL; Dale, LS. (1994) Percutaneous absorption of inorganic lead compounds. Sci. Total Environ. 145:55-70.

Stephen, CE; Mount, DI; et al. (1985) Guidelines for deriving numerical national water quality criteria for the protection of aquatic organisms and their uses. National Technical Information Service, Springfield VA. PB 85-22-7049.

Stern, AH. (1994) Derivation of a target concentration of Pb in soil based on elevation of adult blood pressure. Risk Anal 16:201–210.

Stern, AH. (1996) Derivation of a target concentration of Pb in soil based on elevation of adult blood pressure. Risk Anal 16:201–210.

Storm, G.L., G.J. Fosmire, and E.D. Bellis. 1994. Heavy metals in the environment: Persistence of metals in soil and selected vertebrates in the vicinity of Palmerton zinc smelters J. Environ. Qual. 23:508-515.

Stumm, W. (1992) Chemistry of the solid-water interface: Processes at the mineral-water and particle-water interface. New York: Wiley InterScience.

Stumm, W; Morgan, JJ. (1996) Aquatic chemistry, 3rd ed. New York: John Wiley & Sons.

Stumm, W; Morgan, JJ (1970) Aquatic Chemistry. An Introduction Emphasizing Chemical Equilibria in Natural Waters. New York: John Wiley & Sons.

Suedel, BC; Boracxek, JA; Peddicord, RK; et al. (1994) Trophic transfer and biomagnification potential of contaminants in aquatic ecosystems. Environ Toxicol Chem 136:21–89.

Sullivan, J; Ball, J; Brick, E; et al. (1985) Report of the technical subcommittee on determination of dredge material suitability for in-water disposal. Wisconsin Department of Natural Resources, Madison, WI.

Sunderman, FW, Jr. (1978) Carcinogenic effects of metals. Fed Proc 37:40-46.

Suter, GW, II. (1993) Ecological risk assessment. Boca Raton, FL: Lewis Publishers.

11/24/2004 Peer Review Draft

Suttle, NF; Mills, CF. (1966) Studies of the toxicity of copper to pigs: 1. Effects of oral supplements zinc and iron salts on the development of copper toxicosis. Br J Nutr 20:135–149.

Swartz, RC; Dittsworth, GR; Schults, DW; et al. (1985) Sediment toxicity to a marine infaunal amphipod: cadmium and its interaction with sewage sludge. Mar Environ Res 18:133–153.

Szebedinszky, C; McGeer, JC; McDonald, DG; et al. (2001) Effects of chronic Cd exposure via the diet or water on internal organ-specific distribution and subsequent gill Cd uptake kinetics in juvenile rainbow trout (Oncorhynchus mykiss). Environ Toxicol Chem 20:597–660

Szulczewski, MD; Helmke, PA; Bleam, WF. (1997) Comparison of XANES analyses and extractions to determine chromium speciation in contaminated soils. Environ Sci Technol 31:2954–2959.

Tatara, CP; Newman, MC; Williams, P; McCloskey, JT. (1997) Predicting relative toxicity with divalent ion characteristics: *Caenorhabditis elegans*. Aquat Toxicol 39: 279-290.

Tatara, CP; Newman, MC; McCloskey, JT; Williams, PL. (1998) Use of ion characteristics to predict relative toxicity of mono-, di-, and trivalent metal ions: *Caenorhabditis elegans* LC50. Aquat Toxicol 42: 255-269.

Templeton, DM; Ariese, F; Cornelis, R.; Danielson, LG; Muntau, H; Van Leeuwen, HP; Lobinski, R. (2000) Guidelines for terms related to chemical speciation and fractionation of elements. Definitions, structural aspects, and methodological approaches. Pure Appl. Chem. 72(8):1453-70.

Tessier, A. 1992. Sorption of trace elements on natural particles in oxic environments. In Environmental Particles. Edited by J. Buffle and H.P. Van Leeuwen. Lewis Publishers, Boca Raton, FL, USA. pp. 425-453.

Tessier, A; Campbell, PGC. (1987) Partitioning of trace metals in sediments: Relationships with bioavailability. Hydrobiologia 149:43–52.

Tessier, A; Campbell, PGC. (1988) Partitioning of trace metals in sediments. In: Kramer, JR; Allen, HE, eds. Metal speciation: theory, analysis and application. Chelsea, MI: Lewis Publishers; pp.183–199.

Tessier, A; Campbell, PGC; Bissom, M. (1979) Sequential extraction procedure for the speciation of particulate trace metals. Anal Chem 51:844–850.

Tessier, A; Campbell, PGC; Auclair, JC; et al. (1984) Relationships between the partitioning of trace metals in sediments and their accumulation in the tissues of the freshwater mollusc *Elliptio complanata* in a mining area. Can J Fish Aquat Sci 41:1463–1472.

Tessier, A.; Rapin, F; Cariganan, R. (1985) Trace metals in oxic lake sediments: possible adsorption onto Iron oxyhydroxides. Geochim. Cosmochim. Ac. 49: 183-194.

Tessier, A; Carignan, R; Dubreuil, B; Rapin, F. (1989) Partitioning of zinc between the water column and the oxic sediments in lakes. Geochim Cosmochim Acta 53:1511-1522.

Tessier, A; Couillard, Y; Campbell, PGC; Auclair, JC. (1993) Modeling Cd partitioning in oxic lake sediments and Cd concentrations in the freshwater bivalve Anodonta grandis. Limnology and Oceanography, 38(1):1-17.

11/24/2004 Peer Review Draft

Thawley, DG; Pratt, SE; Selby, LA. (1977) Antagonistic effect of zinc on increased urinary delta-aminolevulinic acid excretion in lead intoxicated rats. Environ Res14:463–475.

Thomas, KW; Pellizzari, ED; Berry, MR. (1999) Population-based dietary intakes and tap water concentrations for selected elements in the EPA Region V National Exposure Assessment Survey (NHEXAS). J Exp Anal Environ Epidem 9:402–413.

Tipping, E (1994) WHAM: a chemical equilibrium model and computer code for waters, sediments, and soils incorporating a discrete site/electrostatic model of ion-binding by humic substances. Computers & Geosciences 20:973–1023.

Tipping, E (1998) Humic ion binding model VI: An improved description of the interactions of protons and metal ions with humic substances. Aqua. Geochem. 4(1):3-48.

Tolstykh, EI; Degteva, MO; Kozheurov, VP; et al. (1998) Strontium transfer from maternal skeleton to the fetus estimated on the basis of the Techa River data. Radiat Prot Dosim 79(1–4):307–310.

Tomerlin, JR; Berry, MR; Tran, NL; et al. (1997) Development of a dietary exposure potential model for evaluating dietary exposure to chemical residues in food. J Exp Anal Environ Epidem 7:81–101.

Tsuda T., Inoue T., Kojima M. and Shigeru A. (1995) Market basket and duplicate portion estimation of dietary intakes of cadmium, mercury, arsenic, copper, manganese, and zinc by Japanese adults. Journal of AOAC International 78, 1363-1368.

Tye, AM; Young, SD; Crout, NMJ; Zhang, H; Preston, S; Barbosa-Jefferson, VL; Davison, W; McGrath, SP; Paton, GI; Kilham, K; Resende, L. (2003) Predicting the activity of Cd2+ andZn2+ in soil pore water from the radio-labile metal fraction. Geochim. et Cosmochim. Acta 67(3):375-85.

Tyler, G; Olsson, T (2001a) Concentrations of 60 elements in the soil solution as related to the soil acidity. Eur. J. Soil Sci. 52:151-165.

Tyler, G; Olsson, T (2001b) Plant uptake of major and minor mineral elements as influenced by soil acidity and liming. Plant Soil 230:307-321.

Ullrich, S.M., Tanton, T.W., & Abdrashitova, S.A., "Mercury in the Aquatic Environment: A Review of Factors Affecting Methylation" 2001, Critical Rev. Environ. Sci. Tech. 31, 3, 241-293.

U.S. Army Center for Health Promotion and Preventative Medicine (Army). (2001). Development of Terrestrial Exposure and Bioaccumulation Information for the Army Risk Assessment Modeling System (ARAMS). Contract No. DAAD050-00-P-8365. March, 2001.

U.S. DHHS. (Department of Health and Human Services). (1996) National Center for Health Statistics. Third National Health and Nutrition Examination Survey, 1988-1994, NHANES III Individual Foods Data File form the Dietary Recall (CD-ROM). Public use data file documentation number 76700. Hyattsville, MD:.

U.S. DOE (U.S. Department of Energy). 2001. User's manual for RESRAD, version 6. ANL/EAD-4. Argonne National Laboratory, Argonne, IL.

11/24/2004 Peer Review Draft

U.S. DOE (Department of Energy). (1994) Estimating exposure of terrestrial wildlife to contaminants. ES/ER/TM-125.

U.S. FDA (U.S. Food and Drug Administration). 2001. Total diet survey. Center for Food Safety and Applied Nutrition, Office of Plant and Dairy Foods and Beverages. October. (Data summaries from http://vm.cfsan.fda.gov/~comm/tds-toc.html.)

Van Straalen, NM. (1996) Critical body concentrations: their use in bioindication. In: Van Straalen, NM; Krivolutsky, DA, eds. Bioindicator systems for soil pollution. Dordrecht, The Netherlands: Kluwer; pp. 5–16.

Van Straalen, NM. (2001) Distribution-based extrapolation approaches in the risk assessment of metals in the environment. Available at: http://www.icme.com/uploads/1~Fact3.pdf.

Van Wensem, J; Vegter, JJ; Van Straalen, NM. (1994) Soil quality criteria derived from critical body concentrations of metals in soil invertebrates. Appl Soil Ecol 1:185–191.

Van Assche, F; van Tilborg, W; Waeterschoot, H. (1997) Environmental risk assessment for essential elements. Case study: Zinc. International Zinc Association, Brussels, Belgium. Available at: http://www.iza.com/zwo_org/Environment/040106.htm.

von Lindern, I; Spalinger, S; Petroysan, V; et al. (2003) Assessing remedial effectiveness through the blood lead: Soil/dust lead relationship at the Bunker Hill Superfund site in the Silver Valley of Idaho. Sci Total Environ 303:39–170.

Waalkes, M. (1995) Metal carcinogenesis. In: Goyer, RA; Klaassen, CD; eds. Metal toxicology. New York: Academic Press; pp. 47–67.

Wade, M.J., David, B.K., Carlisle, J. S. Klein, A. K. & Valoppi, L.M. "Environmental Transformations of Toxic Metals" 1993, Occup. Med. 8, 3, 575-601.

Wallace, B; Srb, A. (1961) Adaptation. Edgewood Cliffs, NJ: Prentice Hall.

Wallace, WG; Lopez, GR. (1996) Relationship between subcellular cadmium distribution in prey and cadmium trophic transfer to a predator. *Estuaries* **19**, 923-930.

Wallace, WG; Lopez, GR. (1997) Bioavailability of biologically sequestered cadmium and the implications of metal detoxification. Mar. Ecol. Prog. Ser. 147, pp. 149–157.

Wallace, WG; Lopez, GR; Levinton, JS. (1998) Cadmium resistance in an oligochaete and its effect on cadmium trophic transfer to an omnivorous shrimp. Mar. Ecol. Prog. Ser. 172:225-237.

Wallace, WG; Lee, BG; Luoma, SN. (2003) Subcellular compartmentalization of Cd and Zn in two bivalves. I. Significance of metal-sensitive fractions (MSF) and biologically detoxified metal (BDM). *Marine Ecology-Progress Series* 249, 183-197.

Wallace, WG; Luoma, SN. (2003) Subcellular compartmentalization of Cd and Zn in two bivalves. II. Significance of trophically available metal (TAM). *Marine Ecology-Progress Series* 257, 125-137.

11/24/2004 Peer Review Draft

Wang, XL. (2002) Interactions of trace metals and different marine food chains. Mar Ecol Prog Ser 243:295-309.

Wang, XL; Fisher, NS. (1999) Assimilation efficiencies of chemical contaminants in aquatic invertebrates: a synthesis. Environ Toxicol Chem 18:2034–2045.

Wang, XL; Zauke, G-P. (2004) Size-dependent bioaccumulation of metals in the amphipod *Gammarus zaddachi* (Sexton 1912) from the River Hunte (Germany) and its relationship to the permeable body surface area. Hydrobiologia 515:11-28.

Washington; Washington; Wilson; eds. (2001) Physiological pharmaceutics: barriers to drug absorption, 2nd ed. New York: Taylor and Francis.

Wehrli, B; Dinkel, C; Muller, B. (1994) Measurement of benthic gradients in deep lakes with ion selective electrodes and video endoscopy. Mineral Mag 58A:961–962.

Weis, CP; LaVelle, JM. (1991) Characteristics to consider when choosing an animal model for the study of lead bioavailability. In: The proceedings of the international symposium on the bioavailability and dietary uptake of lead. Sci Technol Lett 3:113–119.

Weis, C; Hemlein, K; Drexler, J. (1992) Collection and characterization of mine waste for the purpose of determining lead bioavailability. Toxicologist 12:211.

Weis, C; Henningsen, G; Poppenga, R; et al. (1993a) Pharmacokinetics of lead in blood of immature swine following acute oral and iv exposures. Toxicologist 13:175.

Weis CP; Poppenga, R; Thacker, BJ; et al, (1993b) Systemic availability of lead (Pb²⁺) from mineral extraction process waste to young swine: a model for human children. Abstract. Presented at Annual ASTM Meeting, Boulder, CO, Jul 26.

Welter, E; Calmano, W; Mangold, S; et al. (1999) Chemical speciation of heavy metals in soils by use of XAFS spectroscopy and electron microscopical techniques. Fr J Anal Chem 364:238–244.

Weltje, L. (1998) Mixture toxicity and tissue interactions of Cd, Cu, Pb and Zn in earthworms (Oligochaeta) in laboratory and field studies: a critical evaluation of the data. Chemosphere 36:264–2660.

Weltje, L. (2002) Bioavailability of Lanthanides to freshwater organisms. Speciation, accumulation and toxicity. Delft University of Technology, Delft university Press, Delft, The Netherlands.

Westall, JC, Zachary, JL; Morel, FM. (1976) A Computer Program for the Calculation of Chemical Equilibrium Composition of Aqueous Systems, Technical Note 18. Department of Civil Engineering, Massachusetts Institute of Technology, Cambridge, MA.

Wester, RC; Maibach, HI; Sedik, L; Melendres, J; Dizio, S; Wade, M. (1992) In vitro percutaneous absorption of cadmium from water and soil into human skin. Fundam. Appl. Toxicol. 19:1-5.

Wester RC, Hui X, Barbadillo S, Maibach HI, Lowney YW, Schoof RA, Holm SE, Ruby MV. In vivo percutaneous

11/24/2004 Peer Review Draft

absorption of arsenic from water and CCA-treated wood residue. Toxicol Sci. 2004 Jun; 79(2):287-95.

Weston, DP; Maruya, KA. (2002) Predicting bioavailability and bioaccumulation with in vitro digestive fluid extraction. Environ Toxicol Chem 21:962–971.

White, PD; Van Leeuwen, P; Davis, BD; et al. (1998) The conceptual structure of the integrated exposure uptake biokinetic model for lead in children. Environ Health Perspect 106(Suppl. 6):1513–30.

Whitehead, D.C. 1984. The distribution and transformations of iodine in the environment. Environ. Int. 10:321-339.

WHO (World Health Organization) (1996a) Trace elements in human health and nutrition. Chapter 3: Trace element bioavailability and interactions. Geneva. pp. 23-41

WHO (1996b) Trace elements in human health and nutrition. Chapter 10: Manganese. Geneva. pp. 163-167.

WHO (1996c) Trace elements in human health and nutrition. Chapter 17: Arsenic. Geneva, Switzerland.

WHO/IPCS (World Health Organization/International Programme on Chemical Safety) (1981) Arsenic. Environmental Health Criteria Document No. 18. Geneva, Switzerland.

WHO/IPCS (1990a) Methylmercury. Environmental Health Criteria Document No. 101. Geneva, Switzerland. IPCS (1990b) Beryllium. Environmental Health Criteria Document No. 106. Geneva, Switzerland.

WHO/IPCS (1991) Inorganic mercury. Environmental Health Criteria Document No. 118. Geneva, Switzerland.

WHO/IPCS (1993) Biomarkers and risk assessment: Concepts and principles. Environmental Health Criteria Document No. 155. Geneva, Switzerland.

WHO/IPCS (1995) Inorganic lead. Environmental Health Criteria Document No. 165. Geneva, Switzerland.

WHO/IPCS (1998) Copper. Environmental Health Criteria Document No. 200. Geneva, Switzerland.

WHO/IPCS (2002) Principles and methods for the assessment of risk from essential trace elements. Environmental Health Criteria Document No. 228. Geneva, Switzerland

Wilkes, CR. (1998) Case study. In: Olin, S., ed. Lead. Boca Raton, FL: CRC Press LLC., pp. 183-224.

Williams, MW; Turner, JE (1981) Comments on softness parameters and metal ion toxicity. J inorg nucl Chem 43: 1689-1691.

Willemson, A; Vaal, MA; De Zwart, D. (1995). Microtests as Tools for Environmental Monitoring. NIPH and Env. Plan. (RIVM) The Netherlands, Report #9, 607042005, 39 pp.

Wilson, JB. (1988) The cost of heavy-metal tolerance: an example. Evolution 42:408–413.

Winge, D; Krasno, J; Colucci, AV. (1974) Cadmium accumulation in rat liver: correlation between bound metal and pathology. In: Hoekstra, WG; Suttie, JW; Ganther, HE; et al., eds. Trace element metabolism in animals. Baltimore: University Park Press; pp. 500–502.

11/24/2004 Peer Review Draft

Woo, ES; Monks, A; Watkins, SC; Wang, AS; Lazo, JS. (1997) Diversity of metallothionein content and subcellular localization in the National Cancer Institute tumor panel. Cancer Chemother. Pharmacol. 41:61-68.

Wu, L; Chen, J; Tanji, KK; et al. (1995). Distribution and biomagnification of selenium in a restored upland grassland contaminated by selenium from agricultural drain water. Environ Toxicol Chem 4:733–742.

Xu, GB; Yu, CP. (1986) Effects of age deposition of inhaled aerosols in the human lung. Aerosol Sci Technol 5:349–357.

Xu, J; Thornton, I. (1985) Arsenic in garden soils and vegetable crops in Cornwall, England: implications for human health. Environ Geochem Health 7:131–133.

Xue, H-B; Stumm, W; Sigg, L. (1988) The binding of heavy metals to algal surfaces. Water Res 22: 917-926.

Yeh, GT; Tripathi, VS (1991) A model for simulating transport of reactive multispecies components: Model development and demonstration. Water Resour. Res. 27(12):3075-3094.

Yokel, RA; McNamara, PJ. (2001) Aluminum toxicokinetics: an updated minireview. Annu Rev Pharmacol Toxicol 88:159–67.

Yokel, RA; McNamara, PJ. (2001) Aluminum toxicokinetics: an updated minireview. Annu Rev Pharmacol Toxicol 88:159–67.

Young, LB; Harvey, HH. (1991) Metal concentrations in chironomids in relation to the geochemical characteristics of surficial sediments. Arch Environ Contam Toxicol 21:202–211.

Zartarian VG, Ozkaynak H, Burke JM, Zufall MJ, Rigas ML, Furtaw EJ Jr. A modeling framework for estimating children's residential exposure and dose to chlorpyrifos via dermal residue contact and nondietary ingestion. Environ Health Perspect. 2000 Jun;108(6):505-14.

Zhang, H; Davidson, W; Miller, S; et al. (1995) In situ high resolution measurements of fluxes of Ni, Cu, Fe and Mn and concentrations of Zn and Cd in pore waters by DGT. Geochim Cosmochim Acta 59:4181–4192.

U.S. Environmental Protection Agency:

U.S. EPA. (1986a) Guidelines for the health risk assessment of chemical mixtures. Fed. Reg. 51(185):34014-14025.

U.S. EPA. (1986b) Air Quality Criteria for Lead Volumes I - IV. EPA 600/8-83-028 a-d.U.S. EPA 1992. Ground Water Issue. Behavior of Metals in Soils. EPA/540/S-92/018 October 1992

U.S. EPA. (1987) Selection criteria for mathematical models used in exposure assessments: Surface water models. US EPA Office of Health and Environmental Assessment, Washington, DC. EPA-600-8-87-042.

U.S. EPA. (1989a) Exposure factors handbook. EPA/600/8-89/043. Office of Health and Environmental Assessment.

U.S. EPA. (1989b) Risk assessment guidance for superfund (RAGS); Volume 1: human health evaluation manual (HHEM), (Part A); Interim Final. EPA 540-1-89-002, OSWER 9285.70-02B. Office of Emergency and Remedial

11/24/2004 Peer Review Draft

Response, Washington, DC.

U.S. EPA. (1989c) Rapid bioassessment protocols for use in streams and rivers: Benthic macroinvertebrates and fish. EPA 440/4-89-001. Washington, DC.

U.S. EPA. (1989d) Sediment classification methods compendium. PB92-231679. NTIS, Springfield, VA.

U.S. EPA (1990) Methods for derivation of Inhalation Reference Concentration and Application of Inhalation Dosimetry. EPA/600/8-90/066F, Office of Research and Development, Washington D.C.

U.S. EPA (1991a) Guidelines for Developmental Toxicity Risk Assessment. U.S. Environmental Protection Agency. Risk Assessment Forum, Washington, DC, EPA/600/FR-91/001, 1991.

U.S. EPA (1991b) MINTEQA2, A geochemical assessment data base and test cases for environmental systems: Ver. 3.0 user's manual. EPA/600/3-91/-21. Athens, GA. Allison, JD; Brown, DS; Novo-Gradac, KJ.

U.S. EPA. (1991c) Statement of policy and guidance for petitions under Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986. Federal Register, Volume 56(100), May 23, p. 23703.

U.S. EPA. (1992a) Ground water issue: Behavior of metals in soils. EPA 540-S-92-018. October.

U.S. EPA. (1992b) Guidelines for exposure assessment. EPA/600/Z-92/001. Fed. Reg. 57(104):22888-22938.

U.S. EPA. (1992c) Dermal exposure assessment: Principles and application. EPA/600/8-91/011B.

U.S. EPA (1994a) EPA health effects notebook for hazardous air pollutants—Draft. EPA/452/D-95-003.

U.S. EPA. (1994b) Guidance Manual for the Integrated Exposure Uptake Biokinetic Model for Lead in Children. EPA/540/R-93/081, PB93-963510.

U.S. EPA. (1994c) Interim guidance on determination and use of water-effect ratios for metals. EPA-823-B-94-001. Office of Water, Office of Science and Technology, Washington, DC.

U.S. EPA. (1994d) Water quality standards handbook, 2nd ed. Appendix L: Interim guidance on determination and use of water effect ratios for metals. EPA-823-B-94-005a. Office of Water.

U.S. EPA. (1994b) Water quality standards handbook, 2nd ed., update #1. EPA-823-B-94-006. Office of Water.

U.S. EPA. (1995a) A guide to the biosolids risk assessments for the EPA Part 503 Rule. EPA 832-B-93-005. Office of Water, Office of Wastewater Management, Washington, DC. September.

U.S. EPA. (1995b) Final water quality guidance for the Great Lakes system; final rule. Fed. Reg. 60(56):15366-15425. March 23.

U.S. EPA. (1996a) Water quality criteria for document for the protection of aquatic life in ambient water; 1995 updates. Washington, DC, Environmental Protection Agency. EPA 820-B-96-001

U.S. EPA. (1996b) Review of the National Ambient Air Quality Standards for Particulate matter; policy assessment

11/24/2004 Peer Review Draft

of scientific and technical information. OAQPS Staff Paper. EPA-452/R-96-013.

- U.S. EPA. (1996c) Recommendations of the technical review workgroup for lead for an approach to assessing risks associated with adult exposures to lead in soil. EPA-540-R-03-001.
- U.S. EPA. (1996d) Bioavailability of arsenic and lead in environmental substrates 1. Results of an oral dosing study of immature swine. EPA 910/R-96-002 and http://www.epa.gov/r10earth/offices/oea/risk/bioavail.pdf
- U.S. EPA (1997d) Progress report of the ecological committee on FIFRA risk assessment methods: VII. Terrestrial risk assessment. Available at: http://www.epa.gov/oppefed1/ecorisk/risk.htm.
- U.S. EPA. (1997a) Compendium of tools for watershed assessment and TMDL development. US EPA Office of Wetlands, Oceans, and Watersheds, Washington, DC. EPA-841-8-97-006.
- U.S. EPA. (1997b). Mercury study report to Congress. Office of Air and Radiation. Available at: http://www.epa.gov/oar/mercury.html.
- U.S. EPA. (1997c). Air Quality Criteria for Particulate Matter. Volume I of III. EPA/600/P-95/001aF. Office of Research and Development. Washington, DC.
- U.S. EPA. (1997d) The incidence and severity of sediment contamination in surface waters of the United States, Vol 1: National sediment quality survey. EPA 823-R-97-006. Office of Water, Washington, DC.
- U.S. EPA. (1997e) The incidence and severity of sediment contamination in surface waters of the United States, Vol 2: Data summaries for areas of probable concern. EPA 823-R-97-007. Office of Water, Washington, DC.
- U.S. EPA. (1997f) The incidence and severity of sediment contamination in surface waters of the United States, Vol 3: National sediment contaminant point source inventory. EPA 823-R-97-008. Office of Water, Washington, DC.
- U.S. EPA. (1997g) Ecological risk assessment guidance for superfund: process for designing and conducting ecological risk assessments. EPA/540-R-97-006. Office of Solid Waste and Emergency Response, Washington, DC. June.
- U.S. EPA. (1997h) Exposure factors handbook. EPA/600/P-95/002Fc. Office of Research and Development, U.S. EPA, Washington, DC. http://www.epa.gov/ncea/exposfac.htm
- U.S. EPA. (1998a) Guidelines for ecological risk assessment. EPA 630-R-95-002F. Office of Research and Development, National Center for Environmental Assessment, Risk Assessment Forum, Washington, DC.
- U.S. EPA.(1998b) Human health risk assessment protocol for hazardous waste combustion facilities. EPA 530-D-98:001.
- U.S. EPA (1999a) Understanding variation in partition coefficient, Kd, values. Office of Air and Radiation. EPA 402-R-99-004A&B.
- U.S. EPA (1999b) Compendium of methods for the determination of inorganic compounds in ambient air. Office of Research and Development. EPA/625/R-96/010.

11/24/2004 Peer Review Draft

- U.S. EPA. (1999c) April 6-7, 1999. *Integrated Approach to Assessing the Bioavailability and Toxicity of Metals in Surface Waters and Sediments*, a report to the EPA Science Advisory Board, Office of Water, Office of Research and Development, Washington, DC. EPA-822-E-99-001.
- U.S. EPA. (1999d) IEUBK model bioavailability variable. EPA/540-F-00-006. Technical Review Workgroup for Lead, Office of Emergency and Remedial Response, Washington DC. October. http://www.epa.gov/superfund/programs/lead/products/sspbbioc.pdf
- U.S. EPA. (1999e) Notice of Intent to revise aquatic life criteria for copper, silver, lead, cadmium, iron and selenium. Fed. Reg. 64(209):58409-58410. October 28.
- U.S. EPA. (1999f) Sociodemographic Data Used for Identifying Potentially Highly Exposed Populations, EPA/600/R-99/060, Office of Research and Development, Washington, DC.
- U.S. EPA. (2000a) Region 10 guidance for Superfund human health risk assessment: interim. EPA Region 10, Seattle, WA. September.
- U.S. EPA. (2000b) Supplementary guidance for conducting health risk assessment of chemical mixtures. EPA/630/R-00/002.
- U.S. EPA. (2000c) Ecological soil screening level guidance; draft. Office of Emergency and Remedial Response, Washington, DC. July 10.
- U.S. EPA. (2000d) Estimated Per Capita Water Ingestion in the United States. Office of Water. EPA-822-00-008. April 2000.
- U.S. EPA. (2000e) "An SAB Report: Review of the Biotic Ligand Model of the Acute Toxicity of Metals," prepared by the Ecological Processes and Effects Committee of the Science Advisory Board, EPA-SAB-EPEC-00-0006.
- U.S. EPA. (2001a) Description and Evaluation of Atmospheric Mercury Simulation Using the CMAQ Model; EPA/600/J-03/227.
- U.S. EPA (2001b). ECO update; The role of screening-level risk assessments and refining contaminants of concern in baseline ecological risk assessments. Office of Solid Waste and Emergency Response. OSWER 9345.0-14.
- U.S. EPA. (2001c) Lead and lead compounds: Lowering of reporting thresholds; Community right-to-know toxic chemical release reporting; final rule. Fed. Reg. 66(11):4500-4547, January 17.
- U.S. EPA. (2001d) User's guide for the integrated exposure uptake biokinetic model for lead in children (IEUBKwin). Office of Emergency and Remedial Response. Washington, DC.
- U.S. EPA. (2001e) Integrated exposure uptake biokinetic model for lead in children (IEUBKwin v1.0). Office of Emergency and Remedial Response, Washington, DC.
- U.S. EPA. (2001f) Risk Assessment Guidance for Superfund (RAGS), Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment) Interim. Office of Solid Waste and Emergency Response, Washington, D.C.. EPA/540/R-99/005. September 2001. Available at http://www.epa.gov/superfund/programs/risk/ragse/index.htm

11/24/2004 Peer Review Draft

- U.S. EPA (2001g) Guidance for characterizing background chemicals in soil at Superfund sites; External review draft. OSWER. 9285.7-41. Office of Emergency and Remedial Response. [Replaced by Guidance for Comparing Background and Chemical Concentrations in Soil for CERCLA Sites, EPA 540-R-01-003, September 2002.]
- U.S. EPA. (2002a) Development of a framework for metals assessment and guidance for characterizing and ranking metals; draft action plan. EPA/630/P-02/003A.
- U.S. EPA. (2002b) Guidance for comparing background and chemical concentrations in soil for CERCLA sites. OSWER 9285.7-41; EPA 540-R-01-003. Office of Emergency and Remedial Response, Washington, DC.
- U.S. EPA. (2002c) Policy considerations for the application of background data in risk assessment and remedy selection: Role of background in the CERCLA cleanup program. OSWER 9285.6-07P. Office of Emergency and Remedial Response, Washington, DC.
- U.S. EPA. (2002d) Draft action plan: Development of a framework for metals assessment and guidance for characterizing metals. EPA/630/P-02/003A. Washington, DC.
- U.S. EPA. (2002e) Child-Specific Exposure Factors Handbook. Interim Final. EPA/600/P-00/002B/01
- U.S. EPA. (2002f) Procedures for Deriving Equilibrium Partitioning Sediment Benchmarks (ESBs) for the Protection of Benthic Organisms: Metal Mixtures (Cadmium, Copper, Lead, Nickel, Silver, and Zinc). EPA-600-R-02-011. Office of Research and Development. Washington, DC 20460.
- U.S. EPA. (2002g) Equilibrium partitioning sediment guidelines (ESGs) for the protection of benthic organisms: Metal mixtures (cadmium, copper, lead, nickel, silver and zinc). EPA-822-R-00-005.
- U.S. EPA (2002h) TRIM.FaTE technical support document. Volume II: Description of chemical transport and transformation algorithms. EPA/R-02-011b. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC.
- U.S. EPA (2003a) Human Health Research Strategy. Office of Research and Development, Washington, DC. September 2003. Available at: http://www.epa.gov/nheerl/humanhealth/HHRS_final_web.pdf.
- U.S. EPA. (2003b) Draft final guidelines for carcinogen risk assessment. (External review draft, February 2003). EPA/630/P-03/001A, NCEA-F-0644A. Risk Assessment Forum, U.S. EPA, Washington, DC. pp. 120. Available at: http://www.epa.gov/ncea/raf/cancer2003.htm
- U.S. EPA. (2003c) Guidance for the development of ecological soil screening levels. Office of Solid Waste and Emergency Response, Washington, DC. March. OSWER Directive 92857-55.
- U.S. EPA. (2003d) Literature review and evaluation of the atmospheric persistence of air toxic compounds; Internal EPA Report, EPA/600/X-03/011, Research Triangle Park, NC. http://www.epa.gov/nerl/research/2003/g1-2.html.
- U.S. EPA. (2003f) Reference dose for chronic oral exposure: cadmium. IRIS. Available at: http://www.epa.gov/iris/.
- U.S. EPA. (2003g) Reference dose for chronic oral exposure: manganese. IRIS. Available at: http://www.epa/gov/iris/.

11/24/2004 Peer Review Draft

U.S. EPA. (2003h). Estimation of Water Chemistry Parameters for Acute Copper Toxicity Tests. Office of Water, Office of Science and Technology, Health and Ecological Criteria Division, Washington, D.C.

U.S. EPA. (2003i) Saltwater Conversion Factors for Dissolved Values. Office of Water, Office of Science and Technology, Health and Ecological Criteria Division, Washington, D.C.

U.S. EPA. (2004a) Estimation of relative bioavailability of lead in soil and soil-like materials using in vivo and in vitro methods. OSWER 9285.7-77, Office of Solid Waste and Emergency Response, Washington, DC.

U.S. EPA (2004b) Air Quality Criteria for Particulate Matter (External Review Draft). Office of Research and Development, National Center for Environmental Assessment. Available at: http://cfpub2.epa.gov/ncea/cfm/partmatt.cfm.

U.S. EPA (2004c) Air Toxics Risk Assessment Reference Library, Volume I. Technical Resource Manual. EPA-453-K-04-001A. OAQPS, RTP. Available at: http://www.epa.gov/ttn/fera/risk_atra_main.html.

U.S. EPA (2004d) A Discussion with the FIFRA Scientific Advisory Panel Regarding the Terrestrial and Aquatic Level II Refined Risk Assessment Models (Version 2.0). U.S. Environmental Protection Agency, Office of Pesticide Programs, Washington, DC. March 4, 2004).

11/24/2004 Peer Review Draft