US ERA ARCHIVE DOCUMENT

TABLE OF CONTENTS

1.0	INTR	ODUCT	ION	1-1
	1.1	Projec	t Overview	1-1
	1.2	Regula	atory Summary	1-3
	1.3	Outlin	e of Application	1-3
2.0	PROJ	ECT DES	SCRIPTION AND EMISSIONS	2-1
	2.1	Projec	t Description	2-1
		2.1.1	Gas Turbine	2-7
		2.1.2	AC Generator	2-7
		2.1.3	Air Pollution Control System	2-7
		2.1.4	Water Supply and Demineralization System	2-12
		2.1.5	Aqueous Ammonia Storage	2-14
		2.1.6	Facility Noise Control Features	2-14
	2.2	Emissi	ons Summary	2-14
		2.2.1	Criteria Emissions	2-14
		2.2.2	Non-Criteria Emissions	2-16
3.0	REG	U LATOR	Y REQUIREMENTS	3-1
	3.1	Overv	riew of Applicability of Federal Regulations	3-1
		3.1.1	Nonattainment New Source Review	3-2
		3.1.2	Prevention of Significant Deterioration (PSD)	3-4
		3.1.3	Ambient Air Quality Standards	3-5
		3.1.4	New Source Performance Standards	3-6
		3.1.5	Title IV Sulfur Dioxide Allowances and Monitoring	
			(40 CFR 72 and 75)	3-7
	3.2	Massa	chusetts Regulations and Policies (DEP Only)	3-7
		3.2.1	Air Plan Approval	3-7
		3.2.2	Noise Control Regulation and Policy	3-8
		3.2.3	Emission Limitations for Fossil Fuel Utilization	3-9
		3.2.4	Visible Emissions	3-9
		3.2.5	Short-term NO ₂ Policy	3-9
		3.2.6	Operating Permit	3-10
		3.2.7	Emission Offsets	3-10
		3.2.8	Intent to Comply with DEP Clean Air Construction Initiative	
			(construction stage)	3-10
4.0	BAC	T LAER A	ANALYSIS	4-1
	4.1	Emiss	ions Summary	4-1
	4.2	Lowe	st Achievable Emission Rate Analysis	4-1
		4.2.1	Evaluation of Emissions Limiting Techniques	4-2

			•		
•			4.2.1.1	Change in Raw Materials	4-2
			4.2.1.2	Process Modifications	4-3
			4.2.1.3	Add-on Controls	4-3
		4.2.2	Sources Use	ed to Evaluate LAER	4-3
		4.2.3	Oxides of N	itrogen	4-4
			4.2.3.1	Selective Catalytic Reduction	4-4
			4.2.3.2	Gas-Fired Determinations	4-5
			4.2.3.3	Oil-Fired Determinations	4-6
			4.2.3.4	LAER Determination	4-7
	4.3	Best A	vailable Cont	rol Technology Analysis	4-7
		4.3.1	Sources Use	ed to Evaluate BACT	4-8
		4.3.2	Carbon Moi	noxide	4-8
			4.3.2.1	Oxidation Catalyst	4-8
			4.3.2.2	BACT Determination	4-9
		4.3.3	Volatile Org	ganic Compounds	4-9
			4.3.3.1	Oxidation Catalyst	4-10
			4.3.3.2	BACT Determination	4-11
			Particulate <i>I</i>		4-11
			Sulfur Diox		4-11
		4.3.6	Oxides of N	•	4-12
		4.3.7			4-12
	4.4		Summary for	Turbines	4-12
	4.5	Altern	ate Fuel		4-12
5.0	PROJ	ECT SIT	E CHARACTE	RISTICS	5-1
	5.1	Land	Use Analysis		5-1
		5.1.1	Urban/Rura	l Analysis	5-1
	5.2	Topog	graphy		5-4
	5.3	Metec	orological Dat	a for Dispersion Modeling	5-4
	5.4	Backg	ground Air Qu	ality Data	5-9
		5.4.1	Sulfur Diox	ide (SO ₂)	5-9
		5.4.2	Carbon Mo	noxide (CO)	5-10
		5.4.3	Nitrogen D	ioxide (NO2)	5-10
		5.4.4	Ozone (O3)		5-10
		5.4.5	Particulates	(PM10)	5-10
		5.4.6	Particulates	(PM _{2.5})	5-10
	5.5	Sourc	e Data		5-11
	5.6	Good	Engineering I	Practice Stack Height Determination	5-12

6.0	AIR Q	UALITY MODELING	6-1
	6.1	Air Quality Model Selection	6-1
		6.1.1 SCREEN3	6-2
		6.1.2 AERMOD PRIME	6-3
	6.2	Screening Modeling Analysis	6-4
		6.2.1 Simple Terrain Screening	6-4
		6.2.2 Intermediate/Complex Terrain Screening	6-7
	6.3	Refined Receptor Grid	6-12
	6.4	Refined Modeling	6-12
		6.4.1 AERMOD	6-12
	6.5	Ambient Air Quality Modeling Results	6-13
	6.6	PSD Increment Consumption (EPA only)	6-15
	6.7	Visibility Analysis (EPA only)	6-15
	6.8	Soils and Vegetation (EPA only)	6-17
	6.9	Growth Analysis (EPA only)	6-18
	6.10	Background Air Quality/Pre-construction Waiver (EPA only)	6-19
	6.11	Non-Criteria Pollutant Modeling (DEP only)	6-19
	6.12	Accidental Release Modeling (DEP only)	6-21
7.0	SOUN	ND LEVEL ASSESSMENT (DEP ONLY)	7-1
	<i>7</i> .1	Regulatory Requirements	<i>7</i> -1
		7.1.1 Massachusetts State Regulations	<i>7</i> -1
		7.1.2 Local Regulations	7-2
	7.2	General Sound Level Descriptors	7-2
	7.3	Existing Condition Sound Level Measurements	<i>7</i> -3
	7.4	Future Operational Sound Levels	<i>7</i> -6
		7.4.1 Noise Sources and Reference Sound Data	<i>7</i> -6
		7.4.2 Gas Turbine Generator Package	<i>7-7</i>
		7.4.3 Gas Turbine Air Inlet	<i>7-7</i>
		7.4.4 Gas Turbine SCR System	<i>7</i> -8
		7.4.5 Gas Turbine Stack Exhaust	<i>7</i> -8
		7.4.6 Transformers	<i>7</i> -8
		7.4.7 Gas Compressors	<i>7-</i> 8
		7.4.8 Lube Oil Cooling Skid	<i>7</i> -9
		7.4.9 Ammonia Injection Skid	<i>7</i> -9
	<i>7.</i> 5	Sound Model	<i>7</i> -9
		7.5.1 Predicted Operational Sound Levels - Base Case	<i>7</i> -10
		7.5.2 Additional Mitigation Case	<i>7</i> -11
		7.5.3 Regulatory Evaluation	<i>7</i> -12

			, , , , , , , , , , , , , , , , , , ,	
	7.6	Noise	Control Summary	<i>7</i> -1 <i>7</i>
	7.7	Cumu	lative Sound Level Analysis – Potter II Station	7-1 <i>7</i>
	7.8	Noise	BANCT Analysis	<i>7</i> -19
		7.8.1	Introduction	<i>7</i> -19
		7.8.2	Primary Noise Sources	7-20
		7.8.3	Potential Additional Controls	<i>7</i> -20
		7.8.4	Revised Operational Noise Modeling	<i>7</i> -21
		7.8.5	Conclusion	7-22
	7.9	Constr	ruction Noise	7-23
8.0	PROF	OSED P	ERMIT CONDITIONS	8-1
	8.1	Facilit	y Description	8-1
		8.1.1	Site Description	8-1
		8.1.2	Project Description	8-1
	8.2	Emissi	on Limits	8-2
		8.2.1	Limits During Normal Operation	8-2
		8.2.2	Limits During Emergency, Malfunction, Start-up/Shutdown, Fuel T	ransfers,
			Maintenance	8-4
		8.2.3	Annual Emissions	8-5
		8.2.4	Averaging Time	8-5
		8.2.5	Fuel Sulfur Limits	8-5
	8.3	Mode	ling Analysis	8-5
		8.3.1	Source Interactive Modeling Analysis	8-5
		8.3.2	Air Toxics Analysis (DEP only)	8-6
		8.3.3	Accidental Release Modeling of Aqueous Ammonia (DEP only)	8-6
	8.4	Emissi	on Offsets and Non-Attainment	8-6
		8.4.1	Non-Attainment Review/LAER	8-6
		8.4.2	Offset Requirements	8-7
	8.5	Prever	ntion of Significant Deterioration (PSD) (EPA only)	8-8
		8.5.1	PSD Baseline Analysis	8-8
		8.5.2	PSD Consumption Analysis	8-8
	8.6	New S	Source Performance Standards (NSPS)	8-9
		8.6.1	NO _x Limits	8-9
		8.6.2	SO ₂ Limits	8-9
	8.7	Title l'	V Sulfur Dioxide Allowances and Monitoring	8-9
	8.8	Noise	(DEP only)	8-9
		8.8.1	General Information	8-9
		8.8.2	Department Noise Policy (90—001)	8-10
		8.8.3	Noise Limits	8-10

8.9	Special Conditions	8-11
8.10	Monitoring Requirements	8-12
8.11	Recordkeeping Requirements	8-14
8.12	Reporting Requirements	8-15
8.13	Testing Requirements	8-17
8.14	General Requirements	8-19
8.15	Construction Requirements	8-20

LIST OF APPENDICES

Appendix A	Permit Forms (DEP only)
Appendix B	Rolls Royce Documentation
Appendix C	Supporting Calculations
Appendix D	RBLC Summary Tables
Appendix E	Sound Level Measurement Report (DEP only)
Appendix F	Letter Formalizing Discussions Between BELD and CITGO (DEP only)
Appendix G	GEP Building Dimensions
Appendix H	VISCREEN Input/Output Files
Appendix I	Air Modeling Files (CD ROM – provided to DEP and EPA)

LIST OF FIGURES

Figure 1-1	Project Site Area
Figure 2-1	General Equipment Arrangement
Figure 2-2	Rolls-Royce Trent 60 WLE Rendering
Figure 2-3	Rolls-Royce Trent 60 WLE Rendering-View from BELD offices/parking Lot
Figure 2-4	Rolls-Royce Trent 60 WLE Rendering-View from Weymouth
Figure 2-5	Performance Curve Trent 60 (Gas and Oil)
Figure 2-6	Start-up Sequence
Figure 2-7	Photo of Gas Turbine Enclosure

LIST OF FIGURES (CONTINUED)

Figure 2-8	Inlet Filter
Figure 2-9	SCR System and Oxidation Catalyst
Figure 5-1	Land Use Evaluation within 3 KM of the site
Figure 5-2	MassGIS Land Use Classes
Figure 5-3	Refine MassGIS Land Use Evaluation within 3KM of the site
Figure 5-4	Composite Annual Windrose from Boston, MA
Figure 6-1	Offsite Consequence Analysis
Figure 7-1	Sound Level Monitoring Summary Data
Figure 7-3	Typical Construction Equipment Sound Levels – dBA at 50 feet

LIST OF TABLES

Table 2-1	BACT/LAER Emissions Summary, Watson Station
Table 2-2	Potter II Emissions Summary (existing 95 MW combined-cycle unit)
Table 2-3	Non-Criteria Emission Rates (Hazardous Air Pollutants)
Table 2-4	Other Non-Criteria Emission Rates
Table 3-1	Maximum Potential Annual Emissions for the Proposed Watson Station
Table 3-2	PSD Baseline, Potter II Past Actual vs. Watson Future Potential Emissions
Table 3-3	National and Massachusetts Ambient Air Quality Standards
Table 4-1	BACT/LAER Summary
Table 4-2	BACT Summary
Table 5-1	Identification and Classification of Land Use
Table 5-2	AERMET Processing Assumptions
Table 5-3	Observed Ambient Air Quality Concentrations and Selected Background Levels
Table 5-4	Stack Characteristics for the BELD Watson Station Combustion Turbines
Table 5-5	Stack Characteristics for the BELD Potter II Station

LIST OF TABLES (CONTINUED)

Table 5-6	Emission Rates for the BELD Potter II Station
Table 6-1	SCREEN3 Full Meteorological Conditions
Table 6-2	SCREEN3 Simple Terrain Receptors and Elevations
Table 6-3	SCREEN3 Simple Terrain Results for All Operating Conditions
Table 6-4	Maximum Predicted SCREEN3 Concentrations for Simple Terrain Receptors Compared with Significant Impact Levels
Table 6-5	SCREEN3 Intermediate/Complex Terrain Receptors
Table 6-6	SCREEN3 VALLEY Results for Intermediate/Complex Terrain Results for All Operating Conditions
Table 6-7	SCREEN3 VALLEY Results for Complex Terrain Maximum Concentrations Using simple terrain algorithms for All Operating Conditions
Table 6-8	Maximum Predicted SCREEN3 Concentrations for Intermediate/Complex Terrain Receptors
Table 6-9	Comparison of Maximum Predicted AERMOD PRIME Modeling Results with Significant Impact Levels
Table 6-10	Predicted Cumulative Impact Concentrations with Air Quality Standards
Table 6-11	VISCREEN Model Results for Visual Impacts Inside the Lye Brook Class I Area
Table 6-12	VISCREEN Model Results for Visual Impacts Outside the Lye Brook Class I Area
Table 6-13	Vegetation Sensitivity Screening for SO ₂ Concentrations
Table 6-14	PSD Monitor Thresholds
Table 6-15	Non-Criteria Modeling Results
Table 6-16	Offsite Consequence Analysis for Aqueous Ammonia
Table <i>7</i> -1	Sound Power Level Input Data for BELD Noise Modeling – Base Case Except Where Noted (per unit) (dB)
Table 7-2	Sound Level Modeling Results – Thomas A. Watson Generating Station Plus Background – Base Case
Table <i>7</i> -3a	Sound Level Evaluation – Thomas A. Watson Generating Station with additional mitigation Nighttime Background

LIST OF TABLES (CONTINUED)

Table 7-3b	Sound Level Evaluation – Thomas A. Watson Generating Station with additional mitigation – Weekday Daytime/Evening Background
Table <i>7-</i> 4	Sound Level Modeling Results by Octave Band – Thomas A. Watson Generating Station Only – With Additional Mitigation
Table 7-5a	Sound Level Evaluation – Thomas A. Watson Generating Station plus Potter II – Daytime/Evening Background
Table 7-5b	Sound Level Evaluation – Thomas A. Watson Generating Station plus Potter II – Nighttime Background
Table 7-6	Equipment-Specific Components of Total Sound Level at 108 Glenrose Ave. (R2A)
Table 8-1	Emissions Summary, Watson Station
Table 8-2	Maximum Potential Annual Emissions for the Proposed Watson Station
Table 8-3	PSD Baseline, Potter II Past Actual vs. Watson Future Potential Emissions
Table 8.4	Pollutant Compliance Test for Emission Limits