

US EPA ARCHIVE DOCUMENT

**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 1
One Congress Street, Suite 1100
Boston, Massachusetts, 02114**

Date of Notice: May 16, 2007

Public Notice Number: PN2007-0004

Comment Period: May 17, 2007 - June 15, 2007

Action: Notice of Proposed Assessment of Clean Water Act Class II Section 309(g)(2)(B) Administrative Penalty and Opportunity to Comment

Under Section 309(g)(2)(B) of the Clean Water Act (CWA), 33 U.S.C. § 1319(g)(2)(B), EPA is authorized to assess a civil penalty after providing the person subject to the penalty notice of the proposed penalty and the opportunity for a hearing, and after providing interested persons public notice of the proposed penalty and a reasonable opportunity to comment on its issuance. In a Class II proceeding under Section 309(g)(2)(B), any person who violates certain provisions of the Clean Water Act may be administratively assessed a civil penalty of up to \$137,500 by EPA. Class II proceedings are conducted in accordance with the "Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties and the Revocation/Termination or Suspension of Permits," at 40 C.F.R. Part 22 (Part 22).

The procedures by which the public may submit written comments on a proposed Class II penalty order or participate in a Class II penalty proceeding are set forth in Part 22. Because this matter involves a CWA Section 309(g)(2)(B) proceeding which is proposed to be simultaneously commenced and settled under 40 C.F.R. § 22.13(b), the proposed consent agreement and final order resolving or settling this matter will not be issued until at least ten (10) days after the close of the public comment period in accordance with 40 C.F.R. § 22.45(b).

Pursuant to Sections 309(g)(2)(B), EPA is providing public notice of the following proposed Class II administrative penalty assessment:

Name and Mailing Address of Respondent: Town of Dighton, Massachusetts, Town Hall, 979 Somerset Avenue, Dighton, Massachusetts, 02715

Name and Address of Facility or Site Addressed by Consent Agreement and Final Order: Town of Dighton, Massachusetts, Town Hall, 979 Somerset Avenue, Dighton, Massachusetts, 02715.

Description of Business or Activity Conducted by the Respondent: Municipality that owns and operates a small regulated municipal separate storm sewer system.

Description of Violations Alleged in Consent Agreement and Final Order: The Town of Dighton, Massachusetts, is authorized under the National Pollutant Discharge Elimination System (“NPDES”) General Permit for Storm Water Discharges from Regulated Small Municipal Separate Storm Sewer Systems (“Permit”) to discharge storm water to the Broad Cove, Muddy Cove Brook, Muddy Cove Brook Pond, Sunken Brook River, Three Mile River and the Taunton River. The Town failed to submit annual reports required by the Permit due May 1, 2005 and May 1, 2006, thereby violating the terms and conditions of its Permit in violation of the Clean Water Act, Section 301(a), 33 U.S.C. § 1311(a).

Proposed penalty: \$3,000

Name of case: In the Matter of: Town of Dighton, Massachusetts

Docket number: CWA-01-2007-0068

Name, Mailing Address, and Telephone Number of Regional Hearing Clerk: Wanda Rivera, Mail Code RAA, U.S. EPA, Region 1, One Congress Street, Suite 1100, Boston, Massachusetts 02114; (617) 918-1113

FOR FURTHER INFORMATION: Persons wishing to receive a copy of Part 22, review the proposed consent agreement and final order or other documents filed by the parties in this proceeding, comment upon the proposed penalty assessment, or participate in any hearing that may be held, should contact the Regional Hearing Clerk identified above. Unless otherwise noted, the public record for the proceeding is located in the EPA Regional Office at One Congress Street, Boston, Massachusetts, and the file will be open for public inspection during

normal business hours.

In order to provide opportunity for public comment, EPA will not take final action in this proceeding prior to forty (40) days after issuance of this notice.