

US EPA ARCHIVE DOCUMENT


A Landscape-level Approach to Wetlands Monitoring & Assessment

Scott Jackson

**University of
Massachusetts
Amherst**



UMassAmherst Outreach **UMass**
Extension



Presentation Outline

- **What is CAPS?**
- **Important concepts, terms & considerations**
- **CAPS components & applications**

Conservation Assessment & Prioritization System (CAPS)



Assessing ecological integrity and supporting decision-making for land conservation, habitat management, project review & permitting to protect biodiversity

Landscape Ecology Program



<http://www.masscaps.org>



Ecological Community Approach







Ecological Integrity


...the long-term capability of the ecological community to sustain its composition, structure and function and thus also its resiliency to stress











The CAPS Analysis



Land cover is mapped based on several GIS data layers



Land Cover Map

Land cover mapping

Ecological communities

Forested

- Deciduous forest
- Mixed forest
- Conifer forest
- Forested wetland

Nonforested uplands

- Shrubland
 - Powerline Shrubland
 - Old field
- Grassland
 - Cultural Grassland
- Cliff & Steep Slope

Wetlands & aquatic

- Palustrine
 - Shrub Swamp
 - Emergent Marsh
 - Pond
 - Vernal Pool
- Lacustrine
 - Lake

Wetlands & aquatic


Riverine

- First order flatwater
- First order pool-riffle
- First order plane-bed
- First order step-pool
- First order cascade
- Second order flatwater
- Second order pool-riffle
- Second order plane-bed
- Second order step-pool
- Second order cascade



- Sixth order flatwater
- Sixth order pool-riffle
- Sixth order plane-bed
- Sixth order step-pool
- Sixth order cascade





Forested Swamp

Wet Meadow
















Ecological setting is determined for each point in the landscape is defined from GIS data




Ecological Setting



Ecological Setting



Ecological Setting



Ecological Setting Variables:

Temperature

- Growing season degree-days
- Minimum annual temperature

Chemical & physical substrate

- Soil pH
- Soil depth
- Water salinity
- Water CaCO_4 content

Geomorphology

- Channel constraint (sinuosity)
- Landscape position

Moisture

- Available soil moisture
- Relative humidity


Hydrology

- Water depth
- Hydroperiod
- Flow gradient
- Flow volume
- Tidal influence

Solar energy

- Incident solar radiation

Several landscape metrics are calculated based on the land cover map and other data



CAPS Integrity Metrics

Stressor metrics

Road Intensity

- Road salt intensity
- Road traffic intensity
- Road sediment intensity

Development Intensity

- Habitat loss
- Watershed habitat loss
- Watershed imperviousness
- Mowing & plowing intensity
- Fertilizer intensity
- Point-source pollution
- Emissions intensity
- Domestic predators
- Mesopredators

Edge effects

- Wetland buffer imperviousness

Biotic alterations

- Non-native invasive plants
- Non-native invasive earthworms

- Watershed percent impounded

- Upstream road crossings

- Dam intensity

- Water withdrawals

Resiliency metrics

- Connectedness

- Similarity

CAPS Integrity Metrics: Wetland buffer imperviousness

Impervious Surface

Wetlands




60.4% of regulatory
wetland buffer in
impervious surface







60.4%



7.6%

5.0%

9.3%


17.7%

0%

60.4%

36.8%

3.9%



7.6%

5.0%

9.3%

17.7%

0%



60.4%

36.8%


3.9%

CAPS Integrity Metrics: Edge effects


High edge effects



Low edge effects





CAPS Integrity Metrics: Scaling




Integrity metrics can use different distance relationships when assessing a cell

CAPS Integrity Metrics: Connectedness




CAPS Integrity Metrics:

Watershed metrics






Full watershed above a point




Constrained watershed
Based on time-of-flow model

Metrics are combined into an index of ecological integrity



**Index of
Ecological Integrity**



Ecological Condition

...refers to the current ecological status of an ecosystem within its ecological setting, in terms of its biophysical characteristics relative to a reference standard condition.


Ecological Integrity

... refers to the long-term capability of the ecosystem to sustain its composition, structure and function and thus also its resiliency to stress.

Important Considerations & Challenges

- Limitation of wetland classification systems
- The dynamic nature of wetland systems
- Legacy effects of past land use
- Time lags
- Determining the relationship between stressors (local & landscape) and condition
- Validating landscape-based models







Advocate Dam


Beaver dam

WETLAND CLASSIFICATION

Blue	OPEN WATER
Purple	AQUATIC BED
Light Blue	EMERGENT MARSH
Orange	SHRUB SWAMP
Green	FORESTED WETLAND
Pink	FLOODPLAIN FOREST
White	UPLAND









Findlay and Houlahan, 1997

Findlay and Bourdages, 2000







CAPS three-Tiered Approach

- **Level 1: Landscape-level assessment (CAPS)** – A comprehensive landscape-level analysis of ecological integrity based solely on GIS-derived metrics
- **Level 2: Rapid Assessment (RAM)** – A relatively quick site-level analysis estimating ecological condition based on direct field observations of condition and local stressors
- **Level 3: Site-level Assessment (SLAM)** – A combination of rapid and intensive field sampling to assess ecological condition of a particular site

Role of Landscape-based Assessments

- Rigorous modeling of landscape-scale stressors
- Comprehensive coverage (all wetlands are evaluated)
- Quantitative (allows scenario testing)
- Assesses Ecological Integrity
 - Predicts future condition
 - Accounts for time lags in effects of stressors on ecological condition

Applications

- Land acquisition
- Prioritize sites for enhanced regulatory protection
- Prioritize sites for environmental restoration
- Identification of degraded wetlands
- Predict impact of climate change on the amount and distribution of wetland community types
- Monitor change in wetland community characteristics over time
- Monitor changes in wetland integrity and condition over time
- Increase understanding of how development, land protection, and BMPs affect ecological condition
- Project review, permitting and mitigation design
- Evaluate performance/success of restoration efforts, mitigation projects and mitigation banks
- Establish standards for ecological condition and integrity

Prioritizing sites for ecological restoration

- Assessment of Ecological Integrity
- Scenario Analysis

MIDDLEFIELD

PERU STATE FOREST

MIDDLEFIELD

STATE FOREST

STATE FOREST

MIDDLEFIELD


Middlefield


Middlefield


MIDDLEFIELD

MIDDLEFIELD

HAMPSHIRE CO
HAMPSHIRE CO







1


2


3

6


5

4






Culvert	Increase in Connectedness	Percent of Best
3	1301.12	100
2	813.41	62.5
4	194.60	15.0
6	141.15	10.8
5	117.24	9.0
1	65.25	5.0




Monitor changes in wetland integrity and condition over time

- Assessment of Ecological Integrity
- SLAM/RAM


1971




1999




1971



1999







Increase understanding of how development, land protection, and BMPs affect ecological condition

- Assessment of Ecological Integrity
- Stressor mapping
- Scenario analysis



LITTLEVILLE DAM

Green Heights

Georg Sta

Norwich Bridge Com

Gatton Regional High Sch

Quarry

Norwich Bridge

Gravel Pit

Great Moose Hill

Disposal

Webster Cem

Passer de Park

Pepper Valley Ch

Goodale Sta

Huntington

BM 714.9

Gravel Pit

Foodbridge

Pumping Sta

Footbridge

BM 714.6

St Thomas Cem

Roadside Park

Bar

Quarry

South Rockhouse Mt

Crescent Mills

ATE FOREST

T E R

ND FORD

OREST


H U N T I N G T O N

HAMPSHIRE CO


HAMPSHIRE CO

HUNTINGTON


866 102 6




Index of Ecological Integrity (IEI)




Road Intensity




Development Intensity




Edge Effects




Similarity




Connectedness



Lumbricus terrestris – Upland Forests
Deerfield Watershed




Lumbricus terrestris – Upland Forests Deerfield Watershed



$n = 96$


Logistic Regression

$P = 0.09, \rho^2 = .02$



Project review, permitting and mitigation design



- Scenario Analysis
- SLAM/RAM





Scenario Analysis in CAPS: Route 11 Project



**Landscape Ecology Program
Department of Natural Resources Conservation
University of Massachusetts, Amherst**

Route 11 Extension





Biodiversity value
Base scenario



*Biodiversity value
With Route 11 v3*

Results: 3 highway alternatives

Community	Δ Ecological Integrity		
	v1	v3	v3 (np)
Deciduous forest	442	474	621
Coniferous forest	59	70	86
Forested wetland	73	75	98
Powerline shrubland	2	2	2
Non-forested wetland	4	4	5
Farmed wetland	3	3	4
Headwater stream	13	13	14
Perennial stream	36	36	39
Coastal river	3	3	3
Pond or lake	4	4	4
TOTAL	638	686	876

Funding and Other Support Provided by:



MA Office of Energy & Environmental Affairs

Federal Highway Administration

US Environmental Protection Agency

MA Natural Heritage & Endangered Species Program

The Nature Conservancy

MA Department of Environmental Protection

The Trustees of Reservations

Massachusetts Audubon Society



<http://www.masscaps.org>

