

Volatile Organic Compounds

1,2,4-Trichlorobenzene

(120-82-1)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						96	NA
CMS-417	0.5	06/24/1999	340.0	mg/kg	8260B	X	
CMS-417	1.5	06/24/1999	270.0	mg/kg	8260B	X	

1,2-Dichlorobenzene

(95-50-1)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						510	NA
CMS-417	0.5	06/24/1999	1500.0	mg/kg	8260B	X	
CMS-417	1.5	06/24/1999	2800.0	mg/kg	8260B	X	

1,2-Dichloroethane

(107-06-2)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						0.9	10
CMS-405	4.5	06/23/1999	1.7J	mg/kg	8260B	X	

1,4-Dichlorobenzene

(106-46-7)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						27	150
CMS-417	0.5	06/24/1999	31.0J	mg/kg	8260B	X	
CMS-417	1.5	06/24/1999	40.0J	mg/kg	8260B	X	
CMS-419	1.5	07/07/1999	32.0	mg/kg	8260B	X	

Benzene

(71-43-2)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						2.5	10
CMS-405	1.5	06/23/1999	83.0J	mg/kg	8260B	X	X
CMS-405	1.5	06/23/1999	140.0J	mg/kg	8260B	X	X
CMS-405	2.5	06/23/1999	27.0J	mg/kg	8260B	X	X
CMS-405	3.5	06/23/1999	130.0J	mg/kg	8260B	X	X
CMS-405	4.5	06/23/1999	66.0J	mg/kg	8260B	X	X
CMS-408	1.5	06/28/1999	160.0	mg/kg	8260B	X	X
CMS-408	2.5	06/28/1999	480.0	mg/kg	8260B	X	X

Chlorobenzene

(108-90-7)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						210	2000
CMS-417	0.5	06/24/1999	360.0	mg/kg	8260B	X	
CMS-417	1.5	06/24/1999	1000.0	mg/kg	8260B	X	
CMS-417	2.5	06/24/1999	220.0	mg/kg	8260B	X	
CMS-419	1.5	07/07/1999	300.0	mg/kg	8260B	X	

Ethylbenzene

(100-41-4)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						71	NA
CMS-417	1.5	06/24/1999	81.0J	mg/kg	8260B	X	

NOTES:

J = The compound/analyte result is considered estimated based on quality assurance/quality control exceedance(s).

X = Denotes exceedance of applicable standard.

RI Residential Standards Source:

Table 1 Direct Exposure Criteria, Remediation Regulations,

DEM-DSR-01-93, 31 March 1993, amended August 1996, Division of Site Remediation Department of Environmental Management,

State of Rhode Island and Providence Plantation

Tetrachloroethene

(127-18-4)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						12	14
CMS-060	0.5	06/30/1999	63.0J	mg/kg	8260B	X	X
CMS-060	1.5	06/30/1999	25.0J	mg/kg	8260B	X	X
CMS-417	0.5	06/24/1999	820.0	mg/kg	8260B	X	X
CMS-417	1.5	06/24/1999	1700.0	mg/kg	8260B	X	X
CMS-419	1.5	07/07/1999	40.0	mg/kg	8260B	X	X
CMS-451	5.5	07/20/1999	250	mg/kg	8260B	X	X

Toluene

(108-88-3)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						190	NA
CMS-417	1.5	06/24/1999	430.0	mg/kg	8260B	X	

Trichloroethene

(79-01-6)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						13	10
CMS-417	0.5	06/24/1999	630.0	mg/kg	8260B	X	X
CMS-417	1.5	06/24/1999	2400.0	mg/kg	8260B	X	X
CMS-417	2.5	06/24/1999	34.0	mg/kg	8260B	X	X
CMS-419	1.5	07/07/1999	16.0J	mg/kg	8260B	X	X
CMS-451	5.5	07/20/1999	36	mg/kg	8260B	X	X

Vinyl chloride

(75-01-4)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						0.02	4
CMS-456	1.5	07/20/1999	0.07	mg/kg	8260B	X	

Xylene (total)

(1330-20-7)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						110	NA
CMS-417	0.5	06/24/1999	160.0J	mg/kg	8260B	X	
CMS-417	1.5	06/24/1999	380.0J	mg/kg	8260B	X	
CMS-419	1.5	07/07/1999	250.0	mg/kg	8260B	X	

Semi-Volatile Organic Compounds**Benz(a)anthracene**

(56-55-3)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						0.9	NA
AD-04	0.5	07/19/1999	1.3	mg/kg	8270C	X	
AD-04	0.5	07/19/1999	2.5	mg/kg	8270C	X	
AD-05	0.5	07/20/1999	1.4	mg/kg	8270C	X	
BV01COMP	2.0	11/05/1999	1.1	mg/kg	8270C	X	
CMS-060	0.5	06/30/1999	1.5J	mg/kg	8270C	X	
CMS-060	0.5	06/30/1999	0.91J	mg/kg	8270C	X	
CMS-089	0.5	06/28/1999	2.2	mg/kg	8270C	X	
CMS-089	3.5	06/28/1999	2.8	mg/kg	8270C	X	
CMS-118	0.5	06/30/1999	1.1	mg/kg	8270C	X	
CMS-118	1.5	06/30/1999	1.5	mg/kg	8270C	X	
CMS-159	0.5	07/01/1999	1.8J	mg/kg	8270C	X	
CMS-192	0.5	06/30/1999	2.2	mg/kg	8270C	X	
CMS-215	0.5	06/30/1999	1.6	mg/kg	8270C	X	
CMS-237	0.5	06/23/1999	0.99J	mg/kg	8270C	X	
CMS-237	2.5	06/23/1999	1.5	mg/kg	8270C	X	

NOTES:

J = The compound/analyte result is considered estimated based on quality assurance/quality control exceedance(s).

X = Denotes exceedance of applicable standard.

RI Residential Standards Source:

Table 1 Direct Exposure Criteria, Remediation Regulations,

DEM-DSR-01-93, 31 March 1993, amended August 1996, Division of Site Remediation Department of Environmental Management,
State of Rhode Island and Providence Plantation

CMS-405	0.5	06/23/1999	1.9	mg/kg	8270C	X
CMS-405	1.5	06/23/1999	1.1J	mg/kg	8270C	X
CMS-405	1.5	06/23/1999	5.5J	mg/kg	8270C	X
CMS-405	3.5	06/23/1999	0.95	mg/kg	8270C	X
CMS-407	1.5	06/28/1999	1.2	mg/kg	8270C	X
CMS-407	2.5	06/28/1999	2.0	mg/kg	8270C	X
CMS-418	0.5	06/30/1999	1.9J	mg/kg	8270C	X
CMS-418	1.5	06/30/1999	0.92	mg/kg	8270C	X
CMS-427	1.5	07/06/1999	1.0J	mg/kg	8270C	X
CMS-455	2.5	07/19/1999	1.0	mg/kg	8270C	X
CMS-456	0.5	07/20/1999	1.8	mg/kg	8270C	X
CMS-456	1.5	07/20/1999	1.8	mg/kg	8270C	X

Benzo(a)pyrene

(50-32-8)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						0.4	NA
AD-04	0.5	07/19/1999	2.9	mg/kg	8270C	X	
AD-04	0.5	07/19/1999	2.8	mg/kg	8270C	X	
AD-05	0.5	07/20/1999	1.4	mg/kg	8270C	X	
BV01COMP	2.0	11/05/1999	2.3	mg/kg	8270C	X	
CMS-060	0.5	06/30/1999	0.96J	mg/kg	8270C	X	
CMS-060	0.5	06/30/1999	0.73J	mg/kg	8270C	X	
CMS-089	0.5	06/28/1999	2.4	mg/kg	8270C	X	
CMS-089	1.5	06/28/1999	0.61	mg/kg	8270C	X	
CMS-089	3.5	06/28/1999	2.7	mg/kg	8270C	X	
CMS-118	0.5	06/30/1999	1.0J	mg/kg	8270C	X	
CMS-118	1.5	06/30/1999	1.2	mg/kg	8270C	X	
CMS-159	0.5	07/01/1999	2.0J	mg/kg	8270C	X	
CMS-173	0.5	06/28/1999	0.53J	mg/kg	8270C	X	
CMS-192	0.5	06/30/1999	2.4J	mg/kg	8270C	X	
CMS-215	0.5	06/30/1999	1.7	mg/kg	8270C	X	
CMS-237	0.5	06/23/1999	0.98J	mg/kg	8270C	X	
CMS-237	2.5	06/23/1999	1.5	mg/kg	8270C	X	
CMS-405	0.5	06/23/1999	1.5	mg/kg	8270C	X	
CMS-405	1.5	06/23/1999	0.83J	mg/kg	8270C	X	
CMS-405	1.5	06/23/1999	7.1J	mg/kg	8270C	X	
CMS-405	3.5	06/23/1999	0.81	mg/kg	8270C	X	
CMS-407	0.5	06/28/1999	0.57	mg/kg	8270C	X	
CMS-407	1.5	06/28/1999	1.1	mg/kg	8270C	X	
CMS-407	2.5	06/28/1999	1.7	mg/kg	8270C	X	
CMS-408	1.5	06/28/1999	0.57J	mg/kg	8270C	X	
CMS-408	2.5	06/28/1999	0.47	mg/kg	8270C	X	
CMS-418	0.5	06/30/1999	1.5J	mg/kg	8270C	X	
CMS-418	1.5	06/30/1999	0.76	mg/kg	8270C	X	
CMS-427	1.5	07/06/1999	0.84J	mg/kg	8270C	X	
CMS-455	2.5	07/19/1999	0.93	mg/kg	8270C	X	
CMS-456	0.5	07/20/1999	1.7	mg/kg	8270C	X	
CMS-456	1.5	07/20/1999	1.6	mg/kg	8270C	X	

NOTES:

J = The compound/analyte result is considered estimated based on quality assurance/quality control exceedance(s).

X = Denotes exceedance of applicable standard.

RI Residential Standards Source:

Table 1 Direct Exposure Criteria, Remediation Regulations,

DEM-DSR-01-93, 31 March 1993, amended August 1996, Division of Site Remediation Department of Environmental Management,
State of Rhode Island and Providence Plantations

Benzo(b)fluoranthene

(205-99-2)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						0.9	NA
AD-04	0.5	07/19/1999	7.0	mg/kg	8270C	X	
AD-04	0.5	07/19/1999	7.5	mg/kg	8270C	X	
AD-05	0.5	07/20/1999	1.4	mg/kg	8270C	X	
BV01COMP	2.0	11/05/1999	1.5	mg/kg	8270C	X	
CMS-060	0.5	06/30/1999	1.4J	mg/kg	8270C	X	
CMS-089	0.5	06/28/1999	5.2	mg/kg	8270C	X	
CMS-089	1.5	06/28/1999	1.2	mg/kg	8270C	X	
CMS-089	3.5	06/28/1999	5.2	mg/kg	8270C	X	
CMS-118	0.5	06/30/1999	2.1J	mg/kg	8270C	X	
CMS-118	1.5	06/30/1999	1.9	mg/kg	8270C	X	
CMS-173	0.5	06/28/1999	0.97J	mg/kg	8270C	X	
CMS-237	0.5	06/23/1999	1.9	mg/kg	8270C	X	
CMS-237	2.5	06/23/1999	2.7	mg/kg	8270C	X	
CMS-405	0.5	06/23/1999	3.5	mg/kg	8270C	X	
CMS-405	1.5	06/23/1999	2.0J	mg/kg	8270C	X	
CMS-405	1.5	06/23/1999	10.0J	mg/kg	8270C	X	
CMS-405	3.5	06/23/1999	1.6	mg/kg	8270C	X	
CMS-407	0.5	06/28/1999	1.2	mg/kg	8270C	X	
CMS-407	1.5	06/28/1999	2.3	mg/kg	8270C	X	
CMS-407	2.5	06/28/1999	3.2	mg/kg	8270C	X	
CMS-408	1.5	06/28/1999	1.2J	mg/kg	8270C	X	
CMS-427	1.5	07/06/1999	1.4J	mg/kg	8270C	X	
CMS-455	2.5	07/19/1999	1.5	mg/kg	8270C	X	
CMS-456	0.5	07/20/1999	3.3	mg/kg	8270C	X	
CMS-456	1.5	07/20/1999	2.9	mg/kg	8270C	X	

Benzo(ghi)perylene

(191-24-2)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						0.8	NA
AD-04	0.5	07/19/1999	2.2	mg/kg	8270C	X	
AD-04	0.5	07/19/1999	2.3	mg/kg	8270C	X	
CMS-089	0.5	06/28/1999	0.94	mg/kg	8270C	X	
CMS-089	3.5	06/28/1999	1.5J	mg/kg	8270C	X	
CMS-159	0.5	07/01/1999	1.1J	mg/kg	8270C	X	
CMS-192	0.5	06/30/1999	1.5J	mg/kg	8270C	X	
CMS-215	0.5	06/30/1999	0.9J	mg/kg	8270C	X	
CMS-405	0.5	06/23/1999	0.91	mg/kg	8270C	X	
CMS-405	1.5	06/23/1999	4.2J	mg/kg	8270C	X	
CMS-407	2.5	06/28/1999	0.81J	mg/kg	8270C	X	
CMS-456	0.5	07/20/1999	0.95	mg/kg	8270C	X	
CMS-456	1.5	07/20/1999	1.0J	mg/kg	8270C	X	

Benzo(k)fluoranthene

(207-08-9)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						0.9	NA
AD-04	0.5	07/19/1999	7.8	mg/kg	8270C	X	
AD-04	0.5	07/19/1999	8.3	mg/kg	8270C	X	
AD-05	0.5	07/20/1999	1.2	mg/kg	8270C	X	
BV01COMP	2.0	11/05/1999	1.2	mg/kg	8270C	X	
CMS-060	0.5	06/30/1999	2.3J	mg/kg	8270C	X	
CMS-159	0.5	07/01/1999	3.8J	mg/kg	8270C	X	
CMS-192	0.5	06/30/1999	5.0J	mg/kg	8270C	X	

NOTES:

J = The compound/analyte result is considered estimated based on quality assurance/quality control exceedance(s).

X = Denotes exceedance of applicable standard.

RI Residential Standards Source:

Table 1 Direct Exposure Criteria, Remediation Regulations,

DEM-DSR-01-93, 31 March 1993, amended August 1996, Division of Site Remediation Department of Environmental Management,

State of Rhode Island and Providence Plantation

CMS-215	0.5	06/30/1999	4.2	mg/kg	8270C	X
CMS-418	0.5	06/30/1999	3.1J	mg/kg	8270C	X
CMS-418	1.5	06/30/1999	1.4	mg/kg	8270C	X

Chrysene
(218-01-9)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						0.4	NA
AD-04	0.5	07/19/1999	4.4	mg/kg	8270C	X	
AD-04	0.5	07/19/1999	3.6	mg/kg	8270C	X	
AD-05	0.5	07/20/1999	1.7	mg/kg	8270C	X	
BV01COMP	2.0	11/05/1999	1.6	mg/kg	8270C	X	
CMS-060	0.5	06/30/1999	1.4J	mg/kg	8270C	X	
CMS-060	0.5	06/30/1999	0.79J	mg/kg	8270C	X	
CMS-060	1.5	06/30/1999	0.46	mg/kg	8270C	X	
CMS-089	0.5	06/28/1999	2.7	mg/kg	8270C	X	
CMS-089	1.5	06/28/1999	0.66	mg/kg	8270C	X	
CMS-089	3.5	06/28/1999	3.0	mg/kg	8270C	X	
CMS-118	0.5	06/30/1999	1.1	mg/kg	8270C	X	
CMS-118	1.5	06/30/1999	1.3	mg/kg	8270C	X	
CMS-159	0.5	07/01/1999	2.2	mg/kg	8270C	X	
CMS-164	0.5	06/22/1999	0.42J	mg/kg	8270C	X	
CMS-173	0.5	06/28/1999	0.49J	mg/kg	8270C	X	
CMS-192	0.5	06/30/1999	2.7	mg/kg	8270C	X	
CMS-215	0.5	06/30/1999	2.0	mg/kg	8270C	X	
CMS-237	0.5	06/23/1999	1.2J	mg/kg	8270C	X	
CMS-237	1.5	06/23/1999	0.48J	mg/kg	8270C	X	
CMS-237	2.5	06/23/1999	1.5	mg/kg	8270C	X	
CMS-405	0.5	06/23/1999	2.0	mg/kg	8270C	X	
CMS-405	1.5	06/23/1999	1.3J	mg/kg	8270C	X	
CMS-405	1.5	06/23/1999	4.2J	mg/kg	8270C	X	
CMS-405	3.5	06/23/1999	1.0	mg/kg	8270C	X	
CMS-407	0.5	06/28/1999	0.67	mg/kg	8270C	X	
CMS-407	1.5	06/28/1999	1.3	mg/kg	8270C	X	
CMS-407	2.5	06/28/1999	1.8	mg/kg	8270C	X	
CMS-408	1.5	06/28/1999	0.8J	mg/kg	8270C	X	
CMS-408	2.5	06/28/1999	0.59	mg/kg	8270C	X	
CMS-418	0.5	06/30/1999	1.8J	mg/kg	8270C	X	
CMS-418	1.5	06/30/1999	0.83	mg/kg	8270C	X	
CMS-427	1.5	07/06/1999	0.98J	mg/kg	8270C	X	
CMS-427	5.5	07/06/1999	0.65J	mg/kg	8270C	X	
CMS-449	7.5	07/20/1999	0.45	mg/kg	8270C	X	
CMS-455	2.5	07/19/1999	0.99	mg/kg	8270C	X	
CMS-456	0.5	07/20/1999	2.1	mg/kg	8270C	X	
CMS-456	1.5	07/20/1999	2.0	mg/kg	8270C	X	

Dibenz(a,h)anthracene
(53-70-3)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						0.4	NA
AD-04	0.5	07/19/1999	0.82J	mg/kg	8270C	X	
AD-04	0.5	07/19/1999	0.7J	mg/kg	8270C	X	
CMS-192	0.5	06/30/1999	0.54J	mg/kg	8270C	X	
CMS-405	1.5	06/23/1999	1.0J	mg/kg	8270C	X	

NOTES:

J = The compound/analyte result is considered estimated based on quality assurance/quality control exceedance(s).

X = Denotes exceedance of applicable standard.

RI Residential Standards Source:

Table 1 Direct Exposure Criteria, Remediation Regulations,

DEM-DSR-01-93, 31 March 1993, amended August 1996, Division of Site Remediation Department of Environmental Management,
State of Rhode Island and Providence Plantation

Indeno(1,2,3-cd)pyrene

(193-39-5)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						0.9	NA
AD-04	0.5	07/19/1999	2.5	mg/kg	8270C	X	
AD-04	0.5	07/19/1999	2.5	mg/kg	8270C	X	
AD-05	0.5	07/20/1999	0.92	mg/kg	8270C	X	
CMS-089	0.5	06/28/1999	1.1	mg/kg	8270C	X	
CMS-089	3.5	06/28/1999	1.6J	mg/kg	8270C	X	
CMS-159	0.5	07/01/1999	1.1J	mg/kg	8270C	X	
CMS-192	0.5	06/30/1999	1.4J	mg/kg	8270C	X	
CMS-215	0.5	06/30/1999	0.96J	mg/kg	8270C	X	
CMS-405	1.5	06/23/1999	3.3J	mg/kg	8270C	X	
CMS-456	0.5	07/20/1999	0.91	mg/kg	8270C	X	

Naphthalene

(91-20-3)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						54	NA
CMS-417	1.5	06/24/1999	84.0J	mg/kg	8260B	X	

Pyrene

(129-00-0)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						13	NA
CMS-417	0.5	06/24/1999	16.0J	mg/kg	8270C	X	

bis(2-Ethylhexyl) phthalate

(117-81-7)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						46	NA
CMS-408	1.5	06/28/1999	80.0	mg/kg	8270C	X	
CMS-417	0.5	06/24/1999	460.0	mg/kg	8270C	X	
CMS-419	1.5	07/07/1999	390.0	mg/kg	8270C	X	

Polychlorinated Biphenyls (PCBs)**PCB's**

(1336-36-3)

Comparison to Standards (ppm)

Site Id	Depth	Date	Result	Units	Method	RESIDENTIAL	TCLP X 20
						10	NA
CMS-089	1.5	06/28/1999	13.0	mg/kg	8082	X	
CMS-089	2.5	06/28/1999	31.0	mg/kg	8082	X	
CMS-140	0.5	06/24/1999	190.0	mg/kg	8082	X	
CMS-147	0.5	06/24/1999	22.0	mg/kg	8082	X	
CMS-147	1.5	06/24/1999	350.0	mg/kg	8082	X	
CMS-147	2.5	06/24/1999	1300.0	mg/kg	8082	X	
CMS-152	2.5	06/21/1999	13.0J	mg/kg	8082	X	
CMS-153	2.5	06/22/1999	26.0J	mg/kg	8082	X	
CMS-154	0.5	06/22/1999	44.0J	mg/kg	8082	X	
CMS-154	1.5	06/22/1999	700.0J	mg/kg	8082	X	
CMS-154	2.5	06/22/1999	19.0J	mg/kg	8082	X	
CMS-155	0.5	06/22/1999	560.0J	mg/kg	8082	X	
CMS-155	1.5	06/22/1999	28.0J	mg/kg	8082	X	
CMS-156	0.5	06/24/1999	130.0J	mg/kg	8082	X	
CMS-237	0.5	06/23/1999	13.0	mg/kg	8082	X	
CMS-237	1.5	06/23/1999	56.0	mg/kg	8082	X	
CMS-238	0.5	06/23/1999	86.0	mg/kg	8082	X	
CMS-239	0.5	06/23/1999	35.0	mg/kg	8082	X	
CMS-239	1.5	06/23/1999	32.0	mg/kg	8082	X	

NOTES:

J = The compound/analyte result is considered estimated based on quality assurance/quality control exceedance(s).

X = Denotes exceedance of applicable standard.

RI Residential Standards Source:

Table 1 Direct Exposure Criteria, Remediation Regulations,

DEM-DSR-01-93, 31 March 1993, amended August 1996, Division of Site Remediation Department of Environmental Management,

State of Rhode Island and Providence Plantation

CMS-240	0.5	06/25/1999	16.0	mg/kg	8082	X
CMS-242	0.5	06/24/1999	16.0	mg/kg	8082	X
CMS-402	2.5	06/22/1999	420.0J	mg/kg	8082	X
CMS-405	1.5	06/23/1999	19.0J	mg/kg	8082	X
CMS-408	1.5	06/28/1999	23.0	mg/kg	8082	X
CMS-410	0.5	06/24/1999	230.0	mg/kg	8082	X
CMS-410	2.5	06/24/1999	180.0	mg/kg	8082	X
CMS-410	3.5	06/24/1999	29.0	mg/kg	8082	X
CMS-410	4.5	06/24/1999	13.0J	mg/kg	8082	X
CMS-410	4.5	06/24/1999	32.0J	mg/kg	8082	X
CMS-416	1.5	06/25/1999	56.0J	mg/kg	8082	X
CMS-416	1.5	06/25/1999	32.0J	mg/kg	8082	X
CMS-416	2.5	06/25/1999	21.0	mg/kg	8082	X
CMS-417	0.5	06/24/1999	320.0	mg/kg	8082	X
CMS-417	1.5	06/24/1999	27.0	mg/kg	8082	X
CMS-417	2.5	06/24/1999	13.0	mg/kg	8082	X
CMS-417	3.5	06/24/1999	46.0	mg/kg	8082	X
CMS-419	0.5	07/07/1999	27.0	mg/kg	8082	X
CMS-419	1.5	07/07/1999	490.0	mg/kg	8082	X
CMS-419	2.5	07/07/1999	58.0	mg/kg	8082	X
CMS-420	2.5	07/02/1999	75.0	mg/kg	8082	X
CMS-420	3.5	07/02/1999	860.0	mg/kg	8082	X
CMS-421	1.5	07/08/1999	23.0	mg/kg	8082	X
CMS-421	1.5	07/08/1999	36.0	mg/kg	8082	X
CMS-421	2.5	07/08/1999	19.0	mg/kg	8082	X
CMS-422	1.5	07/02/1999	160.0	mg/kg	8082	X
CMS-423	3.5	07/07/1999	12.0	mg/kg	8082	X
CMS-425	2.5	07/08/1999	33.0	mg/kg	8082	X
CMS-426	1.5	07/07/1999	11.0J	mg/kg	8082	X
CMS-426	1.5	07/07/1999	31.0J	mg/kg	8082	X
CMS-426	2.5	07/07/1999	19.0	mg/kg	8082	X
CMS-427	1.5	07/06/1999	17.0	mg/kg	8082	X
CMS-427	4.5	07/06/1999	23.0	mg/kg	8082	X
CMS-427	5.5	07/06/1999	23.0	mg/kg	8082	X
CMS-428	0.5	07/20/1999	14.0	mg/kg	8082	X
CMS-432	3.5	07/09/1999	280.0	mg/kg	8082	X
CMS-433	2.5	07/09/1999	16.0J	mg/kg	8082	X
CMS-602	0.3	09/29/1999	13.0	mg/kg	8082	X
CMS-605	0.5	09/29/1999	13.0	mg/kg	8082	X
CMS-606	0.3	09/29/1999	27.0	mg/kg	8082	X
CMS-607	0.3	09/29/1999	17.0	mg/kg	8082	X
CMS-607	0.3	09/29/1999	28.0	mg/kg	8082	X
CMS-619	0.3	10/01/1999	11.0	mg/kg	8082	X

NOTES:

J = The compound/analyte result is considered estimated based on quality assurance/quality control exceedance(s).

X = Denotes exceedance of applicable standard.

RI Residential Standards Source:

Table 1 Direct Exposure Criteria, Remediation Regulations,

DEM-DSR-01-93, 31 March 1993, amended August 1996, Division of Site Remediation Department of Environmental Management,
State of Rhode Island and Providence Plantation