US EPA ARCHIVE DOCUMENT

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-1	2051-60-7	PCB	MOD 1668A	8.47	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-3	2051-62-9	PCB	MOD 1668A	8.14	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-4	13029-08-8	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-5	16605-91-7	PCB	MOD 1668A	10.00	pg/g - Wet Wt	U		10.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-6	25569-80-6	PCB	MOD 1668A	4.65	pg/g - Wet Wt	J		10.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-7	33284-50-3	PCB	MOD 1668A	10.00	pg/g - Wet Wt	U		10.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-8	34883-43-7	PCB	MOD 1668A	25.19	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-9	34883-39-1	PCB	MOD 1668A	10.00	pg/g - Wet Wt	U		10.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-10	33146-45-1	PCB	MOD 1668A	10.00	pg/g - Wet Wt	U		10.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-12	2974-92-7	PCB	MOD 1668A	20.00	pg/g - Wet Wt	UC		20.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12		20.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-16	38444-78-9	PCB	MOD 1668A	6.31	pg/g - Wet Wt	J		20.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-17	37680-66-3	PCB	MOD 1668A	5.60	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-18	37680-65-2	PCB	MOD 1668A	10.36	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-19	38444-73-4	PCB	MOD 1668A	20.00	pg/g - Wet Wt	U		20.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-20	38444-84-7	PCB	MOD 1668A	42.00	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-22	38444-85-8	PCB	MOD 1668A	11.74	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-24	55702-45-9	PCB	MOD 1668A	40.00	pg/g - Wet Wt	UC		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C24		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-25	55712-37-3	PCB	MOD 1668A	1.84	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-26	38444-81-4	PCB	MOD 1668A	5.21	pg/g - Wet Wt	JC		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-31	16606-02-3	PCB	MOD 1668A	21.94	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-32	38444-77-4	PCB	MOD 1668A	3.04	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-40	38444-93-8	PCB	MOD 1668A	8.13	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-42	36559-22-5	PCB	MOD 1668A	4.46	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-43	70362-46-8	PCB	MOD 1668A	35.77	pg/g - Wet Wt	JC		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-44	41464-39-5	PCB	MOD 1668A	9.85	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-45	70362-45-7	PCB	MOD 1668A	6.05	pg/g - Wet Wt	JC		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-46	41464-47-5	PCB	MOD 1668A	40.00	pg/g - Wet Wt	U		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-48	70362-47-9	PCB	MOD 1668A	3.21	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-49	41464-40-8	PCB	MOD 1668A	10.77	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-50	62796-65-0	PCB	MOD 1668A	40.00	pg/g - Wet Wt	UC		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-56	41464-43-1	PCB	MOD 1668A	15.28	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-59	74472-33-6	PCB	MOD 1668A	18.08	pg/g - Wet Wt	JC		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-60	33025-41-1	PCB	MOD 1668A	8.37	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-63	74472-34-7	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-64	52663-58-8	PCB	MOD 1668A	10.73	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-66	32598-10-0	PCB	MOD 1668A	22.56	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-61	33284-53-6	PCB	MOD 1668A	58.29	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61		100.00

Superfund Records Center
SITE: Centredale
BREAK: 3.2
OTHER: 35821

SDMS DocID 35821

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-77	32598-13-3	PCB	MOD 1668A	2.55	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-81	70362-50-4	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-82	52663-62-4	PCB	MOD 1668A	11.12	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-111	39635-32-0	PCB	MOD 1668A		pg/g - Wet Wt	C82		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-83	60145-20-2	PCB	MOD 1668A	24.12	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-84	52663-60-2	PCB	MOD 1668A	19.08	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-85	65510-45-4	PCB	MOD 1668A	12.93	pg/g - Wet Wt	JC		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-86	55312-69-1	PCB	MOD 1668A	48.89	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-89	73575-57-2	PCB	MOD 1668A	100.00	pg/g - Wet Wt	UC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-121	56558-18-0	PCB	MOD 1668A		pg/g - Wet Wt	C89		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-90	68194-07-0	PCB	MOD 1668A	51.33	pg/g - Wet Wt	JC		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-88	55215-17-3	PCB	MOD 1668A	7.62	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-92	52663-61-3	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-93	73575-56-1	PCB	MOD 1668A	44.95	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-95	38379-99-6	PCB	MOD 1668A		pg/g - Wet Wt	C93		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-105	32598-14-4	PCB	MOD 1668A	18.88	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-108	70362-41-3	PCB	MOD 1668A	2.19	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-110	38380-03-9	PCB	MOD 1668A	72.47	pg/g - Wet Wt	JC		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-114	74472-37-0	PCB	MOD 1668A	100.00	pg/g - Wet Wt	UC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-122	76842-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C114		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-118	31508-00-6	PCB	MOD 1668A	46.34	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-106	70424-69-0	PCB	MOD 1668A	4.77	pg/g - Wet Wt	JC		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-126	57465-28-8	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-128	38380-07-3	PCB	MOD 1668A	9.63	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-129	55215-18-4	PCB	MOD 1668A	24.89	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-130	52663-66-8	PCB	MOD 1668A	3.71	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-131	61798-70-7	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-132	38380-05-1	PCB	MOD 1668A	22.73	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-134	52704-70-8	PCB	MOD 1668A	3.55	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-135	52744-13-5	PCB	MOD 1668A	9.35	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135		100.00

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-136	38411-22-2	PCB	MOD 1668A	5.70	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-137	35694-06-5	PCB	MOD 1668A	4.00	pg/g - Wet Wt	JC		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-141	52712-04-6	PCB	MOD 1668A	6.07	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-144	68194-14-9	PCB	MOD 1668A	1.81	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-146	51908-16-8	PCB	MOD 1668A	4.43	pg/g - Wet Wt	JC		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-147	68194-13-8	PCB	MOD 1668A	35.18	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-153	35065-27-1	PCB	MOD 1668A	25.92	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-156	38380-08-4	PCB	MOD 1668A	4.65	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-158	74472-42-7	PCB	MOD 1668A	4.14	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-167	52663-72-6	PCB	MOD 1668A	1.43	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-169	32774-16-6	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-170	35065-30-6	PCB	MOD 1668A	7.97	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-171	52663-71-5	PCB	MOD 1668A	200.00	pg/g - Wet Wt	UC		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-172	52663-74-8	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-174	38411-25-5	PCB	MOD 1668A	6.01	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-175	40186-70-7	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-176	52663-65-7	PCB	MOD 1668A	1.14	pg/g - Wet Wt	J		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-177	52663-70-4	PCB	MOD 1668A	3.47	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-178	52663-67-9	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-180	35065-29-3	PCB	MOD 1668A	11.45	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-182	60145-23-5	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-183	52663-69-1	PCB	MOD 1668A	2.28	pg/g - Wet Wt	J		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-184	74472-48-3	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-185	52712-05-7	PCB	MOD 1668A	0.44	pg/g - Wet Wt	J		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-187	52663-68-0	PCB	MOD 1668A	7.93	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-189	39635-31-9	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-190	41411-64-7	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-191	74472-50-7	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-194	35694-08-7	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-195	52663-78-2	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-196	42740-50-1	PCB	MOD 1668A	1.19	pg/g - Wet Wt	J		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-197	33091-17-7	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-198	68194-17-2	PCB	MOD 1668A	7.95	pg/g - Wet Wt	JC		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198		40.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-200	52663-73-7	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-201	40186-71-8	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-203	52663-76-0	PCB	MOD 1668A	2.25	pg/g - Wet Wt	J		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-205	74472-53-0	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-206	40186-72-9	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-207	52663-79-3	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	PCB-209	2051-24-3	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	Total PCB		PCB	MOD 1668A	979.03	pg/g - Wet Wt			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-1	2051-60-7	PCB	MOD 1668A	53	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-3	2051-62-9	PCB	MOD 1668A	50	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-4	13029-08-8	PCB	MOD 1668A	42	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-19	38444-73-4	PCB	MOD 1668A	47	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-15	2050-68-2	PCB	MOD 1668A	75	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-54	15968-05-5	PCB	MOD 1668A	54	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-104	56558-16-8	PCB	MOD 1668A	46	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-37	38444-90-5	PCB	MOD 1668A	99	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-155	33979-03-02	PCB	MOD 1668A	27	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-81	70362-50-4	PCB	MOD 1668A	68	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-77	32598-13-3	PCB	MOD 1668A	71	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-123	65510-44-3	PCB	MOD 1668A	62	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-118	31508-00-6	PCB	MOD 1668A	60	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-188	74487-85-7	PCB	MOD 1668A	28	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-114	74472-37-0	PCB	MOD 1668A	60	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-105	32598-14-4	PCB	MOD 1668A	68	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-126	57465-28-8	PCB	MOD 1668A	66	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-202	2136-99-4	PCB	MOD 1668A	41	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-167	52663-72-6	PCB	MOD 1668A	79	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-156	38380-08-4	PCB	MOD 1668A	93	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-157	69782-90-7	PCB	MOD 1668A	93	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-169	32774-16-6	PCB	MOD 1668A	95	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-208	52663-77-1	PCB	MOD 1668A	33	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-189	39635-31-9	PCB	MOD 1668A	71	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-205	74472-53-0	PCB	MOD 1668A	51	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-206	40186-72-9	PCB	MOD 1668A	35	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-209	2051-24-3	PCB	MOD 1668A	31	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-28	7012-37-5	PCB	MOD 1668A	88	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-111	39635-32-0	PCB	MOD 1668A	47	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/23/2001	10/21/2001		48985-74	13C-PCB-178	52663-67-9	PCB	MOD 1668A	47	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-1	2051-60-7	PCB	MOD 1668A	36.03	pg/g - Wet Wt	J		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-3	2051-62-9	PCB	MOD 1668A	14.47	pg/g - Wet Wt	J		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-4	13029-08-8	PCB	MOD 1668A	264.43	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-5	16605-91-7	PCB	MOD 1668A	11.21	pg/g - Wet Wt			9.98
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-6	25569-80-6	PCB	MOD 1668A	147.22	pg/g - Wet Wt			9.98
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-7	33284-50-3	PCB	MOD 1668A	28.90	pg/g - Wet Wt			9.98
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-8	34883-43-7	PCB	MOD 1668A	573.55	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-9	34883-39-1	PCB	MOD 1668A	57.91	pg/g - Wet Wt			9.98
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-10	33146-45-1	PCB	MOD 1668A	11.27	pg/g - Wet Wt			9.98
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-12	2974-92-7	PCB	MOD 1668A	4.98	pg/g - Wet Wt	JC		19.97
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12		19.97
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-16	38444-78-9	PCB	MOD 1668A	1045.24	pg/g - Wet Wt			19.97
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-17	37680-66-3	PCB	MOD 1668A	1305.77	pg/g - Wet Wt			39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-18	37680-65-2	PCB	MOD 1668A	2705.96	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-19	38444-73-4	PCB	MOD 1668A	264.15	pg/g - Wet Wt			19.97
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-20	38444-84-7	PCB	MOD 1668A	14191.76	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-22	38444-85-8	PCB	MOD 1668A	2092.14	pg/g - Wet Wt			39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-24	55702-45-9	PCB	MOD 1668A	277.56	pg/g - Wet Wt	C		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C24		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-25	55712-37-3	PCB	MOD 1668A	548.26	pg/g - Wet Wt			39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-26	38444-81-4	PCB	MOD 1668A	1609.20	pg/g - Wet Wt	C		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-31	16606-02-3	PCB	MOD 1668A	5947.03	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-32	38444-77-4	PCB	MOD 1668A	1041.59	pg/g - Wet Wt			39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-40	38444-93-8	PCB	MOD 1668A	4606.17	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-42	36559-22-5	PCB	MOD 1668A	3286.68	pg/g - Wet Wt			39.94

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-27	5.00	G_WET				W
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	36.03	UJ		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	14.47	UJ		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	264.43	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	11.21	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	147.22	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	28.9	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	573.55	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	57.91	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	11.27	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	4.98	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	1045.24	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	1305.77	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	2705.96	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	264.15	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	14191.76	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	2092.14	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	277.56	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	548.26	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	1609.2	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	5947.03	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	1041.59	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	4606.17	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	3286.68	J		O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-43	70362-46-8	PCB	MOD 1668A	30615.99	pg/g - Wet Wt	C		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-44	41464-39-5	PCB	MOD 1668A	5422.14	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-45	70362-45-7	PCB	MOD 1668A	1353.20	pg/g - Wet Wt	C		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-46	41464-47-5	PCB	MOD 1668A	271.23	pg/g - Wet Wt			39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-48	70362-47-9	PCB	MOD 1668A	1760.19	pg/g - Wet Wt			39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-49	41464-40-8	PCB	MOD 1668A	11957.28	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-50	62796-65-0	PCB	MOD 1668A	1247.94	pg/g - Wet Wt	C		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-56	41464-43-1	PCB	MOD 1668A	3571.82	pg/g - Wet Wt			39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-59	74472-33-6	PCB	MOD 1668A	8856.99	pg/g - Wet Wt	C		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-60	33025-41-1	PCB	MOD 1668A	2383.59	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-63	74472-34-7	PCB	MOD 1668A	919.03	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-64	52663-58-8	PCB	MOD 1668A	5995.69	pg/g - Wet Wt			39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-66	32598-10-0	PCB	MOD 1668A	27198.75	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-61	33284-53-6	PCB	MOD 1668A	26275.12	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-77	32598-13-3	PCB	MOD 1668A	556.53	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-81	70362-50-4	PCB	MOD 1668A	99.84	pg/g - Wet Wt	U		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-82	52663-62-4	PCB	MOD 1668A	4705.97	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-111	39635-32-0	PCB	MOD 1668A		pg/g - Wet Wt	C82		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-83	60145-20-2	PCB	MOD 1668A	46465.80	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-84	52663-60-2	PCB	MOD 1668A	5630.44	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-85	65510-45-4	PCB	MOD 1668A	14978.94	pg/g - Wet Wt	C		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-86	55312-69-1	PCB	MOD 1668A	40036.80	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-89	73575-57-2	PCB	MOD 1668A	202.03	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-121	56558-18-0	PCB	MOD 1668A		pg/g - Wet Wt	C89		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-90	68194-07-0	PCB	MOD 1668A	84283.59	pg/g - Wet Wt	C		199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90		199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90		199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-88	55215-17-3	PCB	MOD 1668A	5455.58	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-92	52663-61-3	PCB	MOD 1668A	13292.36	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-93	73575-56-1	PCB	MOD 1668A	26856.50	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-95	38379-99-6	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-105	32598-14-4	PCB	MOD 1668A	14831.63	pg/g - Wet Wt			39.94

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	30615.99	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	5422.14	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	1353.2	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	271.23	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	1760.19	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	11957.28	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	1247.94	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	3571.82	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	8856.99	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	2383.59	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	919.03	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	5995.69	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	27198.75	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	26275.12	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	556.53	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	99.84	UJ		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	4705.97	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	46465.8	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	5630.44	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	14978.94	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	40036.8	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	202.03	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	84283.59	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	5455.58	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	13292.36	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	26856.5	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	14831.63	J		O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-108	70362-41-3	PCB	MOD 1668A	2430.20	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-110	38380-03-9	PCB	MOD 1668A	60918.32	pg/g - Wet Wt	C		199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110		199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-114	74472-37-0	PCB	MOD 1668A	1518.75	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-122	76842-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C114		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-118	31508-00-6	PCB	MOD 1668A	73542.17	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-106	70424-69-0	PCB	MOD 1668A	7843.41	pg/g - Wet Wt	C		199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106		199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-126	57465-28-8	PCB	MOD 1668A	354.99	pg/g - Wet Wt			199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-128	38380-07-3	PCB	MOD 1668A	13024.14	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-129	55215-18-4	PCB	MOD 1668A	45070.82	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-130	52663-66-8	PCB	MOD 1668A	4852.67	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-131	61798-70-7	PCB	MOD 1668A	549.35	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-132	38380-05-1	PCB	MOD 1668A	10259.28	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-134	52704-70-8	PCB	MOD 1668A	1855.46	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-135	52744-13-5	PCB	MOD 1668A	7880.58	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-136	38411-22-2	PCB	MOD 1668A	1651.92	pg/g - Wet Wt			39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-137	35694-06-5	PCB	MOD 1668A	7776.60	pg/g - Wet Wt	C		199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137		199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-141	52712-04-6	PCB	MOD 1668A	8638.93	pg/g - Wet Wt			39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-144	68194-14-9	PCB	MOD 1668A	1593.64	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-146	51908-16-8	PCB	MOD 1668A	9163.14	pg/g - Wet Wt	C		199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146		199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-147	68194-13-8	PCB	MOD 1668A	31992.04	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-153	35065-27-1	PCB	MOD 1668A	63469.30	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-156	38380-08-4	PCB	MOD 1668A	8318.34	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-158	74472-42-7	PCB	MOD 1668A	7621.71	pg/g - Wet Wt			39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-167	52663-72-6	PCB	MOD 1668A	3407.09	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-169	32774-16-6	PCB	MOD 1668A	99.84	pg/g - Wet Wt	U		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-170	35065-30-6	PCB	MOD 1668A	7919.64	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-171	52663-71-5	PCB	MOD 1668A	2200.10	pg/g - Wet Wt	C		199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171		199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-172	52663-74-8	PCB	MOD 1668A	1495.78	pg/g - Wet Wt			199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-174	38411-25-5	PCB	MOD 1668A	2497.74	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-175	40186-70-7	PCB	MOD 1668A	209.10	pg/g - Wet Wt			199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-176	52663-65-7	PCB	MOD 1668A	250.88	pg/g - Wet Wt			199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-177	52663-70-4	PCB	MOD 1668A	2667.87	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-178	52663-67-9	PCB	MOD 1668A	1028.70	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-180	35065-29-3	PCB	MOD 1668A	14526.34	pg/g - Wet Wt	C		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180		99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-182	60145-23-5	PCB	MOD 1668A	45.26	pg/g - Wet Wt	J		199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-183	52663-69-1	PCB	MOD 1668A	2945.12	pg/g - Wet Wt			199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-184	74472-48-3	PCB	MOD 1668A	14.95	pg/g - Wet Wt	J		199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-185	52712-05-7	PCB	MOD 1668A	381.52	pg/g - Wet Wt			199.68

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	2430.2	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	60918.32	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	1518.75	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	73542.17	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	7843.41	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	354.99	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	13024.14	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	45070.82	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	4852.67	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	549.35	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	10259.28	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	1855.46	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	7880.58	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	1651.92	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	7776.6	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	8638.93	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	1593.64	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	9163.14	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	31992.04	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	63469.3	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	8318.34	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	7621.71	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	3407.09	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	99.84	UJ		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	7919.64	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	2200.1	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	1495.78	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	2497.74	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	209.1	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	250.88	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	2667.87	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	1028.7	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	14526.34	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	45.26	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	2945.12	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	14.95	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	381.52	J		O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-187	52663-68-0	PCB	MOD 1668A	6840.18	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-189	39635-31-9	PCB	MOD 1668A	242.20	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-190	41411-64-7	PCB	MOD 1668A	1784.22	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-191	74472-50-7	PCB	MOD 1668A	262.35	pg/g - Wet Wt			199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-194	35694-08-7	PCB	MOD 1668A	2367.41	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-195	52663-78-2	PCB	MOD 1668A	698.48	pg/g - Wet Wt			199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-196	42740-50-1	PCB	MOD 1668A	1342.02	pg/g - Wet Wt			199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-197	33091-17-7	PCB	MOD 1668A	81.10	pg/g - Wet Wt	J		199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-198	68194-17-2	PCB	MOD 1668A	7236.44	pg/g - Wet Wt	C		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198		39.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-200	52663-73-7	PCB	MOD 1668A	89.19	pg/g - Wet Wt	J		199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-201	40186-71-8	PCB	MOD 1668A	426.24	pg/g - Wet Wt			199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-203	52663-76-0	PCB	MOD 1668A	4079.09	pg/g - Wet Wt			199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-205	74472-53-0	PCB	MOD 1668A	120.56	pg/g - Wet Wt	J		199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-206	40186-72-9	PCB	MOD 1668A	7612.04	pg/g - Wet Wt			199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-207	52663-79-3	PCB	MOD 1668A	763.97	pg/g - Wet Wt			199.68
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-209	2051-24-3	PCB	MOD 1668A	3666.69	pg/g - Wet Wt			99.84
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	Total PCB		PCB	MOD 1668A	874445.42	pg/g - Wet Wt			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-1	2051-60-7	PCB	MOD 1668A	50	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-3	2051-62-9	PCB	MOD 1668A	50	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-4	13029-08-8	PCB	MOD 1668A	44	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-19	38444-73-4	PCB	MOD 1668A	44	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-15	2050-68-2	PCB	MOD 1668A	76	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-54	15968-05-5	PCB	MOD 1668A	54	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-104	56558-16-8	PCB	MOD 1668A	42	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-37	38444-90-5	PCB	MOD 1668A	87	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-155	33979-03-02	PCB	MOD 1668A	38	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-81	70362-50-4	PCB	MOD 1668A	67	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-77	32598-13-3	PCB	MOD 1668A	65	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-123	65510-44-3	PCB	MOD 1668A	56	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-118	31508-00-6	PCB	MOD 1668A	60	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-188	74487-85-7	PCB	MOD 1668A	35	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-114	74472-37-0	PCB	MOD 1668A	57	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-105	32598-14-4	PCB	MOD 1668A	59	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-126	57465-28-8	PCB	MOD 1668A	56	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-202	2136-99-4	PCB	MOD 1668A	44	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-167	52663-72-6	PCB	MOD 1668A	81	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-156	38380-08-4	PCB	MOD 1668A	82	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-157	69782-90-7	PCB	MOD 1668A	82	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-169	32774-16-6	PCB	MOD 1668A	95	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-208	52663-77-1	PCB	MOD 1668A	46	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-189	39635-31-9	PCB	MOD 1668A	76	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-205	74472-53-0	PCB	MOD 1668A	60	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-206	40186-72-9	PCB	MOD 1668A	46	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-209	2051-24-3	PCB	MOD 1668A	51	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-28	7012-37-5	PCB	MOD 1668A	95	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-111	39635-32-0	PCB	MOD 1668A	58	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-178	52663-67-9	PCB	MOD 1668A	51	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-1	2051-60-7	PCB	MOD 1668A	33.27	pg/g - Wet Wt	J		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-3	2051-62-9	PCB	MOD 1668A	15.52	pg/g - Wet Wt	J		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-4	13029-08-8	PCB	MOD 1668A	241.10	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-5	16605-91-7	PCB	MOD 1668A	9.53	pg/g - Wet Wt	J		9.97
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-6	25569-80-6	PCB	MOD 1668A	134.45	pg/g - Wet Wt			9.97
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-7	33284-50-3	PCB	MOD 1668A	28.12	pg/g - Wet Wt			9.97
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-8	34883-43-7	PCB	MOD 1668A	530.63	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-9	34883-39-1	PCB	MOD 1668A	48.13	pg/g - Wet Wt			9.97

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	6840.18	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	242.2	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	1784.22	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	262.35	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	2367.41	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	698.48	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	1342.02	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	81.1	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	7236.44	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	89.19	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	426.24	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	4079.09	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	120.56	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	7612.04	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	763.97	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	3666.69	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	872674.14	J		O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-16	5.01	G_WET	

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-10	33146-45-1	PCB	MOD 1668A	14.70	pg/g - Wet Wt			9.97
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-12	2974-92-7	PCB	MOD 1668A	4.52	pg/g - Wet Wt	JC		19.94
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12		19.94
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-16	38444-78-9	PCB	MOD 1668A	1020.41	pg/g - Wet Wt			19.94
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-17	37680-66-3	PCB	MOD 1668A	1354.38	pg/g - Wet Wt			39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-18	37680-65-2	PCB	MOD 1668A	2671.70	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-19	38444-73-4	PCB	MOD 1668A	240.61	pg/g - Wet Wt			19.94
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-20	38444-84-7	PCB	MOD 1668A	14654.68	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-22	38444-85-8	PCB	MOD 1668A	2033.90	pg/g - Wet Wt			39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-24	55702-45-9	PCB	MOD 1668A	274.16	pg/g - Wet Wt	C		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C24		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-25	55712-37-3	PCB	MOD 1668A	519.15	pg/g - Wet Wt			39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-26	38444-81-4	PCB	MOD 1668A	1592.30	pg/g - Wet Wt	C		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-31	16606-02-3	PCB	MOD 1668A	5268.73	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-32	38444-77-4	PCB	MOD 1668A	1085.73	pg/g - Wet Wt			39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-40	38444-93-8	PCB	MOD 1668A	5343.75	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-42	36559-22-5	PCB	MOD 1668A	3996.92	pg/g - Wet Wt			39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-43	70362-46-8	PCB	MOD 1668A	33862.98	pg/g - Wet Wt	C		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-44	41464-39-5	PCB	MOD 1668A	6313.98	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-45	70362-45-7	PCB	MOD 1668A	1530.30	pg/g - Wet Wt	C		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-46	41464-47-5	PCB	MOD 1668A	368.90	pg/g - Wet Wt			39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-48	70362-47-9	PCB	MOD 1668A	2022.86	pg/g - Wet Wt			39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-49	41464-40-8	PCB	MOD 1668A	13968.60	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-50	62796-65-0	PCB	MOD 1668A	1404.66	pg/g - Wet Wt	C		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-56	41464-43-1	PCB	MOD 1668A	3484.80	pg/g - Wet Wt			39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-59	74472-33-6	PCB	MOD 1668A	10355.82	pg/g - Wet Wt	C		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-60	33025-41-1	PCB	MOD 1668A	2701.99	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-63	74472-34-7	PCB	MOD 1668A	1028.51	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-64	52663-58-8	PCB	MOD 1668A	6855.74	pg/g - Wet Wt			39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-66	32598-10-0	PCB	MOD 1668A	29577.13	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-61	33284-53-6	PCB	MOD 1668A	26714.32	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-77	32598-13-3	PCB	MOD 1668A	469.30	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-81	70362-50-4	PCB	MOD 1668A	99.69	pg/g - Wet Wt	U		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-82	52663-62-4	PCB	MOD 1668A	5727.16	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-111	39635-32-0	PCB	MOD 1668A		pg/g - Wet Wt	C82		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-83	60145-20-2	PCB	MOD 1668A	52688.12	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83		99.69

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	14.7	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	4.52	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	1020.41	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	1354.38	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	2671.7	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	240.61	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	14654.68	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	2033.9	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	274.16	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	519.15	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	1592.3	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	5268.73	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	1085.73	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	5343.75	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	3996.92	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	33862.98	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	6313.98	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	1530.3	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	368.9	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	2022.86	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	13968.6	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	1404.66	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	3484.8	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	10355.82	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	2701.99	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	1028.51	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	6855.74	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	29577.13	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	26714.32	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	469.3	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	99.69	UJ		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	5727.16	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	52688.12	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-84	52663-60-2	PCB	MOD 1668A	7206.88	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-85	65510-45-4	PCB	MOD 1668A	17130.03	pg/g - Wet Wt	C		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-86	55312-69-1	PCB	MOD 1668A	46125.96	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-89	73575-57-2	PCB	MOD 1668A	249.08	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-121	56558-18-0	PCB	MOD 1668A		pg/g - Wet Wt	C89		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-90	68194-07-0	PCB	MOD 1668A	92948.13	pg/g - Wet Wt	C		199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90		199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90		199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-88	55215-17-3	PCB	MOD 1668A	6661.88	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-92	52663-61-3	PCB	MOD 1668A	14298.03	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-93	73575-56-1	PCB	MOD 1668A	31154.20	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-95	38379-99-6	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-105	32598-14-4	PCB	MOD 1668A	17343.70	pg/g - Wet Wt			39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-108	70362-41-3	PCB	MOD 1668A	2544.68	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-110	38380-03-9	PCB	MOD 1668A	72941.90	pg/g - Wet Wt	C		199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110		199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-114	74472-37-0	PCB	MOD 1668A	1642.85	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-122	76842-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C114		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-118	31508-00-6	PCB	MOD 1668A	82572.86	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-106	70424-69-0	PCB	MOD 1668A	9163.08	pg/g - Wet Wt	C		199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106		199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-126	57465-28-8	PCB	MOD 1668A	147.57	pg/g - Wet Wt	J		199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-128	38380-07-3	PCB	MOD 1668A	16270.94	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-129	55215-18-4	PCB	MOD 1668A	55242.92	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-130	52663-66-8	PCB	MOD 1668A	5688.44	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-131	61798-70-7	PCB	MOD 1668A	99.69	pg/g - Wet Wt	U		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-132	38380-05-1	PCB	MOD 1668A	12612.57	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-134	52704-70-8	PCB	MOD 1668A	1826.94	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-135	52744-13-5	PCB	MOD 1668A	9520.59	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-136	38411-22-2	PCB	MOD 1668A	2224.22	pg/g - Wet Wt			39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-137	35694-06-5	PCB	MOD 1668A	9552.96	pg/g - Wet Wt	C		199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137		199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-141	52712-04-6	PCB	MOD 1668A	10304.42	pg/g - Wet Wt			39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-144	68194-14-9	PCB	MOD 1668A	1848.26	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-146	51908-16-8	PCB	MOD 1668A	11035.36	pg/g - Wet Wt	C		199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146		199.38

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	7206.88	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	17130.03	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	46125.96	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	249.08	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	92948.13	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	6661.88	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	14298.03	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	31154.2	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	17343.7	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	2544.68	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	72941.9	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	1642.85	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	82572.86	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	9163.08	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	147.57	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	16270.94	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	55242.92	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	5688.44	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	99.69	UJ		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	12612.57	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	1826.94	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	9520.59	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	2224.22	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	9552.96	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	10304.42	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	1848.26	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	11035.36	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-147	68194-13-8	PCB	MOD 1668A	39291.94	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-153	35065-27-1	PCB	MOD 1668A	78315.72	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-156	38380-08-4	PCB	MOD 1668A	9896.22	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-158	74472-42-7	PCB	MOD 1668A	9239.77	pg/g - Wet Wt			39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-167	52663-72-6	PCB	MOD 1668A	4253.15	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-169	32774-16-6	PCB	MOD 1668A	99.69	pg/g - Wet Wt	U		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-170	35065-30-6	PCB	MOD 1668A	10341.89	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-171	52663-71-5	PCB	MOD 1668A	2989.70	pg/g - Wet Wt	C		199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171		199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-172	52663-74-8	PCB	MOD 1668A	1960.33	pg/g - Wet Wt			199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-174	38411-25-5	PCB	MOD 1668A	3440.04	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-175	40186-70-7	PCB	MOD 1668A	290.35	pg/g - Wet Wt			199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-176	52663-65-7	PCB	MOD 1668A	353.38	pg/g - Wet Wt			199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-177	52663-70-4	PCB	MOD 1668A	3492.20	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-178	52663-67-9	PCB	MOD 1668A	1358.83	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-180	35065-29-3	PCB	MOD 1668A	19564.24	pg/g - Wet Wt	C		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180		99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-182	60145-23-5	PCB	MOD 1668A	61.98	pg/g - Wet Wt	J		199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-183	52663-69-1	PCB	MOD 1668A	4115.65	pg/g - Wet Wt			199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-184	74472-48-3	PCB	MOD 1668A	19.11	pg/g - Wet Wt	J		199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-185	52712-05-7	PCB	MOD 1668A	513.27	pg/g - Wet Wt			199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-187	52663-68-0	PCB	MOD 1668A	9540.86	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-189	39635-31-9	PCB	MOD 1668A	322.10	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-190	41411-64-7	PCB	MOD 1668A	2353.27	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-191	74472-50-7	PCB	MOD 1668A	370.17	pg/g - Wet Wt			199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-194	35694-08-7	PCB	MOD 1668A	3194.05	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-195	52663-78-2	PCB	MOD 1668A	911.23	pg/g - Wet Wt			199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-196	42740-50-1	PCB	MOD 1668A	1934.45	pg/g - Wet Wt			199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-197	33091-17-7	PCB	MOD 1668A	117.53	pg/g - Wet Wt	J		199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-198	68194-17-2	PCB	MOD 1668A	10007.78	pg/g - Wet Wt	C		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198		39.88
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-200	52663-73-7	PCB	MOD 1668A	128.46	pg/g - Wet Wt	J		199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-201	40186-71-8	PCB	MOD 1668A	644.32	pg/g - Wet Wt			199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-203	52663-76-0	PCB	MOD 1668A	6040.13	pg/g - Wet Wt			199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-205	74472-53-0	PCB	MOD 1668A	169.39	pg/g - Wet Wt	J		199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-206	40186-72-9	PCB	MOD 1668A	11959.46	pg/g - Wet Wt			199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-207	52663-79-3	PCB	MOD 1668A	1131.69	pg/g - Wet Wt			199.38
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-209	2051-24-3	PCB	MOD 1668A	5610.68	pg/g - Wet Wt			99.69
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	Total PCB		PCB	MOD 1668A	1025377.54	pg/g - Wet Wt			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-1	2051-60-7	PCB	MOD 1668A	70	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-3	2051-62-9	PCB	MOD 1668A	66	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-4	13029-08-8	PCB	MOD 1668A	56	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-19	38444-73-4	PCB	MOD 1668A	50	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-15	2050-68-2	PCB	MOD 1668A	87	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-54	15968-05-5	PCB	MOD 1668A	63	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-104	56558-16-8	PCB	MOD 1668A	52	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-37	38444-90-5	PCB	MOD 1668A	100	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-155	33979-03-02	PCB	MOD 1668A	44	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-81	70362-50-4	PCB	MOD 1668A	72	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-77	32598-13-3	PCB	MOD 1668A	71	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-123	65510-44-3	PCB	MOD 1668A	64	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-118	31508-00-6	PCB	MOD 1668A	70	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-188	74487-85-7	PCB	MOD 1668A	44	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	39291.94	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	78315.72	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	9896.22	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	9239.77	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	4253.15	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	99.69	UJ		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	10341.89	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	2989.7	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	1960.33	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	3440.04	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	290.35	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	353.38	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	3492.2	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	1358.83	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	19564.24	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	61.98	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	4115.65	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	19.11	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	513.27	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	9540.86	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	322.1	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	2353.27	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	370.17	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	3194.05	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	911.23	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	1934.45	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	117.53	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	10007.78	J		O
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	128.46	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	644.32	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	6040.13	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	169.39	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	11959.46	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	1131.69	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	5610.68	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET	1022334.56	J		O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-114	74472-37-0	PCB	MOD 1668A	62	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-105	32598-14-4	PCB	MOD 1668A	66	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-126	57465-28-8	PCB	MOD 1668A	62	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-202	2136-99-4	PCB	MOD 1668A	57	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-167	52663-72-6	PCB	MOD 1668A	86	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-156	38380-08-4	PCB	MOD 1668A	90	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-157	69782-90-7	PCB	MOD 1668A	90	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-169	32774-16-6	PCB	MOD 1668A	98	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-208	52663-77-1	PCB	MOD 1668A	59	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-189	39635-31-9	PCB	MOD 1668A	92	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-205	74472-53-0	PCB	MOD 1668A	74	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-206	40186-72-9	PCB	MOD 1668A	55	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-209	2051-24-3	PCB	MOD 1668A	58	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-28	7012-37-5	PCB	MOD 1668A	112	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-111	39635-32-0	PCB	MOD 1668A	73	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-178	52663-67-9	PCB	MOD 1668A	61	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-1	2051-60-7	PCB	MOD 1668A	23.17	pg/g - Wet Wt	J		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-3	2051-62-9	PCB	MOD 1668A	13.96	pg/g - Wet Wt	J		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-4	13029-08-8	PCB	MOD 1668A	172.79	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-5	16605-91-7	PCB	MOD 1668A	5.13	pg/g - Wet Wt	J		9.98
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-6	25569-80-6	PCB	MOD 1668A	63.50	pg/g - Wet Wt			9.98
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-7	33284-50-3	PCB	MOD 1668A	13.71	pg/g - Wet Wt			9.98
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-8	34883-43-7	PCB	MOD 1668A	278.65	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-9	34883-39-1	PCB	MOD 1668A	21.41	pg/g - Wet Wt			9.98
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-10	33146-45-1	PCB	MOD 1668A	7.78	pg/g - Wet Wt	J		9.98
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-12	2974-92-7	PCB	MOD 1668A	19.96	pg/g - Wet Wt	UC		19.96
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12		19.96
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-16	38444-78-9	PCB	MOD 1668A	380.65	pg/g - Wet Wt			19.96
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-17	37680-66-3	PCB	MOD 1668A	472.35	pg/g - Wet Wt			39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-18	37680-65-2	PCB	MOD 1668A	988.28	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-19	38444-73-4	PCB	MOD 1668A	92.43	pg/g - Wet Wt			19.96
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-20	38444-84-7	PCB	MOD 1668A	4623.88	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-22	38444-85-8	PCB	MOD 1668A	550.72	pg/g - Wet Wt			39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-24	55702-45-9	PCB	MOD 1668A	101.26	pg/g - Wet Wt	C		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C24		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-25	55712-37-3	PCB	MOD 1668A	119.33	pg/g - Wet Wt			39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-26	38444-81-4	PCB	MOD 1668A	400.78	pg/g - Wet Wt	C		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-31	16606-02-3	PCB	MOD 1668A	1333.80	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-32	38444-77-4	PCB	MOD 1668A	367.83	pg/g - Wet Wt			39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-40	38444-93-8	PCB	MOD 1668A	1650.51	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-42	36559-22-5	PCB	MOD 1668A	1214.68	pg/g - Wet Wt			39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-43	70362-46-8	PCB	MOD 1668A	11463.06	pg/g - Wet Wt	C		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-44	41464-39-5	PCB	MOD 1668A	2366.79	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-45	70362-45-7	PCB	MOD 1668A	470.50	pg/g - Wet Wt	C		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45		39.92

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4002-0000-01	48401-80-05		1.00		Lab Extraction ID = 48985-74-17	5.02	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	23.17	UJ		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	13.96	UJ		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	172.79	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	5.13	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	63.5	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	13.71	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	278.65	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	21.41	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	7.78	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	19.96	UJ		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	380.65	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	472.35	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	988.28	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	92.43	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	4623.88	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	550.72	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	101.26	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	119.33	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	400.78	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	1333.8	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	367.83	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	1650.51	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	1214.68	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	11463.06	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	2366.79	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	470.5	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-46	41464-47-5	PCB	MOD 1668A	106.96	pg/g - Wet Wt			39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-48	70362-47-9	PCB	MOD 1668A	655.74	pg/g - Wet Wt			39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-49	41464-40-8	PCB	MOD 1668A	4690.32	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-50	62796-65-0	PCB	MOD 1668A	399.56	pg/g - Wet Wt	C		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-56	41464-43-1	PCB	MOD 1668A	1270.57	pg/g - Wet Wt			39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-59	74472-33-6	PCB	MOD 1668A	3515.16	pg/g - Wet Wt	C		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-60	33025-41-1	PCB	MOD 1668A	1355.49	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-63	74472-34-7	PCB	MOD 1668A	472.42	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-64	52663-58-8	PCB	MOD 1668A	2618.86	pg/g - Wet Wt			39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-66	32598-10-0	PCB	MOD 1668A	13112.10	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-61	33284-53-6	PCB	MOD 1668A	10312.12	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-77	32598-13-3	PCB	MOD 1668A	240.71	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-81	70362-50-4	PCB	MOD 1668A	99.79	pg/g - Wet Wt	U		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-82	52663-62-4	PCB	MOD 1668A	2579.74	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-111	39635-32-0	PCB	MOD 1668A		pg/g - Wet Wt	C82		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-83	60145-20-2	PCB	MOD 1668A	26790.34	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-84	52663-60-2	PCB	MOD 1668A	3500.30	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-85	65510-45-4	PCB	MOD 1668A	7899.63	pg/g - Wet Wt	C		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-86	55312-69-1	PCB	MOD 1668A	22847.58	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-89	73575-57-2	PCB	MOD 1668A	97.51	pg/g - Wet Wt	JC		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-121	56558-18-0	PCB	MOD 1668A		pg/g - Wet Wt	C89		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-90	68194-07-0	PCB	MOD 1668A	47088.15	pg/g - Wet Wt	C		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-88	55215-17-3	PCB	MOD 1668A	3184.38	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-92	52663-61-3	PCB	MOD 1668A	7074.16	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-93	73575-56-1	PCB	MOD 1668A	15305.30	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-95	38379-99-6	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-105	32598-14-4	PCB	MOD 1668A	8466.36	pg/g - Wet Wt			39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-108	70362-41-3	PCB	MOD 1668A	1029.20	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-110	38380-03-9	PCB	MOD 1668A	31516.18	pg/g - Wet Wt	C		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-114	74472-37-0	PCB	MOD 1668A	786.84	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-122	76842-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C114		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-118	31508-00-6	PCB	MOD 1668A	45847.38	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-106	70424-69-0	PCB	MOD 1668A	4801.71	pg/g - Wet Wt	C		199.58

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	106.96	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	655.74	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	4690.32	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	399.56	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	1270.57	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	3515.16	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	1355.49	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	472.42	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	2618.86	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	13112.1	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	10312.12	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	240.71	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	99.79	UJ		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	2579.74	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	26790.34	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	3500.3	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	7899.63	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	22847.58	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	97.51	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	47088.15	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	3184.38	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	7074.16	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	15305.3	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	8466.36	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	1029.2	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	31516.18	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	786.84	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	45847.38	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	4801.71	J		O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-126	57465-28-8	PCB	MOD 1668A	89.34	pg/g - Wet Wt	J		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-128	38380-07-3	PCB	MOD 1668A	7710.84	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-129	55215-18-4	PCB	MOD 1668A	50750.12	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-130	52663-66-8	PCB	MOD 1668A	2940.67	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-131	61798-70-7	PCB	MOD 1668A	378.61	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-132	38380-05-1	PCB	MOD 1668A	6329.92	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-134	52704-70-8	PCB	MOD 1668A	1048.10	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-135	52744-13-5	PCB	MOD 1668A	4458.15	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-136	38411-22-2	PCB	MOD 1668A	909.39	pg/g - Wet Wt			39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-137	35694-06-5	PCB	MOD 1668A	4813.36	pg/g - Wet Wt	C		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-141	52712-04-6	PCB	MOD 1668A	5550.30	pg/g - Wet Wt			39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-144	68194-14-9	PCB	MOD 1668A	959.98	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-146	51908-16-8	PCB	MOD 1668A	6073.38	pg/g - Wet Wt	C		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-147	68194-13-8	PCB	MOD 1668A	20695.08	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-153	35065-27-1	PCB	MOD 1668A	41553.54	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-156	38380-08-4	PCB	MOD 1668A	5022.90	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-158	74472-42-7	PCB	MOD 1668A	4512.79	pg/g - Wet Wt			39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-167	52663-72-6	PCB	MOD 1668A	2182.74	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-169	32774-16-6	PCB	MOD 1668A	99.79	pg/g - Wet Wt	U		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-170	35065-30-6	PCB	MOD 1668A	5520.07	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-171	52663-71-5	PCB	MOD 1668A	1661.26	pg/g - Wet Wt	C		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-172	52663-74-8	PCB	MOD 1668A	1152.03	pg/g - Wet Wt			199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-174	38411-25-5	PCB	MOD 1668A	1688.72	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-175	40186-70-7	PCB	MOD 1668A	138.80	pg/g - Wet Wt	J		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-176	52663-65-7	PCB	MOD 1668A	169.14	pg/g - Wet Wt	J		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-177	52663-70-4	PCB	MOD 1668A	2041.45	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-178	52663-67-9	PCB	MOD 1668A	599.37	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-180	35065-29-3	PCB	MOD 1668A	11476.72	pg/g - Wet Wt	C		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180		99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-182	60145-23-5	PCB	MOD 1668A	21.64	pg/g - Wet Wt	J		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-183	52663-69-1	PCB	MOD 1668A	2154.01	pg/g - Wet Wt			199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-184	74472-48-3	PCB	MOD 1668A	10.64	pg/g - Wet Wt	J		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-185	52712-05-7	PCB	MOD 1668A	223.20	pg/g - Wet Wt			199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-187	52663-68-0	PCB	MOD 1668A	4415.09	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-189	39635-31-9	PCB	MOD 1668A	190.24	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-190	41411-64-7	PCB	MOD 1668A	1218.24	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-191	74472-50-7	PCB	MOD 1668A	232.72	pg/g - Wet Wt			199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-194	35694-08-7	PCB	MOD 1668A	1431.47	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-195	52663-78-2	PCB	MOD 1668A	447.17	pg/g - Wet Wt			199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-196	42740-50-1	PCB	MOD 1668A	950.15	pg/g - Wet Wt			199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-197	33091-17-7	PCB	MOD 1668A	75.58	pg/g - Wet Wt	J		199.58

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	89.34	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	7710.84	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	50750.12	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	2940.67	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	378.61	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	6329.92	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	1048.1	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	4458.15	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	909.39	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	4813.36	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	5550.3	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	959.98	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	6073.38	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	20695.08	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	41553.54	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	5022.9	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	4512.79	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	2182.74	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	99.79	UJ		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	5520.07	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	1661.26	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	1152.03	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	1688.72	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	138.8	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	169.14	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	2041.45	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	599.37	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	11476.72	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	21.64	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	2154.01	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	10.64	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	223.2	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	4415.09	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	190.24	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	1218.24	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	232.72	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	1431.47	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	447.17	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	950.15	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	75.58	J		O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-198	68194-17-2	PCB	MOD 1668A	5014.66	pg/g - Wet Wt	C		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198		39.92
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-200	52663-73-7	PCB	MOD 1668A	62.64	pg/g - Wet Wt	J		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-201	40186-71-8	PCB	MOD 1668A	358.05	pg/g - Wet Wt			199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-203	52663-76-0	PCB	MOD 1668A	2958.16	pg/g - Wet Wt			199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-205	74472-53-0	PCB	MOD 1668A	96.81	pg/g - Wet Wt	J		199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-206	40186-72-9	PCB	MOD 1668A	5968.97	pg/g - Wet Wt			199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-207	52663-79-3	PCB	MOD 1668A	653.59	pg/g - Wet Wt			199.58
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	PCB-209	2051-24-3	PCB	MOD 1668A	2914.33	pg/g - Wet Wt			99.79
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	Total PCB		PCB	MOD 1668A	515525.61	pg/g - Wet Wt			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-1	2051-60-7	PCB	MOD 1668A	42	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-3	2051-62-9	PCB	MOD 1668A	40	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-4	13029-08-8	PCB	MOD 1668A	29	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-19	38444-73-4	PCB	MOD 1668A	45	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-15	2050-68-2	PCB	MOD 1668A	54	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-54	15968-05-5	PCB	MOD 1668A	51	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-104	56558-16-8	PCB	MOD 1668A	39	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-37	38444-90-5	PCB	MOD 1668A	78	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-155	33979-03-02	PCB	MOD 1668A	34	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-81	70362-50-4	PCB	MOD 1668A	51	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-77	32598-13-3	PCB	MOD 1668A	49	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-123	65510-44-3	PCB	MOD 1668A	53	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-118	31508-00-6	PCB	MOD 1668A	50	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-188	74487-85-7	PCB	MOD 1668A	48	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-114	74472-37-0	PCB	MOD 1668A	54	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-105	32598-14-4	PCB	MOD 1668A	51	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-126	57465-28-8	PCB	MOD 1668A	41	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-202	2136-99-4	PCB	MOD 1668A	60	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-167	52663-72-6	PCB	MOD 1668A	72	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-156	38380-08-4	PCB	MOD 1668A	71	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-157	69782-90-7	PCB	MOD 1668A	71	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-169	32774-16-6	PCB	MOD 1668A	44	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-208	52663-77-1	PCB	MOD 1668A	45	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-189	39635-31-9	PCB	MOD 1668A	68	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-205	74472-53-0	PCB	MOD 1668A	56	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-206	40186-72-9	PCB	MOD 1668A	39	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-209	2051-24-3	PCB	MOD 1668A	42	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-28	7012-37-5	PCB	MOD 1668A	72	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-111	39635-32-0	PCB	MOD 1668A	64	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL	06/21/01	8/23/2001	10/22/2001		48985-74	13C-PCB-178	52663-67-9	PCB	MOD 1668A	47	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-1	2051-60-7	PCB	MOD 1668A	12.51	pg/g - Wet Wt	J		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-3	2051-62-9	PCB	MOD 1668A	8.14	pg/g - Wet Wt	J		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-4	13029-08-8	PCB	MOD 1668A	60.70	pg/g - Wet Wt	J		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-5	16605-91-7	PCB	MOD 1668A	5.14	pg/g - Wet Wt	J		10.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-6	25569-80-6	PCB	MOD 1668A	41.14	pg/g - Wet Wt			10.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-7	33284-50-3	PCB	MOD 1668A	10.53	pg/g - Wet Wt			10.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-8	34883-43-7	PCB	MOD 1668A	164.21	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-9	34883-39-1	PCB	MOD 1668A	15.10	pg/g - Wet Wt			10.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-10	33146-45-1	PCB	MOD 1668A	4.72	pg/g - Wet Wt	J		10.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-12	2974-92-7	PCB	MOD 1668A	5.14	pg/g - Wet Wt	JC		20.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12		20.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-16	38444-78-9	PCB	MOD 1668A	190.07	pg/g - Wet Wt			20.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-17	37680-66-3	PCB	MOD 1668A	264.69	pg/g - Wet Wt			40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-18	37680-65-2	PCB	MOD 1668A	526.32	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-19	38444-73-4	PCB	MOD 1668A	57.37	pg/g - Wet Wt			20.00

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	5014.66	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET				O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	62.64	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	358.05	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	2958.16	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	96.81	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	5968.97	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	653.59	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	2914.33	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	514548.72	J		O
LPX-LB-4003-0000-01	48401-80-07		1.00		Lab Extraction ID = 48985-74-18	5.01	G_WET	

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-20	38444-84-7	PCB	MOD 1668A	3543.88	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-22	38444-85-8	PCB	MOD 1668A	489.59	pg/g - Wet Wt			40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-24	55702-45-9	PCB	MOD 1668A	51.18	pg/g - Wet Wt	C		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C24		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-25	55712-37-3	PCB	MOD 1668A	108.38	pg/g - Wet Wt			40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-26	38444-81-4	PCB	MOD 1668A	335.68	pg/g - Wet Wt	C		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-31	16606-02-3	PCB	MOD 1668A	1351.44	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-32	38444-77-4	PCB	MOD 1668A	206.33	pg/g - Wet Wt			40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-40	38444-93-8	PCB	MOD 1668A	1425.48	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-42	36559-22-5	PCB	MOD 1668A	1073.13	pg/g - Wet Wt			40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-43	70362-46-8	PCB	MOD 1668A	10395.24	pg/g - Wet Wt	C		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-44	41464-39-5	PCB	MOD 1668A	1870.59	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-45	70362-45-7	PCB	MOD 1668A	335.74	pg/g - Wet Wt	C		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-46	41464-47-5	PCB	MOD 1668A	74.34	pg/g - Wet Wt			40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-48	70362-47-9	PCB	MOD 1668A	479.45	pg/g - Wet Wt			40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-49	41464-40-8	PCB	MOD 1668A	4150.30	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-50	62796-65-0	PCB	MOD 1668A	275.00	pg/g - Wet Wt	C		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-56	41464-43-1	PCB	MOD 1668A	1087.91	pg/g - Wet Wt			40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-59	74472-33-6	PCB	MOD 1668A	2606.49	pg/g - Wet Wt	C		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-60	33025-41-1	PCB	MOD 1668A	786.04	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-63	74472-34-7	PCB	MOD 1668A	333.26	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-64	52663-58-8	PCB	MOD 1668A	2016.94	pg/g - Wet Wt			40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-66	32598-10-0	PCB	MOD 1668A	9549.59	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-61	33284-53-6	PCB	MOD 1668A	8663.80	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-77	32598-13-3	PCB	MOD 1668A	154.37	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-81	70362-50-4	PCB	MOD 1668A	99.99	pg/g - Wet Wt	U		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-82	52663-62-4	PCB	MOD 1668A	1378.00	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-111	39635-32-0	PCB	MOD 1668A		pg/g - Wet Wt	C82		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-83	60145-20-2	PCB	MOD 1668A	15019.10	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-84	52663-60-2	PCB	MOD 1668A	1624.74	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-85	65510-45-4	PCB	MOD 1668A	4601.79	pg/g - Wet Wt	C		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-86	55312-69-1	PCB	MOD 1668A	12751.62	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.99

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	3543.88	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	489.59	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	51.18	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	108.38	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	335.68	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	1351.44	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	206.33	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	1425.48	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	1073.13	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	10395.24	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	1870.59	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	335.74	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	74.34	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	479.45	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	4150.3	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	275	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	1087.91	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	2606.49	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	786.04	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	333.26	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	2016.94	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	9549.59	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	8663.8	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	154.37	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	99.99	UJ		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	1378	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	15019.1	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	1624.74	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	4601.79	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	12751.62	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-89	73575-57-2	PCB	MOD 1668A	45.46	pg/g - Wet Wt	JC		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-121	56558-18-0	PCB	MOD 1668A		pg/g - Wet Wt	C89		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-90	68194-07-0	PCB	MOD 1668A	27361.44	pg/g - Wet Wt	C		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-88	55215-17-3	PCB	MOD 1668A	1778.94	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-92	52663-61-3	PCB	MOD 1668A	4508.16	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-93	73575-56-1	PCB	MOD 1668A	8268.80	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-95	38379-99-6	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-105	32598-14-4	PCB	MOD 1668A	4683.64	pg/g - Wet Wt			40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-108	70362-41-3	PCB	MOD 1668A	782.50	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-110	38380-03-9	PCB	MOD 1668A	19535.54	pg/g - Wet Wt	C		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-114	74472-37-0	PCB	MOD 1668A	487.44	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-122	76842-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C114		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-118	31508-00-6	PCB	MOD 1668A	25363.84	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-106	70424-69-0	PCB	MOD 1668A	2749.44	pg/g - Wet Wt	C		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-126	57465-28-8	PCB	MOD 1668A	52.10	pg/g - Wet Wt	J		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-128	38380-07-3	PCB	MOD 1668A	4026.80	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-129	55215-18-4	PCB	MOD 1668A	15060.20	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-130	52663-66-8	PCB	MOD 1668A	1439.87	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-131	61798-70-7	PCB	MOD 1668A	144.79	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-132	38380-05-1	PCB	MOD 1668A	3043.46	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-134	52704-70-8	PCB	MOD 1668A	468.62	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-135	52744-13-5	PCB	MOD 1668A	2921.01	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-136	38411-22-2	PCB	MOD 1668A	506.20	pg/g - Wet Wt			40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-137	35694-06-5	PCB	MOD 1668A	2531.28	pg/g - Wet Wt	C		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-141	52712-04-6	PCB	MOD 1668A	2824.69	pg/g - Wet Wt			40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-144	68194-14-9	PCB	MOD 1668A	497.31	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-146	51908-16-8	PCB	MOD 1668A	3467.14	pg/g - Wet Wt	C		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-147	68194-13-8	PCB	MOD 1668A	11447.66	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-153	35065-27-1	PCB	MOD 1668A	22077.10	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-156	38380-08-4	PCB	MOD 1668A	2768.94	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-158	74472-42-7	PCB	MOD 1668A	2305.72	pg/g - Wet Wt			40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-167	52663-72-6	PCB	MOD 1668A	1133.14	pg/g - Wet Wt			99.99

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	45.46	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	27361.44	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	1778.94	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	4508.16	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	8268.8	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	4683.64	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	782.5	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	19535.54	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	487.44	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	25363.84	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	2749.44	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	52.1	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	4026.8	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	15060.2	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	144.79	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	3043.46	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	468.62	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	2921.01	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	506.2	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	2531.28	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	2824.69	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	497.31	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	3467.14	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	11447.66	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	22077.1	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	2768.94	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	2305.72	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	1133.14	J		O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-169	32774-16-6	PCB	MOD 1668A	99.99	pg/g - Wet Wt	U		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-170	35065-30-6	PCB	MOD 1668A	2834.94	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-171	52663-71-5	PCB	MOD 1668A	752.74	pg/g - Wet Wt	C		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-172	52663-74-8	PCB	MOD 1668A	562.34	pg/g - Wet Wt			199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-174	38411-25-5	PCB	MOD 1668A	845.41	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-175	40186-70-7	PCB	MOD 1668A	64.37	pg/g - Wet Wt	J		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-176	52663-65-7	PCB	MOD 1668A	69.62	pg/g - Wet Wt	J		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-177	52663-70-4	PCB	MOD 1668A	917.99	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-178	52663-67-9	PCB	MOD 1668A	362.88	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-180	35065-29-3	PCB	MOD 1668A	5782.90	pg/g - Wet Wt	C		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180		99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-182	60145-23-5	PCB	MOD 1668A	18.07	pg/g - Wet Wt	J		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-183	52663-69-1	PCB	MOD 1668A	1107.30	pg/g - Wet Wt			199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-184	74472-48-3	PCB	MOD 1668A	6.01	pg/g - Wet Wt	J		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-185	52712-05-7	PCB	MOD 1668A	139.75	pg/g - Wet Wt	J		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-187	52663-68-0	PCB	MOD 1668A	4179.82	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-189	39635-31-9	PCB	MOD 1668A	111.44	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-190	41411-64-7	PCB	MOD 1668A	700.41	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-191	74472-50-7	PCB	MOD 1668A	100.99	pg/g - Wet Wt	J		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-194	35694-08-7	PCB	MOD 1668A	930.01	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-195	52663-78-2	PCB	MOD 1668A	271.13	pg/g - Wet Wt			199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-196	42740-50-1	PCB	MOD 1668A	456.69	pg/g - Wet Wt			199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-197	33091-17-7	PCB	MOD 1668A	33.96	pg/g - Wet Wt	J		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-198	68194-17-2	PCB	MOD 1668A	3090.62	pg/g - Wet Wt	C		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198		40.00
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-200	52663-73-7	PCB	MOD 1668A	24.20	pg/g - Wet Wt	J		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-201	40186-71-8	PCB	MOD 1668A	143.83	pg/g - Wet Wt	J		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-203	52663-76-0	PCB	MOD 1668A	1501.30	pg/g - Wet Wt			199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-205	74472-53-0	PCB	MOD 1668A	48.92	pg/g - Wet Wt	J		199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-206	40186-72-9	PCB	MOD 1668A	3177.27	pg/g - Wet Wt			199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-207	52663-79-3	PCB	MOD 1668A	247.68	pg/g - Wet Wt			199.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-209	2051-24-3	PCB	MOD 1668A	1334.50	pg/g - Wet Wt			99.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	Total PCB		PCB	MOD 1668A	290738.75	pg/g - Wet Wt			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-1	2051-60-7	PCB	MOD 1668A	64	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-3	2051-62-9	PCB	MOD 1668A	61	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-4	13029-08-8	PCB	MOD 1668A	48	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-19	38444-73-4	PCB	MOD 1668A	55	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-15	2050-68-2	PCB	MOD 1668A	73	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-54	15968-05-5	PCB	MOD 1668A	51	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-104	56558-16-8	PCB	MOD 1668A	52	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-37	38444-90-5	PCB	MOD 1668A	99	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-155	33979-03-02	PCB	MOD 1668A	48	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-81	70362-50-4	PCB	MOD 1668A	72	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-77	32598-13-3	PCB	MOD 1668A	69	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-123	65510-44-3	PCB	MOD 1668A	66	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-118	31508-00-6	PCB	MOD 1668A	67	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-188	74487-85-7	PCB	MOD 1668A	48	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-114	74472-37-0	PCB	MOD 1668A	63	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-105	32598-14-4	PCB	MOD 1668A	66	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-126	57465-28-8	PCB	MOD 1668A	63	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-202	2136-99-4	PCB	MOD 1668A	63	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-167	52663-72-6	PCB	MOD 1668A	99	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-156	38380-08-4	PCB	MOD 1668A	100	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-157	69782-90-7	PCB	MOD 1668A	100	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-169	32774-16-6	PCB	MOD 1668A	102	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	99.99	UJ		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	2834.94	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	752.74	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	562.34	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	845.41	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	64.37	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	69.62	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	917.99	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	362.88	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	5782.9	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	18.07	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	1107.3	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	6.01	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	139.75	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	4179.82	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	111.44	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	700.41	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	100.99	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	930.01	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	271.13	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	456.69	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	33.96	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	3090.62	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	24.2	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	143.83	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	1501.3	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	48.92	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	3177.27	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	247.68	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	1334.5	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	290182.85	J		O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET	

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-208	52663-77-1	PCB	MOD 1668A	62	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-189	39635-31-9	PCB	MOD 1668A	93	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-205	74472-53-0	PCB	MOD 1668A	76	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-206	40186-72-9	PCB	MOD 1668A	58	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-209	2051-24-3	PCB	MOD 1668A	68	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-28	7012-37-5	PCB	MOD 1668A	101	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-111	39635-32-0	PCB	MOD 1668A	72	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-178	52663-67-9	PCB	MOD 1668A	62	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-1	2051-60-7	PCB	MOD 1668A	14.97	pg/g - Wet Wt	J		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-3	2051-62-9	PCB	MOD 1668A	10.24	pg/g - Wet Wt	J		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-4	13029-08-8	PCB	MOD 1668A	56.98	pg/g - Wet Wt	J		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-5	16605-91-7	PCB	MOD 1668A	9.95	pg/g - Wet Wt	U		9.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-6	25569-80-6	PCB	MOD 1668A	37.26	pg/g - Wet Wt			9.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-7	33284-50-3	PCB	MOD 1668A	8.55	pg/g - Wet Wt	J		9.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-8	34883-43-7	PCB	MOD 1668A	153.95	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-9	34883-39-1	PCB	MOD 1668A	14.55	pg/g - Wet Wt			9.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-10	33146-45-1	PCB	MOD 1668A	2.97	pg/g - Wet Wt	J		9.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-12	2974-92-7	PCB	MOD 1668A	19.90	pg/g - Wet Wt	UC		19.90
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12		19.90
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-16	38444-78-9	PCB	MOD 1668A	194.21	pg/g - Wet Wt			19.90
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-17	37680-66-3	PCB	MOD 1668A	249.61	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-18	37680-65-2	PCB	MOD 1668A	520.98	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-19	38444-73-4	PCB	MOD 1668A	54.16	pg/g - Wet Wt			19.90
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-20	38444-84-7	PCB	MOD 1668A	3550.20	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-22	38444-85-8	PCB	MOD 1668A	399.15	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-24	55702-45-9	PCB	MOD 1668A	53.44	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C24		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-25	55712-37-3	PCB	MOD 1668A	89.45	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-26	38444-81-4	PCB	MOD 1668A	317.38	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-31	16606-02-3	PCB	MOD 1668A	929.49	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-32	38444-77-4	PCB	MOD 1668A	191.08	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-40	38444-93-8	PCB	MOD 1668A	1481.28	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-42	36559-22-5	PCB	MOD 1668A	1045.60	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-43	70362-46-8	PCB	MOD 1668A	11085.39	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-44	41464-39-5	PCB	MOD 1668A	2438.76	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-45	70362-45-7	PCB	MOD 1668A	318.90	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-46	41464-47-5	PCB	MOD 1668A	78.71	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-48	70362-47-9	PCB	MOD 1668A	566.11	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-49	41464-40-8	PCB	MOD 1668A	4345.02	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-50	62796-65-0	PCB	MOD 1668A	285.40	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-56	41464-43-1	PCB	MOD 1668A	645.55	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-59	74472-33-6	PCB	MOD 1668A	2770.29	pg/g - Wet Wt	C		39.79

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4004-0000-01	48401-82-03		1.00		Lab Extraction ID = 48985-74-19	5.00	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	14.97	UJ		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	10.24	UJ		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	56.98	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	9.95	UJ		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	37.26	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	8.55	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	153.95	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	14.55	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	2.97	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	19.89	UJ		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	194.21	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	249.61	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	520.98	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	54.16	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	3550.2	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	399.15	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	53.44	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	89.45	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	317.38	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	929.49	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	191.08	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	1481.28	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	1045.6	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	11085.39	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	2438.76	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	318.9	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	78.71	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	566.11	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	4345.02	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	285.4	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	645.55	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	2770.29	J		O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-60	33025-41-1	PCB	MOD 1668A	1187.34	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-63	74472-34-7	PCB	MOD 1668A	451.07	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-64	52663-58-8	PCB	MOD 1668A	1874.72	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-66	32598-10-0	PCB	MOD 1668A	15506.04	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-61	33284-53-6	PCB	MOD 1668A	7936.64	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-77	32598-13-3	PCB	MOD 1668A	106.08	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-81	70362-50-4	PCB	MOD 1668A	99.48	pg/g - Wet Wt	U		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-82	52663-62-4	PCB	MOD 1668A	1570.39	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-111	39635-32-0	PCB	MOD 1668A		pg/g - Wet Wt	C82		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-83	60145-20-2	PCB	MOD 1668A	34701.78	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-84	52663-60-2	PCB	MOD 1668A	1550.77	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-85	65510-45-4	PCB	MOD 1668A	10428.15	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-86	55312-69-1	PCB	MOD 1668A	21938.28	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-89	73575-57-2	PCB	MOD 1668A	44.69	pg/g - Wet Wt	JC		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-121	56558-18-0	PCB	MOD 1668A		pg/g - Wet Wt	C89		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-90	68194-07-0	PCB	MOD 1668A	59174.19	pg/g - Wet Wt	C		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-88	55215-17-3	PCB	MOD 1668A	2526.24	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-92	52663-61-3	PCB	MOD 1668A	7093.91	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-93	73575-56-1	PCB	MOD 1668A	9453.60	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-95	38379-99-6	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-105	32598-14-4	PCB	MOD 1668A	12337.06	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-108	70362-41-3	PCB	MOD 1668A	993.82	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-110	38380-03-9	PCB	MOD 1668A	29845.94	pg/g - Wet Wt	C		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-114	74472-37-0	PCB	MOD 1668A	864.95	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-122	76842-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C114		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-118	31508-00-6	PCB	MOD 1668A	67531.56	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-106	70424-69-0	PCB	MOD 1668A	6129.45	pg/g - Wet Wt	C		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-126	57465-28-8	PCB	MOD 1668A	101.56	pg/g - Wet Wt	J		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-128	38380-07-3	PCB	MOD 1668A	12415.82	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-129	55215-18-4	PCB	MOD 1668A	90605.00	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.48

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	1187.34	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	451.07	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	1874.72	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	15506.04	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	7936.64	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	106.08	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	99.46	UJ		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	1570.39	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	34701.78	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	1550.77	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	10428.15	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	21938.28	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	44.69	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	59174.19	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	2526.24	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	7093.91	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	9453.6	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	12337.06	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	993.82	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	29845.94	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	864.95	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	67531.56	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	6129.45	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	101.56	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	12415.82	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	90605	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-130	52663-66-8	PCB	MOD 1668A	3408.87	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-131	61798-70-7	PCB	MOD 1668A	399.71	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-132	38380-05-1	PCB	MOD 1668A	4447.20	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-134	52704-70-8	PCB	MOD 1668A	817.36	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-135	52744-13-5	PCB	MOD 1668A	3982.47	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-136	38411-22-2	PCB	MOD 1668A	401.67	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-137	35694-06-5	PCB	MOD 1668A	8071.14	pg/g - Wet Wt	C		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-141	52712-04-6	PCB	MOD 1668A	8196.71	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-144	68194-14-9	PCB	MOD 1668A	1166.50	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-146	51908-16-8	PCB	MOD 1668A	9138.18	pg/g - Wet Wt	C		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-147	68194-13-8	PCB	MOD 1668A	23891.94	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-153	35065-27-1	PCB	MOD 1668A	68024.08	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-156	38380-08-4	PCB	MOD 1668A	8855.88	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-158	74472-42-7	PCB	MOD 1668A	7371.45	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-167	52663-72-6	PCB	MOD 1668A	3812.38	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-169	32774-16-6	PCB	MOD 1668A	99.48	pg/g - Wet Wt	U		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-170	35065-30-6	PCB	MOD 1668A	9443.79	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-171	52663-71-5	PCB	MOD 1668A	2440.26	pg/g - Wet Wt	C		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-172	52663-74-8	PCB	MOD 1668A	1580.46	pg/g - Wet Wt			198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-174	38411-25-5	PCB	MOD 1668A	1646.46	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-175	40186-70-7	PCB	MOD 1668A	204.79	pg/g - Wet Wt			198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-176	52663-65-7	PCB	MOD 1668A	106.57	pg/g - Wet Wt	J		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-177	52663-70-4	PCB	MOD 1668A	1470.70	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-178	52663-67-9	PCB	MOD 1668A	592.21	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-180	35065-29-3	PCB	MOD 1668A	17153.80	pg/g - Wet Wt	C		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180		99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-182	60145-23-5	PCB	MOD 1668A	44.61	pg/g - Wet Wt	J		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-183	52663-69-1	PCB	MOD 1668A	3133.20	pg/g - Wet Wt			198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-184	74472-48-3	PCB	MOD 1668A	12.53	pg/g - Wet Wt	J		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-185	52712-05-7	PCB	MOD 1668A	261.74	pg/g - Wet Wt			198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-187	52663-68-0	PCB	MOD 1668A	7070.63	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-189	39635-31-9	PCB	MOD 1668A	298.84	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-190	41411-64-7	PCB	MOD 1668A	1841.46	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-191	74472-50-7	PCB	MOD 1668A	316.16	pg/g - Wet Wt			198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-194	35694-08-7	PCB	MOD 1668A	2497.48	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-195	52663-78-2	PCB	MOD 1668A	734.53	pg/g - Wet Wt			198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-196	42740-50-1	PCB	MOD 1668A	1280.67	pg/g - Wet Wt			198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-197	33091-17-7	PCB	MOD 1668A	85.11	pg/g - Wet Wt	J		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-198	68194-17-2	PCB	MOD 1668A	6093.24	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-200	52663-73-7	PCB	MOD 1668A	27.42	pg/g - Wet Wt	J		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-201	40186-71-8	PCB	MOD 1668A	338.82	pg/g - Wet Wt			198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-203	52663-76-0	PCB	MOD 1668A	3326.45	pg/g - Wet Wt			198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-205	74472-53-0	PCB	MOD 1668A	124.96	pg/g - Wet Wt	J		198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-206	40186-72-9	PCB	MOD 1668A	6838.06	pg/g - Wet Wt			198.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-207	52663-79-3	PCB	MOD 1668A	639.50	pg/g - Wet Wt			198.95

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	3408.87	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	399.71	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	4447.2	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	817.36	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	3982.47	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	401.67	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	6071.14	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	8196.71	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	1166.5	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	9138.18	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	23891.94	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	68024.08	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	8855.88	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	7371.45	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	3812.38	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	99.48	UJ		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	9443.79	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	2440.26	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	1580.46	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	1646.46	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	204.79	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	106.57	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	1470.7	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	592.21	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	17153.8	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	44.61	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	3133.2	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	12.53	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	261.74	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	7070.63	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	298.84	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	1841.46	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	316.16	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	2497.48	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	734.53	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	1280.67	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	85.11	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	6093.24	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	27.42	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	338.82	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	3326.45	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	124.96	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	6838.06	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	639.5	J		O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-209	2051-24-3	PCB	MOD 1668A	3151.44	pg/g - Wet Wt			99.48
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	Total PCB		PCB	MOD 1668A	653064.80	pg/g - Wet Wt			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-1	2051-60-7	PCB	MOD 1668A	56	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-3	2051-62-9	PCB	MOD 1668A	51	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-4	13029-08-8	PCB	MOD 1668A	43	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-19	38444-73-4	PCB	MOD 1668A	44	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-15	2050-68-2	PCB	MOD 1668A	63	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-54	15968-05-5	PCB	MOD 1668A	49	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-104	56558-16-8	PCB	MOD 1668A	46	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-37	38444-90-5	PCB	MOD 1668A	93	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-155	33979-03-02	PCB	MOD 1668A	29	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-81	70362-50-4	PCB	MOD 1668A	70	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-77	32598-13-3	PCB	MOD 1668A	68	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-123	65510-44-3	PCB	MOD 1668A	56	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-118	31508-00-6	PCB	MOD 1668A	63	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-188	74487-85-7	PCB	MOD 1668A	40	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-114	74472-37-0	PCB	MOD 1668A	55	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-105	32598-14-4	PCB	MOD 1668A	59	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-126	57465-28-8	PCB	MOD 1668A	57	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-202	2136-99-4	PCB	MOD 1668A	49	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-167	52663-72-6	PCB	MOD 1668A	73	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-156	38380-08-4	PCB	MOD 1668A	81	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-157	69782-90-7	PCB	MOD 1668A	81	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-169	32774-16-6	PCB	MOD 1668A	83	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-208	52663-77-1	PCB	MOD 1668A	43	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-189	39635-31-9	PCB	MOD 1668A	82	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-205	74472-53-0	PCB	MOD 1668A	60	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-206	40186-72-9	PCB	MOD 1668A	46	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-209	2051-24-3	PCB	MOD 1668A	44	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-28	7012-37-5	PCB	MOD 1668A	96	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-111	39635-32-0	PCB	MOD 1668A	54	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-178	52663-67-9	PCB	MOD 1668A	49	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-1	2051-60-7	PCB	MOD 1668A	41.96	pg/g - Wet Wt			39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-3	2051-62-9	PCB	MOD 1668A	17.77	pg/g - Wet Wt	J		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-4	13029-08-8	PCB	MOD 1668A	294.19	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-5	16605-91-7	PCB	MOD 1668A	10.76	pg/g - Wet Wt			9.94
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-6	25569-80-6	PCB	MOD 1668A	165.06	pg/g - Wet Wt			9.94
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-7	33284-50-3	PCB	MOD 1668A	37.46	pg/g - Wet Wt			9.94
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-8	34883-43-7	PCB	MOD 1668A	697.09	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-9	34883-39-1	PCB	MOD 1668A	64.17	pg/g - Wet Wt			9.94
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-10	33146-45-1	PCB	MOD 1668A	19.90	pg/g - Wet Wt			9.94
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-12	2974-92-7	PCB	MOD 1668A	19.87	pg/g - Wet Wt	UC		19.87
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12		19.87
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-16	38444-78-9	PCB	MOD 1668A	1168.44	pg/g - Wet Wt			19.87
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-17	37680-66-3	PCB	MOD 1668A	1538.60	pg/g - Wet Wt			39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-18	37680-65-2	PCB	MOD 1668A	3071.56	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-19	38444-73-4	PCB	MOD 1668A	278.60	pg/g - Wet Wt			19.87
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-20	38444-84-7	PCB	MOD 1668A	16649.88	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-22	38444-85-8	PCB	MOD 1668A	2175.61	pg/g - Wet Wt			39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-24	55702-45-9	PCB	MOD 1668A	322.18	pg/g - Wet Wt	C		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C24		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-25	55712-37-3	PCB	MOD 1668A	571.03	pg/g - Wet Wt			39.74

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	3151.44	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET	652994.9	J		O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4005-0000-01	48401-82-07		1.00		Lab Extraction ID = 48985-74-20	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-26	38444-81-4	PCB	MOD 1668A	1758.18	pg/g - Wet Wt	C		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-31	16606-02-3	PCB	MOD 1668A	6243.84	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-32	38444-77-4	PCB	MOD 1668A	1127.21	pg/g - Wet Wt			39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-40	38444-93-8	PCB	MOD 1668A	5800.86	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-42	36559-22-5	PCB	MOD 1668A	4280.92	pg/g - Wet Wt			39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-43	70362-46-8	PCB	MOD 1668A	39344.76	pg/g - Wet Wt	C		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-44	41464-39-5	PCB	MOD 1668A	6771.69	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-45	70362-45-7	PCB	MOD 1668A	1850.54	pg/g - Wet Wt	C		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-46	41464-47-5	PCB	MOD 1668A	432.15	pg/g - Wet Wt			39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-48	70362-47-9	PCB	MOD 1668A	2298.68	pg/g - Wet Wt			39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-49	41464-40-8	PCB	MOD 1668A	15498.76	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-50	62796-65-0	PCB	MOD 1668A	1685.14	pg/g - Wet Wt	C		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-56	41464-43-1	PCB	MOD 1668A	4076.51	pg/g - Wet Wt			39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-59	74472-33-6	PCB	MOD 1668A	11972.94	pg/g - Wet Wt	C		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-60	33025-41-1	PCB	MOD 1668A	2536.26	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-63	74472-34-7	PCB	MOD 1668A	1061.16	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-64	52663-58-8	PCB	MOD 1668A	7557.66	pg/g - Wet Wt			39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-66	32598-10-0	PCB	MOD 1668A	31409.15	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-61	33284-53-6	PCB	MOD 1668A	30526.72	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-77	32598-13-3	PCB	MOD 1668A	610.65	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-81	70362-50-4	PCB	MOD 1668A	99.35	pg/g - Wet Wt	U		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-82	52663-62-4	PCB	MOD 1668A	5102.95	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-111	39635-32-0	PCB	MOD 1668A		pg/g - Wet Wt	C82		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-83	60145-20-2	PCB	MOD 1668A	54696.92	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-84	52663-60-2	PCB	MOD 1668A	7328.14	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-85	65510-45-4	PCB	MOD 1668A	15893.19	pg/g - Wet Wt	C		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-86	55312-69-1	PCB	MOD 1668A	46719.06	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-89	73575-57-2	PCB	MOD 1668A	265.64	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-121	56558-18-0	PCB	MOD 1668A		pg/g - Wet Wt	C89		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-90	68194-07-0	PCB	MOD 1668A	97978.08	pg/g - Wet Wt	C		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-88	55215-17-3	PCB	MOD 1668A	7165.76	pg/g - Wet Wt	C		99.35

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-92	52663-61-3	PCB	MOD 1668A	15463.78	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-93	73575-56-1	PCB	MOD 1668A	35883.90	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-95	38379-99-6	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-105	32598-14-4	PCB	MOD 1668A	17886.86	pg/g - Wet Wt			39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-108	70362-41-3	PCB	MOD 1668A	2605.90	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-110	38380-03-9	PCB	MOD 1668A	67695.16	pg/g - Wet Wt	C		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-114	74472-37-0	PCB	MOD 1668A	1622.41	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-122	76842-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C114		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-118	31508-00-6	PCB	MOD 1668A	90315.09	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-106	70424-69-0	PCB	MOD 1668A	9083.04	pg/g - Wet Wt	C		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-126	57465-28-8	PCB	MOD 1668A	159.24	pg/g - Wet Wt	J		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-128	38380-07-3	PCB	MOD 1668A	15039.08	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-129	55215-18-4	PCB	MOD 1668A	52069.76	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-130	52663-66-8	PCB	MOD 1668A	5188.01	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-131	61798-70-7	PCB	MOD 1668A	737.29	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-132	38380-05-1	PCB	MOD 1668A	12804.17	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-134	52704-70-8	PCB	MOD 1668A	2526.46	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-135	52744-13-5	PCB	MOD 1668A	10187.10	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-136	38411-22-2	PCB	MOD 1668A	2354.79	pg/g - Wet Wt			39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-137	35694-06-5	PCB	MOD 1668A	9592.82	pg/g - Wet Wt	C		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-141	52712-04-6	PCB	MOD 1668A	10550.84	pg/g - Wet Wt			39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-144	68194-14-9	PCB	MOD 1668A	2012.18	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-146	51908-16-8	PCB	MOD 1668A	11002.02	pg/g - Wet Wt	C		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-147	68194-13-8	PCB	MOD 1668A	42147.68	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-153	35065-27-1	PCB	MOD 1668A	75558.78	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-156	38380-08-4	PCB	MOD 1668A	9179.90	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-158	74472-42-7	PCB	MOD 1668A	8634.35	pg/g - Wet Wt			39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-167	52663-72-6	PCB	MOD 1668A	4122.34	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-169	32774-16-6	PCB	MOD 1668A	99.35	pg/g - Wet Wt	U		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-170	35065-30-6	PCB	MOD 1668A	8657.80	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-171	52663-71-5	PCB	MOD 1668A	2634.60	pg/g - Wet Wt	C		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-172	52663-74-8	PCB	MOD 1668A	1714.93	pg/g - Wet Wt			198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-174	38411-25-5	PCB	MOD 1668A	3190.28	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-175	40186-70-7	PCB	MOD 1668A	266.32	pg/g - Wet Wt			198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-176	52663-65-7	PCB	MOD 1668A	360.36	pg/g - Wet Wt			198.71

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-177	52663-70-4	PCB	MOD 1668A	3213.50	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-178	52663-67-9	PCB	MOD 1668A	1287.78	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-180	35065-29-3	PCB	MOD 1668A	15962.90	pg/g - Wet Wt	C		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180		99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-182	60145-23-5	PCB	MOD 1668A	65.15	pg/g - Wet Wt	J		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-183	52663-69-1	PCB	MOD 1668A	3735.72	pg/g - Wet Wt			198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-184	74472-48-3	PCB	MOD 1668A	22.26	pg/g - Wet Wt	J		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-185	52712-05-7	PCB	MOD 1668A	487.64	pg/g - Wet Wt			198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-187	52663-68-0	PCB	MOD 1668A	8484.50	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-189	39635-31-9	PCB	MOD 1668A	274.69	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-190	41411-64-7	PCB	MOD 1668A	1872.67	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-191	74472-50-7	PCB	MOD 1668A	307.24	pg/g - Wet Wt			198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-194	35694-08-7	PCB	MOD 1668A	2327.06	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-195	52663-78-2	PCB	MOD 1668A	746.63	pg/g - Wet Wt			198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-196	42740-50-1	PCB	MOD 1668A	1428.49	pg/g - Wet Wt			198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-197	33091-17-7	PCB	MOD 1668A	106.57	pg/g - Wet Wt	J		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-198	68194-17-2	PCB	MOD 1668A	7734.64	pg/g - Wet Wt	C		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198		39.74
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-200	52663-73-7	PCB	MOD 1668A	115.91	pg/g - Wet Wt	J		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-201	40186-71-8	PCB	MOD 1668A	562.77	pg/g - Wet Wt			198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-203	52663-76-0	PCB	MOD 1668A	4152.66	pg/g - Wet Wt			198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-205	74472-53-0	PCB	MOD 1668A	143.84	pg/g - Wet Wt	J		198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-206	40186-72-9	PCB	MOD 1668A	8539.20	pg/g - Wet Wt			198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-207	52663-79-3	PCB	MOD 1668A	814.77	pg/g - Wet Wt			198.71
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	PCB-209	2051-24-3	PCB	MOD 1668A	4076.07	pg/g - Wet Wt			99.35
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	Total PCB		PCB	MOD 1668A	1038330.21	pg/g - Wet Wt			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-1	2051-60-7	PCB	MOD 1668A	57	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-3	2051-62-9	PCB	MOD 1668A	53	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-4	13029-08-8	PCB	MOD 1668A	44	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-19	38444-73-4	PCB	MOD 1668A	47	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-15	2050-68-2	PCB	MOD 1668A	66	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-54	15968-05-5	PCB	MOD 1668A	59	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-104	56558-16-8	PCB	MOD 1668A	58	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-37	38444-90-5	PCB	MOD 1668A	84	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-155	33979-03-02	PCB	MOD 1668A	47	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-81	70362-50-4	PCB	MOD 1668A	53	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-77	32598-13-3	PCB	MOD 1668A	48	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-123	65510-44-3	PCB	MOD 1668A	53	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-118	31508-00-6	PCB	MOD 1668A	52	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-188	74487-85-7	PCB	MOD 1668A	48	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-114	74472-37-0	PCB	MOD 1668A	51	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-105	32598-14-4	PCB	MOD 1668A	50	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-126	57465-28-8	PCB	MOD 1668A	47	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-202	2136-99-4	PCB	MOD 1668A	57	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-167	52663-72-6	PCB	MOD 1668A	75	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-156	38380-08-4	PCB	MOD 1668A	82	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-157	69782-90-7	PCB	MOD 1668A	82	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-169	32774-16-6	PCB	MOD 1668A	80	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-208	52663-77-1	PCB	MOD 1668A	49	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-189	39635-31-9	PCB	MOD 1668A	83	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-205	74472-53-0	PCB	MOD 1668A	62	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-206	40186-72-9	PCB	MOD 1668A	48	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-209	2051-24-3	PCB	MOD 1668A	52	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-28	7012-37-5	PCB	MOD 1668A	104	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-111	39635-32-0	PCB	MOD 1668A	51	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	DUPLICATE	06/21/01	8/23/2001	10/21/2001		48985-74	13C-PCB-178	52663-67-9	PCB	MOD 1668A	55	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4001-0000-01	48401-80-03		1.00		Lab Extraction ID = 48985-74-21	5.03	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-1	2051-60-7	PCB	MOD 1668A	9.06	pg/g - Wet Wt	J		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-3	2051-62-9	PCB	MOD 1668A	8.40	pg/g - Wet Wt	J		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-4	13029-08-8	PCB	MOD 1668A	19.09	pg/g - Wet Wt	J		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-5	16605-91-7	PCB	MOD 1668A	9.95	pg/g - Wet Wt	U		9.95
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-6	25569-80-6	PCB	MOD 1668A	12.71	pg/g - Wet Wt			9.95
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-7	33284-50-3	PCB	MOD 1668A	3.37	pg/g - Wet Wt	J		9.95
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-8	34883-43-7	PCB	MOD 1668A	47.60	pg/g - Wet Wt	J		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-9	34883-39-1	PCB	MOD 1668A	3.85	pg/g - Wet Wt	J		9.95
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-10	33146-45-1	PCB	MOD 1668A	9.95	pg/g - Wet Wt	U		9.95
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-12	2974-92-7	PCB	MOD 1668A	19.89	pg/g - Wet Wt	UC		19.89
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12		19.89
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-16	38444-78-9	PCB	MOD 1668A	46.49	pg/g - Wet Wt			19.89
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-17	37680-66-3	PCB	MOD 1668A	49.43	pg/g - Wet Wt			39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-18	37680-65-2	PCB	MOD 1668A	111.22	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-19	38444-73-4	PCB	MOD 1668A	12.25	pg/g - Wet Wt	J		19.89
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-20	38444-84-7	PCB	MOD 1668A	595.32	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-22	38444-85-8	PCB	MOD 1668A	148.84	pg/g - Wet Wt			39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-24	55702-45-9	PCB	MOD 1668A	11.74	pg/g - Wet Wt	JC		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C24		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-25	55712-37-3	PCB	MOD 1668A	17.42	pg/g - Wet Wt	J		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-26	38444-81-4	PCB	MOD 1668A	51.76	pg/g - Wet Wt	C		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-31	16606-02-3	PCB	MOD 1668A	225.23	pg/g - Wet Wt			99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-32	38444-77-4	PCB	MOD 1668A	40.19	pg/g - Wet Wt			39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-40	38444-93-8	PCB	MOD 1668A	273.78	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-42	36559-22-5	PCB	MOD 1668A	128.70	pg/g - Wet Wt			39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-43	70362-46-8	PCB	MOD 1668A	1295.73	pg/g - Wet Wt	C		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-44	41464-39-5	PCB	MOD 1668A	155.43	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-45	70362-45-7	PCB	MOD 1668A	54.56	pg/g - Wet Wt	C		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-46	41464-47-5	PCB	MOD 1668A	12.76	pg/g - Wet Wt	J		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-48	70362-47-9	PCB	MOD 1668A	66.79	pg/g - Wet Wt			39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-49	41464-40-8	PCB	MOD 1668A	376.66	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-50	62796-65-0	PCB	MOD 1668A	44.16	pg/g - Wet Wt	C		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-56	41464-43-1	PCB	MOD 1668A	289.77	pg/g - Wet Wt			39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-59	74472-33-6	PCB	MOD 1668A	460.11	pg/g - Wet Wt	C		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-60	33025-41-1	PCB	MOD 1668A	292.19	pg/g - Wet Wt			99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-63	74472-34-7	PCB	MOD 1668A	41.96	pg/g - Wet Wt	J		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-64	52663-58-8	PCB	MOD 1668A	366.47	pg/g - Wet Wt			39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-66	32598-10-0	PCB	MOD 1668A	1272.82	pg/g - Wet Wt			99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-61	33284-53-6	PCB	MOD 1668A	1361.72	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.47

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	9.06	UJ		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	8.4	UJ		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	19.09	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	9.95	UJ		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	12.71	UJ		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	3.37	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	47.6	UJ		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	3.85	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	9.95	UJ		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	19.89	UJ		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	46.49	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	49.43	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	111.22	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	12.25	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	595.32	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	148.84	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	11.74	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	17.42	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	51.76	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	225.23	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	40.19	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	273.78	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	128.7	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	1295.73	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	155.43	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	54.56	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	12.76	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	66.79	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	376.66	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	44.16	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	289.77	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	460.11	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	292.19	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	41.96	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	366.47	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	1272.82	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	1361.72	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-77	32598-13-3	PCB	MOD 1668A	37.29	pg/g - Wet Wt	J		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-81	70362-50-4	PCB	MOD 1668A	99.47	pg/g - Wet Wt	U		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-82	52663-62-4	PCB	MOD 1668A	382.42	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-111	39635-32-0	PCB	MOD 1668A		pg/g - Wet Wt	C82		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-83	60145-20-2	PCB	MOD 1668A	1857.88	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-84	52663-60-2	PCB	MOD 1668A	555.33	pg/g - Wet Wt			99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-85	65510-45-4	PCB	MOD 1668A	865.02	pg/g - Wet Wt	C		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-86	55312-69-1	PCB	MOD 1668A	2555.52	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-89	73575-57-2	PCB	MOD 1668A	17.92	pg/g - Wet Wt	JC		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-121	56558-18-0	PCB	MOD 1668A		pg/g - Wet Wt	C89		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-90	68194-07-0	PCB	MOD 1668A	3178.11	pg/g - Wet Wt	C		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-88	55215-17-3	PCB	MOD 1668A	341.46	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-92	52663-61-3	PCB	MOD 1668A	657.01	pg/g - Wet Wt			99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-93	73575-56-1	PCB	MOD 1668A	1907.00	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-95	38379-99-6	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-105	32598-14-4	PCB	MOD 1668A	1311.03	pg/g - Wet Wt			39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-108	70362-41-3	PCB	MOD 1668A	107.66	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-110	38380-03-9	PCB	MOD 1668A	4422.20	pg/g - Wet Wt	C		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-114	74472-37-0	PCB	MOD 1668A	141.46	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-122	76842-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C114		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-118	31508-00-6	PCB	MOD 1668A	5059.95	pg/g - Wet Wt			99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-106	70424-69-0	PCB	MOD 1668A	461.37	pg/g - Wet Wt	C		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-126	57465-28-8	PCB	MOD 1668A	12.92	pg/g - Wet Wt	J		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-128	38380-07-3	PCB	MOD 1668A	1169.10	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-129	55215-18-4	PCB	MOD 1668A	6113.88	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-130	52663-66-8	PCB	MOD 1668A	350.17	pg/g - Wet Wt			99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-131	61798-70-7	PCB	MOD 1668A	38.53	pg/g - Wet Wt	J		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-132	38380-05-1	PCB	MOD 1668A	990.89	pg/g - Wet Wt			99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-134	52704-70-8	PCB	MOD 1668A	151.12	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-135	52744-13-5	PCB	MOD 1668A	617.10	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.47

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	37.29	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	99.47	UJ		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	382.42	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	1857.88	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	555.33	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	865.02	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	2555.52	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	17.92	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	3178.11	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	341.46	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	657.01	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	1907	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	1311.03	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	107.66	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	4422.2	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	141.46	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	5059.95	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	461.37	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	12.92	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	1169.1	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	6113.88	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	350.17	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	38.53	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	990.89	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	151.12	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	617.1	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-136	38411-22-2	PCB	MOD 1668A	174.95	pg/g - Wet Wt			39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-137	35694-06-5	PCB	MOD 1668A	545.56	pg/g - Wet Wt	C		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-141	52712-04-6	PCB	MOD 1668A	571.17	pg/g - Wet Wt			39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-144	68194-14-9	PCB	MOD 1668A	69.70	pg/g - Wet Wt	J		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-146	51908-16-8	PCB	MOD 1668A	452.50	pg/g - Wet Wt	C		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-147	68194-13-8	PCB	MOD 1668A	2469.92	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-153	35065-27-1	PCB	MOD 1668A	2601.10	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-156	38380-08-4	PCB	MOD 1668A	539.86	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-158	74472-42-7	PCB	MOD 1668A	471.96	pg/g - Wet Wt			39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-167	52663-72-6	PCB	MOD 1668A	227.85	pg/g - Wet Wt			99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-169	32774-16-6	PCB	MOD 1668A	20.13	pg/g - Wet Wt	J		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-170	35065-30-6	PCB	MOD 1668A	1757.16	pg/g - Wet Wt			99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-171	52663-71-5	PCB	MOD 1668A	430.12	pg/g - Wet Wt	C		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-172	52663-74-8	PCB	MOD 1668A	341.45	pg/g - Wet Wt			198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-174	38411-25-5	PCB	MOD 1668A	933.92	pg/g - Wet Wt			99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-175	40186-70-7	PCB	MOD 1668A	38.14	pg/g - Wet Wt	J		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-176	52663-65-7	PCB	MOD 1668A	54.66	pg/g - Wet Wt	J		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-177	52663-70-4	PCB	MOD 1668A	811.90	pg/g - Wet Wt			99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-178	52663-67-9	PCB	MOD 1668A	331.65	pg/g - Wet Wt			99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-180	35065-29-3	PCB	MOD 1668A	2779.48	pg/g - Wet Wt	C		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-182	60145-23-5	PCB	MOD 1668A	12.69	pg/g - Wet Wt	J		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-183	52663-69-1	PCB	MOD 1668A	361.17	pg/g - Wet Wt			198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-184	74472-48-3	PCB	MOD 1668A	198.94	pg/g - Wet Wt	U		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-185	52712-05-7	PCB	MOD 1668A	74.96	pg/g - Wet Wt	J		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-187	52663-68-0	PCB	MOD 1668A	2309.97	pg/g - Wet Wt			99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-189	39635-31-9	PCB	MOD 1668A	43.26	pg/g - Wet Wt	J		99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-190	41411-64-7	PCB	MOD 1668A	587.12	pg/g - Wet Wt			99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-191	74472-50-7	PCB	MOD 1668A	51.66	pg/g - Wet Wt	J		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-194	35694-08-7	PCB	MOD 1668A	949.14	pg/g - Wet Wt			198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-195	52663-78-2	PCB	MOD 1668A	249.51	pg/g - Wet Wt			198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-196	42740-50-1	PCB	MOD 1668A	542.20	pg/g - Wet Wt			198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-197	33091-17-7	PCB	MOD 1668A	30.60	pg/g - Wet Wt	J		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-198	68194-17-2	PCB	MOD 1668A	5961.10	pg/g - Wet Wt	C		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198		39.79
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-200	52663-73-7	PCB	MOD 1668A	75.90	pg/g - Wet Wt	J		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-201	40186-71-8	PCB	MOD 1668A	191.43	pg/g - Wet Wt	J		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-203	52663-76-0	PCB	MOD 1668A	1676.79	pg/g - Wet Wt			198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-205	74472-53-0	PCB	MOD 1668A	57.06	pg/g - Wet Wt	J		198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-206	40186-72-9	PCB	MOD 1668A	6452.23	pg/g - Wet Wt			198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-207	52663-79-3	PCB	MOD 1668A	434.00	pg/g - Wet Wt			198.94
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-209	2051-24-3	PCB	MOD 1668A	3569.19	pg/g - Wet Wt			99.47
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	Total PCB		PCB	MOD 1668A	80455.55	pg/g - Wet Wt			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-1	2051-60-7	PCB	MOD 1668A	40	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-3	2051-62-9	PCB	MOD 1668A	40	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-4	13029-08-8	PCB	MOD 1668A	29	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-19	38444-73-4	PCB	MOD 1668A	50	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-15	2050-68-2	PCB	MOD 1668A	58	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-54	15968-05-5	PCB	MOD 1668A	49	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	174.95	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	545.56	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	571.17	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	69.7	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	452.5	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	2469.92	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	2601.1	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	539.86	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	471.96	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	227.85	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	20.13	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	1757.16	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	430.12	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	341.45	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	933.92	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	38.14	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	54.66	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	811.9	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	331.65	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	2779.48	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	12.69	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	361.17	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	198.94	UJ		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	74.96	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	2309.97	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	43.26	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	587.12	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	51.66	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	949.14	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	249.51	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	542.2	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	30.6	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	5961.1	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	75.9	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	191.43	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	1676.79	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	57.06	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	6452.23	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	434	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	3569.19	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET	80385.31	J		O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-104	56558-16-8	PCB	MOD 1668A	28	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-37	38444-90-5	PCB	MOD 1668A	91	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-155	33979-03-02	PCB	MOD 1668A	10	%RECOVERY	&		
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-81	70362-50-4	PCB	MOD 1668A	60	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-77	32598-13-3	PCB	MOD 1668A	71	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-123	65510-44-3	PCB	MOD 1668A	49	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-118	31508-00-6	PCB	MOD 1668A	47	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-188	74487-85-7	PCB	MOD 1668A	10	%RECOVERY	&		
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-114	74472-37-0	PCB	MOD 1668A	49	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-105	32598-14-4	PCB	MOD 1668A	71	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-126	57465-28-8	PCB	MOD 1668A	68	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-202	2136-99-4	PCB	MOD 1668A	21	%RECOVERY	&		
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-167	52663-72-6	PCB	MOD 1668A	54	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-156	38380-08-4	PCB	MOD 1668A	84	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-157	69782-90-7	PCB	MOD 1668A	84	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-169	32774-16-6	PCB	MOD 1668A	61	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-208	52663-77-1	PCB	MOD 1668A	15	%RECOVERY	&		
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-189	39635-31-9	PCB	MOD 1668A	42	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-205	74472-53-0	PCB	MOD 1668A	30	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-206	40186-72-9	PCB	MOD 1668A	18	%RECOVERY	&		
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-209	2051-24-3	PCB	MOD 1668A	13	%RECOVERY	&		
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-28	7012-37-5	PCB	MOD 1668A	45	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-111	39635-32-0	PCB	MOD 1668A	29	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	NORMAL	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-178	52663-67-9	PCB	MOD 1668A	32	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-1	2051-60-7	PCB	MOD 1668A	106	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-3	2051-62-9	PCB	MOD 1668A	103	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-4	13029-08-8	PCB	MOD 1668A	122	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-5	16605-91-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-6	25569-80-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-7	33284-50-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-8	34883-43-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-9	34883-39-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-10	33146-45-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-12	2974-92-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-13	2974-90-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-16	38444-78-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-17	37680-66-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-18	37680-65-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-30	35693-92-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-19	38444-73-4	PCB	MOD 1668A	84	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-20	38444-84-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-21	55702-46-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-28	7012-37-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-33	38444-86-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-22	38444-85-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-24	55702-45-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-27	38444-76-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-25	55712-37-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-26	38444-81-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-29	15862-07-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-31	16606-02-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-32	38444-77-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-40	38444-93-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-41	52663-59-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-71	41464-46-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-42	36559-22-5	PCB	MOD 1668A	NA	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-22	5.03	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-43	70362-46-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-52	35693-99-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-73	74338-23-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-44	41464-39-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-47	2437-79-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-65	33284-54-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-45	70362-45-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-51	68194-04-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-46	41464-47-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-48	70362-47-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-49	41464-40-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-69	60233-24-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-50	62796-65-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-53	41464-41-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-56	41464-43-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-59	74472-33-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-62	54230-22-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-75	32598-12-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-60	33025-41-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-63	74472-34-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-64	52663-58-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-66	32598-10-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-61	33284-53-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-70	32598-11-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-74	32690-93-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-76	70362-48-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-77	32598-13-3	PCB	MOD 1668A	101	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-81	70362-50-4	PCB	MOD 1668A	122	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-82	52663-62-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-111	39635-32-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-83	60145-20-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-99	38380-01-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-84	52663-60-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-85	65510-45-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-116	18259-05-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-117	68194-11-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-86	55312-69-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-87	38380-02-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-97	41464-51-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-109	74472-35-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-119	56558-17-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-125	74472-39-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-89	73575-57-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-121	56558-18-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-90	68194-07-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-101	37680-73-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-113	68194-10-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-88	55215-17-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-91	68194-05-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-92	52663-61-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-93	73575-56-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-95	38379-99-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-98	60233-25-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-100	39485-83-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-102	68194-06-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-105	32598-14-4	PCB	MOD 1668A	0	%RECOVERY	~		

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-23	5.01	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-108	70362-41-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-124	70424-70-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-110	38380-03-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-115	74472-38-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-114	74472-37-0	PCB	MOD 1668A	84	%RECOVERY	C		
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-122	76842-07-4	PCB	MOD 1668A		%RECOVERY	C114		
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-118	31508-00-6	PCB	MOD 1668A	0	%RECOVERY	~		
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-106	70424-69-0	PCB	MOD 1668A	84	%RECOVERY	C		
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-107	70424-68-9	PCB	MOD 1668A		%RECOVERY	C106		
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-123	65510-44-3	PCB	MOD 1668A		%RECOVERY	C106		
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-126	57465-28-8	PCB	MOD 1668A	86	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-128	38380-07-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-166	41411-63-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-129	55215-18-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-138	35065-28-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-160	41411-62-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-163	74472-44-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-130	52663-66-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-131	61798-70-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-132	38380-05-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-134	52704-70-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-143	68194-15-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-135	52744-13-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-151	52663-63-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-154	60145-22-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-136	38411-22-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-137	35694-06-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-164	74472-45-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-141	52712-04-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-144	68194-14-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-146	51908-16-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-161	74474-43-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-147	68194-13-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-149	38380-04-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-153	35065-27-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-168	59291-65-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-156	38380-08-4	PCB	MOD 1668A	75	%RECOVERY	C		
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-157	69782-90-7	PCB	MOD 1668A		%RECOVERY	C156		
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-158	74472-42-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-167	52663-72-6	PCB	MOD 1668A	75	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-169	32774-16-6	PCB	MOD 1668A	88	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-170	35065-30-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-171	52663-71-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-173	68194-16-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-172	52663-74-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-174	38411-25-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-175	40186-70-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-176	52663-65-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-177	52663-70-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-178	52663-67-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-180	35065-29-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-193	69782-91-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-182	60145-23-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-183	52663-69-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-184	74472-48-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-185	52712-05-7	PCB	MOD 1668A	NA	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-23	5.01	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-187	52663-68-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-189	39635-31-9	PCB	MOD 1668A	92	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-190	41411-64-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-191	74472-50-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-194	35694-08-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-195	52663-78-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-196	42740-50-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-197	33091-17-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-198	68194-17-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-199	52663-75-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-200	52663-73-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-201	40186-71-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-203	52663-76-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-205	74472-53-0	PCB	MOD 1668A	92	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-206	40186-72-9	PCB	MOD 1668A	0	%RECOVERY	~		
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-207	52663-79-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-209	2051-24-3	PCB	MOD 1668A	0	%RECOVERY	~		
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	Total PCB		PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-1	2051-60-7	PCB	MOD 1668A	47	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-3	2051-62-9	PCB	MOD 1668A	44	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-4	13029-08-8	PCB	MOD 1668A	28	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-19	38444-73-4	PCB	MOD 1668A	51	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-15	2050-68-2	PCB	MOD 1668A	59	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-54	15968-05-5	PCB	MOD 1668A	45	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-104	56558-16-8	PCB	MOD 1668A	38	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-37	38444-90-5	PCB	MOD 1668A	87	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-155	33979-03-02	PCB	MOD 1668A	16	%RECOVERY	&		
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-81	70362-50-4	PCB	MOD 1668A	59	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-77	32598-13-3	PCB	MOD 1668A	63	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-123	65510-44-3	PCB	MOD 1668A	58	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-118	31508-00-6	PCB	MOD 1668A	55	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-188	74487-85-7	PCB	MOD 1668A	18	%RECOVERY	&		
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-114	74472-37-0	PCB	MOD 1668A	56	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-105	32598-14-4	PCB	MOD 1668A	69	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-126	57465-28-8	PCB	MOD 1668A	64	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-202	2136-99-4	PCB	MOD 1668A	32	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-167	52663-72-6	PCB	MOD 1668A	64	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-156	38380-08-4	PCB	MOD 1668A	83	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-157	69782-90-7	PCB	MOD 1668A	83	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-169	32774-16-6	PCB	MOD 1668A	60	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-208	52663-77-1	PCB	MOD 1668A	20	%RECOVERY	&		
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-189	39635-31-9	PCB	MOD 1668A	54	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-205	74472-53-0	PCB	MOD 1668A	38	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-206	40186-72-9	PCB	MOD 1668A	23	%RECOVERY	&		
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-209	2051-24-3	PCB	MOD 1668A	19	%RECOVERY	&		
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-28	7012-37-5	PCB	MOD 1668A	55	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-111	39635-32-0	PCB	MOD 1668A	37	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MS	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-178	52663-67-9	PCB	MOD 1668A	36	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-1	2051-60-7	PCB	MOD 1668A	113	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-3	2051-62-9	PCB	MOD 1668A	111	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-4	13029-08-8	PCB	MOD 1668A	120	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-5	16605-91-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-6	25569-80-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-7	33284-50-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-8	34883-43-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-9	34883-39-1	PCB	MOD 1668A	NA	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-23	5.01	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-10	33146-45-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-12	2974-92-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-13	2974-90-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-16	38444-78-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-17	37680-66-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-18	37680-65-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-30	35693-92-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-19	38444-73-4	PCB	MOD 1668A	93	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-20	38444-84-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-21	55702-46-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-28	7012-37-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-33	38444-86-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-22	38444-85-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-24	55702-45-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-27	38444-76-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-25	55712-37-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-26	38444-81-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-29	15862-07-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-31	16606-02-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-32	38444-77-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-40	38444-93-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-41	52663-59-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-71	41464-46-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-42	36559-22-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-43	70362-46-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-52	35693-99-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-73	74338-23-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-44	41464-39-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-47	2437-79-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-65	33284-54-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-45	70362-45-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-51	68194-04-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-46	41464-47-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-48	70362-47-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-49	41464-40-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-69	60233-24-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-50	62796-65-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-53	41464-41-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-56	41464-43-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-59	74472-33-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-62	54230-22-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-75	32598-12-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-60	33025-41-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-63	74472-34-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-64	52663-58-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-66	32598-10-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-61	33284-53-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-70	32598-11-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-74	32690-93-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-76	70362-48-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-77	32598-13-3	PCB	MOD 1668A	103	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-81	70362-50-4	PCB	MOD 1668A	123	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-82	52663-62-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-111	39635-32-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-83	60145-20-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-99	38380-01-7	PCB	MOD 1668A	NA	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-24	5.01	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-84	52663-60-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-85	65510-45-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-116	18259-05-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-117	68194-11-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-86	55312-69-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-87	38380-02-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-97	41464-51-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-109	74472-35-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-119	56558-17-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-125	74472-39-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-89	73575-57-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-121	56558-18-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-90	68194-07-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-101	37680-73-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-113	68194-10-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-88	55215-17-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-91	68194-05-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-92	52663-61-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-93	73575-56-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-95	38379-99-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-98	60233-25-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-100	39485-83-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-102	68194-06-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-105	32598-14-4	PCB	MOD 1668A	0	%RECOVERY	~		
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-108	70362-41-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-124	70424-70-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-110	38380-03-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-115	74472-38-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-114	74472-37-0	PCB	MOD 1668A	80	%RECOVERY	C		
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-122	76842-07-4	PCB	MOD 1668A		%RECOVERY	C114		
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-118	31508-00-6	PCB	MOD 1668A	0	%RECOVERY	~		
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-106	70424-69-0	PCB	MOD 1668A	58	%RECOVERY	C		
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-107	70424-68-9	PCB	MOD 1668A		%RECOVERY	C106		
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-123	65510-44-3	PCB	MOD 1668A		%RECOVERY	C106		
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-126	57465-28-8	PCB	MOD 1668A	93	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-128	38380-07-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-166	41411-63-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-129	55215-18-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-138	35065-28-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-160	41411-62-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-163	74472-44-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-130	52663-66-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-131	61798-70-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-132	38380-05-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-134	52704-70-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-143	68194-15-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-135	52744-13-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-151	52663-63-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-154	60145-22-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-136	38411-22-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-137	35694-06-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-164	74472-45-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-141	52712-04-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-144	68194-14-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-146	51908-16-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-161	74474-43-8	PCB	MOD 1668A	NA	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-24	5.01	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-147	68194-13-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-149	38380-04-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-153	35065-27-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-168	59291-65-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-156	38380-08-4	PCB	MOD 1668A	121	%RECOVERY	C		
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-157	69782-90-7	PCB	MOD 1668A		%RECOVERY	C156		
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-158	74472-42-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-167	52663-72-6	PCB	MOD 1668A	70	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-169	32774-16-6	PCB	MOD 1668A	88	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-170	35065-30-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-171	52663-71-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-173	68194-16-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-172	52663-74-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-174	38411-25-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-175	40186-70-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-176	52663-65-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-177	52663-70-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-178	52663-67-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-180	35065-29-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-193	69782-91-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-182	60145-23-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-183	52663-69-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-184	74472-48-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-185	52712-05-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-187	52663-68-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-189	39635-31-9	PCB	MOD 1668A	94	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-190	41411-64-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-191	74472-50-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-194	35694-08-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-195	52663-78-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-196	42740-50-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-197	33091-17-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-198	68194-17-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-199	52663-75-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-200	52663-73-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-201	40186-71-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-203	52663-76-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-205	74472-53-0	PCB	MOD 1668A	91	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-206	40186-72-9	PCB	MOD 1668A	0	%RECOVERY	~		
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-207	52663-79-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	PCB-209	2051-24-3	PCB	MOD 1668A	0	%RECOVERY	~		
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	Total PCB		PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-1	2051-60-7	PCB	MOD 1668A	59	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-3	2051-62-9	PCB	MOD 1668A	57	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-4	13029-08-8	PCB	MOD 1668A	40	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-19	38444-73-4	PCB	MOD 1668A	61	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-15	2050-68-2	PCB	MOD 1668A	74	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-54	15968-05-5	PCB	MOD 1668A	71	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-104	56558-16-8	PCB	MOD 1668A	40	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-37	38444-90-5	PCB	MOD 1668A	113	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-155	33979-03-02	PCB	MOD 1668A	16	%RECOVERY	&		
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-81	70362-50-4	PCB	MOD 1668A	77	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-77	32598-13-3	PCB	MOD 1668A	86	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-123	65510-44-3	PCB	MOD 1668A	65	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-118	31508-00-6	PCB	MOD 1668A	61	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-188	74487-85-7	PCB	MOD 1668A	20	%RECOVERY	&		

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-24	5.01	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-114	74472-37-0	PCB	MOD 1668A	61	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-105	32598-14-4	PCB	MOD 1668A	89	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-126	57465-28-8	PCB	MOD 1668A	84	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-202	2136-99-4	PCB	MOD 1668A	33	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-167	52663-72-6	PCB	MOD 1668A	67	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-156	38380-08-4	PCB	MOD 1668A	98	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-157	69782-90-7	PCB	MOD 1668A	98	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-169	32774-16-6	PCB	MOD 1668A	70	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-208	52663-77-1	PCB	MOD 1668A	23	%RECOVERY	&		
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-189	39635-31-9	PCB	MOD 1668A	60	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-205	74472-53-0	PCB	MOD 1668A	44	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-206	40186-72-9	PCB	MOD 1668A	27	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-209	2051-24-3	PCB	MOD 1668A	19	%RECOVERY	&		
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-28	7012-37-5	PCB	MOD 1668A	83	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-111	39635-32-0	PCB	MOD 1668A	42	%RECOVERY			
GMP-LB-5003-0000-01	48401-85-26	BCO	MSD	06/25/01	8/23/2001	10/22/2001		48985-74	13C-PCB-178	52663-67-9	PCB	MOD 1668A	41	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-1	2051-60-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-3	2051-62-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-4	13029-08-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-5	16605-91-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-6	25569-80-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-7	33284-50-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-8	34883-43-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-9	34883-39-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-10	33146-45-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-12	2974-92-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-13	2974-90-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-16	38444-78-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-17	37680-66-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-18	37680-65-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-30	35693-92-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-19	38444-73-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-20	38444-84-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-21	55702-46-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-28	7012-37-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-33	38444-86-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-22	38444-85-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-24	55702-45-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-27	38444-76-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-25	55712-37-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-26	38444-81-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-29	15862-07-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-31	16606-02-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-32	38444-77-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-40	38444-93-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-41	52663-59-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-71	41464-46-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-42	36559-22-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-43	70362-46-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-52	35693-99-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-73	74338-23-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-44	41464-39-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-47	2437-79-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-65	33284-54-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-45	70362-45-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-51	68194-04-7	PCB	MOD 1668A	NA	%DIFFERENCE			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5003-0000-01	48401-85-26		1.00		Lab Extraction ID = 48985-74-24	5.01	G_WET				O

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-46	41464-47-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-48	70362-47-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-49	41464-40-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-69	60233-24-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-50	62796-65-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-53	41464-41-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-56	41464-43-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-59	74472-33-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-62	54230-22-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-75	32598-12-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-60	33025-41-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-63	74472-34-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-64	52663-58-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-66	32598-10-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-61	33284-53-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-70	32598-11-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-74	32690-93-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-76	70362-48-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-77	32598-13-3	PCB	MOD 1668A	60.4	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-81	70362-50-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-82	52663-62-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-111	39635-32-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-83	60145-20-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-99	38380-01-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-84	52663-60-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-85	65510-45-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-116	18259-05-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-117	68194-11-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-86	55312-69-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-87	38380-02-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-97	41464-51-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-109	74472-35-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-119	56558-17-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-125	74472-39-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-89	73575-57-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-121	56558-18-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-90	68194-07-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-101	37680-73-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-113	68194-10-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-88	55215-17-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-91	68194-05-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-92	52663-61-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-93	73575-56-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-95	38379-99-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-98	60233-25-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-100	39485-83-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-102	68194-06-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-105	32598-14-4	PCB	MOD 1668A	63.6	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-108	70362-41-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-124	70424-70-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-110	38380-03-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-115	74472-38-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-114	74472-37-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-122	76842-07-4	PCB	MOD 1668A		%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-118	31508-00-6	PCB	MOD 1668A	46.9	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-106	70424-69-0	PCB	MOD 1668A	NA	%DIFFERENCE			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48514-85-02		1.00		Lab Extraction ID = 48985-74-25	4.42	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-107	70424-68-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-123	65510-44-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-126	57465-28-8	PCB	MOD 1668A	66.4	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-128	38380-07-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-166	41411-63-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-129	55215-18-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-138	35065-28-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-160	41411-62-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-163	74472-44-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-130	52663-66-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-131	61798-70-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-132	38380-05-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-134	52704-70-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-143	68194-15-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-135	52744-13-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-151	52663-63-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-154	60145-22-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-136	38411-22-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-137	35694-06-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-164	74472-45-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-141	52712-04-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-144	68194-14-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-146	51908-16-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-161	74474-43-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-147	68194-13-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-149	38380-04-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-153	35065-27-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-168	59291-65-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-156	38380-08-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-157	69782-90-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-158	74472-42-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-167	52663-72-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-169	32774-16-6	PCB	MOD 1668A	63.9	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-170	35065-30-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-171	52663-71-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-173	68194-16-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-172	52663-74-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-174	38411-25-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-175	40186-70-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-176	52663-65-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-177	52663-70-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-178	52663-67-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-180	35065-29-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-193	69782-91-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-182	60145-23-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-183	52663-69-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-184	74472-48-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-185	52712-05-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-187	52663-68-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-189	39635-31-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-190	41411-64-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-191	74472-50-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-194	35694-08-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-195	52663-78-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-196	42740-50-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-197	33091-17-7	PCB	MOD 1668A	NA	%DIFFERENCE			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48514-85-02		1.00		Lab Extraction ID = 48985-74-25	4.42	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-198	68194-17-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-199	52663-75-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-200	52663-73-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-201	40186-71-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-203	52663-76-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-205	74472-53-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-206	40186-72-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-207	52663-79-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	PCB-209	2051-24-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	Total PCB		PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-1	2051-60-7	PCB	MOD 1668A	55	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-3	2051-62-9	PCB	MOD 1668A	52	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-4	13029-08-8	PCB	MOD 1668A	34	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-19	38444-73-4	PCB	MOD 1668A	61	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-15	2050-68-2	PCB	MOD 1668A	72	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-54	15968-05-5	PCB	MOD 1668A	61	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-104	56558-16-8	PCB	MOD 1668A	41	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-37	38444-90-5	PCB	MOD 1668A	92	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-155	33979-03-02	PCB	MOD 1668A	15	%RECOVERY	&		
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-81	70362-50-4	PCB	MOD 1668A	65	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-77	32598-13-3	PCB	MOD 1668A	71	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-123	65510-44-3	PCB	MOD 1668A	61	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-118	31508-00-6	PCB	MOD 1668A	55	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-188	74487-85-7	PCB	MOD 1668A	17	%RECOVERY	&		
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-114	74472-37-0	PCB	MOD 1668A	58	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-105	32598-14-4	PCB	MOD 1668A	75	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-126	57465-28-8	PCB	MOD 1668A	74	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-202	2136-99-4	PCB	MOD 1668A	31	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-167	52663-72-6	PCB	MOD 1668A	63	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-156	38380-08-4	PCB	MOD 1668A	93	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-157	69782-90-7	PCB	MOD 1668A	93	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-169	32774-16-6	PCB	MOD 1668A	67	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-208	52663-77-1	PCB	MOD 1668A	20	%RECOVERY	&		
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-189	39635-31-9	PCB	MOD 1668A	55	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-205	74472-53-0	PCB	MOD 1668A	38	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-206	40186-72-9	PCB	MOD 1668A	24	%RECOVERY	&		
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-209	2051-24-3	PCB	MOD 1668A	19	%RECOVERY	&		
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-28	7012-37-5	PCB	MOD 1668A	56	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-111	39635-32-0	PCB	MOD 1668A	37	%RECOVERY			
	48514-85-02	BCO	SRM		8/23/2001	10/22/2001		48985-74	13C-PCB-178	52663-67-9	PCB	MOD 1668A	33	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-1	2051-60-7	PCB	MOD 1668A	111	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-3	2051-62-9	PCB	MOD 1668A	108	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-4	13029-08-8	PCB	MOD 1668A	106	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-5	16605-91-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-6	25569-80-6	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-7	33284-50-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-8	34883-43-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-9	34883-39-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-10	33146-45-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-12	2974-92-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-13	2974-90-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-16	38444-78-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-17	37680-66-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-18	37680-65-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-30	35693-92-6	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-19	38444-73-4	PCB	MOD 1668A	94	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48514-85-02		1.00		Lab Extraction ID = 48985-74-25	4.42	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-20	38444-84-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-21	55702-46-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-28	7012-37-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-33	38444-86-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-22	38444-85-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-24	55702-45-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-27	38444-76-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-25	55712-37-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-26	38444-81-4	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-29	15862-07-4	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-31	16606-02-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-32	38444-77-4	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-40	38444-93-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-41	52663-59-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-71	41464-46-4	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-42	36559-22-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-43	70362-46-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-52	35693-99-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-73	74338-23-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-44	41464-39-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-47	2437-79-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-65	33284-54-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-45	70362-45-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-51	68194-04-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-46	41464-47-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-48	70362-47-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-49	41464-40-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-69	60233-24-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-50	62796-65-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-53	41464-41-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-56	41464-43-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-59	74472-33-6	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-62	54230-22-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-75	32598-12-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-60	33025-41-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-63	74472-34-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-64	52663-58-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-66	32598-10-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-61	33284-53-6	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-70	32598-11-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-74	32690-93-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-76	70362-48-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-77	32598-13-3	PCB	MOD 1668A	98	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-81	70362-50-4	PCB	MOD 1668A	98	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-82	52663-62-4	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-111	39635-32-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-83	60145-20-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-99	38380-01-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-84	52663-60-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-85	65510-45-4	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-116	18259-05-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-117	68194-11-6	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-86	55312-69-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-87	38380-02-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-97	41464-51-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-109	74472-35-8	PCB	MOD 1668A	NA	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		1.00		Lab Extraction ID = 48985-74-26	0.52	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-119	56558-17-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-125	74472-39-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-89	73575-57-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-121	56558-18-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-90	68194-07-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-101	37680-73-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-113	68194-10-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-88	55215-17-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-91	68194-05-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-92	52663-61-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-93	73575-56-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-95	38379-99-6	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-98	60233-25-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-100	39485-83-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-102	68194-06-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-105	32598-14-4	PCB	MOD 1668A	89	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-108	70362-41-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-124	70424-70-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-110	38380-03-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-115	74472-38-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-114	74472-37-0	PCB	MOD 1668A	95	%RECOVERY	C		
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-122	76842-07-4	PCB	MOD 1668A		%RECOVERY	C114		
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-118	31508-00-6	PCB	MOD 1668A	108	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-106	70424-69-0	PCB	MOD 1668A	88	%RECOVERY	C		
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-107	70424-68-9	PCB	MOD 1668A		%RECOVERY	C106		
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-123	65510-44-3	PCB	MOD 1668A		%RECOVERY	C106		
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-126	57465-28-8	PCB	MOD 1668A	85	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-128	38380-07-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-166	41411-63-6	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-129	55215-18-4	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-138	35065-28-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-160	41411-62-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-163	74472-44-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-130	52663-66-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-131	61798-70-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-132	38380-05-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-134	52704-70-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-143	68194-15-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-135	52744-13-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-151	52663-63-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-154	60145-22-4	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-136	38411-22-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-137	35694-06-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-164	74472-45-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-141	52712-04-6	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-144	68194-14-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-146	51908-16-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-161	74474-43-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-147	68194-13-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-149	38380-04-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-153	35065-27-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-168	59291-65-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-156	38380-08-4	PCB	MOD 1668A	95	%RECOVERY	C		
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-157	69782-90-7	PCB	MOD 1668A		%RECOVERY	C156		
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-158	74472-42-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-167	52663-72-6	PCB	MOD 1668A	91	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		1.00		Lab Extraction ID = 48985-74-26	0.52	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-169	32774-16-6	PCB	MOD 1668A	92	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-170	35065-30-6	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-171	52663-71-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-173	68194-16-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-172	52663-74-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-174	38411-25-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-175	40186-70-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-176	52663-65-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-177	52663-70-4	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-178	52663-67-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-180	35065-29-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-193	69782-91-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-182	60145-23-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-183	52663-69-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-184	74472-48-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-185	52712-05-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-187	52663-68-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-189	39635-31-9	PCB	MOD 1668A	97	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-190	41411-64-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-191	74472-50-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-194	35694-08-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-195	52663-78-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-196	42740-50-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-197	33091-17-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-198	68194-17-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-199	52663-75-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-200	52663-73-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-201	40186-71-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-203	52663-76-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-205	74472-53-0	PCB	MOD 1668A	91	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-206	40186-72-9	PCB	MOD 1668A	108	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-207	52663-79-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	PCB-209	2051-24-3	PCB	MOD 1668A	113	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	Total PCB		PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-1	2051-60-7	PCB	MOD 1668A	57	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-3	2051-62-9	PCB	MOD 1668A	53	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-4	13029-08-8	PCB	MOD 1668A	47	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-19	38444-73-4	PCB	MOD 1668A	52	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-15	2050-68-2	PCB	MOD 1668A	68	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-54	15968-05-5	PCB	MOD 1668A	50	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-104	56558-16-8	PCB	MOD 1668A	41	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-37	38444-90-5	PCB	MOD 1668A	87	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-155	33979-03-02	PCB	MOD 1668A	10	%RECOVERY	&		
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-81	70362-50-4	PCB	MOD 1668A	55	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-77	32598-13-3	PCB	MOD 1668A	66	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-123	65510-44-3	PCB	MOD 1668A	40	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-118	31508-00-6	PCB	MOD 1668A	41	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-188	74487-85-7	PCB	MOD 1668A	15	%RECOVERY	&		
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-114	74472-37-0	PCB	MOD 1668A	39	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-105	32598-14-4	PCB	MOD 1668A	62	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-126	57465-28-8	PCB	MOD 1668A	57	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-202	2136-99-4	PCB	MOD 1668A	22	%RECOVERY	&		
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-167	52663-72-6	PCB	MOD 1668A	45	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-156	38380-08-4	PCB	MOD 1668A	42	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-157	69782-90-7	PCB	MOD 1668A	42	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-169	32774-16-6	PCB	MOD 1668A	69	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		1.00		Lab Extraction ID = 48985-74-26	0.52	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-208	52663-77-1	PCB	MOD 1668A	13	%RECOVERY	&		
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-189	39635-31-9	PCB	MOD 1668A	43	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-205	74472-53-0	PCB	MOD 1668A	26	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-206	40186-72-9	PCB	MOD 1668A	15	%RECOVERY	&		
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-209	2051-24-3	PCB	MOD 1668A	10	%RECOVERY	&		
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-28	7012-37-5	PCB	MOD 1668A	67	%RECOVERY			
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-111	39635-32-0	PCB	MOD 1668A	24	%RECOVERY	&		
	48401-44-03	BCO	LCS		8/23/2001	10/21/2001		48985-74	13C-PCB-178	52663-67-9	PCB	MOD 1668A	27	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		1.00		Lab Extraction ID = 48985-74-26	0.52	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-26	0.52	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-26	0.52	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-26	0.52	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-26	0.52	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-26	0.52	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-26	0.52	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-74-26	0.52	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-1	2051-60-7	PCB	MOD 1668A	7.41	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-3	2051-62-9	PCB	MOD 1668A	6.80	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-4	13029-08-8	PCB	MOD 1668A	7.05	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-5	16605-91-7	PCB	MOD 1668A	10.00	pg/g - Wet Wt	U		10.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-6	25569-80-6	PCB	MOD 1668A	5.47	pg/g - Wet Wt	J		10.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-7	33284-50-3	PCB	MOD 1668A	1.30	pg/g - Wet Wt	J		10.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-8	34883-43-7	PCB	MOD 1668A	21.08	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-9	34883-39-1	PCB	MOD 1668A	1.07	pg/g - Wet Wt	J		10.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-10	33146-45-1	PCB	MOD 1668A	10.00	pg/g - Wet Wt	U		10.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-12	2974-92-7	PCB	MOD 1668A	3.56	pg/g - Wet Wt	JC		20.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12		20.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-16	38444-78-9	PCB	MOD 1668A	8.18	pg/g - Wet Wt	J		20.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-17	37680-66-3	PCB	MOD 1668A	6.77	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-18	37680-65-2	PCB	MOD 1668A	13.55	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-19	38444-73-4	PCB	MOD 1668A	20.00	pg/g - Wet Wt	U		20.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-20	38444-84-7	PCB	MOD 1668A	58.68	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-22	38444-85-8	PCB	MOD 1668A	15.11	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-24	55702-45-9	PCB	MOD 1668A	1.13	pg/g - Wet Wt	JC		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C24		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-25	55712-37-3	PCB	MOD 1668A	2.44	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-26	38444-81-4	PCB	MOD 1668A	5.80	pg/g - Wet Wt	JC		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-31	16606-02-3	PCB	MOD 1668A	32.83	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-32	38444-77-4	PCB	MOD 1668A	4.79	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-40	38444-93-8	PCB	MOD 1668A	10.82	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-42	36559-22-5	PCB	MOD 1668A	5.99	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-43	70362-46-8	PCB	MOD 1668A	54.80	pg/g - Wet Wt	C		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-44	41464-39-5	PCB	MOD 1668A	5.35	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-45	70362-45-7	PCB	MOD 1668A	3.46	pg/g - Wet Wt	JC		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-46	41464-47-5	PCB	MOD 1668A	1.36	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-48	70362-47-9	PCB	MOD 1668A	5.20	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-49	41464-40-8	PCB	MOD 1668A	15.73	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-50	62796-65-0	PCB	MOD 1668A	2.89	pg/g - Wet Wt	JC		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-56	41464-43-1	PCB	MOD 1668A	13.93	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-59	74472-33-6	PCB	MOD 1668A	25.02	pg/g - Wet Wt	JC		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-60	33025-41-1	PCB	MOD 1668A	7.17	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-63	74472-34-7	PCB	MOD 1668A	1.44	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-64	52663-58-8	PCB	MOD 1668A	13.49	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-66	32598-10-0	PCB	MOD 1668A	28.12	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-61	33284-53-6	PCB	MOD 1668A	76.11	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61		100.00

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C81		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-77	32598-13-3	PCB	MOD 1668A	2.03	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-81	70362-50-4	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-82	52663-62-4	PCB	MOD 1668A	7.16	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-111	39635-32-0	PCB	MOD 1668A		pg/g - Wet Wt	C82		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-83	60145-20-2	PCB	MOD 1668A	29.48	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-84	52663-60-2	PCB	MOD 1668A	20.05	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-85	65510-45-4	PCB	MOD 1668A	10.89	pg/g - Wet Wt	JC		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-86	55312-69-1	PCB	MOD 1668A	44.18	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-89	73575-57-2	PCB	MOD 1668A	100.00	pg/g - Wet Wt	UC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-121	56558-18-0	PCB	MOD 1668A		pg/g - Wet Wt	C89		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-90	68194-07-0	PCB	MOD 1668A	67.23	pg/g - Wet Wt	JC		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-88	55215-17-3	PCB	MOD 1668A	7.62	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-92	52663-61-3	PCB	MOD 1668A	11.53	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-93	73575-56-1	PCB	MOD 1668A	55.67	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-95	38379-99-6	PCB	MOD 1668A		pg/g - Wet Wt	C93		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-105	32598-14-4	PCB	MOD 1668A	15.70	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-108	70362-41-3	PCB	MOD 1668A	2.27	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-110	38380-03-9	PCB	MOD 1668A	65.45	pg/g - Wet Wt	JC		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-114	74472-37-0	PCB	MOD 1668A	100.00	pg/g - Wet Wt	UC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-122	76842-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C114		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-118	31508-00-6	PCB	MOD 1668A	42.73	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-106	70424-69-0	PCB	MOD 1668A	4.03	pg/g - Wet Wt	JC		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-126	57465-28-8	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-128	38380-07-3	PCB	MOD 1668A	5.38	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-129	55215-18-4	PCB	MOD 1668A	32.51	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-130	52663-66-8	PCB	MOD 1668A	3.21	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-131	61798-70-7	PCB	MOD 1668A	1.00	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-132	38380-05-1	PCB	MOD 1668A	15.19	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-134	52704-70-8	PCB	MOD 1668A	2.11	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-135	52744-13-5	PCB	MOD 1668A	9.52	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135		100.00

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-136	38411-22-2	PCB	MOD 1668A	5.65	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-137	35694-06-5	PCB	MOD 1668A	4.35	pg/g - Wet Wt	JC		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-141	52712-04-6	PCB	MOD 1668A	6.16	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-144	68194-14-9	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-146	51908-16-8	PCB	MOD 1668A	3.47	pg/g - Wet Wt	JC		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-147	68194-13-8	PCB	MOD 1668A	29.38	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-153	35065-27-1	PCB	MOD 1668A	21.23	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-156	38380-08-4	PCB	MOD 1668A	4.44	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-158	74472-42-7	PCB	MOD 1668A	3.66	pg/g - Wet Wt	J		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-167	52663-72-6	PCB	MOD 1668A	1.17	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-169	32774-16-6	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-170	35065-30-6	PCB	MOD 1668A	4.54	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-171	52663-71-5	PCB	MOD 1668A	1.03	pg/g - Wet Wt	JC		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-172	52663-74-8	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-174	38411-25-5	PCB	MOD 1668A	4.05	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-175	40186-70-7	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-176	52663-65-7	PCB	MOD 1668A	0.87	pg/g - Wet Wt	J		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-177	52663-70-4	PCB	MOD 1668A	3.15	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-178	52663-67-9	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-180	35065-29-3	PCB	MOD 1668A	7.81	pg/g - Wet Wt	JC		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-182	60145-23-5	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-183	52663-69-1	PCB	MOD 1668A	2.17	pg/g - Wet Wt	J		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-184	74472-48-3	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-185	52712-05-7	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-187	52663-68-0	PCB	MOD 1668A	4.41	pg/g - Wet Wt	J		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-189	39635-31-9	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-190	41411-64-7	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-191	74472-50-7	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-194	35694-08-7	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-195	52663-78-2	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-196	42740-50-1	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-197	33091-17-7	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-198	68194-17-2	PCB	MOD 1668A	2.16	pg/g - Wet Wt	JC		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198		40.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-200	52663-73-7	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-201	40186-71-8	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-203	52663-76-0	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-205	74472-53-0	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-206	40186-72-9	PCB	MOD 1668A	2.23	pg/g - Wet Wt	J		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-207	52663-79-3	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U		200.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	PCB-209	2051-24-3	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U		100.00
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	Total PCB		PCB	MOD 1668A	1042.12	pg/g - Wet Wt			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-1	2051-60-7	PCB	MOD 1668A	56	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-3	2051-62-9	PCB	MOD 1668A	51	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-4	13029-08-8	PCB	MOD 1668A	49	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-19	38444-73-4	PCB	MOD 1668A	52	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-15	2050-68-2	PCB	MOD 1668A	70	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-54	15968-05-5	PCB	MOD 1668A	60	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-104	56558-16-8	PCB	MOD 1668A	51	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-37	38444-90-5	PCB	MOD 1668A	91	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-155	33979-03-02	PCB	MOD 1668A	45	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-81	70362-50-4	PCB	MOD 1668A	61	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-77	32598-13-3	PCB	MOD 1668A	57	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-123	65510-44-3	PCB	MOD 1668A	68	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-118	31508-00-6	PCB	MOD 1668A	66	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-188	74487-85-7	PCB	MOD 1668A	45	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-114	74472-37-0	PCB	MOD 1668A	68	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-105	32598-14-4	PCB	MOD 1668A	71	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-126	57465-28-8	PCB	MOD 1668A	63	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-202	2136-99-4	PCB	MOD 1668A	55	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-167	52663-72-6	PCB	MOD 1668A	94	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-156	38380-08-4	PCB	MOD 1668A	97	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-157	69782-90-7	PCB	MOD 1668A	97	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-169	32774-16-6	PCB	MOD 1668A	89	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-208	52663-77-1	PCB	MOD 1668A	40	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-189	39635-31-9	PCB	MOD 1668A	80	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-205	74472-53-0	PCB	MOD 1668A	66	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-206	40186-72-9	PCB	MOD 1668A	42	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-209	2051-24-3	PCB	MOD 1668A	51	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-28	7012-37-5	PCB	MOD 1668A	85	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-111	39635-32-0	PCB	MOD 1668A	71	%RECOVERY			
	48401-44-03	BCO	M_BLANK		8/27/2001	10/23/2001		48985-84	13C-PCB-178	52663-67-9	PCB	MOD 1668A	65	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-1	2051-60-7	PCB	MOD 1668A	8.67	pg/g - Wet Wt	J		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-3	2051-62-9	PCB	MOD 1668A	6.50	pg/g - Wet Wt	J		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-4	13029-08-8	PCB	MOD 1668A	27.53	pg/g - Wet Wt	J		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-5	16605-91-7	PCB	MOD 1668A	9.93	pg/g - Wet Wt	U		9.93
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-6	25569-80-6	PCB	MOD 1668A	17.90	pg/g - Wet Wt			9.93
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-7	33284-50-3	PCB	MOD 1668A	9.93	pg/g - Wet Wt	U		9.93
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-8	34883-43-7	PCB	MOD 1668A	64.09	pg/g - Wet Wt	J		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-9	34883-39-1	PCB	MOD 1668A	5.21	pg/g - Wet Wt	J		9.93
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-10	33146-45-1	PCB	MOD 1668A	9.93	pg/g - Wet Wt	U		9.93
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-12	2974-92-7	PCB	MOD 1668A	19.85	pg/g - Wet Wt	UC		19.85
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12		19.85
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-16	38444-78-9	PCB	MOD 1668A	67.30	pg/g - Wet Wt			19.85
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-17	37680-66-3	PCB	MOD 1668A	81.65	pg/g - Wet Wt			39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-18	37680-65-2	PCB	MOD 1668A	165.14	pg/g - Wet Wt	C		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-19	38444-73-4	PCB	MOD 1668A	19.31	pg/g - Wet Wt	J		19.85
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-20	38444-84-7	PCB	MOD 1668A	726.20	pg/g - Wet Wt	C		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-22	38444-85-8	PCB	MOD 1668A	115.18	pg/g - Wet Wt			39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-24	55702-45-9	PCB	MOD 1668A	18.08	pg/g - Wet Wt	JC		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C24		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-25	55712-37-3	PCB	MOD 1668A	22.11	pg/g - Wet Wt	J		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-26	38444-81-4	PCB	MOD 1668A	69.98	pg/g - Wet Wt	C		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-31	16606-02-3	PCB	MOD 1668A	257.75	pg/g - Wet Wt			99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-32	38444-77-4	PCB	MOD 1668A	58.22	pg/g - Wet Wt			39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-40	38444-93-8	PCB	MOD 1668A	253.14	pg/g - Wet Wt	C		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-42	36559-22-5	PCB	MOD 1668A	171.12	pg/g - Wet Wt			39.71

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-27	5.00	G_WET				W
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	8.67	UJ		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	6.5	UJ		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	27.53	UJ		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	9.93	UJ		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	17.9	UJ		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	9.93	UJ		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	64.09	UJ		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	5.21	UJ		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	9.93	UJ		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	19.85	UJ		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	67.3	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	81.65	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	165.14	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	19.31	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	726.2	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	115.18	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	18.08	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	22.11	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	69.98	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	257.75	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	58.22	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	253.14	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	171.12	J		F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-43	70362-46-8	PCB	MOD 1668A	1374.18	pg/g - Wet Wt	C		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-44	41464-39-5	PCB	MOD 1668A	205.35	pg/g - Wet Wt	C		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-45	70362-45-7	PCB	MOD 1668A	77.06	pg/g - Wet Wt	C		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-46	41464-47-5	PCB	MOD 1668A	18.36	pg/g - Wet Wt	J		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-48	70362-47-9	PCB	MOD 1668A	87.98	pg/g - Wet Wt			39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-49	41464-40-8	PCB	MOD 1668A	517.22	pg/g - Wet Wt	C		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-50	62796-65-0	PCB	MOD 1668A	58.26	pg/g - Wet Wt	C		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-56	41464-43-1	PCB	MOD 1668A	196.84	pg/g - Wet Wt			39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-59	74472-33-6	PCB	MOD 1668A	488.64	pg/g - Wet Wt	C		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-60	33025-41-1	PCB	MOD 1668A	136.57	pg/g - Wet Wt			99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-63	74472-34-7	PCB	MOD 1668A	33.48	pg/g - Wet Wt	J		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-64	52663-58-8	PCB	MOD 1668A	309.71	pg/g - Wet Wt			39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-66	32598-10-0	PCB	MOD 1668A	1278.32	pg/g - Wet Wt			99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-61	33284-53-6	PCB	MOD 1668A	1170.24	pg/g - Wet Wt	C		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-77	32598-13-3	PCB	MOD 1668A	27.81	pg/g - Wet Wt	J		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-81	70362-50-4	PCB	MOD 1668A	99.27	pg/g - Wet Wt	U		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-82	52663-62-4	PCB	MOD 1668A	236.54	pg/g - Wet Wt	C		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-111	39635-32-0	PCB	MOD 1668A		pg/g - Wet Wt	C82		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-83	60145-20-2	PCB	MOD 1668A	1547.00	pg/g - Wet Wt	C		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-84	52663-60-2	PCB	MOD 1668A	336.63	pg/g - Wet Wt			99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-85	65510-45-4	PCB	MOD 1668A	623.22	pg/g - Wet Wt	C		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-86	55312-69-1	PCB	MOD 1668A	1764.30	pg/g - Wet Wt	C		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-89	73575-57-2	PCB	MOD 1668A	13.16	pg/g - Wet Wt	JC		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-121	56558-18-0	PCB	MOD 1668A		pg/g - Wet Wt	C89		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-90	68194-07-0	PCB	MOD 1668A	2842.62	pg/g - Wet Wt	C		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-88	55215-17-3	PCB	MOD 1668A	270.14	pg/g - Wet Wt	C		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-92	52663-61-3	PCB	MOD 1668A	476.22	pg/g - Wet Wt			99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-93	73575-56-1	PCB	MOD 1668A	1330.10	pg/g - Wet Wt	C		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-95	38379-99-6	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-105	32598-14-4	PCB	MOD 1668A	630.52	pg/g - Wet Wt			39.71

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	1374.18	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	205.35	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	77.06	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	18.36	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	87.98	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	517.22	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	58.26	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	196.84	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	488.64	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	136.57	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	33.48	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	309.71	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	1278.32	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	1170.24	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	27.81	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	99.27	UJ		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	236.54	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	1547	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	336.63	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	623.22	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	1764.3	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	13.16	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	2842.62	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	270.14	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	476.22	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	1330.1	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	630.52	J		F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-108	70362-41-3	PCB	MOD 1668A	94.44	pg/g - Wet Wt	JC		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-110	38380-03-9	PCB	MOD 1668A	2866.58	pg/g - Wet Wt	C		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-114	74472-37-0	PCB	MOD 1668A	62.79	pg/g - Wet Wt	JC		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-122	76842-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C114		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-118	31508-00-6	PCB	MOD 1668A	3143.41	pg/g - Wet Wt			99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-106	70424-69-0	PCB	MOD 1668A	308.82	pg/g - Wet Wt	C		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-126	57465-28-8	PCB	MOD 1668A	3.62	pg/g - Wet Wt	J		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-128	38380-07-3	PCB	MOD 1668A	565.04	pg/g - Wet Wt	C		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-129	55215-18-4	PCB	MOD 1668A	3109.40	pg/g - Wet Wt	C		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-130	52663-66-8	PCB	MOD 1668A	169.03	pg/g - Wet Wt			99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-131	61798-70-7	PCB	MOD 1668A	31.77	pg/g - Wet Wt	J		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-132	38380-05-1	PCB	MOD 1668A	465.14	pg/g - Wet Wt			99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-134	52704-70-8	PCB	MOD 1668A	81.94	pg/g - Wet Wt	JC		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-135	52744-13-5	PCB	MOD 1668A	284.73	pg/g - Wet Wt	C		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-136	38411-22-2	PCB	MOD 1668A	72.39	pg/g - Wet Wt			39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-137	35694-06-5	PCB	MOD 1668A	288.82	pg/g - Wet Wt	C		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-141	52712-04-6	PCB	MOD 1668A	303.39	pg/g - Wet Wt			39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-144	68194-14-9	PCB	MOD 1668A	58.09	pg/g - Wet Wt	J		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-146	51908-16-8	PCB	MOD 1668A	237.70	pg/g - Wet Wt	C		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-147	68194-13-8	PCB	MOD 1668A	1377.74	pg/g - Wet Wt	C		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-153	35065-27-1	PCB	MOD 1668A	1547.90	pg/g - Wet Wt	C		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-156	38380-08-4	PCB	MOD 1668A	254.40	pg/g - Wet Wt	C		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-158	74472-42-7	PCB	MOD 1668A	243.09	pg/g - Wet Wt			39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-167	52663-72-6	PCB	MOD 1668A	104.44	pg/g - Wet Wt			99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-169	32774-16-6	PCB	MOD 1668A	99.27	pg/g - Wet Wt	U		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-170	35065-30-6	PCB	MOD 1668A	398.15	pg/g - Wet Wt			99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-171	52663-71-5	PCB	MOD 1668A	114.64	pg/g - Wet Wt	JC		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-172	52663-74-8	PCB	MOD 1668A	55.27	pg/g - Wet Wt	J		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-174	38411-25-5	PCB	MOD 1668A	158.19	pg/g - Wet Wt			99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-175	40186-70-7	PCB	MOD 1668A	6.87	pg/g - Wet Wt	J		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-176	52663-65-7	PCB	MOD 1668A	14.68	pg/g - Wet Wt	J		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-177	52663-70-4	PCB	MOD 1668A	152.36	pg/g - Wet Wt			99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-178	52663-67-9	PCB	MOD 1668A	43.12	pg/g - Wet Wt	J		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-180	35065-29-3	PCB	MOD 1668A	490.14	pg/g - Wet Wt	C		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-182	60145-23-5	PCB	MOD 1668A	198.55	pg/g - Wet Wt	U		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-183	52663-69-1	PCB	MOD 1668A	102.53	pg/g - Wet Wt	J		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-184	74472-48-3	PCB	MOD 1668A	198.55	pg/g - Wet Wt	U		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-185	52712-05-7	PCB	MOD 1668A	15.76	pg/g - Wet Wt	J		198.55

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	94.44	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	2866.58	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	62.79	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	3143.41	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	308.82	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	3.62	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	565.04	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	3109.4	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	169.03	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	31.77	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	465.14	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	81.94	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	284.73	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	72.39	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	288.82	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	303.39	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	58.09	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	237.7	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	1377.74	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	1547.9	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	254.4	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	243.09	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	104.44	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	99.27	UJ		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	398.15	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	114.64	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	55.27	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	158.19	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	6.87	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	14.68	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	152.36	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	43.12	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	490.14	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	198.55	UJ		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	102.53	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	198.55	UJ		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	15.76	J		F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-187	52663-68-0	PCB	MOD 1668A	296.59	pg/g - Wet Wt			99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-189	39635-31-9	PCB	MOD 1668A	6.65	pg/g - Wet Wt	J		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-190	41411-64-7	PCB	MOD 1668A	73.48	pg/g - Wet Wt	J		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-191	74472-50-7	PCB	MOD 1668A	9.07	pg/g - Wet Wt	J		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-194	35694-08-7	PCB	MOD 1668A	63.21	pg/g - Wet Wt	J		99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-195	52663-78-2	PCB	MOD 1668A	30.73	pg/g - Wet Wt	J		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-196	42740-50-1	PCB	MOD 1668A	41.94	pg/g - Wet Wt	J		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-197	33091-17-7	PCB	MOD 1668A	2.40	pg/g - Wet Wt	J		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-198	68194-17-2	PCB	MOD 1668A	258.16	pg/g - Wet Wt	C		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198		39.71
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-200	52663-73-7	PCB	MOD 1668A	5.90	pg/g - Wet Wt	J		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-201	40186-71-8	PCB	MOD 1668A	15.49	pg/g - Wet Wt	J		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-203	52663-76-0	PCB	MOD 1668A	103.07	pg/g - Wet Wt	J		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-205	74472-53-0	PCB	MOD 1668A	3.40	pg/g - Wet Wt	J		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-206	40186-72-9	PCB	MOD 1668A	247.28	pg/g - Wet Wt			198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-207	52663-79-3	PCB	MOD 1668A	198.55	pg/g - Wet Wt	U		198.55
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-209	2051-24-3	PCB	MOD 1668A	146.78	pg/g - Wet Wt			99.27
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	Total PCB		PCB	MOD 1668A	36812.03	pg/g - Wet Wt			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-1	2051-60-7	PCB	MOD 1668A	69	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-3	2051-62-9	PCB	MOD 1668A	61	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-4	13029-08-8	PCB	MOD 1668A	50	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-19	38444-73-4	PCB	MOD 1668A	59	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-15	2050-68-2	PCB	MOD 1668A	71	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-54	15968-05-5	PCB	MOD 1668A	56	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-104	56558-16-8	PCB	MOD 1668A	53	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-37	38444-90-5	PCB	MOD 1668A	109	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-155	33979-03-02	PCB	MOD 1668A	23	%RECOVERY	&		
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-81	70362-50-4	PCB	MOD 1668A	71	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-77	32598-13-3	PCB	MOD 1668A	76	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-123	65510-44-3	PCB	MOD 1668A	67	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-118	31508-00-6	PCB	MOD 1668A	65	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-188	74487-85-7	PCB	MOD 1668A	28	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-114	74472-37-0	PCB	MOD 1668A	66	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-105	32598-14-4	PCB	MOD 1668A	84	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-126	57465-28-8	PCB	MOD 1668A	78	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-202	2136-99-4	PCB	MOD 1668A	39	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-167	52663-72-6	PCB	MOD 1668A	73	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-156	38380-08-4	PCB	MOD 1668A	106	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-157	69782-90-7	PCB	MOD 1668A	106	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-169	32774-16-6	PCB	MOD 1668A	98	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-208	52663-77-1	PCB	MOD 1668A	26	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-189	39635-31-9	PCB	MOD 1668A	66	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-205	74472-53-0	PCB	MOD 1668A	41	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-206	40186-72-9	PCB	MOD 1668A	24	%RECOVERY	&		
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-209	2051-24-3	PCB	MOD 1668A	19	%RECOVERY	&		
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-28	7012-37-5	PCB	MOD 1668A	76	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-111	39635-32-0	PCB	MOD 1668A	44	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-04	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-178	52663-67-9	PCB	MOD 1668A	47	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-1	2051-60-7	PCB	MOD 1668A	8.77	pg/g - Wet Wt	J		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-3	2051-62-9	PCB	MOD 1668A	6.42	pg/g - Wet Wt	J		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-4	13029-08-8	PCB	MOD 1668A	43.99	pg/g - Wet Wt	J		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-5	16605-91-7	PCB	MOD 1668A	9.99	pg/g - Wet Wt	U		9.99
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-6	25569-80-6	PCB	MOD 1668A	22.80	pg/g - Wet Wt			9.99
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-7	33284-50-3	PCB	MOD 1668A	9.99	pg/g - Wet Wt	U		9.99
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-8	34883-43-7	PCB	MOD 1668A	103.76	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-9	34883-39-1	PCB	MOD 1668A	8.95	pg/g - Wet Wt	J		9.99

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	296.59	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	6.65	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	73.48	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	9.07	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	63.21	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	30.73	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	41.94	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	2.4	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	258.16	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET				F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	5.9	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	15.49	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	103.07	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	3.4	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	247.28	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	198.55	UJ		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	146.78	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	36606.18	J		F
LPX-LB-4001-0000-01	48401-80-04		1.00		Lab Extraction ID = 48985-84-16	5.04	G_WET	

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-10	33146-45-1	PCB	MOD 1668A	9.99	pg/g - Wet Wt	U		9.99
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-12	2974-92-7	PCB	MOD 1668A	19.97	pg/g - Wet Wt	UC		19.97
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12		19.97
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-16	38444-78-9	PCB	MOD 1668A	151.20	pg/g - Wet Wt			19.97
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-17	37680-66-3	PCB	MOD 1668A	186.23	pg/g - Wet Wt			39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-18	37680-65-2	PCB	MOD 1668A	365.64	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-19	38444-73-4	PCB	MOD 1668A	44.29	pg/g - Wet Wt			19.97
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-20	38444-84-7	PCB	MOD 1668A	1524.88	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-22	38444-85-8	PCB	MOD 1668A	249.66	pg/g - Wet Wt			39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-24	55702-45-9	PCB	MOD 1668A	39.14	pg/g - Wet Wt	JC		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C24		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-25	55712-37-3	PCB	MOD 1668A	50.60	pg/g - Wet Wt			39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-26	38444-81-4	PCB	MOD 1668A	142.06	pg/g - Wet Wt	C		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-31	16606-02-3	PCB	MOD 1668A	503.73	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-32	38444-77-4	PCB	MOD 1668A	135.47	pg/g - Wet Wt			39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-40	38444-93-8	PCB	MOD 1668A	764.52	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-42	36559-22-5	PCB	MOD 1668A	545.94	pg/g - Wet Wt			39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-43	70362-46-8	PCB	MOD 1668A	3931.41	pg/g - Wet Wt	C		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-44	41464-39-5	PCB	MOD 1668A	622.11	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-45	70362-45-7	PCB	MOD 1668A	210.84	pg/g - Wet Wt	C		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-46	41464-47-5	PCB	MOD 1668A	54.12	pg/g - Wet Wt			39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-48	70362-47-9	PCB	MOD 1668A	252.95	pg/g - Wet Wt			39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-49	41464-40-8	PCB	MOD 1668A	1527.04	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-50	62796-65-0	PCB	MOD 1668A	178.12	pg/g - Wet Wt	C		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-56	41464-43-1	PCB	MOD 1668A	541.24	pg/g - Wet Wt			39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-59	74472-33-6	PCB	MOD 1668A	1461.30	pg/g - Wet Wt	C		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-60	33025-41-1	PCB	MOD 1668A	384.83	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-63	74472-34-7	PCB	MOD 1668A	88.37	pg/g - Wet Wt	J		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-64	52663-58-8	PCB	MOD 1668A	1000.94	pg/g - Wet Wt			39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-66	32598-10-0	PCB	MOD 1668A	3638.03	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-61	33284-53-6	PCB	MOD 1668A	3011.64	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-77	32598-13-3	PCB	MOD 1668A	65.08	pg/g - Wet Wt	J		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-81	70362-50-4	PCB	MOD 1668A	99.86	pg/g - Wet Wt	U		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-82	52663-62-4	PCB	MOD 1668A	914.43	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-111	39635-32-0	PCB	MOD 1668A		pg/g - Wet Wt	C82		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-83	60145-20-2	PCB	MOD 1668A	4959.44	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83		99.86

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	9.99	UJ		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	19.97	UJ		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	151.2	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	186.23	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	365.64	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	44.29	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	1524.88	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	249.66	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	39.14	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	50.6	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	142.06	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	503.73	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	135.47	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	764.52	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	545.94	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	3931.41	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	622.11	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	210.84	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	54.12	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	252.95	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	1527.04	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	178.12	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	541.24	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	1461.3	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	384.83	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	88.37	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	1000.94	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	3638.03	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	3011.64	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	65.08	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	99.86	UJ		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	914.43	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	4959.44	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-84	52663-60-2	PCB	MOD 1668A	1228.86	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-85	65510-45-4	PCB	MOD 1668A	2325.84	pg/g - Wet Wt	C		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-86	55312-69-1	PCB	MOD 1668A	6801.54	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-89	73575-57-2	PCB	MOD 1668A	35.27	pg/g - Wet Wt	JC		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-121	56558-18-0	PCB	MOD 1668A		pg/g - Wet Wt	C89		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-90	68194-07-0	PCB	MOD 1668A	9092.31	pg/g - Wet Wt	C		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-88	55215-17-3	PCB	MOD 1668A	1045.66	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-92	52663-61-3	PCB	MOD 1668A	1512.32	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-93	73575-56-1	PCB	MOD 1668A	4907.60	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-95	38379-99-6	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-105	32598-14-4	PCB	MOD 1668A	2238.01	pg/g - Wet Wt			39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-108	70362-41-3	PCB	MOD 1668A	268.56	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-110	38380-03-9	PCB	MOD 1668A	10771.02	pg/g - Wet Wt	C		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-114	74472-37-0	PCB	MOD 1668A	184.74	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-122	76842-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C114		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-118	31508-00-6	PCB	MOD 1668A	10862.19	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-106	70424-69-0	PCB	MOD 1668A	979.05	pg/g - Wet Wt	C		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-126	57465-28-8	PCB	MOD 1668A	21.32	pg/g - Wet Wt	J		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-128	38380-07-3	PCB	MOD 1668A	2616.46	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-129	55215-18-4	PCB	MOD 1668A	13167.56	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-130	52663-66-8	PCB	MOD 1668A	726.40	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-131	61798-70-7	PCB	MOD 1668A	115.95	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-132	38380-05-1	PCB	MOD 1668A	2101.40	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-134	52704-70-8	PCB	MOD 1668A	319.24	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-135	52744-13-5	PCB	MOD 1668A	1122.78	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-136	38411-22-2	PCB	MOD 1668A	353.45	pg/g - Wet Wt			39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-137	35694-06-5	PCB	MOD 1668A	1212.88	pg/g - Wet Wt	C		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-141	52712-04-6	PCB	MOD 1668A	1160.32	pg/g - Wet Wt			39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-144	68194-14-9	PCB	MOD 1668A	192.74	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-146	51908-16-8	PCB	MOD 1668A	796.12	pg/g - Wet Wt	C		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146		199.72

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	1228.86	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	2325.84	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	6801.54	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	35.27	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	9092.31	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	1045.66	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	1512.32	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	4907.6	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	2238.01	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	268.56	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	10771.02	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	184.74	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	10862.19	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	979.05	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	21.32	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	2616.46	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	13167.56	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	726.4	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	115.95	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	2101.4	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	319.24	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	1122.78	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	353.45	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	1212.88	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	1160.32	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	192.74	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	796.12	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-147	68194-13-8	PCB	MOD 1668A	5490.64	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-153	35065-27-1	PCB	MOD 1668A	5148.40	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-156	38380-08-4	PCB	MOD 1668A	1010.74	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-158	74472-42-7	PCB	MOD 1668A	1109.70	pg/g - Wet Wt			39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-167	52663-72-6	PCB	MOD 1668A	447.97	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-169	32774-16-6	PCB	MOD 1668A	99.86	pg/g - Wet Wt	U		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-170	35065-30-6	PCB	MOD 1668A	2359.77	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-171	52663-71-5	PCB	MOD 1668A	693.04	pg/g - Wet Wt	C		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-172	52663-74-8	PCB	MOD 1668A	299.17	pg/g - Wet Wt			199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-174	38411-25-5	PCB	MOD 1668A	908.03	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-175	40186-70-7	PCB	MOD 1668A	33.17	pg/g - Wet Wt	J		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-176	52663-65-7	PCB	MOD 1668A	83.79	pg/g - Wet Wt	J		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-177	52663-70-4	PCB	MOD 1668A	835.46	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-178	52663-67-9	PCB	MOD 1668A	193.93	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-180	35065-29-3	PCB	MOD 1668A	2438.24	pg/g - Wet Wt	C		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-182	60145-23-5	PCB	MOD 1668A	199.72	pg/g - Wet Wt	U		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-183	52663-69-1	PCB	MOD 1668A	500.76	pg/g - Wet Wt			199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-184	74472-48-3	PCB	MOD 1668A	199.72	pg/g - Wet Wt	U		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-185	52712-05-7	PCB	MOD 1668A	81.56	pg/g - Wet Wt	J		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-187	52663-68-0	PCB	MOD 1668A	1281.54	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-189	39635-31-9	PCB	MOD 1668A	34.41	pg/g - Wet Wt	J		99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-190	41411-64-7	PCB	MOD 1668A	359.50	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-191	74472-50-7	PCB	MOD 1668A	54.36	pg/g - Wet Wt	J		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-194	35694-08-7	PCB	MOD 1668A	318.16	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-195	52663-78-2	PCB	MOD 1668A	177.07	pg/g - Wet Wt	J		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-196	42740-50-1	PCB	MOD 1668A	207.26	pg/g - Wet Wt			199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-197	33091-17-7	PCB	MOD 1668A	199.72	pg/g - Wet Wt	U		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-198	68194-17-2	PCB	MOD 1668A	1259.86	pg/g - Wet Wt	C		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198		39.94
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-200	52663-73-7	PCB	MOD 1668A	30.56	pg/g - Wet Wt	J		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-201	40186-71-8	PCB	MOD 1668A	63.97	pg/g - Wet Wt	J		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-203	52663-76-0	PCB	MOD 1668A	401.25	pg/g - Wet Wt			199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-205	74472-53-0	PCB	MOD 1668A	26.64	pg/g - Wet Wt	J		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-206	40186-72-9	PCB	MOD 1668A	1320.25	pg/g - Wet Wt			199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-207	52663-79-3	PCB	MOD 1668A	105.35	pg/g - Wet Wt	J		199.72
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-209	2051-24-3	PCB	MOD 1668A	570.40	pg/g - Wet Wt			99.86
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	Total PCB		PCB	MOD 1668A	131964.49	pg/g - Wet Wt			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-1	2051-60-7	PCB	MOD 1668A	60	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-3	2051-62-9	PCB	MOD 1668A	53	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-4	13029-08-8	PCB	MOD 1668A	46	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-19	38444-73-4	PCB	MOD 1668A	50	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-15	2050-68-2	PCB	MOD 1668A	60	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-54	15968-05-5	PCB	MOD 1668A	48	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-104	56558-16-8	PCB	MOD 1668A	39	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-37	38444-90-5	PCB	MOD 1668A	91	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-155	33979-03-02	PCB	MOD 1668A	10	%RECOVERY	&		
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-81	70362-50-4	PCB	MOD 1668A	52	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-77	32598-13-3	PCB	MOD 1668A	59	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-123	65510-44-3	PCB	MOD 1668A	44	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-118	31508-00-6	PCB	MOD 1668A	44	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-188	74487-85-7	PCB	MOD 1668A	16	%RECOVERY	&		

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	5490.64	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	5148.4	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	1010.74	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	1109.7	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	447.97	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	99.86	UJ		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	2359.77	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	693.04	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	299.17	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	908.03	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	33.17	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	83.79	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	835.46	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	193.93	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	2438.24	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	199.72	UJ		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	500.76	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	199.72	UJ		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	81.56	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	1281.54	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	34.41	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	359.5	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	54.36	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	318.16	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	177.07	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	207.26	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	199.72	UJ		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	1259.86	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	30.56	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	63.97	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	401.25	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	26.64	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	1320.25	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	105.35	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	570.4	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET	131706.49	J		F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-114	74472-37-0	PCB	MOD 1668A	43	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-105	32598-14-4	PCB	MOD 1668A	64	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-126	57465-28-8	PCB	MOD 1668A	59	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-202	2136-99-4	PCB	MOD 1668A	25	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-167	52663-72-6	PCB	MOD 1668A	44	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-156	38380-08-4	PCB	MOD 1668A	74	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-157	69782-90-7	PCB	MOD 1668A	74	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-169	32774-16-6	PCB	MOD 1668A	61	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-208	52663-77-1	PCB	MOD 1668A	12	%RECOVERY	&		
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-189	39635-31-9	PCB	MOD 1668A	41	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-205	74472-53-0	PCB	MOD 1668A	23	%RECOVERY	&		
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-206	40186-72-9	PCB	MOD 1668A	12	%RECOVERY	&		
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-209	2051-24-3	PCB	MOD 1668A	7	%RECOVERY	&		
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-28	7012-37-5	PCB	MOD 1668A	58	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-111	39635-32-0	PCB	MOD 1668A	24	%RECOVERY	&		
LPX-LB-4002-0000-01	48401-80-06	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-178	52663-67-9	PCB	MOD 1668A	31	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-1	2051-60-7	PCB	MOD 1668A	6.06	pg/g - Wet Wt	J		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-3	2051-62-9	PCB	MOD 1668A	5.27	pg/g - Wet Wt	J		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-4	13029-08-8	PCB	MOD 1668A	23.51	pg/g - Wet Wt	J		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-5	16605-91-7	PCB	MOD 1668A	9.99	pg/g - Wet Wt	U		9.99
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-6	25569-80-6	PCB	MOD 1668A	11.00	pg/g - Wet Wt			9.99
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-7	33284-50-3	PCB	MOD 1668A	9.99	pg/g - Wet Wt	U		9.99
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-8	34883-43-7	PCB	MOD 1668A	39.88	pg/g - Wet Wt	J		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-9	34883-39-1	PCB	MOD 1668A	9.99	pg/g - Wet Wt	U		9.99
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-10	33146-45-1	PCB	MOD 1668A	9.99	pg/g - Wet Wt	U		9.99
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-12	2974-92-7	PCB	MOD 1668A	19.97	pg/g - Wet Wt	UC		19.97
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12		19.97
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-16	38444-78-9	PCB	MOD 1668A	31.53	pg/g - Wet Wt			19.97
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-17	37680-66-3	PCB	MOD 1668A	36.86	pg/g - Wet Wt	J		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-18	37680-65-2	PCB	MOD 1668A	78.94	pg/g - Wet Wt	JC		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-19	38444-73-4	PCB	MOD 1668A	11.69	pg/g - Wet Wt	J		19.97
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-20	38444-84-7	PCB	MOD 1668A	307.52	pg/g - Wet Wt	C		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-22	38444-85-8	PCB	MOD 1668A	54.64	pg/g - Wet Wt			39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-24	55702-45-9	PCB	MOD 1668A	7.90	pg/g - Wet Wt	JC		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C24		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-25	55712-37-3	PCB	MOD 1668A	7.75	pg/g - Wet Wt	J		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-26	38444-81-4	PCB	MOD 1668A	27.70	pg/g - Wet Wt	JC		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-31	16606-02-3	PCB	MOD 1668A	87.10	pg/g - Wet Wt	J		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-32	38444-77-4	PCB	MOD 1668A	30.07	pg/g - Wet Wt	J		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-40	38444-93-8	PCB	MOD 1668A	130.41	pg/g - Wet Wt	C		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-42	36559-22-5	PCB	MOD 1668A	88.68	pg/g - Wet Wt			39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-43	70362-46-8	PCB	MOD 1668A	650.73	pg/g - Wet Wt	C		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-44	41464-39-5	PCB	MOD 1668A	115.20	pg/g - Wet Wt	C		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-45	70362-45-7	PCB	MOD 1668A	38.62	pg/g - Wet Wt	JC		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45		39.95

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4002-0000-01	48401-80-06		1.00		Lab Extraction ID = 48985-84-17	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	6.06	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	5.27	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	23.51	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	9.99	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	11	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	9.99	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	39.88	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	9.99	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	9.99	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	19.97	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	31.53	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	36.86	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	78.94	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	11.69	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	307.52	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	54.64	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	7.9	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	7.75	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	27.7	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	87.1	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	30.07	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	130.41	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	88.68	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	650.73	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	115.2	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	38.62	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-46	41464-47-5	PCB	MOD 1668A	6.73	pg/g - Wet Wt	J		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-48	70362-47-9	PCB	MOD 1668A	41.60	pg/g - Wet Wt			39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-49	41464-40-8	PCB	MOD 1668A	252.30	pg/g - Wet Wt	C		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-50	62796-65-0	PCB	MOD 1668A	34.46	pg/g - Wet Wt	JC		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-56	41464-43-1	PCB	MOD 1668A	82.67	pg/g - Wet Wt			39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-59	74472-33-6	PCB	MOD 1668A	273.12	pg/g - Wet Wt	C		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-60	33025-41-1	PCB	MOD 1668A	77.85	pg/g - Wet Wt	J		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-63	74472-34-7	PCB	MOD 1668A	16.98	pg/g - Wet Wt	J		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-64	52663-58-8	PCB	MOD 1668A	172.83	pg/g - Wet Wt			39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-66	32598-10-0	PCB	MOD 1668A	621.86	pg/g - Wet Wt			99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-61	33284-53-6	PCB	MOD 1668A	463.40	pg/g - Wet Wt	C		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-77	32598-13-3	PCB	MOD 1668A	10.53	pg/g - Wet Wt	J		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-81	70362-50-4	PCB	MOD 1668A	99.87	pg/g - Wet Wt	U		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-82	52663-62-4	PCB	MOD 1668A	150.31	pg/g - Wet Wt	C		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-111	39635-32-0	PCB	MOD 1668A		pg/g - Wet Wt	C82		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-83	60145-20-2	PCB	MOD 1668A	819.44	pg/g - Wet Wt	C		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-84	52663-60-2	PCB	MOD 1668A	228.08	pg/g - Wet Wt			99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-85	65510-45-4	PCB	MOD 1668A	354.42	pg/g - Wet Wt	C		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-86	55312-69-1	PCB	MOD 1668A	1059.30	pg/g - Wet Wt	C		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-89	73575-57-2	PCB	MOD 1668A	7.71	pg/g - Wet Wt	JC		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-121	56558-18-0	PCB	MOD 1668A		pg/g - Wet Wt	C89		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-90	68194-07-0	PCB	MOD 1668A	1484.97	pg/g - Wet Wt	C		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-88	55215-17-3	PCB	MOD 1668A	165.06	pg/g - Wet Wt	C		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-92	52663-61-3	PCB	MOD 1668A	240.63	pg/g - Wet Wt			99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-93	73575-56-1	PCB	MOD 1668A	807.20	pg/g - Wet Wt	C		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-95	38379-99-6	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-105	32598-14-4	PCB	MOD 1668A	375.11	pg/g - Wet Wt			39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-108	70362-41-3	PCB	MOD 1668A	40.94	pg/g - Wet Wt	JC		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-110	38380-03-9	PCB	MOD 1668A	1658.08	pg/g - Wet Wt	C		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-114	74472-37-0	PCB	MOD 1668A	32.86	pg/g - Wet Wt	JC		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-122	76842-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C114		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-118	31508-00-6	PCB	MOD 1668A	1745.23	pg/g - Wet Wt			99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-106	70424-69-0	PCB	MOD 1668A	150.95	pg/g - Wet Wt	JC		199.73

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	6.73	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	41.6	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	252.3	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	34.46	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	82.67	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	273.12	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	77.85	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	16.98	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	172.83	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	621.86	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	463.4	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	10.53	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	99.87	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	150.31	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	819.44	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	228.08	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	354.42	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	1059.3	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	7.71	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	1484.97	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	165.06	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	240.63	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	807.2	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	375.11	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	40.94	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	1658.08	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	32.86	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	1745.23	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	150.95	J		F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-126	57465-28-8	PCB	MOD 1668A	5.73	pg/g - Wet Wt	J		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-128	38380-07-3	PCB	MOD 1668A	376.20	pg/g - Wet Wt	C		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-129	55215-18-4	PCB	MOD 1668A	1873.56	pg/g - Wet Wt	C		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-130	52663-66-8	PCB	MOD 1668A	116.39	pg/g - Wet Wt			99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-131	61798-70-7	PCB	MOD 1668A	15.09	pg/g - Wet Wt	J		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-132	38380-05-1	PCB	MOD 1668A	341.84	pg/g - Wet Wt			99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-134	52704-70-8	PCB	MOD 1668A	55.94	pg/g - Wet Wt	JC		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-135	52744-13-5	PCB	MOD 1668A	169.38	pg/g - Wet Wt	C		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-136	38411-22-2	PCB	MOD 1668A	49.77	pg/g - Wet Wt			39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-137	35694-06-5	PCB	MOD 1668A	176.20	pg/g - Wet Wt	JC		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-141	52712-04-6	PCB	MOD 1668A	185.33	pg/g - Wet Wt			39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-144	68194-14-9	PCB	MOD 1668A	29.60	pg/g - Wet Wt	J		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-146	51908-16-8	PCB	MOD 1668A	135.78	pg/g - Wet Wt	JC		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-147	68194-13-8	PCB	MOD 1668A	818.10	pg/g - Wet Wt	C		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-153	35065-27-1	PCB	MOD 1668A	820.82	pg/g - Wet Wt	C		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-156	38380-08-4	PCB	MOD 1668A	143.40	pg/g - Wet Wt	C		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-158	74472-42-7	PCB	MOD 1668A	163.25	pg/g - Wet Wt			39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-167	52663-72-6	PCB	MOD 1668A	67.61	pg/g - Wet Wt	J		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-169	32774-16-6	PCB	MOD 1668A	99.87	pg/g - Wet Wt	U		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-170	35065-30-6	PCB	MOD 1668A	294.59	pg/g - Wet Wt			99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-171	52663-71-5	PCB	MOD 1668A	81.20	pg/g - Wet Wt	JC		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-172	52663-74-8	PCB	MOD 1668A	36.06	pg/g - Wet Wt	J		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-174	38411-25-5	PCB	MOD 1668A	117.45	pg/g - Wet Wt			99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-175	40186-70-7	PCB	MOD 1668A	3.92	pg/g - Wet Wt	J		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-176	52663-65-7	PCB	MOD 1668A	9.78	pg/g - Wet Wt	J		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-177	52663-70-4	PCB	MOD 1668A	93.18	pg/g - Wet Wt	J		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-178	52663-67-9	PCB	MOD 1668A	19.59	pg/g - Wet Wt	J		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-180	35065-29-3	PCB	MOD 1668A	308.22	pg/g - Wet Wt	C		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-182	60145-23-5	PCB	MOD 1668A	199.73	pg/g - Wet Wt	U		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-183	52663-69-1	PCB	MOD 1668A	59.75	pg/g - Wet Wt	J		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-184	74472-48-3	PCB	MOD 1668A	199.73	pg/g - Wet Wt	U		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-185	52712-05-7	PCB	MOD 1668A	10.10	pg/g - Wet Wt	J		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-187	52663-68-0	PCB	MOD 1668A	179.96	pg/g - Wet Wt			99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-189	39635-31-9	PCB	MOD 1668A	99.87	pg/g - Wet Wt	U		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-190	41411-64-7	PCB	MOD 1668A	40.54	pg/g - Wet Wt	J		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-191	74472-50-7	PCB	MOD 1668A	199.73	pg/g - Wet Wt	U		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-194	35694-08-7	PCB	MOD 1668A	46.35	pg/g - Wet Wt	J		99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-195	52663-78-2	PCB	MOD 1668A	21.06	pg/g - Wet Wt	J		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-196	42740-50-1	PCB	MOD 1668A	31.08	pg/g - Wet Wt	J		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-197	33091-17-7	PCB	MOD 1668A	199.73	pg/g - Wet Wt	U		199.73

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	5.73	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	376.2	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	1873.56	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	116.39	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	15.09	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	341.84	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	55.94	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	169.38	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	49.77	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	176.2	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	185.33	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	29.6	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	135.78	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	818.1	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	820.82	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	143.4	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	163.25	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	67.61	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	99.87	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	294.59	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	81.2	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	36.06	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	117.45	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	3.92	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	9.78	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	93.18	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	19.59	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	308.22	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	199.73	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	59.75	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	199.73	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	10.1	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	179.96	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	99.87	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	40.54	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	199.73	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	46.35	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	21.06	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	31.08	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	199.73	UJ		F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-198	68194-17-2	PCB	MOD 1668A	209.58	pg/g - Wet Wt	C		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198		39.95
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-200	52663-73-7	PCB	MOD 1668A	199.73	pg/g - Wet Wt	U		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-201	40186-71-8	PCB	MOD 1668A	16.53	pg/g - Wet Wt	J		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-203	52663-76-0	PCB	MOD 1668A	83.62	pg/g - Wet Wt	J		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-205	74472-53-0	PCB	MOD 1668A	199.73	pg/g - Wet Wt	U		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-206	40186-72-9	PCB	MOD 1668A	228.62	pg/g - Wet Wt			199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-207	52663-79-3	PCB	MOD 1668A	199.73	pg/g - Wet Wt	U		199.73
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-209	2051-24-3	PCB	MOD 1668A	146.65	pg/g - Wet Wt			99.87
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	Total PCB		PCB	MOD 1668A	20831.39	pg/g - Wet Wt			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-1	2051-60-7	PCB	MOD 1668A	54	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-3	2051-62-9	PCB	MOD 1668A	50	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-4	13029-08-8	PCB	MOD 1668A	44	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-19	38444-73-4	PCB	MOD 1668A	46	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-15	2050-68-2	PCB	MOD 1668A	56	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-54	15968-05-5	PCB	MOD 1668A	53	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-104	56558-16-8	PCB	MOD 1668A	44	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-37	38444-90-5	PCB	MOD 1668A	96	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-155	33979-03-02	PCB	MOD 1668A	18	%RECOVERY	&		
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-81	70362-50-4	PCB	MOD 1668A	57	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-77	32598-13-3	PCB	MOD 1668A	66	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-123	65510-44-3	PCB	MOD 1668A	51	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-118	31508-00-6	PCB	MOD 1668A	52	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-188	74487-85-7	PCB	MOD 1668A	26	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-114	74472-37-0	PCB	MOD 1668A	51	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-105	32598-14-4	PCB	MOD 1668A	69	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-126	57465-28-8	PCB	MOD 1668A	62	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-202	2136-99-4	PCB	MOD 1668A	35	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-167	52663-72-6	PCB	MOD 1668A	54	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-156	38380-08-4	PCB	MOD 1668A	81	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-157	69782-90-7	PCB	MOD 1668A	81	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-169	32774-16-6	PCB	MOD 1668A	75	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-208	52663-77-1	PCB	MOD 1668A	22	%RECOVERY	&		
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-189	39635-31-9	PCB	MOD 1668A	53	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-205	74472-53-0	PCB	MOD 1668A	31	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-206	40186-72-9	PCB	MOD 1668A	19	%RECOVERY	&		
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-209	2051-24-3	PCB	MOD 1668A	16	%RECOVERY	&		
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-28	7012-37-5	PCB	MOD 1668A	63	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-111	39635-32-0	PCB	MOD 1668A	33	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-08	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-178	52663-67-9	PCB	MOD 1668A	39	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-1	2051-60-7	PCB	MOD 1668A	4.48	pg/g - Wet Wt	J		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-3	2051-62-9	PCB	MOD 1668A	3.99	pg/g - Wet Wt	J		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-4	13029-08-8	PCB	MOD 1668A	99.82	pg/g - Wet Wt	J		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-5	16605-91-7	PCB	MOD 1668A	9.98	pg/g - Wet Wt	U		9.98
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-6	25569-80-6	PCB	MOD 1668A	10.38	pg/g - Wet Wt	U		9.98
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-7	33284-50-3	PCB	MOD 1668A	9.98	pg/g - Wet Wt			9.98
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-8	34883-43-7	PCB	MOD 1668A	35.56	pg/g - Wet Wt	U		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-9	34883-39-1	PCB	MOD 1668A	9.98	pg/g - Wet Wt	J		9.98
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-10	33146-45-1	PCB	MOD 1668A	9.98	pg/g - Wet Wt	U		9.98
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-12	2974-92-7	PCB	MOD 1668A	19.96	pg/g - Wet Wt	U		19.96
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	UC		19.96
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-16	38444-78-9	PCB	MOD 1668A	29.36	pg/g - Wet Wt	C12		19.96
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-17	37680-66-3	PCB	MOD 1668A	38.38	pg/g - Wet Wt			39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-18	37680-65-2	PCB	MOD 1668A	76.92	pg/g - Wet Wt	J		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	JC		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-19	38444-73-4	PCB	MOD 1668A	8.27	pg/g - Wet Wt	C18		19.96

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	209.58	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET				F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	199.73	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	16.53	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	83.62	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	199.73	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	228.62	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	199.73	UJ		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	146.65	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	20446.33	J		F
LPX-LB-4003-0000-01	48401-80-08		1.00		Lab Extraction ID = 48985-84-18	5.01	G_WET	

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-20	38444-84-7	PCB	MOD 1668A	367.00	pg/g - Wet Wt	J		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-22	38444-85-8	PCB	MOD 1668A	61.11	pg/g - Wet Wt	C20		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-24	55702-45-9	PCB	MOD 1668A	8.66	pg/g - Wet Wt			39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	JC		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-25	55712-37-3	PCB	MOD 1668A	12.75	pg/g - Wet Wt	C24		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-26	38444-81-4	PCB	MOD 1668A	36.12	pg/g - Wet Wt	J		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	JC		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-31	16606-02-3	PCB	MOD 1668A	133.69	pg/g - Wet Wt	C26		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-32	38444-77-4	PCB	MOD 1668A	28.80	pg/g - Wet Wt			39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-40	38444-93-8	PCB	MOD 1668A	144.03	pg/g - Wet Wt	J		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-42	36559-22-5	PCB	MOD 1668A	106.14	pg/g - Wet Wt	C40		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-43	70362-46-8	PCB	MOD 1668A	985.26	pg/g - Wet Wt			39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-44	41464-39-5	PCB	MOD 1668A	144.57	pg/g - Wet Wt	C43		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-45	70362-45-7	PCB	MOD 1668A	39.88	pg/g - Wet Wt	C44		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	JC		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-46	41464-47-5	PCB	MOD 1668A	8.58	pg/g - Wet Wt	C45		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-48	70362-47-9	PCB	MOD 1668A	50.03	pg/g - Wet Wt	J		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-49	41464-40-8	PCB	MOD 1668A	354.60	pg/g - Wet Wt			99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-50	62796-65-0	PCB	MOD 1668A	30.66	pg/g - Wet Wt	C49		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	JC		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-56	41464-43-1	PCB	MOD 1668A	115.79	pg/g - Wet Wt	C50		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-59	74472-33-6	PCB	MOD 1668A	283.50	pg/g - Wet Wt			39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-60	33025-41-1	PCB	MOD 1668A	74.76	pg/g - Wet Wt	C59		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-63	74472-34-7	PCB	MOD 1668A	24.19	pg/g - Wet Wt	J		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-64	52663-58-8	PCB	MOD 1668A	203.82	pg/g - Wet Wt	J		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-66	32598-10-0	PCB	MOD 1668A	830.35	pg/g - Wet Wt			99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-61	33284-53-6	PCB	MOD 1668A	702.16	pg/g - Wet Wt			99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-77	32598-13-3	PCB	MOD 1668A	16.87	pg/g - Wet Wt	C61		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-81	70362-50-4	PCB	MOD 1668A	99.82	pg/g - Wet Wt	J		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-82	52663-62-4	PCB	MOD 1668A	147.14	pg/g - Wet Wt	U		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-111	39635-32-0	PCB	MOD 1668A		pg/g - Wet Wt	C		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-83	60145-20-2	PCB	MOD 1668A	1097.40	pg/g - Wet Wt	C82		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-84	52663-60-2	PCB	MOD 1668A	186.05	pg/g - Wet Wt	C83		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-85	65510-45-4	PCB	MOD 1668A	375.18	pg/g - Wet Wt			39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-86	55312-69-1	PCB	MOD 1668A	1155.42	pg/g - Wet Wt	C85		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.82

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	367	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	61.11	UJ		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	8.66	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	12.75	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	36.12	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	133.69	UJ		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	28.8	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	144.03	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	106.14	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	985.26	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	144.57	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	39.88	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	8.58	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	50.03	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	354.6	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	30.66	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	115.79	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	283.5	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	74.76	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	24.19	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	203.82	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	830.35	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	702.16	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	16.87	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	99.82	UJ		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	147.14	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	1097.4	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	186.05	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	375.18	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	1155.42	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-89	73575-57-2	PCB	MOD 1668A	99.82	pg/g - Wet Wt	C86		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-121	56558-18-0	PCB	MOD 1668A		pg/g - Wet Wt	UC		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-90	68194-07-0	PCB	MOD 1668A	2067.90	pg/g - Wet Wt	C89		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-88	55215-17-3	PCB	MOD 1668A	180.34	pg/g - Wet Wt	C90		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-92	52663-61-3	PCB	MOD 1668A	347.09	pg/g - Wet Wt	C88		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-93	73575-56-1	PCB	MOD 1668A	865.30	pg/g - Wet Wt			99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-95	38379-99-6	PCB	MOD 1668A		pg/g - Wet Wt	C		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-105	32598-14-4	PCB	MOD 1668A	387.53	pg/g - Wet Wt	C93		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-108	70362-41-3	PCB	MOD 1668A	60.42	pg/g - Wet Wt			99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	JC		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-110	38380-03-9	PCB	MOD 1668A	1832.18	pg/g - Wet Wt	C108		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-114	74472-37-0	PCB	MOD 1668A	45.38	pg/g - Wet Wt	C110		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-122	76842-07-4	PCB	MOD 1668A		pg/g - Wet Wt	JC		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-118	31508-00-6	PCB	MOD 1668A	2123.05	pg/g - Wet Wt	C114		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-106	70424-69-0	PCB	MOD 1668A	199.44	pg/g - Wet Wt			199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	JC		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-126	57465-28-8	PCB	MOD 1668A	199.64	pg/g - Wet Wt	C106		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-128	38380-07-3	PCB	MOD 1668A	375.62	pg/g - Wet Wt	U		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-129	55215-18-4	PCB	MOD 1668A	2470.20	pg/g - Wet Wt	C128		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-130	52663-66-8	PCB	MOD 1668A	131.47	pg/g - Wet Wt	C129		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-131	61798-70-7	PCB	MOD 1668A	15.51	pg/g - Wet Wt			99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-132	38380-05-1	PCB	MOD 1668A	322.42	pg/g - Wet Wt	J		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-134	52704-70-8	PCB	MOD 1668A	62.74	pg/g - Wet Wt			99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	JC		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-135	52744-13-5	PCB	MOD 1668A	257.61	pg/g - Wet Wt	C134		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-136	38411-22-2	PCB	MOD 1668A	55.22	pg/g - Wet Wt	C135		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-137	35694-06-5	PCB	MOD 1668A	236.86	pg/g - Wet Wt			199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-141	52712-04-6	PCB	MOD 1668A	244.65	pg/g - Wet Wt	C137		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-144	68194-14-9	PCB	MOD 1668A	39.13	pg/g - Wet Wt			99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-146	51908-16-8	PCB	MOD 1668A	205.04	pg/g - Wet Wt	J		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-147	68194-13-8	PCB	MOD 1668A	1131.54	pg/g - Wet Wt	C146		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-153	35065-27-1	PCB	MOD 1668A	1295.66	pg/g - Wet Wt	C147		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-156	38380-08-4	PCB	MOD 1668A	198.08	pg/g - Wet Wt	C153		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-158	74472-42-7	PCB	MOD 1668A	187.45	pg/g - Wet Wt	C156		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-167	52663-72-6	PCB	MOD 1668A	83.02	pg/g - Wet Wt			99.82

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	99.82	UJ		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	2067.9	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	180.34	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	347.09	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	865.3	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	387.53	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	60.42	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	1832.18	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	45.38	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	2123.05	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	199.44	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	199.64	UJ		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	375.62	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	2470.2	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	131.47	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	15.51	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	322.42	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	62.74	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	257.61	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	55.22	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	236.86	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	244.65	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	39.13	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	205.04	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	1131.54	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	1295.66	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	198.08	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	187.45	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	83.02	J		F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-169	32774-16-6	PCB	MOD 1668A	99.82	pg/g - Wet Wt	J		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-170	35065-30-6	PCB	MOD 1668A	309.91	pg/g - Wet Wt	U		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-171	52663-71-5	PCB	MOD 1668A	83.86	pg/g - Wet Wt			199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	JC		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-172	52663-74-8	PCB	MOD 1668A	56.50	pg/g - Wet Wt	C171		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-174	38411-25-5	PCB	MOD 1668A	114.42	pg/g - Wet Wt	J		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-175	40186-70-7	PCB	MOD 1668A	6.98	pg/g - Wet Wt			199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-176	52663-65-7	PCB	MOD 1668A	11.27	pg/g - Wet Wt	J		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-177	52663-70-4	PCB	MOD 1668A	129.15	pg/g - Wet Wt	J		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-178	52663-67-9	PCB	MOD 1668A	37.24	pg/g - Wet Wt			99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-180	35065-29-3	PCB	MOD 1668A	480.26	pg/g - Wet Wt	J		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-182	60145-23-5	PCB	MOD 1668A	199.64	pg/g - Wet Wt	C180		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-183	52663-69-1	PCB	MOD 1668A	97.32	pg/g - Wet Wt	U		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-184	74472-48-3	PCB	MOD 1668A	199.64	pg/g - Wet Wt	J		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-185	52712-05-7	PCB	MOD 1668A	11.29	pg/g - Wet Wt	U		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-187	52663-68-0	PCB	MOD 1668A	392.70	pg/g - Wet Wt	J		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-189	39635-31-9	PCB	MOD 1668A	8.53	pg/g - Wet Wt			99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-190	41411-64-7	PCB	MOD 1668A	62.53	pg/g - Wet Wt	J		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-191	74472-50-7	PCB	MOD 1668A	10.43	pg/g - Wet Wt	J		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-194	35694-08-7	PCB	MOD 1668A	82.25	pg/g - Wet Wt	J		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-195	52663-78-2	PCB	MOD 1668A	31.18	pg/g - Wet Wt	J		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-196	42740-50-1	PCB	MOD 1668A	52.92	pg/g - Wet Wt	J		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-197	33091-17-7	PCB	MOD 1668A	199.64	pg/g - Wet Wt	J		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-198	68194-17-2	PCB	MOD 1668A	342.36	pg/g - Wet Wt	U		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C		39.93
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-200	52663-73-7	PCB	MOD 1668A	199.64	pg/g - Wet Wt	C198		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-201	40186-71-8	PCB	MOD 1668A	18.04	pg/g - Wet Wt	U		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-203	52663-76-0	PCB	MOD 1668A	112.37	pg/g - Wet Wt	J		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-205	74472-53-0	PCB	MOD 1668A	199.64	pg/g - Wet Wt	J		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-206	40186-72-9	PCB	MOD 1668A	480.55	pg/g - Wet Wt	U		199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-207	52663-79-3	PCB	MOD 1668A	38.31	pg/g - Wet Wt			199.64
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	PCB-209	2051-24-3	PCB	MOD 1668A	202.00	pg/g - Wet Wt	J		99.82
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	Total PCB		PCB	MOD 1668A	26570.45	pg/g - Wet Wt			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-1	2051-60-7	PCB	MOD 1668A	62	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-3	2051-62-9	PCB	MOD 1668A	57	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-4	13029-08-8	PCB	MOD 1668A	46	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-19	38444-73-4	PCB	MOD 1668A	53	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-15	2050-68-2	PCB	MOD 1668A	63	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-54	15968-05-5	PCB	MOD 1668A	50	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-104	56558-16-8	PCB	MOD 1668A	56	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-37	38444-90-5	PCB	MOD 1668A	98	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-155	33979-03-02	PCB	MOD 1668A	29	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-81	70362-50-4	PCB	MOD 1668A	59	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-77	32598-13-3	PCB	MOD 1668A	61	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-123	65510-44-3	PCB	MOD 1668A	60	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-118	31508-00-6	PCB	MOD 1668A	60	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-188	74487-85-7	PCB	MOD 1668A	47	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-114	74472-37-0	PCB	MOD 1668A	61	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-105	32598-14-4	PCB	MOD 1668A	71	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-126	57465-28-8	PCB	MOD 1668A	65	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-202	2136-99-4	PCB	MOD 1668A	59	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-167	52663-72-6	PCB	MOD 1668A	70	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-156	38380-08-4	PCB	MOD 1668A	91	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-157	69782-90-7	PCB	MOD 1668A	91	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-169	32774-16-6	PCB	MOD 1668A	82	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	99.82	UJ		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	309.91	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	83.86	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	56.5	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	114.42	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	6.98	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	11.27	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	129.15	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	37.24	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	480.26	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	199.64	UJ		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	97.32	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	199.64	UJ		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	11.29	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	392.7	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	8.53	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	62.53	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	10.43	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	82.25	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	31.18	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	52.92	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	199.64	UJ		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	342.36	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	199.64	UJ		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	18.04	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	112.37	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	199.64	UJ		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	480.55	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	38.31	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	202	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET	26346.31833	J		F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-208	52663-77-1	PCB	MOD 1668A	27	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-189	39635-31-9	PCB	MOD 1668A	79	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-205	74472-53-0	PCB	MOD 1668A	46	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-206	40186-72-9	PCB	MOD 1668A	22	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-209	2051-24-3	PCB	MOD 1668A	20	%RECOVERY	&		
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-28	7012-37-5	PCB	MOD 1668A	68	%RECOVERY	&		
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-111	39635-32-0	PCB	MOD 1668A	46	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-02	BCO	NORMAL	06/21/01	8/27/2001	10/23/2001		48985-84	13C-PCB-178	52663-67-9	PCB	MOD 1668A	52	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-1	2051-60-7	PCB	MOD 1668A	6.57	pg/g - Wet Wt	J		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-3	2051-62-9	PCB	MOD 1668A	4.99	pg/g - Wet Wt	J		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-4	13029-08-8	PCB	MOD 1668A	15.85	pg/g - Wet Wt	J		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-5	16605-91-7	PCB	MOD 1668A	9.95	pg/g - Wet Wt	U		9.95
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-6	25569-80-6	PCB	MOD 1668A	9.13	pg/g - Wet Wt	J		9.95
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-7	33284-50-3	PCB	MOD 1668A	9.95	pg/g - Wet Wt	U		9.95
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-8	34883-43-7	PCB	MOD 1668A	38.96	pg/g - Wet Wt	J		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-9	34883-39-1	PCB	MOD 1668A	3.69	pg/g - Wet Wt	J		9.95
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-10	33146-45-1	PCB	MOD 1668A	9.95	pg/g - Wet Wt	U		9.95
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-12	2974-92-7	PCB	MOD 1668A	19.89	pg/g - Wet Wt	UC		19.89
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12		19.89
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-16	38444-78-9	PCB	MOD 1668A	35.03	pg/g - Wet Wt			19.89
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-17	37680-66-3	PCB	MOD 1668A	40.45	pg/g - Wet Wt			39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-18	37680-65-2	PCB	MOD 1668A	87.10	pg/g - Wet Wt	JC		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-19	38444-73-4	PCB	MOD 1668A	9.57	pg/g - Wet Wt	J		19.89
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-20	38444-84-7	PCB	MOD 1668A	396.84	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-22	38444-85-8	PCB	MOD 1668A	62.16	pg/g - Wet Wt			39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-24	55702-45-9	PCB	MOD 1668A	9.20	pg/g - Wet Wt	JC		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C24		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-25	55712-37-3	PCB	MOD 1668A	10.75	pg/g - Wet Wt	J		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-26	38444-81-4	PCB	MOD 1668A	38.02	pg/g - Wet Wt	JC		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-31	16606-02-3	PCB	MOD 1668A	108.71	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-32	38444-77-4	PCB	MOD 1668A	31.97	pg/g - Wet Wt	J		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-40	38444-93-8	PCB	MOD 1668A	184.68	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-42	36559-22-5	PCB	MOD 1668A	117.29	pg/g - Wet Wt			39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-43	70362-46-8	PCB	MOD 1668A	1096.53	pg/g - Wet Wt	C		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-44	41464-39-5	PCB	MOD 1668A	191.64	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-45	70362-45-7	PCB	MOD 1668A	41.20	pg/g - Wet Wt	C		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-46	41464-47-5	PCB	MOD 1668A	11.19	pg/g - Wet Wt	J		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-48	70362-47-9	PCB	MOD 1668A	62.50	pg/g - Wet Wt			39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-49	41464-40-8	PCB	MOD 1668A	377.06	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-50	62796-65-0	PCB	MOD 1668A	35.94	pg/g - Wet Wt	JC		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-56	41464-43-1	PCB	MOD 1668A	82.40	pg/g - Wet Wt			39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-59	74472-33-6	PCB	MOD 1668A	336.30	pg/g - Wet Wt	C		39.78

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4004-0000-01	48401-82-02		1.00		Lab Extraction ID = 48985-84-19	5.01	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	6.57	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	4.99	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	15.85	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	9.95	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	9.13	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	9.95	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	38.96	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	3.69	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	9.95	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	19.89	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	35.03	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	40.45	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	87.1	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	9.57	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	396.84	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	62.16	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	9.2	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	10.75	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	38.02	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	108.71	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	31.97	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	184.68	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	117.29	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	1096.53	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	191.64	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	41.2	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	11.19	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	62.5	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	377.06	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	35.94	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	82.4	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	336.3	J		F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-60	33025-41-1	PCB	MOD 1668A	150.56	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-63	74472-34-7	PCB	MOD 1668A	29.85	pg/g - Wet Wt	J		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-64	52663-58-8	PCB	MOD 1668A	218.74	pg/g - Wet Wt			39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-66	32598-10-0	PCB	MOD 1668A	1389.58	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-61	33284-53-6	PCB	MOD 1668A	638.12	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-77	32598-13-3	PCB	MOD 1668A	9.77	pg/g - Wet Wt	J		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-81	70362-50-4	PCB	MOD 1668A	99.46	pg/g - Wet Wt	U		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-82	52663-62-4	PCB	MOD 1668A	99.46	pg/g - Wet Wt	UC		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-111	39635-32-0	PCB	MOD 1668A		pg/g - Wet Wt	C82		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-83	60145-20-2	PCB	MOD 1668A	2093.30	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-84	52663-60-2	PCB	MOD 1668A	201.26	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-85	65510-45-4	PCB	MOD 1668A	916.68	pg/g - Wet Wt	C		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-86	55312-69-1	PCB	MOD 1668A	2055.78	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-89	73575-57-2	PCB	MOD 1668A	6.50	pg/g - Wet Wt	JC		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-121	56558-18-0	PCB	MOD 1668A		pg/g - Wet Wt	C89		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-90	68194-07-0	PCB	MOD 1668A	3821.07	pg/g - Wet Wt	C		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-88	55215-17-3	PCB	MOD 1668A	258.62	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-92	52663-61-3	PCB	MOD 1668A	541.32	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-93	73575-56-1	PCB	MOD 1668A	1024.00	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-95	38379-99-6	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-105	32598-14-4	PCB	MOD 1668A	1061.87	pg/g - Wet Wt			39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-108	70362-41-3	PCB	MOD 1668A	77.38	pg/g - Wet Wt	JC		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-110	38380-03-9	PCB	MOD 1668A	3113.54	pg/g - Wet Wt	C		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-114	74472-37-0	PCB	MOD 1668A	82.89	pg/g - Wet Wt	JC		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-122	76842-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C114		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-118	31508-00-6	PCB	MOD 1668A	5315.53	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-106	70424-69-0	PCB	MOD 1668A	419.01	pg/g - Wet Wt	C		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-126	57465-28-8	PCB	MOD 1668A	29.72	pg/g - Wet Wt	J		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-128	38380-07-3	PCB	MOD 1668A	1039.44	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-129	55215-18-4	PCB	MOD 1668A	6182.00	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.46

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	150.56	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	29.85	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	218.74	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	1389.58	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	638.12	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	9.77	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	99.46	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	99.46	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	2093.3	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	201.26	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	916.68	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	2055.78	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	6.5	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	3821.07	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	258.62	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	541.32	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	1024	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	1061.87	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	77.38	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	3113.54	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	82.89	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	5315.53	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	419.01	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	29.72	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	1039.44	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	6182	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-130	52663-66-8	PCB	MOD 1668A	234.16	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-131	61798-70-7	PCB	MOD 1668A	33.18	pg/g - Wet Wt	J		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-132	38380-05-1	PCB	MOD 1668A	363.11	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-134	52704-70-8	PCB	MOD 1668A	45.14	pg/g - Wet Wt	JC		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-135	52744-13-5	PCB	MOD 1668A	264.45	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-136	38411-22-2	PCB	MOD 1668A	36.53	pg/g - Wet Wt	J		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-137	35694-06-5	PCB	MOD 1668A	529.42	pg/g - Wet Wt	C		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-141	52712-04-6	PCB	MOD 1668A	515.83	pg/g - Wet Wt			39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-144	68194-14-9	PCB	MOD 1668A	70.74	pg/g - Wet Wt	J		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-146	51908-16-8	PCB	MOD 1668A	343.28	pg/g - Wet Wt	C		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-147	68194-13-8	PCB	MOD 1668A	1820.20	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-153	35065-27-1	PCB	MOD 1668A	2199.94	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-156	38380-08-4	PCB	MOD 1668A	493.00	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-158	74472-42-7	PCB	MOD 1668A	472.76	pg/g - Wet Wt			39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-167	52663-72-6	PCB	MOD 1668A	202.95	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-169	32774-16-6	PCB	MOD 1668A	99.46	pg/g - Wet Wt	U		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-170	35065-30-6	PCB	MOD 1668A	1049.75	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-171	52663-71-5	PCB	MOD 1668A	258.42	pg/g - Wet Wt	C		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-172	52663-74-8	PCB	MOD 1668A	93.30	pg/g - Wet Wt	J		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-174	38411-25-5	PCB	MOD 1668A	216.54	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-175	40186-70-7	PCB	MOD 1668A	12.08	pg/g - Wet Wt	J		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-176	52663-65-7	PCB	MOD 1668A	11.96	pg/g - Wet Wt	J		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-177	52663-70-4	PCB	MOD 1668A	159.44	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-178	52663-67-9	PCB	MOD 1668A	42.88	pg/g - Wet Wt	J		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-180	35065-29-3	PCB	MOD 1668A	958.02	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-182	60145-23-5	PCB	MOD 1668A	198.92	pg/g - Wet Wt	U		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-183	52663-69-1	PCB	MOD 1668A	178.78	pg/g - Wet Wt	J		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-184	74472-48-3	PCB	MOD 1668A	198.92	pg/g - Wet Wt	U		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-185	52712-05-7	PCB	MOD 1668A	18.70	pg/g - Wet Wt	J		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-187	52663-68-0	PCB	MOD 1668A	476.44	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-189	39635-31-9	PCB	MOD 1668A	14.05	pg/g - Wet Wt	J		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-190	41411-64-7	PCB	MOD 1668A	134.83	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-191	74472-50-7	PCB	MOD 1668A	22.59	pg/g - Wet Wt	J		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-194	35694-08-7	PCB	MOD 1668A	154.02	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-195	52663-78-2	PCB	MOD 1668A	76.31	pg/g - Wet Wt	J		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-196	42740-50-1	PCB	MOD 1668A	78.20	pg/g - Wet Wt	J		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-197	33091-17-7	PCB	MOD 1668A	4.29	pg/g - Wet Wt	J		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-198	68194-17-2	PCB	MOD 1668A	402.64	pg/g - Wet Wt	C		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198		39.78
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-200	52663-73-7	PCB	MOD 1668A	198.92	pg/g - Wet Wt	U		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-201	40186-71-8	PCB	MOD 1668A	18.01	pg/g - Wet Wt	J		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-203	52663-76-0	PCB	MOD 1668A	128.17	pg/g - Wet Wt	J		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-205	74472-53-0	PCB	MOD 1668A	6.05	pg/g - Wet Wt	J		198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-206	40186-72-9	PCB	MOD 1668A	362.12	pg/g - Wet Wt			198.92
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-207	52663-79-3	PCB	MOD 1668A	38.85	pg/g - Wet Wt	J		198.92

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	234.16	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	33.18	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	363.11	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	45.14	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	264.45	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	36.53	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	529.42	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	515.83	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	70.74	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	343.28	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	1820.2	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	2199.94	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	493	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	472.76	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	202.95	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	99.46	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	1049.75	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	258.42	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	93.3	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	216.54	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	12.08	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	11.96	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	159.44	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	42.66	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	958.02	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	198.92	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	178.78	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	198.92	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	18.7	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	476.44	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	14.05	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	134.83	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	22.59	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	154.02	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	76.31	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	78.2	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	4.29	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	402.64	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	198.92	UJ		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	18.01	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	128.17	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	6.05	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	362.12	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	38.85	J		F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-209	2051-24-3	PCB	MOD 1668A	125.86	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	Total PCB		PCB	MOD 1668A	46994.65	pg/g - Wet Wt			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-1	2051-60-7	PCB	MOD 1668A	42	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-3	2051-62-9	PCB	MOD 1668A	40	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-4	13029-08-8	PCB	MOD 1668A	35	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-19	38444-73-4	PCB	MOD 1668A	35	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-15	2050-68-2	PCB	MOD 1668A	42	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-54	15968-05-5	PCB	MOD 1668A	32	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-104	56558-16-8	PCB	MOD 1668A	31	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-37	38444-90-5	PCB	MOD 1668A	70	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-155	33979-03-02	PCB	MOD 1668A	7	%RECOVERY	&		
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-81	70362-50-4	PCB	MOD 1668A	46	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-77	32598-13-3	PCB	MOD 1668A	51	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-123	65510-44-3	PCB	MOD 1668A	39	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-118	31508-00-6	PCB	MOD 1668A	39	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-188	74487-85-7	PCB	MOD 1668A	9	%RECOVERY	&		
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-114	74472-37-0	PCB	MOD 1668A	37	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-105	32598-14-4	PCB	MOD 1668A	54	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-126	57465-28-8	PCB	MOD 1668A	53	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-202	2136-99-4	PCB	MOD 1668A	15	%RECOVERY	&		
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-167	52663-72-6	PCB	MOD 1668A	36	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-156	38380-08-4	PCB	MOD 1668A	62	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-157	69782-90-7	PCB	MOD 1668A	62	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-169	32774-16-6	PCB	MOD 1668A	62	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-208	52663-77-1	PCB	MOD 1668A	8	%RECOVERY	&		
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-189	39635-31-9	PCB	MOD 1668A	33	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-205	74472-53-0	PCB	MOD 1668A	18	%RECOVERY	&		
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-206	40186-72-9	PCB	MOD 1668A	9	%RECOVERY	&		
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-209	2051-24-3	PCB	MOD 1668A	6	%RECOVERY	&		
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-28	7012-37-5	PCB	MOD 1668A	42	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-111	39635-32-0	PCB	MOD 1668A	18	%RECOVERY	&		
LPX-LB-4005-0000-01	48401-82-06	BCO	NORMAL	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-178	52663-67-9	PCB	MOD 1668A	25	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-1	2051-60-7	PCB	MOD 1668A	9.80	pg/g - Wet Wt	J		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-3	2051-62-9	PCB	MOD 1668A	5.83	pg/g - Wet Wt	J		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-4	13029-08-8	PCB	MOD 1668A	21.11	pg/g - Wet Wt	JK		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-5	16605-91-7	PCB	MOD 1668A	9.95	pg/g - Wet Wt	U		9.95
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-6	25569-80-6	PCB	MOD 1668A	9.95	pg/g - Wet Wt	U		9.95
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-7	33284-50-3	PCB	MOD 1668A	9.95	pg/g - Wet Wt	U		9.95
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-8	34883-43-7	PCB	MOD 1668A	44.66	pg/g - Wet Wt	J		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-9	34883-39-1	PCB	MOD 1668A	9.95	pg/g - Wet Wt	U		9.95
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-10	33146-45-1	PCB	MOD 1668A	9.95	pg/g - Wet Wt	U		9.95
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-12	2974-92-7	PCB	MOD 1668A	19.89	pg/g - Wet Wt	UC		19.89
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12		19.89
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-16	38444-78-9	PCB	MOD 1668A	40.47	pg/g - Wet Wt			19.89
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-17	37680-66-3	PCB	MOD 1668A	49.22	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-18	37680-65-2	PCB	MOD 1668A	111.92	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-19	38444-73-4	PCB	MOD 1668A	13.28	pg/g - Wet Wt	J		19.89
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-20	38444-84-7	PCB	MOD 1668A	434.68	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-22	38444-85-8	PCB	MOD 1668A	68.28	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-24	55702-45-9	PCB	MOD 1668A	8.86	pg/g - Wet Wt	JC		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C24		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-25	55712-37-3	PCB	MOD 1668A	39.79	pg/g - Wet Wt	U		39.79

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	125.86	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET	46483.63	J		F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-20	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-26	38444-81-4	PCB	MOD 1668A	47.64	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-31	16606-02-3	PCB	MOD 1668A	114.04	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-32	38444-77-4	PCB	MOD 1668A	36.87	pg/g - Wet Wt	J		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-40	38444-93-8	PCB	MOD 1668A	208.59	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-42	36559-22-5	PCB	MOD 1668A	144.87	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-43	70362-46-8	PCB	MOD 1668A	1290.42	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-44	41464-39-5	PCB	MOD 1668A	258.72	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-45	70362-45-7	PCB	MOD 1668A	57.36	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-46	41464-47-5	PCB	MOD 1668A	19.72	pg/g - Wet Wt	J		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-48	70362-47-9	PCB	MOD 1668A	81.05	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-49	41464-40-8	PCB	MOD 1668A	458.88	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-50	62796-65-0	PCB	MOD 1668A	45.32	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-56	41464-43-1	PCB	MOD 1668A	88.88	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-59	74472-33-6	PCB	MOD 1668A	396.60	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-60	33025-41-1	PCB	MOD 1668A	145.99	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-63	74472-34-7	PCB	MOD 1668A	40.52	pg/g - Wet Wt	J		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-64	52663-58-8	PCB	MOD 1668A	257.62	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-66	32598-10-0	PCB	MOD 1668A	1565.95	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-61	33284-53-6	PCB	MOD 1668A	748.12	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-77	32598-13-3	PCB	MOD 1668A	14.42	pg/g - Wet Wt	J		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-81	70362-50-4	PCB	MOD 1668A	99.46	pg/g - Wet Wt	U		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-82	52663-62-4	PCB	MOD 1668A	99.46	pg/g - Wet Wt	UC		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-111	39635-32-0	PCB	MOD 1668A		pg/g - Wet Wt	C82		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-83	60145-20-2	PCB	MOD 1668A	2181.30	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-84	52663-60-2	PCB	MOD 1668A	207.39	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-85	65510-45-4	PCB	MOD 1668A	971.97	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-86	55312-69-1	PCB	MOD 1668A	2134.92	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-89	73575-57-2	PCB	MOD 1668A	99.46	pg/g - Wet Wt	UC		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-121	56558-18-0	PCB	MOD 1668A		pg/g - Wet Wt	C89		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-90	68194-07-0	PCB	MOD 1668A	4107.60	pg/g - Wet Wt	C		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-88	55215-17-3	PCB	MOD 1668A	288.74	pg/g - Wet Wt	C		99.46

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-92	52663-61-3	PCB	MOD 1668A	580.08	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-93	73575-56-1	PCB	MOD 1668A	1163.90	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-95	38379-99-6	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-105	32598-14-4	PCB	MOD 1668A	1154.57	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-108	70362-41-3	PCB	MOD 1668A	104.44	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-110	38380-03-9	PCB	MOD 1668A	3168.22	pg/g - Wet Wt	C		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-114	74472-37-0	PCB	MOD 1668A	108.71	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-122	76842-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C114		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-118	31508-00-6	PCB	MOD 1668A	5943.42	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-106	70424-69-0	PCB	MOD 1668A	456.71	pg/g - Wet Wt	C		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-126	57465-28-8	PCB	MOD 1668A	198.93	pg/g - Wet Wt	U		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-128	38380-07-3	PCB	MOD 1668A	1198.50	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-129	55215-18-4	PCB	MOD 1668A	7155.52	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-130	52663-66-8	PCB	MOD 1668A	283.56	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-131	61798-70-7	PCB	MOD 1668A	22.75	pg/g - Wet Wt	J		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-132	38380-05-1	PCB	MOD 1668A	278.21	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-134	52704-70-8	PCB	MOD 1668A	38.44	pg/g - Wet Wt	JC		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-135	52744-13-5	PCB	MOD 1668A	316.02	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-136	38411-22-2	PCB	MOD 1668A	39.79	pg/g - Wet Wt	U		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-137	35694-06-5	PCB	MOD 1668A	640.14	pg/g - Wet Wt	C		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-141	52712-04-6	PCB	MOD 1668A	615.17	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-144	68194-14-9	PCB	MOD 1668A	99.46	pg/g - Wet Wt	U		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-146	51908-16-8	PCB	MOD 1668A	457.38	pg/g - Wet Wt	C		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-147	68194-13-8	PCB	MOD 1668A	1363.24	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-153	35065-27-1	PCB	MOD 1668A	2932.36	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-156	38380-08-4	PCB	MOD 1668A	523.72	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-158	74472-42-7	PCB	MOD 1668A	573.05	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-167	52663-72-6	PCB	MOD 1668A	230.13	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-169	32774-16-6	PCB	MOD 1668A	99.46	pg/g - Wet Wt	U		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-170	35065-30-6	PCB	MOD 1668A	1007.40	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-171	52663-71-5	PCB	MOD 1668A	314.38	pg/g - Wet Wt	C		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-172	52663-74-8	PCB	MOD 1668A	101.17	pg/g - Wet Wt	J		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-174	38411-25-5	PCB	MOD 1668A	212.62	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-175	40186-70-7	PCB	MOD 1668A	9.97	pg/g - Wet Wt	J		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-176	52663-65-7	PCB	MOD 1668A	198.93	pg/g - Wet Wt	U		198.93

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-177	52663-70-4	PCB	MOD 1668A	167.64	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-178	52663-67-9	PCB	MOD 1668A	46.84	pg/g - Wet Wt	J		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-180	35065-29-3	PCB	MOD 1668A	1122.20	pg/g - Wet Wt	C		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-182	60145-23-5	PCB	MOD 1668A	198.93	pg/g - Wet Wt	U		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-183	52663-69-1	PCB	MOD 1668A	204.29	pg/g - Wet Wt			198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-184	74472-48-3	PCB	MOD 1668A	198.93	pg/g - Wet Wt	U		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-185	52712-05-7	PCB	MOD 1668A	13.33	pg/g - Wet Wt	J		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-187	52663-68-0	PCB	MOD 1668A	491.07	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-189	39635-31-9	PCB	MOD 1668A	20.51	pg/g - Wet Wt	J		99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-190	41411-64-7	PCB	MOD 1668A	142.54	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-191	74472-50-7	PCB	MOD 1668A	198.93	pg/g - Wet Wt	U		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-194	35694-08-7	PCB	MOD 1668A	167.68	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-195	52663-78-2	PCB	MOD 1668A	69.91	pg/g - Wet Wt	J		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-196	42740-50-1	PCB	MOD 1668A	65.74	pg/g - Wet Wt	J		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-197	33091-17-7	PCB	MOD 1668A	198.93	pg/g - Wet Wt	U		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-198	68194-17-2	PCB	MOD 1668A	402.02	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198		39.79
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-200	52663-73-7	PCB	MOD 1668A	198.93	pg/g - Wet Wt	U		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-201	40186-71-8	PCB	MOD 1668A	198.93	pg/g - Wet Wt	U		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-203	52663-76-0	PCB	MOD 1668A	138.15	pg/g - Wet Wt	J		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-205	74472-53-0	PCB	MOD 1668A	32.47	pg/g - Wet Wt	J		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-206	40186-72-9	PCB	MOD 1668A	389.28	pg/g - Wet Wt			198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-207	52663-79-3	PCB	MOD 1668A	32.84	pg/g - Wet Wt	J		198.93
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	PCB-209	2051-24-3	PCB	MOD 1668A	193.26	pg/g - Wet Wt			99.46
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	Total PCB		PCB	MOD 1668A	51375.16	pg/g - Wet Wt			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-1	2051-60-7	PCB	MOD 1668A	40	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-3	2051-62-9	PCB	MOD 1668A	33	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-4	13029-08-8	PCB	MOD 1668A	27	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-19	38444-73-4	PCB	MOD 1668A	36	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-15	2050-68-2	PCB	MOD 1668A	36	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-54	15968-05-5	PCB	MOD 1668A	34	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-104	56558-16-8	PCB	MOD 1668A	34	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-37	38444-90-5	PCB	MOD 1668A	58	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-155	33979-03-02	PCB	MOD 1668A	7	%RECOVERY	&		
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-81	70362-50-4	PCB	MOD 1668A	38	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-77	32598-13-3	PCB	MOD 1668A	42	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-123	65510-44-3	PCB	MOD 1668A	34	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-118	31508-00-6	PCB	MOD 1668A	33	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-188	74487-85-7	PCB	MOD 1668A	16	%RECOVERY	&		
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-114	74472-37-0	PCB	MOD 1668A	32	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-105	32598-14-4	PCB	MOD 1668A	42	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-126	57465-28-8	PCB	MOD 1668A	40	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-202	2136-99-4	PCB	MOD 1668A	21	%RECOVERY	&		
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-167	52663-72-6	PCB	MOD 1668A	34	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-156	38380-08-4	PCB	MOD 1668A	54	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-157	69782-90-7	PCB	MOD 1668A	54	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-169	32774-16-6	PCB	MOD 1668A	52	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-208	52663-77-1	PCB	MOD 1668A	13	%RECOVERY	&		
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-189	39635-31-9	PCB	MOD 1668A	37	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-205	74472-53-0	PCB	MOD 1668A	20	%RECOVERY	&		
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-206	40186-72-9	PCB	MOD 1668A	14	%RECOVERY	&		
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-209	2051-24-3	PCB	MOD 1668A	11	%RECOVERY	&		
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-28	7012-37-5	PCB	MOD 1668A	58	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-111	39635-32-0	PCB	MOD 1668A	19	%RECOVERY	&		
LPX-LB-4005-0000-01	48401-82-06	BCO	DUPLICATE	06/21/01	8/27/2001	10/24/2001		48985-84	13C-PCB-178	52663-67-9	PCB	MOD 1668A	25	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4005-0000-01	48401-82-06		1.00		Lab Extraction ID = 48985-84-21	5.03	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-1	2051-60-7	PCB	MOD 1668A	5.32	pg/g - Wet Wt	J		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-3	2051-62-9	PCB	MOD 1668A	4.77	pg/g - Wet Wt	J		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-4	13029-08-8	PCB	MOD 1668A	99.33	pg/g - Wet Wt	U		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-5	16605-91-7	PCB	MOD 1668A	9.93	pg/g - Wet Wt	U		9.93
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-6	25569-80-6	PCB	MOD 1668A	7.10	pg/g - Wet Wt	J		9.93
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-7	33284-50-3	PCB	MOD 1668A	9.93	pg/g - Wet Wt	U		9.93
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-8	34883-43-7	PCB	MOD 1668A	20.08	pg/g - Wet Wt	J		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-9	34883-39-1	PCB	MOD 1668A	9.93	pg/g - Wet Wt	U		9.93
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-10	33146-45-1	PCB	MOD 1668A	9.93	pg/g - Wet Wt	U		9.93
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-12	2974-92-7	PCB	MOD 1668A	19.87	pg/g - Wet Wt	UC		19.87
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12		19.87
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-16	38444-78-9	PCB	MOD 1668A	9.39	pg/g - Wet Wt	J		19.87
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-17	37680-66-3	PCB	MOD 1668A	7.39	pg/g - Wet Wt	J		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-18	37680-65-2	PCB	MOD 1668A	18.00	pg/g - Wet Wt	JC		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-19	38444-73-4	PCB	MOD 1668A	2.86	pg/g - Wet Wt	J		19.87
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-20	38444-84-7	PCB	MOD 1668A	73.60	pg/g - Wet Wt	JC		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-22	38444-85-8	PCB	MOD 1668A	17.64	pg/g - Wet Wt	J		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-24	55702-45-9	PCB	MOD 1668A	39.73	pg/g - Wet Wt	UC		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C24		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-25	55712-37-3	PCB	MOD 1668A	3.72	pg/g - Wet Wt	J		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-26	38444-81-4	PCB	MOD 1668A	10.26	pg/g - Wet Wt	JC		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-31	16606-02-3	PCB	MOD 1668A	40.65	pg/g - Wet Wt	J		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-32	38444-77-4	PCB	MOD 1668A	4.52	pg/g - Wet Wt	J		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-40	38444-93-8	PCB	MOD 1668A	34.14	pg/g - Wet Wt	JC		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-42	36559-22-5	PCB	MOD 1668A	23.67	pg/g - Wet Wt	J		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-43	70362-46-8	PCB	MOD 1668A	296.10	pg/g - Wet Wt	C		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-44	41464-39-5	PCB	MOD 1668A	41.25	pg/g - Wet Wt	JC		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-45	70362-45-7	PCB	MOD 1668A	6.44	pg/g - Wet Wt	JC		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-46	41464-47-5	PCB	MOD 1668A	3.26	pg/g - Wet Wt	J		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-48	70362-47-9	PCB	MOD 1668A	13.09	pg/g - Wet Wt	J		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-49	41464-40-8	PCB	MOD 1668A	92.50	pg/g - Wet Wt	JC		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-50	62796-65-0	PCB	MOD 1668A	7.16	pg/g - Wet Wt	JC		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-56	41464-43-1	PCB	MOD 1668A	40.74	pg/g - Wet Wt			39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-59	74472-33-6	PCB	MOD 1668A	89.31	pg/g - Wet Wt	C		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-60	33025-41-1	PCB	MOD 1668A	54.38	pg/g - Wet Wt	J		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-63	74472-34-7	PCB	MOD 1668A	9.93	pg/g - Wet Wt	J		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-64	52663-58-8	PCB	MOD 1668A	61.65	pg/g - Wet Wt			39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-66	32598-10-0	PCB	MOD 1668A	251.52	pg/g - Wet Wt			99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-61	33284-53-6	PCB	MOD 1668A	360.36	pg/g - Wet Wt	C		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.33

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	5.32	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	4.77	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	99.33	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	9.93	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	7.1	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	9.93	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	20.08	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	9.93	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	9.93	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	19.87	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	9.39	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	7.39	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	18	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	2.86	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	73.6	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	17.64	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	39.73	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	3.72	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	10.26	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	40.65	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	4.52	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	34.14	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	23.67	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	296.1	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	41.25	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	6.44	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	3.26	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	13.09	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	92.5	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	7.16	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	40.74	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	89.31	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	54.38	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	9.93	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	61.65	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	251.52	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	360.36	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-77	32598-13-3	PCB	MOD 1668A	5.21	pg/g - Wet Wt	J		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-81	70362-50-4	PCB	MOD 1668A	99.33	pg/g - Wet Wt	U		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-82	52663-62-4	PCB	MOD 1668A	52.09	pg/g - Wet Wt	JC		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-111	39635-32-0	PCB	MOD 1668A		pg/g - Wet Wt	C82		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-83	60145-20-2	PCB	MOD 1668A	402.28	pg/g - Wet Wt	C		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-84	52663-60-2	PCB	MOD 1668A	61.91	pg/g - Wet Wt	J		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-85	65510-45-4	PCB	MOD 1668A	144.48	pg/g - Wet Wt	C		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-86	55312-69-1	PCB	MOD 1668A	378.48	pg/g - Wet Wt	C		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-89	73575-57-2	PCB	MOD 1668A	1.72	pg/g - Wet Wt	JC		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-121	56558-18-0	PCB	MOD 1668A		pg/g - Wet Wt	C89		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-90	68194-07-0	PCB	MOD 1668A	668.82	pg/g - Wet Wt	C		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-88	55215-17-3	PCB	MOD 1668A	55.88	pg/g - Wet Wt	JC		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-92	52663-61-3	PCB	MOD 1668A	124.86	pg/g - Wet Wt			99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-93	73575-56-1	PCB	MOD 1668A	301.65	pg/g - Wet Wt	C		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-95	38379-99-6	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-105	32598-14-4	PCB	MOD 1668A	265.94	pg/g - Wet Wt			39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-108	70362-41-3	PCB	MOD 1668A	26.64	pg/g - Wet Wt	JC		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-110	38380-03-9	PCB	MOD 1668A	567.10	pg/g - Wet Wt	C		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-114	74472-37-0	PCB	MOD 1668A	19.89	pg/g - Wet Wt	JC		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-122	76842-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C114		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-118	31508-00-6	PCB	MOD 1668A	857.91	pg/g - Wet Wt			99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-106	70424-69-0	PCB	MOD 1668A	87.24	pg/g - Wet Wt	JC		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-126	57465-28-8	PCB	MOD 1668A	198.66	pg/g - Wet Wt	U		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-128	38380-07-3	PCB	MOD 1668A	163.72	pg/g - Wet Wt	C		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-129	55215-18-4	PCB	MOD 1668A	950.84	pg/g - Wet Wt	C		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-130	52663-66-8	PCB	MOD 1668A	54.35	pg/g - Wet Wt	J		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-131	61798-70-7	PCB	MOD 1668A	7.19	pg/g - Wet Wt	J		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-132	38380-05-1	PCB	MOD 1668A	122.31	pg/g - Wet Wt			99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-134	52704-70-8	PCB	MOD 1668A	22.70	pg/g - Wet Wt	JC		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-135	52744-13-5	PCB	MOD 1668A	109.53	pg/g - Wet Wt	C		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.33

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	5.21	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	99.33	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	52.09	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	402.28	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	61.91	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	144.48	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	378.48	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	1.72	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	668.82	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	55.88	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	124.86	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	301.65	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	265.94	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	26.64	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	567.1	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	19.89	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	857.91	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	87.24	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	198.66	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	163.72	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	950.84	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	54.35	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	7.19	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	122.31	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	22.7	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	109.53	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-136	38411-22-2	PCB	MOD 1668A	18.39	pg/g - Wet Wt	J		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-137	35694-06-5	PCB	MOD 1668A	87.26	pg/g - Wet Wt	JC		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-141	52712-04-6	PCB	MOD 1668A	110.25	pg/g - Wet Wt			39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-144	68194-14-9	PCB	MOD 1668A	18.09	pg/g - Wet Wt	J		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-146	51908-16-8	PCB	MOD 1668A	102.78	pg/g - Wet Wt	JC		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-147	68194-13-8	PCB	MOD 1668A	423.24	pg/g - Wet Wt	C		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-153	35065-27-1	PCB	MOD 1668A	619.56	pg/g - Wet Wt	C		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-156	38380-08-4	PCB	MOD 1668A	76.26	pg/g - Wet Wt	JC		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-158	74472-42-7	PCB	MOD 1668A	79.94	pg/g - Wet Wt			39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-167	52663-72-6	PCB	MOD 1668A	32.42	pg/g - Wet Wt	J		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-169	32774-16-6	PCB	MOD 1668A	99.33	pg/g - Wet Wt	U		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-170	35065-30-6	PCB	MOD 1668A	149.70	pg/g - Wet Wt			99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-171	52663-71-5	PCB	MOD 1668A	53.26	pg/g - Wet Wt	JC		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-172	52663-74-8	PCB	MOD 1668A	67.87	pg/g - Wet Wt	J		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-174	38411-25-5	PCB	MOD 1668A	134.25	pg/g - Wet Wt			99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-175	40186-70-7	PCB	MOD 1668A	14.02	pg/g - Wet Wt	J		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-176	52663-65-7	PCB	MOD 1668A	7.52	pg/g - Wet Wt	J		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-177	52663-70-4	PCB	MOD 1668A	88.80	pg/g - Wet Wt	J		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-178	52663-67-9	PCB	MOD 1668A	90.87	pg/g - Wet Wt	J		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-180	35065-29-3	PCB	MOD 1668A	319.72	pg/g - Wet Wt	C		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-182	60145-23-5	PCB	MOD 1668A	198.66	pg/g - Wet Wt	U		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-183	52663-69-1	PCB	MOD 1668A	112.43	pg/g - Wet Wt	J		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-184	74472-48-3	PCB	MOD 1668A	198.66	pg/g - Wet Wt	U		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-185	52712-05-7	PCB	MOD 1668A	10.20	pg/g - Wet Wt	J		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-187	52663-68-0	PCB	MOD 1668A	407.39	pg/g - Wet Wt			99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-189	39635-31-9	PCB	MOD 1668A	99.33	pg/g - Wet Wt	U		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-190	41411-64-7	PCB	MOD 1668A	73.26	pg/g - Wet Wt	J		99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-191	74472-50-7	PCB	MOD 1668A	6.52	pg/g - Wet Wt	J		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-194	35694-08-7	PCB	MOD 1668A	172.18	pg/g - Wet Wt			99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-195	52663-78-2	PCB	MOD 1668A	31.05	pg/g - Wet Wt	J		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-196	42740-50-1	PCB	MOD 1668A	174.90	pg/g - Wet Wt	J		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-197	33091-17-7	PCB	MOD 1668A	14.98	pg/g - Wet Wt	J		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-198	68194-17-2	PCB	MOD 1668A	1230.32	pg/g - Wet Wt	C		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198		39.73
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-200	52663-73-7	PCB	MOD 1668A	8.38	pg/g - Wet Wt	J		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-201	40186-71-8	PCB	MOD 1668A	88.70	pg/g - Wet Wt	J		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-203	52663-76-0	PCB	MOD 1668A	453.92	pg/g - Wet Wt			198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-205	74472-53-0	PCB	MOD 1668A	13.36	pg/g - Wet Wt	J		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-206	40186-72-9	PCB	MOD 1668A	1643.26	pg/g - Wet Wt			198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-207	52663-79-3	PCB	MOD 1668A	177.54	pg/g - Wet Wt	J		198.66
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-209	2051-24-3	PCB	MOD 1668A	1007.45	pg/g - Wet Wt			99.33
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	Total PCB		PCB	MOD 1668A	15183.58	pg/g - Wet Wt			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-1	2051-60-7	PCB	MOD 1668A	52	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-3	2051-62-9	PCB	MOD 1668A	45	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-4	13029-08-8	PCB	MOD 1668A	43	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-19	38444-73-4	PCB	MOD 1668A	53	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-15	2050-68-2	PCB	MOD 1668A	58	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-54	15968-05-5	PCB	MOD 1668A	47	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	18.39	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	87.26	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	110.25	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	18.09	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	102.78	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	423.24	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	619.56	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	76.26	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	79.94	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	32.42	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	99.33	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	149.7	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	53.26	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	67.87	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	134.25	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	14.02	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	7.52	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	88.8	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	90.87	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	319.72	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	198.66	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	112.43	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	198.66	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	10.2	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	407.39	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	99.33	UJ		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	73.26	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	6.52	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	172.18	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	31.05	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	174.9	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	14.98	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	1230.32	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	8.38	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	88.7	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	453.92	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	13.36	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	1643.26	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	177.54	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	1007.45	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET	14596.17	J		F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-104	56558-16-8	PCB	MOD 1668A	45	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-37	38444-90-5	PCB	MOD 1668A	76	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-155	33979-03-02	PCB	MOD 1668A	25	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-81	70362-50-4	PCB	MOD 1668A	60	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-77	32598-13-3	PCB	MOD 1668A	59	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-123	65510-44-3	PCB	MOD 1668A	63	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-118	31508-00-6	PCB	MOD 1668A	63	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-188	74487-85-7	PCB	MOD 1668A	33	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-114	74472-37-0	PCB	MOD 1668A	64	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-105	32598-14-4	PCB	MOD 1668A	67	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-126	57465-28-8	PCB	MOD 1668A	63	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-202	2136-99-4	PCB	MOD 1668A	41	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-167	52663-72-6	PCB	MOD 1668A	77	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-156	38380-08-4	PCB	MOD 1668A	91	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-157	69782-90-7	PCB	MOD 1668A	91	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-169	32774-16-6	PCB	MOD 1668A	85	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-208	52663-77-1	PCB	MOD 1668A	32	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-189	39635-31-9	PCB	MOD 1668A	68	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-205	74472-53-0	PCB	MOD 1668A	47	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-206	40186-72-9	PCB	MOD 1668A	30	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-209	2051-24-3	PCB	MOD 1668A	25	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-28	7012-37-5	PCB	MOD 1668A	87	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-111	39635-32-0	PCB	MOD 1668A	52	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	NORMAL	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-178	52663-67-9	PCB	MOD 1668A	55	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-1	2051-60-7	PCB	MOD 1668A	116	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-3	2051-62-9	PCB	MOD 1668A	120	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-4	13029-08-8	PCB	MOD 1668A	116	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-5	16605-91-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-6	25569-80-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-7	33284-50-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-8	34883-43-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-9	34883-39-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-10	33146-45-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-12	2974-92-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-13	2974-90-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-16	38444-78-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-17	37680-66-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-18	37680-65-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-30	35693-92-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-19	38444-73-4	PCB	MOD 1668A	99	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-20	38444-84-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-21	55702-46-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-28	7012-37-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-33	38444-86-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-22	38444-85-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-24	55702-45-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-27	38444-76-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-25	55712-37-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-26	38444-81-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-29	15862-07-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-31	16606-02-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-32	38444-77-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-40	38444-93-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-41	52663-59-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-71	41464-46-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-42	36559-22-5	PCB	MOD 1668A	NA	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-22	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-43	70362-46-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-52	35693-99-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-73	74338-23-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-44	41464-39-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-47	2437-79-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-65	33284-54-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-45	70362-45-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-51	68194-04-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-46	41464-47-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-48	70362-47-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-49	41464-40-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-69	60233-24-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-50	62796-65-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-53	41464-41-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-56	41464-43-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-59	74472-33-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-62	54230-22-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-75	32598-12-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-60	33025-41-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-63	74472-34-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-64	52663-58-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-66	32598-10-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-61	33284-53-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-70	32598-11-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-74	32690-93-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-76	70362-48-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-77	32598-13-3	PCB	MOD 1668A	100	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-81	70362-50-4	PCB	MOD 1668A	114	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-82	52663-62-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-111	39635-32-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-83	60145-20-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-99	38380-01-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-84	52663-60-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-85	65510-45-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-116	18259-05-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-117	68194-11-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-86	55312-69-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-87	38380-02-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-97	41464-51-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-109	74472-35-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-119	56558-17-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-125	74472-39-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-89	73575-57-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-121	56558-18-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-90	68194-07-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-101	37680-73-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-113	68194-10-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-88	55215-17-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-91	68194-05-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-92	52663-61-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-93	73575-56-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-95	38379-99-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-98	60233-25-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-100	39485-83-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-102	68194-06-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-105	32598-14-4	PCB	MOD 1668A	156	%RECOVERY	-		

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-108	70362-41-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-124	70424-70-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-110	38380-03-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-115	74472-38-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-114	74472-37-0	PCB	MOD 1668A	104	%RECOVERY	C		
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-122	76842-07-4	PCB	MOD 1668A		%RECOVERY	C114		
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-118	31508-00-6	PCB	MOD 1668A	311	%RECOVERY	~		
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-106	70424-69-0	PCB	MOD 1668A	118	%RECOVERY	C		
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-107	70424-68-9	PCB	MOD 1668A		%RECOVERY	C106		
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-123	65510-44-3	PCB	MOD 1668A		%RECOVERY	C106		
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-126	57465-28-8	PCB	MOD 1668A	87	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-128	38380-07-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-166	41411-63-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-129	55215-18-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-138	35065-28-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-160	41411-62-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-163	74472-44-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-130	52663-66-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-131	61798-70-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-132	38380-05-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-134	52704-70-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-143	68194-15-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-135	52744-13-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-151	52663-63-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-154	60145-22-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-136	38411-22-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-137	35694-06-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-164	74472-45-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-141	52712-04-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-144	68194-14-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-146	51908-16-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-161	74474-43-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-147	68194-13-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-149	38380-04-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-153	35065-27-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-168	59291-65-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-156	38380-08-4	PCB	MOD 1668A	107	%RECOVERY	C		
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-157	69782-90-7	PCB	MOD 1668A		%RECOVERY	C156		
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-158	74472-42-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-167	52663-72-6	PCB	MOD 1668A	107	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-169	32774-16-6	PCB	MOD 1668A	95	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-170	35065-30-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-171	52663-71-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-173	68194-16-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-172	52663-74-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-174	38411-25-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-175	40186-70-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-176	52663-65-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-177	52663-70-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-178	52663-67-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-180	35065-29-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-193	69782-91-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-182	60145-23-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-183	52663-69-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-184	74472-48-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-185	52712-05-7	PCB	MOD 1668A	NA	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-187	52663-68-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-189	39635-31-9	PCB	MOD 1668A	90	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-190	41411-64-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-191	74472-50-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-194	35694-08-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-195	52663-78-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-196	42740-50-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-197	33091-17-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-198	68194-17-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-199	52663-75-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-200	52663-73-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-201	40186-71-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-203	52663-76-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-205	74472-53-0	PCB	MOD 1668A	91	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-206	40186-72-9	PCB	MOD 1668A	466	%RECOVERY	~		
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-207	52663-79-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-209	2051-24-3	PCB	MOD 1668A	265	%RECOVERY	~		
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	Total PCB		PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-1	2051-60-7	PCB	MOD 1668A	62	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-3	2051-62-9	PCB	MOD 1668A	52	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-4	13029-08-8	PCB	MOD 1668A	44	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-19	38444-73-4	PCB	MOD 1668A	52	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-15	2050-68-2	PCB	MOD 1668A	55	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-54	15968-05-5	PCB	MOD 1668A	56	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-104	56558-16-8	PCB	MOD 1668A	50	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-37	38444-90-5	PCB	MOD 1668A	79	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-155	33979-03-02	PCB	MOD 1668A	51	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-81	70362-50-4	PCB	MOD 1668A	55	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-77	32598-13-3	PCB	MOD 1668A	57	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-123	65510-44-3	PCB	MOD 1668A	64	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-118	31508-00-6	PCB	MOD 1668A	66	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-188	74487-85-7	PCB	MOD 1668A	80	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-114	74472-37-0	PCB	MOD 1668A	66	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-105	32598-14-4	PCB	MOD 1668A	62	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-126	57465-28-8	PCB	MOD 1668A	56	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-202	2136-99-4	PCB	MOD 1668A	78	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-167	52663-72-6	PCB	MOD 1668A	95	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-156	38380-08-4	PCB	MOD 1668A	89	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-157	69782-90-7	PCB	MOD 1668A	89	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-169	32774-16-6	PCB	MOD 1668A	81	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-208	52663-77-1	PCB	MOD 1668A	58	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-189	39635-31-9	PCB	MOD 1668A	97	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-205	74472-53-0	PCB	MOD 1668A	71	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-206	40186-72-9	PCB	MOD 1668A	50	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-209	2051-24-3	PCB	MOD 1668A	51	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-28	7012-37-5	PCB	MOD 1668A	92	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-111	39635-32-0	PCB	MOD 1668A	66	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MS	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-178	52663-67-9	PCB	MOD 1668A	65	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-1	2051-60-7	PCB	MOD 1668A	117	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-3	2051-62-9	PCB	MOD 1668A	114	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-4	13029-08-8	PCB	MOD 1668A	120	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-5	16605-91-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-6	25569-80-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-7	33284-50-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-8	34883-43-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-9	34883-39-1	PCB	MOD 1668A	NA	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-23	5.02	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-10	33146-45-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-12	2974-92-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-13	2974-90-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-16	38444-78-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-17	37680-66-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-18	37680-65-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-30	35693-92-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-19	38444-73-4	PCB	MOD 1668A	97	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-20	38444-84-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-21	55702-46-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-28	7012-37-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-33	38444-86-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-22	38444-85-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-24	55702-45-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-27	38444-76-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-25	55712-37-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-26	38444-81-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-29	15862-07-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-31	16606-02-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-32	38444-77-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-40	38444-93-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-41	52663-59-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-71	41464-46-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-42	36559-22-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-43	70362-46-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-52	35693-99-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-73	74338-23-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-44	41464-39-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-47	2437-79-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-65	33284-54-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-45	70362-45-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-51	68194-04-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-46	41464-47-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-48	70362-47-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-49	41464-40-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-69	60233-24-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-50	62796-65-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-53	41464-41-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-56	41464-43-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-59	74472-33-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-62	54230-22-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-75	32598-12-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-60	33025-41-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-63	74472-34-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-64	52663-58-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-66	32598-10-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-61	33284-53-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-70	32598-11-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-74	32690-93-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-76	70362-48-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-77	32598-13-3	PCB	MOD 1668A	104	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-81	70362-50-4	PCB	MOD 1668A	104	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-82	52663-62-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-111	39635-32-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-83	60145-20-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-99	38380-01-7	PCB	MOD 1668A	NA	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-84	52663-60-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-85	65510-45-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-116	18259-05-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-117	68194-11-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-86	55312-69-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-87	38380-02-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-97	41464-51-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-109	74472-35-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-119	56558-17-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-125	74472-39-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-89	73575-57-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-121	56558-18-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-90	68194-07-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-101	37680-73-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-113	68194-10-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-88	55215-17-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-91	68194-05-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-92	52663-61-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-93	73575-56-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-95	38379-99-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-98	60233-25-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-100	39485-83-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-102	68194-06-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-105	32598-14-4	PCB	MOD 1668A	90	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-108	70362-41-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-124	70424-70-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-110	38380-03-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-115	74472-38-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-114	74472-37-0	PCB	MOD 1668A	98	%RECOVERY	C		
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-122	76842-07-4	PCB	MOD 1668A		%RECOVERY	C114		
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-118	31508-00-6	PCB	MOD 1668A	74	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-106	70424-69-0	PCB	MOD 1668A	98	%RECOVERY	C		
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-107	70424-68-9	PCB	MOD 1668A		%RECOVERY	C106		
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-123	65510-44-3	PCB	MOD 1668A		%RECOVERY	C106		
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-126	57465-28-8	PCB	MOD 1668A	91	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-128	38380-07-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-166	41411-63-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-129	55215-18-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-138	35065-28-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-160	41411-62-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-163	74472-44-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-130	52663-66-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-131	61798-70-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-132	38380-05-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-134	52704-70-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-143	68194-15-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-135	52744-13-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-151	52663-63-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-154	60145-22-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-136	38411-22-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-137	35694-06-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-164	74472-45-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-141	52712-04-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-144	68194-14-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-146	51908-16-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-161	74474-43-8	PCB	MOD 1668A	NA	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-147	68194-13-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-149	38380-04-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-153	35065-27-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-168	59291-65-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-156	38380-08-4	PCB	MOD 1668A	97	%RECOVERY	C		
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-157	69782-90-7	PCB	MOD 1668A		%RECOVERY	C156		
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-158	74472-42-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-167	52663-72-6	PCB	MOD 1668A	92	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-169	32774-16-6	PCB	MOD 1668A	90	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-170	35065-30-6	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-171	52663-71-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-173	68194-16-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-172	52663-74-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-174	38411-25-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-175	40186-70-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-176	52663-65-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-177	52663-70-4	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-178	52663-67-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-180	35065-29-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-193	69782-91-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-182	60145-23-5	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-183	52663-69-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-184	74472-48-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-185	52712-05-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-187	52663-68-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-189	39635-31-9	PCB	MOD 1668A	95	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-190	41411-64-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-191	74472-50-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-194	35694-08-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-195	52663-78-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-196	42740-50-1	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-197	33091-17-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-198	68194-17-2	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-199	52663-75-9	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-200	52663-73-7	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-201	40186-71-8	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-203	52663-76-0	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-205	74472-53-0	PCB	MOD 1668A	93	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-206	40186-72-9	PCB	MOD 1668A	0	%RECOVERY	~		
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-207	52663-79-3	PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	PCB-209	2051-24-3	PCB	MOD 1668A	19	%RECOVERY	~		
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	Total PCB		PCB	MOD 1668A	NA	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-1	2051-60-7	PCB	MOD 1668A	50	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-3	2051-62-9	PCB	MOD 1668A	44	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-4	13029-08-8	PCB	MOD 1668A	35	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-19	38444-73-4	PCB	MOD 1668A	47	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-15	2050-68-2	PCB	MOD 1668A	52	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-54	15968-05-5	PCB	MOD 1668A	44	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-104	56558-16-8	PCB	MOD 1668A	47	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-37	38444-90-5	PCB	MOD 1668A	83	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-155	33979-03-02	PCB	MOD 1668A	37	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-81	70362-50-4	PCB	MOD 1668A	61	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-77	32598-13-3	PCB	MOD 1668A	60	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-123	65510-44-3	PCB	MOD 1668A	64	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-118	31508-00-6	PCB	MOD 1668A	63	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-188	74487-85-7	PCB	MOD 1668A	53	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-114	74472-37-0	PCB	MOD 1668A	66	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-105	32598-14-4	PCB	MOD 1668A	63	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-126	57465-28-8	PCB	MOD 1668A	63	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-202	2136-99-4	PCB	MOD 1668A	63	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-167	52663-72-6	PCB	MOD 1668A	92	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-156	38380-08-4	PCB	MOD 1668A	95	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-157	69782-90-7	PCB	MOD 1668A	95	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-169	32774-16-6	PCB	MOD 1668A	99	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-208	52663-77-1	PCB	MOD 1668A	49	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-189	39635-31-9	PCB	MOD 1668A	92	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-205	74472-53-0	PCB	MOD 1668A	69	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-206	40186-72-9	PCB	MOD 1668A	45	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-209	2051-24-3	PCB	MOD 1668A	48	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-28	7012-37-5	PCB	MOD 1668A	82	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-111	39635-32-0	PCB	MOD 1668A	63	%RECOVERY			
GMP-LB-5001-0000-01	48401-85-21	BCO	MSD	06/22/01	8/27/2001	10/24/2001		48985-84	13C-PCB-178	52663-67-9	PCB	MOD 1668A	66	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-1	2051-60-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-3	2051-62-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-4	13029-08-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-5	16605-91-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-6	25569-80-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-7	33284-50-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-8	34883-43-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-9	34883-39-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-10	33146-45-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-12	2974-92-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-13	2974-90-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-16	38444-78-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-17	37680-66-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-18	37680-65-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-30	35693-92-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-19	38444-73-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-20	38444-84-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-21	55702-46-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-28	7012-37-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-33	38444-86-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-22	38444-85-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-24	55702-45-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-27	38444-76-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-25	55712-37-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-26	38444-81-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-29	15862-07-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-31	16606-02-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-32	38444-77-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-40	38444-93-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-41	52663-59-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-71	41464-46-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-42	36559-22-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-43	70362-46-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-52	35693-99-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-73	74338-23-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-44	41464-39-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-47	2437-79-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-65	33284-54-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-45	70362-45-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-51	68194-04-7	PCB	MOD 1668A	NA	%DIFFERENCE			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
GMP-LB-5001-0000-01	48401-85-21		1.00		Lab Extraction ID = 48985-84-24	5.03	G_WET				F
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-46	41464-47-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-48	70362-47-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-49	41464-40-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-69	60233-24-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-50	62796-65-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-53	41464-41-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-56	41464-43-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-59	74472-33-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-62	54230-22-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-75	32598-12-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-60	33025-41-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-63	74472-34-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-64	52663-58-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-66	32598-10-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-61	33284-53-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-70	32598-11-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-74	32690-93-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-76	70362-48-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-77	32598-13-3	PCB	MOD 1668A	31.9	%DIFFERENCE	&		
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-81	70362-50-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-82	52663-62-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-111	39635-32-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-83	60145-20-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-99	38380-01-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-84	52663-60-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-85	65510-45-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-116	18259-05-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-117	68194-11-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-86	55312-69-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-87	38380-02-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-97	41464-51-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-109	74472-35-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-119	56558-17-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-125	74472-39-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-89	73575-57-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-121	56558-18-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-90	68194-07-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-101	37680-73-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-113	68194-10-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-88	55215-17-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-91	68194-05-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-92	52663-61-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-93	73575-56-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-95	38379-99-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-98	60233-25-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-100	39485-83-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-102	68194-06-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-105	32598-14-4	PCB	MOD 1668A	48.2	%DIFFERENCE	&		
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-108	70362-41-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-124	70424-70-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-110	38380-03-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-115	74472-38-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-114	74472-37-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-122	76842-07-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-118	31508-00-6	PCB	MOD 1668A	23.9	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-106	70424-69-0	PCB	MOD 1668A	NA	%DIFFERENCE			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-107	70424-68-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-123	65510-44-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-126	57465-28-8	PCB	MOD 1668A	38.8	%DIFFERENCE	&		
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-128	38380-07-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-166	41411-63-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-129	55215-18-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-138	35065-28-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-160	41411-62-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-163	74472-44-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-130	52663-66-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-131	61798-70-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-132	38380-05-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-134	52704-70-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-143	68194-15-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-135	52744-13-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-151	52663-63-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-154	60145-22-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-136	38411-22-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-137	35694-06-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-164	74472-45-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-141	52712-04-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-144	68194-14-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-146	51908-16-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-161	74474-43-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-147	68194-13-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-149	38380-04-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-153	35065-27-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-168	59291-65-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-156	38380-08-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-157	69782-90-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-158	74472-42-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-167	52663-72-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-169	32774-16-6	PCB	MOD 1668A	35.1	%DIFFERENCE	&		
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-170	35065-30-6	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-171	52663-71-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-173	68194-16-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-172	52663-74-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-174	38411-25-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-175	40186-70-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-176	52663-65-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-177	52663-70-4	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-178	52663-67-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-180	35065-29-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-193	69782-91-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-182	60145-23-5	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-183	52663-69-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-184	74472-48-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-185	52712-05-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-187	52663-68-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-189	39635-31-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-190	41411-64-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-191	74472-50-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-194	35694-08-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-195	52663-78-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-196	42740-50-1	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-197	33091-17-7	PCB	MOD 1668A	NA	%DIFFERENCE			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-198	68194-17-2	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-199	52663-75-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-200	52663-73-7	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-201	40186-71-8	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-203	52663-76-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-205	74472-53-0	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-206	40186-72-9	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-207	52663-79-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	PCB-209	2051-24-3	PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	Total PCB		PCB	MOD 1668A	NA	%DIFFERENCE			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-1	2051-60-7	PCB	MOD 1668A	52	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-3	2051-62-9	PCB	MOD 1668A	52	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-4	13029-08-8	PCB	MOD 1668A	39	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-19	38444-73-4	PCB	MOD 1668A	58	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-15	2050-68-2	PCB	MOD 1668A	82	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-54	15968-05-5	PCB	MOD 1668A	58	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-104	56558-16-8	PCB	MOD 1668A	54	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-37	38444-90-5	PCB	MOD 1668A	98	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-155	33979-03-02	PCB	MOD 1668A	39	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-81	70362-50-4	PCB	MOD 1668A	77	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-77	32598-13-3	PCB	MOD 1668A	79	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-123	65510-44-3	PCB	MOD 1668A	82	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-118	31508-00-6	PCB	MOD 1668A	84	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-188	74487-85-7	PCB	MOD 1668A	45	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-114	74472-37-0	PCB	MOD 1668A	85	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-105	32598-14-4	PCB	MOD 1668A	84	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-126	57465-28-8	PCB	MOD 1668A	84	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-202	2136-99-4	PCB	MOD 1668A	55	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-167	52663-72-6	PCB	MOD 1668A	109	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-156	38380-08-4	PCB	MOD 1668A	111	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-157	69782-90-7	PCB	MOD 1668A	111	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-169	32774-16-6	PCB	MOD 1668A	125	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-208	52663-77-1	PCB	MOD 1668A	55	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-189	39635-31-9	PCB	MOD 1668A	90	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-205	74472-53-0	PCB	MOD 1668A	74	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-206	40186-72-9	PCB	MOD 1668A	50	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-209	2051-24-3	PCB	MOD 1668A	53	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-28	7012-37-5	PCB	MOD 1668A	105	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-111	39635-32-0	PCB	MOD 1668A	82	%RECOVERY			
	48514-85-03	BCO	SRM		8/27/2001	10/24/2001		48985-84	13C-PCB-178	52663-67-9	PCB	MOD 1668A	76	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-1	2051-60-7	PCB	MOD 1668A	114	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-3	2051-62-9	PCB	MOD 1668A	114	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-4	13029-08-8	PCB	MOD 1668A	110	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-5	16605-91-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-6	25569-80-6	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-7	33284-50-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-8	34883-43-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-9	34883-39-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-10	33146-45-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-12	2974-92-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-13	2974-90-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-16	38444-78-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-17	37680-66-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-18	37680-65-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-30	35693-92-6	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-19	38444-73-4	PCB	MOD 1668A	107	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48514-85-03		1.00		Lab Extraction ID = 48985-84-25	3.89	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-20	38444-84-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-21	55702-46-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-28	7012-37-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-33	38444-86-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-22	38444-85-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-24	55702-45-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-27	38444-76-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-25	55712-37-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-26	38444-81-4	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-29	15862-07-4	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-31	16606-02-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-32	38444-77-4	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-40	38444-93-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-41	52663-59-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-71	41464-46-4	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-42	36559-22-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-43	70362-46-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-52	35693-99-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-73	74338-23-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-44	41464-39-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-47	2437-79-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-65	33284-54-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-45	70362-45-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-51	68194-04-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-46	41464-47-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-48	70362-47-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-49	41464-40-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-69	60233-24-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-50	62796-65-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-53	41464-41-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-56	41464-43-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-59	74472-33-6	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-62	54230-22-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-75	32598-12-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-60	33025-41-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-63	74472-34-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-64	52663-58-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-66	32598-10-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-61	33284-53-6	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-70	32598-11-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-74	32690-93-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-76	70362-48-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-77	32598-13-3	PCB	MOD 1668A	108	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-81	70362-50-4	PCB	MOD 1668A	105	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-82	52663-62-4	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-111	39635-32-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-83	60145-20-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-99	38380-01-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-84	52663-60-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-85	65510-45-4	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-116	18259-05-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-117	68194-11-6	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-86	55312-69-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-87	38380-02-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-97	41464-51-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-109	74472-35-8	PCB	MOD 1668A	NA	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		1.00		Lab Extraction ID = 48985-84-26	0.51	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-119	56558-17-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-125	74472-39-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-89	73575-57-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-121	56558-18-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-90	68194-07-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-101	37680-73-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-113	68194-10-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-88	55215-17-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-91	68194-05-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-92	52663-61-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-93	73575-56-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-95	38379-99-6	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-98	60233-25-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-100	39485-83-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-102	68194-06-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-105	32598-14-4	PCB	MOD 1668A	110	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-108	70362-41-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-124	70424-70-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-110	38380-03-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-115	74472-38-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-114	74472-37-0	PCB	MOD 1668A	106	%RECOVERY	C		
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-122	76842-07-4	PCB	MOD 1668A		%RECOVERY	C114		
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-118	31508-00-6	PCB	MOD 1668A	153	%RECOVERY	&		
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-106	70424-69-0	PCB	MOD 1668A	117	%RECOVERY	C		
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-107	70424-68-9	PCB	MOD 1668A		%RECOVERY	C106		
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-123	65510-44-3	PCB	MOD 1668A		%RECOVERY	C106		
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-126	57465-28-8	PCB	MOD 1668A	97	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-128	38380-07-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-166	41411-63-6	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-129	55215-18-4	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-138	35065-28-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-160	41411-62-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-163	74472-44-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-130	52663-66-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-131	61798-70-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-132	38380-05-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-134	52704-70-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-143	68194-15-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-135	52744-13-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-151	52663-63-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-154	60145-22-4	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-136	38411-22-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-137	35694-06-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-164	74472-45-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-141	52712-04-6	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-144	68194-14-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-146	51908-16-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-161	74474-43-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-147	68194-13-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-149	38380-04-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-153	35065-27-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-168	59291-65-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-156	38380-08-4	PCB	MOD 1668A	101	%RECOVERY	C		
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-157	69782-90-7	PCB	MOD 1668A		%RECOVERY	C156		
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-158	74472-42-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-167	52663-72-6	PCB	MOD 1668A	104	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		1.00		Lab Extraction ID = 48985-84-26	0.51	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-169	32774-16-6	PCB	MOD 1668A	95	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-170	35065-30-6	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-171	52663-71-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-173	68194-16-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-172	52663-74-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-174	38411-25-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-175	40186-70-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-176	52663-65-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-177	52663-70-4	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-178	52663-67-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-180	35065-29-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-193	69782-91-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-182	60145-23-5	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-183	52663-69-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-184	74472-48-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-185	52712-05-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-187	52663-68-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-189	39635-31-9	PCB	MOD 1668A	103	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-190	41411-64-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-191	74472-50-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-194	35694-08-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-195	52663-78-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-196	42740-50-1	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-197	33091-17-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-198	68194-17-2	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-199	52663-75-9	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-200	52663-73-7	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-201	40186-71-8	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-203	52663-76-0	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-205	74472-53-0	PCB	MOD 1668A	99	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-206	40186-72-9	PCB	MOD 1668A	116	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-207	52663-79-3	PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	PCB-209	2051-24-3	PCB	MOD 1668A	102	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	Total PCB		PCB	MOD 1668A	NA	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-1	2051-60-7	PCB	MOD 1668A	49	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-3	2051-62-9	PCB	MOD 1668A	48	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-4	13029-08-8	PCB	MOD 1668A	41	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-19	38444-73-4	PCB	MOD 1668A	49	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-15	2050-68-2	PCB	MOD 1668A	75	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-54	15968-05-5	PCB	MOD 1668A	54	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-104	56558-16-8	PCB	MOD 1668A	47	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-37	38444-90-5	PCB	MOD 1668A	103	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-155	33979-03-02	PCB	MOD 1668A	44	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-81	70362-50-4	PCB	MOD 1668A	76	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-77	32598-13-3	PCB	MOD 1668A	76	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-123	65510-44-3	PCB	MOD 1668A	77	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-118	31508-00-6	PCB	MOD 1668A	76	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-188	74487-85-7	PCB	MOD 1668A	43	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-114	74472-37-0	PCB	MOD 1668A	77	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-105	32598-14-4	PCB	MOD 1668A	76	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-126	57465-28-8	PCB	MOD 1668A	77	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-202	2136-99-4	PCB	MOD 1668A	53	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-167	52663-72-6	PCB	MOD 1668A	108	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-156	38380-08-4	PCB	MOD 1668A	114	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-157	69782-90-7	PCB	MOD 1668A	114	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-169	32774-16-6	PCB	MOD 1668A	117	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		1.00		Lab Extraction ID = 48985-84-26	0.51	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-208	52663-77-1	PCB	MOD 1668A	45	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-189	39635-31-9	PCB	MOD 1668A	85	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-205	74472-53-0	PCB	MOD 1668A	71	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-206	40186-72-9	PCB	MOD 1668A	52	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-209	2051-24-3	PCB	MOD 1668A	60	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-28	7012-37-5	PCB	MOD 1668A	83	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-111	39635-32-0	PCB	MOD 1668A	80	%RECOVERY			
	48401-44-03	BCO	LCS		8/27/2001	10/23/2001		48985-84	13C-PCB-178	52663-67-9	PCB	MOD 1668A	73	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		1.00		Lab Extraction ID = 48985-84-26	0.51	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-26	0.51	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-26	0.51	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-26	0.51	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-26	0.51	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-26	0.51	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-26	0.51	G_WET				W
	48401-44-03		1.00		Lab Extraction ID = 48985-84-26	0.51	G_WET				W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-1	2051-60-7	PCB	MOD 1668A	28.85	pg/g - Wet Wt	J		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-3	2051-62-9	PCB	MOD 1668A	12.38	pg/g - Wet Wt	J		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-4	13029-08-8	PCB	MOD 1668A	202.25	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-5	16605-91-7	PCB	MOD 1668A	10.87	pg/g - Wet Wt			9.97
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-6	25569-80-6	PCB	MOD 1668A	113.28	pg/g - Wet Wt			9.97
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-7	33284-50-3	PCB	MOD 1668A	23.92	pg/g - Wet Wt			9.97
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-8	34883-43-7	PCB	MOD 1668A	439.84	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-9	34883-39-1	PCB	MOD 1668A	44.08	pg/g - Wet Wt			9.97
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-10	33146-45-1	PCB	MOD 1668A	10.92	pg/g - Wet Wt			9.97
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-12	2974-92-7	PCB	MOD 1668A	8.88	pg/g - Wet Wt	JC		19.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-13	2974-90-5	PCB	MOD 1668A	19.94	pg/g - Wet Wt	UC12		19.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-16	38444-78-9	PCB	MOD 1668A	788.57	pg/g - Wet Wt			19.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-17	37680-66-3	PCB	MOD 1668A	984.49	pg/g - Wet Wt			39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-18	37680-65-2	PCB	MOD 1668A	2039.09	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-30	35693-92-6	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC18		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-19	38444-73-4	PCB	MOD 1668A	199.89	pg/g - Wet Wt			19.94
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-20	38444-84-7	PCB	MOD 1668A	10657.56	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-21	55702-46-0	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC20		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-28	7012-37-5	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC20		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-33	38444-86-9	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC20		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-22	38444-85-8	PCB	MOD 1668A	1573.26	pg/g - Wet Wt			39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-24	55702-45-9	PCB	MOD 1668A	209.46	pg/g - Wet Wt	C		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-27	38444-76-7	PCB	MOD 1668A	39.88	pg/g - Wet Wt	UC24		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-25	55712-37-3	PCB	MOD 1668A	410.17	pg/g - Wet Wt			39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-26	38444-81-4	PCB	MOD 1668A	1205.21	pg/g - Wet Wt	C		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-29	15862-07-4	PCB	MOD 1668A	39.88	pg/g - Wet Wt	UC26		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-31	16606-02-3	PCB	MOD 1668A	4453.81	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-32	38444-77-4	PCB	MOD 1668A	783.49	pg/g - Wet Wt			39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-40	38444-93-8	PCB	MOD 1668A	3463.67	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-41	52663-59-9	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC40		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-71	41464-46-4	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC40		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-42	36559-22-5	PCB	MOD 1668A	2468.96	pg/g - Wet Wt			39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-43	70362-46-8	PCB	MOD 1668A	22941.13	pg/g - Wet Wt	C		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-52	35693-99-3	PCB	MOD 1668A	39.88	pg/g - Wet Wt	UC43		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-73	74338-23-1	PCB	MOD 1668A	39.88	pg/g - Wet Wt	UC43		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-44	41464-39-5	PCB	MOD 1668A	4052.93	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-47	2437-79-8	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC44		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-65	33284-54-7	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC44		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-45	70362-45-7	PCB	MOD 1668A	1018.26	pg/g - Wet Wt	C		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-51	68194-04-7	PCB	MOD 1668A	39.88	pg/g - Wet Wt	UC45		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-46	41464-47-5	PCB	MOD 1668A	204.86	pg/g - Wet Wt			39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-48	70362-47-9	PCB	MOD 1668A	1321.30	pg/g - Wet Wt			39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-49	41464-40-8	PCB	MOD 1668A	8954.70	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-69	60233-24-1	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC49		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-50	62796-65-0	PCB	MOD 1668A	935.69	pg/g - Wet Wt	C		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-53	41464-41-9	PCB	MOD 1668A	39.88	pg/g - Wet Wt	UC50		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-56	41464-43-1	PCB	MOD 1668A	2686.02	pg/g - Wet Wt			39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-59	74472-33-6	PCB	MOD 1668A	6660.62	pg/g - Wet Wt	C		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-62	54230-22-7	PCB	MOD 1668A	39.88	pg/g - Wet Wt	UC59		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-75	32598-12-2	PCB	MOD 1668A	39.88	pg/g - Wet Wt	UC59		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-60	33025-41-1	PCB	MOD 1668A	1793.83	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-63	74472-34-7	PCB	MOD 1668A	686.61	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-64	52663-58-8	PCB	MOD 1668A	4503.34	pg/g - Wet Wt			39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-66	32598-10-0	PCB	MOD 1668A	20395.62	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-61	33284-53-6	PCB	MOD 1668A	19686.05	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-70	32598-11-1	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC61		99.69

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			39.88	UJ		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			39.88	UJ		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			195.03	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			8.27	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			108.58	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			21.31	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			423.01	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			42.71	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			8.31	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			3.67	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			19.94			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			788.57	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			984.49	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			2039.09	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			199.89	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			10657.56	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			1573.26	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			209.46	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			39.88			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			410.17	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			1205.21	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			39.88			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			4453.81	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			783.49	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			3463.67	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			2468.96	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			22941.13	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			39.88			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			39.88			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			4052.93	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			1018.26	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			39.88			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			204.86	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			1321.30	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			8954.70	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			935.69	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			39.88			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			2686.02	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			6660.62	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			39.88			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			39.88			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			1793.83	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			686.61	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			4503.34	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			20395.62	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			19686.05	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-74	32690-93-0	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC61		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-76	70362-48-0	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC61		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-77	32598-13-3	PCB	MOD 1668A	417.76	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-81	70362-50-4	PCB	MOD 1668A	99.69	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-82	52663-62-4	PCB	MOD 1668A	3532.91	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-111	39635-32-0	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC82		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-83	60145-20-2	PCB	MOD 1668A	34676.33	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-99	38380-01-7	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC83		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-84	52663-60-2	PCB	MOD 1668A	4241.02	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-85	65510-45-4	PCB	MOD 1668A	11211.11	pg/g - Wet Wt	C		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-116	18259-05-7	PCB	MOD 1668A	39.88	pg/g - Wet Wt	UC85		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-117	68194-11-6	PCB	MOD 1668A	39.88	pg/g - Wet Wt	UC85		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-86	55312-69-1	PCB	MOD 1668A	29991.73	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-87	38380-02-8	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC86		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-97	41464-51-1	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC86		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-109	74472-35-8	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC86		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-119	56558-17-9	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC86		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-125	74472-39-2	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC86		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-89	73575-57-2	PCB	MOD 1668A	152.46	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-121	56558-18-0	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC89		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-90	68194-07-0	PCB	MOD 1668A	62908.44	pg/g - Wet Wt	C		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-101	37680-73-2	PCB	MOD 1668A	199.38	pg/g - Wet Wt	UC90		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-113	68194-10-5	PCB	MOD 1668A	199.38	pg/g - Wet Wt	UC90		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-88	55215-17-3	PCB	MOD 1668A	4094.60	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-91	68194-05-8	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC88		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-92	52663-61-3	PCB	MOD 1668A	9928.61	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-93	73575-56-1	PCB	MOD 1668A	20156.79	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-95	38379-99-6	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC93		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-98	60233-25-2	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC93		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-100	39485-83-1	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC93		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-102	68194-06-9	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC93		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-105	32598-14-4	PCB	MOD 1668A	11104.38	pg/g - Wet Wt			39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-108	70362-41-3	PCB	MOD 1668A	1817.15	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-124	70424-70-3	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC108		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-110	38380-03-9	PCB	MOD 1668A	45681.95	pg/g - Wet Wt	C		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-115	74472-38-1	PCB	MOD 1668A	199.38	pg/g - Wet Wt	UC110		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-114	74472-37-0	PCB	MOD 1668A	1136.62	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-122	76842-07-4	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC114		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-118	31508-00-6	PCB	MOD 1668A	55065.18	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-106	70424-69-0	PCB	MOD 1668A	5865.87	pg/g - Wet Wt	C		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-107	70424-68-9	PCB	MOD 1668A	199.38	pg/g - Wet Wt	UC106		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-123	65510-44-3	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC106		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-126	57465-28-8	PCB	MOD 1668A	262.77	pg/g - Wet Wt			199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-128	38380-07-3	PCB	MOD 1668A	9754.10	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-166	41411-63-6	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC128		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-129	55215-18-4	PCB	MOD 1668A	34057.55	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-138	35065-28-2	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC129		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-160	41411-62-5	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC129		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-163	74472-44-9	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC129		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-130	52663-66-8	PCB	MOD 1668A	3623.39	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-131	61798-70-7	PCB	MOD 1668A	413.50	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-132	38380-05-1	PCB	MOD 1668A	7688.69	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-134	52704-70-8	PCB	MOD 1668A	1389.98	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-143	68194-15-0	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC134		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-135	52744-13-5	PCB	MOD 1668A	5886.96	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-151	52663-63-5	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC135		99.69

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			417.76	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69	UJ		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			3532.91	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			34676.33	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			4241.02	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			11211.11	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			39.88			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			39.88			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			29991.73	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			152.46	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			62908.44	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			199.38			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			199.38			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			4094.60	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			9928.61	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			20156.79	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			11104.38	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			1817.15	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			45681.95	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			199.38			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			1136.62	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			55065.18	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			5865.87	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			199.38			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			262.77	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			9754.10	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			34057.55	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			3623.39	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			413.50	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			7688.69	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			1389.98	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			5886.96	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-154	60145-22-4	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC135		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-136	38411-22-2	PCB	MOD 1668A	1237.35	pg/g - Wet Wt			39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-137	35694-06-5	PCB	MOD 1668A	5811.34	pg/g - Wet Wt	C		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-164	74472-45-0	PCB	MOD 1668A	199.38	pg/g - Wet Wt	UC137		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-141	52712-04-6	PCB	MOD 1668A	6451.17	pg/g - Wet Wt			39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-144	68194-14-9	PCB	MOD 1668A	1190.62	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-146	51908-16-8	PCB	MOD 1668A	6820.55	pg/g - Wet Wt	C		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-161	74474-43-8	PCB	MOD 1668A	199.38	pg/g - Wet Wt	UC146		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-147	68194-13-8	PCB	MOD 1668A	23956.95	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-149	38380-04-0	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC147		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-153	35065-27-1	PCB	MOD 1668A	47217.29	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-168	59291-65-5	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC153		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-156	38380-08-4	PCB	MOD 1668A	6201.86	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-157	69782-90-7	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC156		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-158	74472-42-7	PCB	MOD 1668A	5685.10	pg/g - Wet Wt			39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-167	52663-72-6	PCB	MOD 1668A	2540.27	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-169	32774-16-6	PCB	MOD 1668A	99.69	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-170	35065-30-6	PCB	MOD 1668A	5945.54	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-171	52663-71-5	PCB	MOD 1668A	1652.75	pg/g - Wet Wt	C		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-173	68194-16-1	PCB	MOD 1668A	199.38	pg/g - Wet Wt	UC171		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-172	52663-74-8	PCB	MOD 1668A	1117.70	pg/g - Wet Wt			199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-174	38411-25-5	PCB	MOD 1668A	1883.70	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-175	40186-70-7	PCB	MOD 1668A	156.02	pg/g - Wet Wt	J		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-176	52663-65-7	PCB	MOD 1668A	188.89	pg/g - Wet Wt	J		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-177	52663-70-4	PCB	MOD 1668A	2007.64	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-178	52663-67-9	PCB	MOD 1668A	770.02	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-180	35065-29-3	PCB	MOD 1668A	10842.37	pg/g - Wet Wt	C		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-193	69782-91-8	PCB	MOD 1668A	99.69	pg/g - Wet Wt	UC180		99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-182	60145-23-5	PCB	MOD 1668A	85.49	pg/g - Wet Wt	J		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-183	52663-69-1	PCB	MOD 1668A	2199.05	pg/g - Wet Wt			199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-184	74472-48-3	PCB	MOD 1668A	63.14	pg/g - Wet Wt	J		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-185	52712-05-7	PCB	MOD 1668A	285.52	pg/g - Wet Wt			199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-187	52663-68-0	PCB	MOD 1668A	5122.74	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-189	39635-31-9	PCB	MOD 1668A	180.38	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-190	41411-64-7	PCB	MOD 1668A	1335.22	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-191	74472-50-7	PCB	MOD 1668A	195.87	pg/g - Wet Wt	J		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-194	35694-08-7	PCB	MOD 1668A	1762.65	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-195	52663-78-2	PCB	MOD 1668A	523.22	pg/g - Wet Wt			199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-196	42740-50-1	PCB	MOD 1668A	1000.80	pg/g - Wet Wt			199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-197	33091-17-7	PCB	MOD 1668A	60.44	pg/g - Wet Wt	J		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-198	68194-17-2	PCB	MOD 1668A	5404.91	pg/g - Wet Wt	C		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-199	52663-75-9	PCB	MOD 1668A	39.88	pg/g - Wet Wt	UC198		39.88
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-200	52663-73-7	PCB	MOD 1668A	67.33	pg/g - Wet Wt	J		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-201	40186-71-8	PCB	MOD 1668A	318.43	pg/g - Wet Wt			199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-203	52663-76-0	PCB	MOD 1668A	3035.54	pg/g - Wet Wt			199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-205	74472-53-0	PCB	MOD 1668A	89.81	pg/g - Wet Wt	J		199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-206	40186-72-9	PCB	MOD 1668A	5679.07	pg/g - Wet Wt			199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-207	52663-79-3	PCB	MOD 1668A	615.57	pg/g - Wet Wt			199.38
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						PCB-209	2051-24-3	PCB	MOD 1668A	2742.85	pg/g - Wet Wt			99.69
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						Total PCB		PCB	MOD 1668A	654598.56	pg/g - Wet Wt			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-1	2051-60-7	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-3	2051-62-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-4	13029-08-8	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-19	38444-73-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-15	2050-68-2	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-54	15968-05-5	PCB	MOD 1668A	NA	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			1237.35	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			5811.34	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			199.38			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			6451.17	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			1190.62	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			6820.55	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			199.38			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			23956.95	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			47217.29	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			6201.86	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			5685.10	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			2540.27	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69	UJ		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			5945.54	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			1652.75	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			199.38			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			1117.70	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			1883.70	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			156.02	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			188.89	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			2007.64	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			770.02	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			10842.37	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			99.69			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			33.38	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			2199.05	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			11.03	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			285.52	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			5122.74	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			180.38	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			1335.22	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			195.87	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			1762.65	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			523.22	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			1000.80	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			60.44	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			5404.91	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			39.88			W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			67.33	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			318.43	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			3035.54	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			89.81	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			5679.07	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			563.46	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			2742.85	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration			653238.15	J		W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-104	56558-16-8	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-37	38444-90-5	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-155	33979-03-02	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-81	70362-50-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-77	32598-13-3	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-123	65510-44-3	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-118	31508-00-6	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-188	74487-85-7	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-114	74472-37-0	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-105	32598-14-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-126	57465-28-8	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-202	2136-99-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-167	52663-72-6	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-156	38380-08-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-157	69782-90-7	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-169	32774-16-6	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-208	52663-77-1	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-189	39635-31-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-205	74472-53-0	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-206	40186-72-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-209	2051-24-3	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-28	7012-37-5	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-111	39635-32-0	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4001-0000-01	48401-80-03	BCO	NORMAL						13C-PCB-178	52663-67-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-1	2051-60-7	PCB	MOD 1668A	24.26	pg/g - Wet Wt	J		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-3	2051-62-9	PCB	MOD 1668A	12.17	pg/g - Wet Wt	J		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-4	13029-08-8	PCB	MOD 1668A	168.59	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-5	16605-91-7	PCB	MOD 1668A	9.70	pg/g - Wet Wt	J		9.98
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-6	25569-80-6	PCB	MOD 1668A	93.38	pg/g - Wet Wt			9.98
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-7	33284-50-3	PCB	MOD 1668A	21.45	pg/g - Wet Wt			9.98
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-8	34883-43-7	PCB	MOD 1668A	373.59	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-9	34883-39-1	PCB	MOD 1668A	33.72	pg/g - Wet Wt			9.98
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-10	33146-45-1	PCB	MOD 1668A	12.97	pg/g - Wet Wt			9.98
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-12	2974-92-7	PCB	MOD 1668A	10.20	pg/g - Wet Wt	JC		19.95
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-13	2974-90-5	PCB	MOD 1668A	19.95	pg/g - Wet Wt	UC12		19.95
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-16	38444-78-9	PCB	MOD 1668A	700.65	pg/g - Wet Wt			19.95
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-17	37680-66-3	PCB	MOD 1668A	924.64	pg/g - Wet Wt			39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-18	37680-65-2	PCB	MOD 1668A	1823.35	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-30	35693-92-6	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC18		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-19	38444-73-4	PCB	MOD 1668A	168.39	pg/g - Wet Wt			19.95
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-20	38444-84-7	PCB	MOD 1668A	9824.49	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-21	55702-46-0	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC20		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-28	7012-37-5	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC20		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-33	38444-86-9	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC20		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-22	38444-85-8	PCB	MOD 1668A	1377.51	pg/g - Wet Wt			39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-24	55702-45-9	PCB	MOD 1668A	187.70	pg/g - Wet Wt	C		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-27	38444-76-7	PCB	MOD 1668A	39.90	pg/g - Wet Wt	UC24		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-25	55712-37-3	PCB	MOD 1668A	346.78	pg/g - Wet Wt			39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-26	38444-81-4	PCB	MOD 1668A	1058.79	pg/g - Wet Wt	C		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-29	15862-07-4	PCB	MOD 1668A	39.90	pg/g - Wet Wt	UC26		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-31	16606-02-3	PCB	MOD 1668A	3515.78	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-32	38444-77-4	PCB	MOD 1668A	736.15	pg/g - Wet Wt			39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-40	38444-93-8	PCB	MOD 1668A	3659.14	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-41	52663-59-9	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC40		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-71	41464-46-4	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC40		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-42	36559-22-5	PCB	MOD 1668A	2727.37	pg/g - Wet Wt			39.90

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4001-0000-01	48401-80-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			39.90	UJ		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			39.90	UJ		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			168.59	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			6.02	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			84.99	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			17.78	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			373.59	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			33.72	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			9.29	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			2.86	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			19.95			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			700.65	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			924.64	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			1823.35	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			168.39	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			9824.49	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			1377.51	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			187.70	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			39.90			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			346.78	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			1058.79	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			39.90			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			3515.78	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			736.15	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			3659.14	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			2727.37	J		W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-43	70362-46-8	PCB	MOD 1668A	22851.77	pg/g - Wet Wt	C		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-52	35693-99-3	PCB	MOD 1668A	39.90	pg/g - Wet Wt	UC43		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-73	74338-23-1	PCB	MOD 1668A	39.90	pg/g - Wet Wt	UC43		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-44	41464-39-5	PCB	MOD 1668A	4220.06	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-47	2437-79-8	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC44		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-65	33284-54-7	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC44		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-45	70362-45-7	PCB	MOD 1668A	1044.90	pg/g - Wet Wt	C		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-51	68194-04-7	PCB	MOD 1668A	39.90	pg/g - Wet Wt	UC45		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-46	41464-47-5	PCB	MOD 1668A	253.10	pg/g - Wet Wt			39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-48	70362-47-9	PCB	MOD 1668A	1371.75	pg/g - Wet Wt			39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-49	41464-40-8	PCB	MOD 1668A	9391.60	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-69	60233-24-1	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC49		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-50	62796-65-0	PCB	MOD 1668A	953.44	pg/g - Wet Wt	C		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-53	41464-41-9	PCB	MOD 1668A	39.90	pg/g - Wet Wt	UC50		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-56	41464-43-1	PCB	MOD 1668A	2401.92	pg/g - Wet Wt			39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-59	74472-33-6	PCB	MOD 1668A	7083.71	pg/g - Wet Wt	C		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-62	54230-22-7	PCB	MOD 1668A	39.90	pg/g - Wet Wt	UC59		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-75	32598-12-2	PCB	MOD 1668A	39.90	pg/g - Wet Wt	UC59		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-60	33025-41-1	PCB	MOD 1668A	1849.55	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-63	74472-34-7	PCB	MOD 1668A	682.65	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-64	52663-58-8	PCB	MOD 1668A	4701.88	pg/g - Wet Wt			39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-66	32598-10-0	PCB	MOD 1668A	20034.66	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-61	33284-53-6	PCB	MOD 1668A	17994.59	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-70	32598-11-1	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC61		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-74	32690-93-0	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC61		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-76	70362-48-0	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC61		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-77	32598-13-3	PCB	MOD 1668A	320.60	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-81	70362-50-4	PCB	MOD 1668A	99.75	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-82	52663-62-4	PCB	MOD 1668A	3956.65	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-111	39635-32-0	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC82		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-83	60145-20-2	PCB	MOD 1668A	35129.71	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-99	38380-01-7	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC83		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-84	52663-60-2	PCB	MOD 1668A	5007.69	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-85	65510-45-4	PCB	MOD 1668A	11683.87	pg/g - Wet Wt	C		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-116	18259-05-7	PCB	MOD 1668A	39.90	pg/g - Wet Wt	UC85		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-117	68194-11-6	PCB	MOD 1668A	39.90	pg/g - Wet Wt	UC85		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-86	55312-69-1	PCB	MOD 1668A	31659.31	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-87	38380-02-8	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC86		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-97	41464-51-1	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC86		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-109	74472-35-8	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC86		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-119	56558-17-9	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC86		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-125	74472-39-2	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC86		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-89	73575-57-2	PCB	MOD 1668A	170.42	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-121	56558-18-0	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC89		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-90	68194-07-0	PCB	MOD 1668A	62099.28	pg/g - Wet Wt	C		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-101	37680-73-2	PCB	MOD 1668A	199.50	pg/g - Wet Wt	UC90		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-113	68194-10-5	PCB	MOD 1668A	199.50	pg/g - Wet Wt	UC90		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-88	55215-17-3	PCB	MOD 1668A	4595.79	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-91	68194-05-8	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC88		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-92	52663-61-3	PCB	MOD 1668A	9594.43	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-93	73575-56-1	PCB	MOD 1668A	21498.61	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-95	38379-99-6	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC93		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-98	60233-25-2	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC93		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-100	39485-83-1	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC93		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-102	68194-06-9	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC93		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-105	32598-14-4	PCB	MOD 1668A	11786.62	pg/g - Wet Wt			39.90

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			22851.77	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			39.90			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			39.90			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			4220.06	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			1044.90	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			39.90			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			253.10	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			1371.75	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			9391.60	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			953.44	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			39.90			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			2401.92	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			7083.71	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			39.90			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			39.90			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			1849.55	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			682.65	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			4701.88	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			20034.66	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			17994.59	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			320.60	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75	UJ		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			3956.65	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			35129.71	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			5007.69	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			11683.87	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			39.90			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			39.90			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			31659.31	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			170.42	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			62099.28	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			199.50			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			199.50			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			4595.79	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			9594.43	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			21498.61	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			11786.62	J		W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-108	70362-41-3	PCB	MOD 1668A	1707.34	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-124	70424-70-3	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC108		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-110	38380-03-9	PCB	MOD 1668A	50070.50	pg/g - Wet Wt	C		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-115	74472-38-1	PCB	MOD 1668A	199.50	pg/g - Wet Wt	UC110		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-114	74472-37-0	PCB	MOD 1668A	1106.44	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-122	76842-07-4	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC114		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-118	31508-00-6	PCB	MOD 1668A	56191.97	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-106	70424-69-0	PCB	MOD 1668A	6152.34	pg/g - Wet Wt	C		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-107	70424-68-9	PCB	MOD 1668A	199.50	pg/g - Wet Wt	UC106		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-123	65510-44-3	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC106		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-126	57465-28-8	PCB	MOD 1668A	101.13	pg/g - Wet Wt	J		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-128	38380-07-3	PCB	MOD 1668A	11247.74	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-166	41411-63-6	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC128		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-129	55215-18-4	PCB	MOD 1668A	39764.25	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-138	35065-28-2	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC129		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-160	41411-62-5	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC129		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-163	74472-44-9	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC129		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-130	52663-66-8	PCB	MOD 1668A	3863.01	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-131	61798-70-7	PCB	MOD 1668A	105.67	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-132	38380-05-1	PCB	MOD 1668A	8745.73	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-134	52704-70-8	PCB	MOD 1668A	1272.29	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-143	68194-15-0	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC134		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-135	52744-13-5	PCB	MOD 1668A	6431.21	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-151	52663-63-5	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC135		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-154	60145-22-4	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC135		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-136	38411-22-2	PCB	MOD 1668A	1536.00	pg/g - Wet Wt			39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-137	35694-06-5	PCB	MOD 1668A	6484.81	pg/g - Wet Wt	C		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-164	74472-45-0	PCB	MOD 1668A	199.50	pg/g - Wet Wt	UC137		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-141	52712-04-6	PCB	MOD 1668A	6940.49	pg/g - Wet Wt			39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-144	68194-14-9	PCB	MOD 1668A	1239.23	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-146	51908-16-8	PCB	MOD 1668A	7268.55	pg/g - Wet Wt	C		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-161	74474-43-8	PCB	MOD 1668A	199.50	pg/g - Wet Wt	UC146		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-147	68194-13-8	PCB	MOD 1668A	26857.13	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-149	38380-04-0	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC147		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-153	35065-27-1	PCB	MOD 1668A	51398.96	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-168	59291-65-5	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC153		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-156	38380-08-4	PCB	MOD 1668A	6627.43	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-157	69782-90-7	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC156		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-158	74472-42-7	PCB	MOD 1668A	6248.88	pg/g - Wet Wt			39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-167	52663-72-6	PCB	MOD 1668A	2853.30	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-169	32774-16-6	PCB	MOD 1668A	99.75	pg/g - Wet Wt	U		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-170	35065-30-6	PCB	MOD 1668A	7405.43	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-171	52663-71-5	PCB	MOD 1668A	2144.81	pg/g - Wet Wt	C		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-173	68194-16-1	PCB	MOD 1668A	199.50	pg/g - Wet Wt	UC171		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-172	52663-74-8	PCB	MOD 1668A	1349.22	pg/g - Wet Wt			199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-174	38411-25-5	PCB	MOD 1668A	2508.57	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-175	40186-70-7	PCB	MOD 1668A	195.74	pg/g - Wet Wt	J		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-176	52663-65-7	PCB	MOD 1668A	254.20	pg/g - Wet Wt			199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-177	52663-70-4	PCB	MOD 1668A	2514.84	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-178	52663-67-9	PCB	MOD 1668A	930.29	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-180	35065-29-3	PCB	MOD 1668A	13263.93	pg/g - Wet Wt	C		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-193	69782-91-8	PCB	MOD 1668A	99.75	pg/g - Wet Wt	UC180		99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-182	60145-23-5	PCB	MOD 1668A	112.65	pg/g - Wet Wt	J		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-183	52663-69-1	PCB	MOD 1668A	2785.81	pg/g - Wet Wt			199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-184	74472-48-3	PCB	MOD 1668A	85.55	pg/g - Wet Wt	J		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-185	52712-05-7	PCB	MOD 1668A	354.45	pg/g - Wet Wt			199.50

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			1707.34	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			50070.50	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			199.50			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			1106.44	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			56191.97	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			6152.34	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			199.50			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			101.13	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			11247.74	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			39764.25	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			3863.01	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			42.66	UJ		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			8745.73	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			1272.29	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			6431.21	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			1536.00	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			6484.81	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			199.50			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			6940.49	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			1239.23	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			7268.55	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			199.50			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			26857.13	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			51398.96	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			6627.43	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			6248.88	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			2853.30	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75	UJ		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			7405.43	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			2144.81	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			199.50			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			1349.22	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			2508.57	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			195.74	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			254.20	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			2514.84	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			930.29	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			13263.93	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			99.75			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			39.18	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			2785.81	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			12.08	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			354.45	J		W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-187	52663-68-0	PCB	MOD 1668A	6502.42	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-189	39635-31-9	PCB	MOD 1668A	216.26	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-190	41411-64-7	PCB	MOD 1668A	1619.80	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-191	74472-50-7	PCB	MOD 1668A	253.99	pg/g - Wet Wt			199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-194	35694-08-7	PCB	MOD 1668A	2136.07	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-195	52663-78-2	PCB	MOD 1668A	641.15	pg/g - Wet Wt			199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-196	42740-50-1	PCB	MOD 1668A	1299.05	pg/g - Wet Wt			199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-197	33091-17-7	PCB	MOD 1668A	147.76	pg/g - Wet Wt	J		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-198	68194-17-2	PCB	MOD 1668A	6789.60	pg/g - Wet Wt	C		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-199	52663-75-9	PCB	MOD 1668A	39.90	pg/g - Wet Wt	UC198		39.90
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-200	52663-73-7	PCB	MOD 1668A	92.44	pg/g - Wet Wt	J		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-201	40186-71-8	PCB	MOD 1668A	430.82	pg/g - Wet Wt			199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-203	52663-76-0	PCB	MOD 1668A	3965.70	pg/g - Wet Wt			199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-205	74472-53-0	PCB	MOD 1668A	116.88	pg/g - Wet Wt	J		199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-206	40186-72-9	PCB	MOD 1668A	8045.51	pg/g - Wet Wt			199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-207	52663-79-3	PCB	MOD 1668A	754.12	pg/g - Wet Wt			199.50
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						PCB-209	2051-24-3	PCB	MOD 1668A	3756.46	pg/g - Wet Wt			99.75
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						Total PCB		PCB	MOD 1668A	696709.11	pg/g - Wet Wt			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-1	2051-60-7	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-3	2051-62-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-4	13029-08-8	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-19	38444-73-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-15	2050-68-2	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-54	15968-05-5	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-104	56558-16-8	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-37	38444-90-5	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-155	33979-03-02	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-81	70362-50-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-77	32598-13-3	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-123	65510-44-3	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-118	31508-00-6	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-188	74487-85-7	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-114	74472-37-0	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-105	32598-14-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-126	57465-28-8	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-202	2136-99-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-167	52663-72-6	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-156	38380-08-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-157	69782-90-7	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-169	32774-16-6	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-208	52663-77-1	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-189	39635-31-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-205	74472-53-0	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-206	40186-72-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-209	2051-24-3	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-28	7012-37-5	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-111	39635-32-0	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4002-0000-01	48401-80-05	BCO	NORMAL						13C-PCB-178	52663-67-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-1	2051-60-7	PCB	MOD 1668A	17.37	pg/g - Wet Wt	J		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-3	2051-62-9	PCB	MOD 1668A	11.01	pg/g - Wet Wt	J		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-4	13029-08-8	PCB	MOD 1668A	122.18	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-5	16605-91-7	PCB	MOD 1668A	6.78	pg/g - Wet Wt	J		9.98
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-6	25569-80-6	PCB	MOD 1668A	45.70	pg/g - Wet Wt			9.98
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-7	33284-50-3	PCB	MOD 1668A	12.45	pg/g - Wet Wt			9.98
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-8	34883-43-7	PCB	MOD 1668A	197.70	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-9	34883-39-1	PCB	MOD 1668A	17.54	pg/g - Wet Wt			9.98

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			6502.42	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			216.26	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			1619.80	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			253.99	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			2136.07	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			641.15	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			1299.05	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			74.29	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			6789.60	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			39.90			W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			92.44	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			430.82	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			3965.70	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			116.88	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			8045.51	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			754.12	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			3756.46	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration			694690.67	J		W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4002-0000-01	48401-80-05		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			39.93	UJ		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			39.93	UJ		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			114.21	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			3.39	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			41.97	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			9.06	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			184.18	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			14.15	J		W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-10	33146-45-1	PCB	MOD 1668A	8.53	pg/g - Wet Wt	J		9.98
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-12	2974-92-7	PCB	MOD 1668A	19.96	pg/g - Wet Wt	C		19.96
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-13	2974-90-5	PCB	MOD 1668A	19.96	pg/g - Wet Wt	UC12		19.96
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-16	38444-78-9	PCB	MOD 1668A	262.29	pg/g - Wet Wt			19.96
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-17	37680-66-3	PCB	MOD 1668A	324.71	pg/g - Wet Wt			39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-18	37680-65-2	PCB	MOD 1668A	680.00	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-30	35693-92-6	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC18		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-19	38444-73-4	PCB	MOD 1668A	65.06	pg/g - Wet Wt			19.96
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-20	38444-84-7	PCB	MOD 1668A	3160.59	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-21	55702-46-0	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC20		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-28	7012-37-5	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC20		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-33	38444-86-9	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC20		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-22	38444-85-8	PCB	MOD 1668A	382.54	pg/g - Wet Wt			39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-24	55702-45-9	PCB	MOD 1668A	69.61	pg/g - Wet Wt	C		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-27	38444-76-7	PCB	MOD 1668A	39.93	pg/g - Wet Wt	UC24		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-25	55712-37-3	PCB	MOD 1668A	81.50	pg/g - Wet Wt			39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-26	38444-81-4	PCB	MOD 1668A	274.30	pg/g - Wet Wt	C		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-29	15862-07-4	PCB	MOD 1668A	39.93	pg/g - Wet Wt	UC26		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-31	16606-02-3	PCB	MOD 1668A	911.16	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-32	38444-77-4	PCB	MOD 1668A	253.33	pg/g - Wet Wt			39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-40	38444-93-8	PCB	MOD 1668A	1135.18	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-41	52663-59-9	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC40		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-71	41464-46-4	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC40		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-42	36559-22-5	PCB	MOD 1668A	832.95	pg/g - Wet Wt			39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-43	70362-46-8	PCB	MOD 1668A	7797.57	pg/g - Wet Wt	C		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-52	35693-99-3	PCB	MOD 1668A	39.93	pg/g - Wet Wt	UC43		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-73	74338-23-1	PCB	MOD 1668A	39.93	pg/g - Wet Wt	UC43		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-44	41464-39-5	PCB	MOD 1668A	1603.48	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-47	2437-79-8	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC44		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-65	33284-54-7	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC44		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-45	70362-45-7	PCB	MOD 1668A	324.09	pg/g - Wet Wt	C		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-51	68194-04-7	PCB	MOD 1668A	39.93	pg/g - Wet Wt	UC45		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-46	41464-47-5	PCB	MOD 1668A	72.98	pg/g - Wet Wt			39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-48	70362-47-9	PCB	MOD 1668A	447.54	pg/g - Wet Wt			39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-49	41464-40-8	PCB	MOD 1668A	3185.79	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-69	60233-24-1	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC49		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-50	62796-65-0	PCB	MOD 1668A	275.79	pg/g - Wet Wt	C		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-53	41464-41-9	PCB	MOD 1668A	39.93	pg/g - Wet Wt	UC50		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-56	41464-43-1	PCB	MOD 1668A	867.86	pg/g - Wet Wt			39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-59	74472-33-6	PCB	MOD 1668A	2416.08	pg/g - Wet Wt	C		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-62	54230-22-7	PCB	MOD 1668A	39.93	pg/g - Wet Wt	UC59		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-75	32598-12-2	PCB	MOD 1668A	39.93	pg/g - Wet Wt	UC59		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-60	33025-41-1	PCB	MOD 1668A	922.36	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-63	74472-34-7	PCB	MOD 1668A	318.02	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-64	52663-58-8	PCB	MOD 1668A	1789.63	pg/g - Wet Wt			39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-66	32598-10-0	PCB	MOD 1668A	8877.79	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-61	33284-53-6	PCB	MOD 1668A	6973.31	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-70	32598-11-1	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC61		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-74	32690-93-0	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC61		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-76	70362-48-0	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC61		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-77	32598-13-3	PCB	MOD 1668A	162.68	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-81	70362-50-4	PCB	MOD 1668A	99.82	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-82	52663-62-4	PCB	MOD 1668A	1756.14	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-111	39635-32-0	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC82		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-83	60145-20-2	PCB	MOD 1668A	17985.95	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-99	38380-01-7	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC83		99.82

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			5.14	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			19.96	UJ		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			19.96			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			251.61	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			324.71	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			680.00	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			65.06	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			3160.59	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			364.02	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			69.61	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			39.93			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			78.88	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			264.91	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			39.93			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			881.63	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			253.33	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			1135.18	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			832.95	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			7797.57	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			39.93			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			39.93			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			1603.48	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			324.09	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			39.93			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			70.70	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			447.54	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			3185.79	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			275.79	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			39.93			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			867.86	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			2416.08	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			39.93			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			39.93			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			922.36	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			318.02	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			1789.63	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			8877.79	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			6973.31	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			162.68	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82	UJ		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			1756.14	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			17985.95	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-84	52663-60-2	PCB	MOD 1668A	2390.99	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-85	65510-45-4	PCB	MOD 1668A	5341.73	pg/g - Wet Wt	C		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-116	18259-05-7	PCB	MOD 1668A	39.93	pg/g - Wet Wt	UC85		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-117	68194-11-6	PCB	MOD 1668A	39.93	pg/g - Wet Wt	UC85		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-86	55312-69-1	PCB	MOD 1668A	15461.14	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-87	38380-02-8	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC86		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-97	41464-51-1	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC86		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-109	74472-35-8	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC86		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-119	56558-17-9	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC86		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-125	74472-39-2	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC86		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-89	73575-57-2	PCB	MOD 1668A	67.07	pg/g - Wet Wt	JC		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-121	56558-18-0	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC89		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-90	68194-07-0	PCB	MOD 1668A	31628.23	pg/g - Wet Wt	C		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-101	37680-73-2	PCB	MOD 1668A	199.63	pg/g - Wet Wt	UC90		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-113	68194-10-5	PCB	MOD 1668A	199.63	pg/g - Wet Wt	UC90		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-88	55215-17-3	PCB	MOD 1668A	2160.80	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-91	68194-05-8	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC88		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-92	52663-61-3	PCB	MOD 1668A	4757.53	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-93	73575-56-1	PCB	MOD 1668A	10390.30	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-95	38379-99-6	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC93		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-98	60233-25-2	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC93		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-100	39485-83-1	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC93		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-102	68194-06-9	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC93		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-105	32598-14-4	PCB	MOD 1668A	5723.35	pg/g - Wet Wt			39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-108	70362-41-3	PCB	MOD 1668A	694.17	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-124	70424-70-3	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC108		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-110	38380-03-9	PCB	MOD 1668A	21393.99	pg/g - Wet Wt	C		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-115	74472-38-1	PCB	MOD 1668A	199.63	pg/g - Wet Wt	UC110		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-114	74472-37-0	PCB	MOD 1668A	531.23	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-122	76842-07-4	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC114		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-118	31508-00-6	PCB	MOD 1668A	30896.32	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-106	70424-69-0	PCB	MOD 1668A	3225.06	pg/g - Wet Wt	C		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-107	70424-68-9	PCB	MOD 1668A	199.63	pg/g - Wet Wt	UC106		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-123	65510-44-3	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC106		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-126	57465-28-8	PCB	MOD 1668A	61.00	pg/g - Wet Wt	J		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-128	38380-07-3	PCB	MOD 1668A	5224.33	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-166	41411-63-6	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC128		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-129	55215-18-4	PCB	MOD 1668A	34180.49	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-138	35065-28-2	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC129		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-160	41411-62-5	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC129		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-163	74472-44-9	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC129		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-130	52663-66-8	PCB	MOD 1668A	1983.21	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-131	61798-70-7	PCB	MOD 1668A	255.37	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-132	38380-05-1	PCB	MOD 1668A	4299.90	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-134	52704-70-8	PCB	MOD 1668A	711.75	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-143	68194-15-0	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC134		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-135	52744-13-5	PCB	MOD 1668A	3004.22	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-151	52663-63-5	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC135		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-154	60145-22-4	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC135		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-136	38411-22-2	PCB	MOD 1668A	617.97	pg/g - Wet Wt			39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-137	35694-06-5	PCB	MOD 1668A	3241.32	pg/g - Wet Wt	C		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-164	74472-45-0	PCB	MOD 1668A	199.63	pg/g - Wet Wt	UC137		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-141	52712-04-6	PCB	MOD 1668A	3731.52	pg/g - Wet Wt			39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-144	68194-14-9	PCB	MOD 1668A	644.57	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-146	51908-16-8	PCB	MOD 1668A	4060.48	pg/g - Wet Wt	C		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-161	74474-43-8	PCB	MOD 1668A	199.63	pg/g - Wet Wt	UC146		199.63

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			2390.99	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			5341.73	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			39.93			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			39.93			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			15461.14	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			67.07	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			31628.23	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			199.63			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			199.63			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			2160.80	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			4757.53	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			10390.30	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			5723.35	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			694.17	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			21393.99	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			199.63			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			531.23	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			30896.32	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			3225.06	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			199.63			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			61.00	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			5224.33	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			34180.49	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			1983.21	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			255.37	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			4299.90	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			711.75	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			3004.22	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			617.97	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			3241.32	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			199.63			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			3731.52	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			644.57	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			4060.48	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			199.63			W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-147	68194-13-8	PCB	MOD 1668A	13956.59	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-149	38380-04-0	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC147		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-153	35065-27-1	PCB	MOD 1668A	27744.75	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-168	59291-65-5	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC153		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-156	38380-08-4	PCB	MOD 1668A	3368.70	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-157	69782-90-7	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC156		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-158	74472-42-7	PCB	MOD 1668A	3038.25	pg/g - Wet Wt			39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-167	52663-72-6	PCB	MOD 1668A	1465.69	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-169	32774-16-6	PCB	MOD 1668A	99.82	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-170	35065-30-6	PCB	MOD 1668A	3748.58	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-171	52663-71-5	PCB	MOD 1668A	1125.60	pg/g - Wet Wt	C		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-173	68194-16-1	PCB	MOD 1668A	199.63	pg/g - Wet Wt	UC171		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-172	52663-74-8	PCB	MOD 1668A	773.71	pg/g - Wet Wt			199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-174	38411-25-5	PCB	MOD 1668A	1156.04	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-175	40186-70-7	PCB	MOD 1668A	93.07	pg/g - Wet Wt	J		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-176	52663-65-7	PCB	MOD 1668A	115.12	pg/g - Wet Wt	J		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-177	52663-70-4	PCB	MOD 1668A	1380.97	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-178	52663-67-9	PCB	MOD 1668A	402.82	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-180	35065-29-3	PCB	MOD 1668A	7690.49	pg/g - Wet Wt	C		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-193	69782-91-8	PCB	MOD 1668A	99.82	pg/g - Wet Wt	UC180		99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-182	60145-23-5	PCB	MOD 1668A	82.02	pg/g - Wet Wt	J		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-183	52663-69-1	PCB	MOD 1668A	1444.04	pg/g - Wet Wt			199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-184	74472-48-3	PCB	MOD 1668A	74.74	pg/g - Wet Wt	J		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-185	52712-05-7	PCB	MOD 1668A	150.96	pg/g - Wet Wt	J		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-187	52663-68-0	PCB	MOD 1668A	2979.34	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-189	39635-31-9	PCB	MOD 1668A	159.60	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-190	41411-64-7	PCB	MOD 1668A	818.99	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-191	74472-50-7	PCB	MOD 1668A	221.54	pg/g - Wet Wt			199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-194	35694-08-7	PCB	MOD 1668A	961.90	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-195	52663-78-2	PCB	MOD 1668A	302.71	pg/g - Wet Wt			199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-196	42740-50-1	PCB	MOD 1668A	638.58	pg/g - Wet Wt			199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-197	33091-17-7	PCB	MOD 1668A	117.67	pg/g - Wet Wt	J		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-198	68194-17-2	PCB	MOD 1668A	3385.69	pg/g - Wet Wt	C		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-199	52663-75-9	PCB	MOD 1668A	39.93	pg/g - Wet Wt	UC198		39.93
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-200	52663-73-7	PCB	MOD 1668A	109.12	pg/g - Wet Wt	J		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-201	40186-71-8	PCB	MOD 1668A	242.27	pg/g - Wet Wt			199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-203	52663-76-0	PCB	MOD 1668A	1983.66	pg/g - Wet Wt			199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-205	74472-53-0	PCB	MOD 1668A	131.70	pg/g - Wet Wt	J		199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-206	40186-72-9	PCB	MOD 1668A	4022.94	pg/g - Wet Wt			199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-207	52663-79-3	PCB	MOD 1668A	499.73	pg/g - Wet Wt			199.63
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						PCB-209	2051-24-3	PCB	MOD 1668A	1976.06	pg/g - Wet Wt			99.82
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						Total PCB		PCB	MOD 1668A	347819.43	pg/g - Wet Wt			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-1	2051-60-7	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-3	2051-62-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-4	13029-08-8	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-19	38444-73-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-15	2050-68-2	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-54	15968-05-5	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-104	56558-16-8	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-37	38444-90-5	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-155	33979-03-02	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-81	70362-50-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-77	32598-13-3	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-123	65510-44-3	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-118	31508-00-6	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-188	74487-85-7	PCB	MOD 1668A	NA	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			13956.59	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			27744.75	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			3368.70	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			3038.25	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			1465.69	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82	UJ		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			3748.58	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			1125.60	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			199.63			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			773.71	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			1156.04	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			93.07	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			115.12	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			1380.97	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			402.82	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			7690.49	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			99.82			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			14.30	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			1444.04	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			7.03	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			150.96	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			2979.34	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			125.75	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			818.99	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			153.83	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			961.90	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			302.71	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			638.58	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			49.96	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			3385.69	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			39.93			W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			41.40	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			242.27	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			1983.66	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			63.99	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			4022.94	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			432.02	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			1976.06	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration			347043.18	J		W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-114	74472-37-0	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-105	32598-14-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-126	57465-28-8	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-202	2136-99-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-167	52663-72-6	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-156	38380-08-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-157	69782-90-7	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-169	32774-16-6	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-208	52663-77-1	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-189	39635-31-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-205	74472-53-0	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-206	40186-72-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-209	2051-24-3	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-28	7012-37-5	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-111	39635-32-0	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4003-0000-01	48401-80-07	BCO	NORMAL						13C-PCB-178	52663-67-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-1	2051-60-7	PCB	MOD 1668A	9.95	pg/g - Wet Wt	J		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-3	2051-62-9	PCB	MOD 1668A	6.82	pg/g - Wet Wt	J		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-4	13029-08-8	PCB	MOD 1668A	73.17	pg/g - Wet Wt	J		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-5	16605-91-7	PCB	MOD 1668A	6.68	pg/g - Wet Wt	J		9.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-6	25569-80-6	PCB	MOD 1668A	31.33	pg/g - Wet Wt			9.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-7	33284-50-3	PCB	MOD 1668A	10.36	pg/g - Wet Wt			9.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-8	34883-43-7	PCB	MOD 1668A	123.19	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-9	34883-39-1	PCB	MOD 1668A	13.47	pg/g - Wet Wt			9.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-10	33146-45-1	PCB	MOD 1668A	6.40	pg/g - Wet Wt	J		9.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-12	2974-92-7	PCB	MOD 1668A	9.87	pg/g - Wet Wt	JC		19.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-13	2974-90-5	PCB	MOD 1668A	19.99	pg/g - Wet Wt	UC12		19.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-16	38444-78-9	PCB	MOD 1668A	138.83	pg/g - Wet Wt			19.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-17	37680-66-3	PCB	MOD 1668A	192.53	pg/g - Wet Wt			39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-18	37680-65-2	PCB	MOD 1668A	383.02	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-30	35693-92-6	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC18		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-19	38444-73-4	PCB	MOD 1668A	41.71	pg/g - Wet Wt			19.99
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-20	38444-84-7	PCB	MOD 1668A	2530.90	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-21	55702-46-0	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC20		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-28	7012-37-5	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC20		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-33	38444-86-9	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC20		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-22	38444-85-8	PCB	MOD 1668A	352.96	pg/g - Wet Wt			39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-24	55702-45-9	PCB	MOD 1668A	37.62	pg/g - Wet Wt	JC		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-27	38444-76-7	PCB	MOD 1668A	39.98	pg/g - Wet Wt	UC24		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-25	55712-37-3	PCB	MOD 1668A	77.89	pg/g - Wet Wt			39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-26	38444-81-4	PCB	MOD 1668A	240.16	pg/g - Wet Wt	C		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-29	15862-07-4	PCB	MOD 1668A	39.98	pg/g - Wet Wt	UC26		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-31	16606-02-3	PCB	MOD 1668A	963.15	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-32	38444-77-4	PCB	MOD 1668A	149.72	pg/g - Wet Wt			39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-40	38444-93-8	PCB	MOD 1668A	1016.88	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-41	52663-59-9	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC40		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-71	41464-46-4	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC40		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-42	36559-22-5	PCB	MOD 1668A	764.80	pg/g - Wet Wt			39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-43	70362-46-8	PCB	MOD 1668A	7394.77	pg/g - Wet Wt	C		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-52	35693-99-3	PCB	MOD 1668A	39.98	pg/g - Wet Wt	UC43		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-73	74338-23-1	PCB	MOD 1668A	39.98	pg/g - Wet Wt	UC43		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-44	41464-39-5	PCB	MOD 1668A	1320.23	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-47	2437-79-8	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC44		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-65	33284-54-7	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC44		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-45	70362-45-7	PCB	MOD 1668A	241.40	pg/g - Wet Wt	C		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-51	68194-04-7	PCB	MOD 1668A	39.98	pg/g - Wet Wt	UC45		39.98

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4003-0000-01	48401-80-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			39.98	UJ		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			39.98	UJ		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			73.17	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			3.50	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			28.02	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			7.17	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			111.85	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			10.29	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			3.21	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			3.50	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			19.99			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			129.46	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			192.53	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			383.02	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			41.71	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			2530.90	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			333.48	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			37.62	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			39.98			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			77.89	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			240.16	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			39.98			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			920.52	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			149.72	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			1016.88	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			764.80	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			7394.77	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			39.98			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			39.98			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			1320.23	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			241.40	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			39.98			W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-46	41464-47-5	PCB	MOD 1668A	53.37	pg/g - Wet Wt			39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-48	70362-47-9	PCB	MOD 1668A	342.53	pg/g - Wet Wt			39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-49	41464-40-8	PCB	MOD 1668A	2940.00	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-69	60233-24-1	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC49		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-50	62796-65-0	PCB	MOD 1668A	197.09	pg/g - Wet Wt	C		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-53	41464-41-9	PCB	MOD 1668A	39.98	pg/g - Wet Wt	UC50		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-56	41464-43-1	PCB	MOD 1668A	777.94	pg/g - Wet Wt			39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-59	74472-33-6	PCB	MOD 1668A	1865.78	pg/g - Wet Wt	C		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-62	54230-22-7	PCB	MOD 1668A	39.98	pg/g - Wet Wt	UC59		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-75	32598-12-2	PCB	MOD 1668A	39.98	pg/g - Wet Wt	UC59		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-60	33025-41-1	PCB	MOD 1668A	559.24	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-63	74472-34-7	PCB	MOD 1668A	234.71	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-64	52663-58-8	PCB	MOD 1668A	1438.81	pg/g - Wet Wt			39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-66	32598-10-0	PCB	MOD 1668A	6769.37	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-61	33284-53-6	PCB	MOD 1668A	6125.15	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-70	32598-11-1	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC61		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-74	32690-93-0	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC61		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-76	70362-48-0	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC61		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-77	32598-13-3	PCB	MOD 1668A	110.53	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-81	70362-50-4	PCB	MOD 1668A	99.94	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-82	52663-62-4	PCB	MOD 1668A	985.53	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-111	39635-32-0	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC82		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-83	60145-20-2	PCB	MOD 1668A	10580.03	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-99	38380-01-7	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC83		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-84	52663-60-2	PCB	MOD 1668A	1166.00	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-85	65510-45-4	PCB	MOD 1668A	3254.09	pg/g - Wet Wt	C		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-116	18259-05-7	PCB	MOD 1668A	39.98	pg/g - Wet Wt	UC85		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-117	68194-11-6	PCB	MOD 1668A	39.98	pg/g - Wet Wt	UC85		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-86	55312-69-1	PCB	MOD 1668A	9054.06	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-87	38380-02-8	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC86		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-97	41464-51-1	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC86		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-109	74472-35-8	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC86		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-119	56558-17-9	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC86		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-125	74472-39-2	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC86		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-89	73575-57-2	PCB	MOD 1668A	62.79	pg/g - Wet Wt	JC		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-121	56558-18-0	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC89		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-90	68194-07-0	PCB	MOD 1668A	19296.34	pg/g - Wet Wt	C		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-101	37680-73-2	PCB	MOD 1668A	199.88	pg/g - Wet Wt	UC90		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-113	68194-10-5	PCB	MOD 1668A	199.88	pg/g - Wet Wt	UC90		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-88	55215-17-3	PCB	MOD 1668A	1269.21	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-91	68194-05-8	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC88		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-92	52663-61-3	PCB	MOD 1668A	3181.36	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-93	73575-56-1	PCB	MOD 1668A	5908.12	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-95	38379-99-6	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC93		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-98	60233-25-2	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC93		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-100	39485-83-1	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC93		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-102	68194-06-9	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC93		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-105	32598-14-4	PCB	MOD 1668A	3313.78	pg/g - Wet Wt			39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-108	70362-41-3	PCB	MOD 1668A	552.26	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-124	70424-70-3	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC108		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-110	38380-03-9	PCB	MOD 1668A	13890.65	pg/g - Wet Wt	C		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-115	74472-38-1	PCB	MOD 1668A	199.88	pg/g - Wet Wt	UC110		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-114	74472-37-0	PCB	MOD 1668A	346.48	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-122	76842-07-4	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC114		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-118	31508-00-6	PCB	MOD 1668A	17953.28	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-106	70424-69-0	PCB	MOD 1668A	1936.35	pg/g - Wet Wt	C		199.88

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			53.37	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			342.53	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			2940.00	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			197.09	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			39.98			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			777.94	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			1865.78	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			39.98			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			39.98			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			559.24	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			234.71	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			1438.81	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			6769.37	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			6125.15	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			110.53	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94	UJ		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			985.53	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			10580.03	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			1166.00	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			3254.09	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			39.98			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			39.98			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			9054.06	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			30.96	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			19296.34	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			199.88			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			199.88			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			1269.21	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			3181.36	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			5908.12	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			3313.78	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			552.26	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			13890.65	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			199.88			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			346.48	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			17953.28	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			1936.35	J		W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-107	70424-68-9	PCB	MOD 1668A	199.88	pg/g - Wet Wt	UC106		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-123	65510-44-3	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC106		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-126	57465-28-8	PCB	MOD 1668A	99.14	pg/g - Wet Wt	J		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-128	38380-07-3	PCB	MOD 1668A	2862.58	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-166	41411-63-6	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC128		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-129	55215-18-4	PCB	MOD 1668A	11045.75	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-138	35065-28-2	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC129		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-160	41411-62-5	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC129		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-163	74472-44-9	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC129		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-130	52663-66-8	PCB	MOD 1668A	1022.67	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-131	61798-70-7	PCB	MOD 1668A	103.57	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-132	38380-05-1	PCB	MOD 1668A	2175.83	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-134	52704-70-8	PCB	MOD 1668A	339.20	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-143	68194-15-0	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC134		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-135	52744-13-5	PCB	MOD 1668A	2071.76	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-151	52663-63-5	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC135		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-154	60145-22-4	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC135		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-136	38411-22-2	PCB	MOD 1668A	362.40	pg/g - Wet Wt			39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-137	35694-06-5	PCB	MOD 1668A	1799.68	pg/g - Wet Wt	C		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-164	74472-45-0	PCB	MOD 1668A	199.88	pg/g - Wet Wt	UC137		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-141	52712-04-6	PCB	MOD 1668A	2002.02	pg/g - Wet Wt			39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-144	68194-14-9	PCB	MOD 1668A	351.21	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-146	51908-16-8	PCB	MOD 1668A	2426.99	pg/g - Wet Wt	C		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-161	74474-43-8	PCB	MOD 1668A	199.88	pg/g - Wet Wt	UC146		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-147	68194-13-8	PCB	MOD 1668A	8158.26	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-149	38380-04-0	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC147		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-153	35065-27-1	PCB	MOD 1668A	15450.73	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-168	59291-65-5	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC153		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-156	38380-08-4	PCB	MOD 1668A	1949.20	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-157	69782-90-7	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC156		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-158	74472-42-7	PCB	MOD 1668A	1630.29	pg/g - Wet Wt			39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-167	52663-72-6	PCB	MOD 1668A	798.30	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-169	32774-16-6	PCB	MOD 1668A	99.94	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-170	35065-30-6	PCB	MOD 1668A	2029.81	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-171	52663-71-5	PCB	MOD 1668A	539.46	pg/g - Wet Wt	C		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-173	68194-16-1	PCB	MOD 1668A	199.88	pg/g - Wet Wt	UC171		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-172	52663-74-8	PCB	MOD 1668A	401.05	pg/g - Wet Wt			199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-174	38411-25-5	PCB	MOD 1668A	612.33	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-175	40186-70-7	PCB	MOD 1668A	46.07	pg/g - Wet Wt	J		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-176	52663-65-7	PCB	MOD 1668A	51.01	pg/g - Wet Wt	J		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-177	52663-70-4	PCB	MOD 1668A	666.46	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-178	52663-67-9	PCB	MOD 1668A	259.05	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-180	35065-29-3	PCB	MOD 1668A	4092.10	pg/g - Wet Wt	C		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-193	69782-91-8	PCB	MOD 1668A	99.94	pg/g - Wet Wt	UC180		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-182	60145-23-5	PCB	MOD 1668A	75.96	pg/g - Wet Wt	J		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-183	52663-69-1	PCB	MOD 1668A	785.26	pg/g - Wet Wt			199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-184	74472-48-3	PCB	MOD 1668A	67.75	pg/g - Wet Wt	J		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-185	52712-05-7	PCB	MOD 1668A	98.79	pg/g - Wet Wt	J		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-187	52663-68-0	PCB	MOD 1668A	2972.26	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-189	39635-31-9	PCB	MOD 1668A	78.63	pg/g - Wet Wt	J		99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-190	41411-64-7	PCB	MOD 1668A	497.02	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-191	74472-50-7	PCB	MOD 1668A	72.11	pg/g - Wet Wt	J		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-194	35694-08-7	PCB	MOD 1668A	659.69	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-195	52663-78-2	PCB	MOD 1668A	194.62	pg/g - Wet Wt	J		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-196	42740-50-1	PCB	MOD 1668A	327.94	pg/g - Wet Wt			199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-197	33091-17-7	PCB	MOD 1668A	86.79	pg/g - Wet Wt	J		199.88

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			199.88			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			35.49	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			2862.58	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			11045.75	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			1022.67	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			103.57	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			2175.83	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			339.20	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			2071.76	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			362.40	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			1799.68	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			199.88			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			2002.02	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			351.21	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			2426.99	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			199.88			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			8158.26	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			15450.73	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			1949.20	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			1630.29	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			798.30	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94	UJ		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			2029.81	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			539.46	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			199.88			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			401.05	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			612.33	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			46.07	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			51.01	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			666.46	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			259.05	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			4092.10	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			99.94			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			12.31	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			785.26	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			4.09	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			98.79	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			2972.26	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			78.63	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			497.02	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			72.11	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			659.69	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			194.62	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			327.94	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			23.13	J		W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-198	68194-17-2	PCB	MOD 1668A	2214.31	pg/g - Wet Wt	C		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-199	52663-75-9	PCB	MOD 1668A	39.98	pg/g - Wet Wt	UC198		39.98
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-200	52663-73-7	PCB	MOD 1668A	80.14	pg/g - Wet Wt	J		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-201	40186-71-8	PCB	MOD 1668A	103.72	pg/g - Wet Wt	J		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-203	52663-76-0	PCB	MOD 1668A	1058.43	pg/g - Wet Wt			199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-205	74472-53-0	PCB	MOD 1668A	96.98	pg/g - Wet Wt	J		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-206	40186-72-9	PCB	MOD 1668A	2317.39	pg/g - Wet Wt			199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-207	52663-79-3	PCB	MOD 1668A	180.92	pg/g - Wet Wt	J		199.88
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						PCB-209	2051-24-3	PCB	MOD 1668A	973.39	pg/g - Wet Wt			99.94
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						Total PCB		PCB	MOD 1668A	206506.05	pg/g - Wet Wt			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-1	2051-60-7	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-3	2051-62-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-4	13029-08-8	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-19	38444-73-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-15	2050-68-2	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-54	15968-05-5	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-104	56558-16-8	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-37	38444-90-5	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-155	33979-03-02	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-81	70362-50-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-77	32598-13-3	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-123	65510-44-3	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-118	31508-00-6	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-188	74487-85-7	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-114	74472-37-0	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-105	32598-14-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-126	57465-28-8	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-202	2136-99-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-167	52663-72-6	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-156	38380-08-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-157	69782-90-7	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-169	32774-16-6	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-208	52663-77-1	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-189	39635-31-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-205	74472-53-0	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-206	40186-72-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-209	2051-24-3	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-28	7012-37-5	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-111	39635-32-0	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4004-0000-01	48401-82-03	BCO	NORMAL						13C-PCB-178	52663-67-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-1	2051-60-7	PCB	MOD 1668A	12.58	pg/g - Wet Wt	J		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-3	2051-62-9	PCB	MOD 1668A	8.75	pg/g - Wet Wt	J		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-4	13029-08-8	PCB	MOD 1668A	45.27	pg/g - Wet Wt	J		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-5	16605-91-7	PCB	MOD 1668A	9.95	pg/g - Wet Wt			9.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-6	25569-80-6	PCB	MOD 1668A	29.25	pg/g - Wet Wt			9.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-7	33284-50-3	PCB	MOD 1668A	8.95	pg/g - Wet Wt	J		9.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-8	34883-43-7	PCB	MOD 1668A	121.21	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-9	34883-39-1	PCB	MOD 1668A	11.46	pg/g - Wet Wt			9.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-10	33146-45-1	PCB	MOD 1668A	4.96	pg/g - Wet Wt	J		9.95
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-12	2974-92-7	PCB	MOD 1668A	19.89	pg/g - Wet Wt	C		19.89
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-13	2974-90-5	PCB	MOD 1668A	19.89	pg/g - Wet Wt	UC12		19.89
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-16	38444-78-9	PCB	MOD 1668A	148.89	pg/g - Wet Wt			19.89
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-17	37680-66-3	PCB	MOD 1668A	190.06	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-18	37680-65-2	PCB	MOD 1668A	397.46	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-30	35693-92-6	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC18		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-19	38444-73-4	PCB	MOD 1668A	41.47	pg/g - Wet Wt			19.89

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			2214.31	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			39.98			W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			16.48	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			103.72	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			1058.43	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			33.32	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			2317.39	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			180.92	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			973.39	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration			206055.94	J		W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4004-0000-01	48401-82-03		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			39.79	UJ		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			39.79	UJ		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			40.76	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			9.95	UJ		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			26.65	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			6.12	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			110.12	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			10.41	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			2.12	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			19.89	UJ		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			19.89			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			138.92	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			190.06	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			397.46	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			41.47	J		W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-20	38444-84-7	PCB	MOD 1668A	2652.48	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-21	55702-46-0	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC20		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-28	7012-37-5	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC20		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-33	38444-86-9	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC20		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-22	38444-85-8	PCB	MOD 1668A	303.21	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-24	55702-45-9	PCB	MOD 1668A	40.85	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-27	38444-76-7	PCB	MOD 1668A	39.79	pg/g - Wet Wt	UC24		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-25	55712-37-3	PCB	MOD 1668A	67.05	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-26	38444-81-4	PCB	MOD 1668A	237.85	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-29	15862-07-4	PCB	MOD 1668A	39.79	pg/g - Wet Wt	UC26		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-31	16606-02-3	PCB	MOD 1668A	695.82	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-32	38444-77-4	PCB	MOD 1668A	145.78	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-40	38444-93-8	PCB	MOD 1668A	1112.15	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-41	52663-59-9	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC40		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-71	41464-46-4	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC40		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-42	36559-22-5	PCB	MOD 1668A	781.32	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-43	70362-46-8	PCB	MOD 1668A	8241.68	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-52	35693-99-3	PCB	MOD 1668A	39.79	pg/g - Wet Wt	UC43		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-73	74338-23-1	PCB	MOD 1668A	39.79	pg/g - Wet Wt	UC43		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-44	41464-39-5	PCB	MOD 1668A	1799.03	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-47	2437-79-8	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC44		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-65	33284-54-7	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC44		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-45	70362-45-7	PCB	MOD 1668A	239.84	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-51	68194-04-7	PCB	MOD 1668A	39.79	pg/g - Wet Wt	UC45		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-46	41464-47-5	PCB	MOD 1668A	59.49	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-48	70362-47-9	PCB	MOD 1668A	422.74	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-49	41464-40-8	PCB	MOD 1668A	3215.39	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-69	60233-24-1	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC49		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-50	62796-65-0	PCB	MOD 1668A	214.38	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-53	41464-41-9	PCB	MOD 1668A	39.79	pg/g - Wet Wt	UC50		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-56	41464-43-1	PCB	MOD 1668A	485.23	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-59	74472-33-6	PCB	MOD 1668A	2077.36	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-62	54230-22-7	PCB	MOD 1668A	39.79	pg/g - Wet Wt	UC59		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-75	32598-12-2	PCB	MOD 1668A	39.79	pg/g - Wet Wt	UC59		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-60	33025-41-1	PCB	MOD 1668A	892.18	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-63	74472-34-7	PCB	MOD 1668A	331.15	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-64	52663-58-8	PCB	MOD 1668A	1403.28	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-66	32598-10-0	PCB	MOD 1668A	11487.25	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-61	33284-53-6	PCB	MOD 1668A	5858.84	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-70	32598-11-1	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC61		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-74	32690-93-0	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC61		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-76	70362-48-0	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC61		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-77	32598-13-3	PCB	MOD 1668A	78.66	pg/g - Wet Wt	J		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-81	70362-50-4	PCB	MOD 1668A	99.47	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-82	52663-62-4	PCB	MOD 1668A	1151.63	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-111	39635-32-0	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC82		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-83	60145-20-2	PCB	MOD 1668A	25418.53	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-99	38380-01-7	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC83		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-84	52663-60-2	PCB	MOD 1668A	1166.58	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-85	65510-45-4	PCB	MOD 1668A	7720.35	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-116	18259-05-7	PCB	MOD 1668A	39.79	pg/g - Wet Wt	UC85		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-117	68194-11-6	PCB	MOD 1668A	39.79	pg/g - Wet Wt	UC85		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-86	55312-69-1	PCB	MOD 1668A	16277.97	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-87	38380-02-8	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC86		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-97	41464-51-1	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC86		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-109	74472-35-8	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC86		99.47

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			2652.48	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			285.52	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			40.85	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			39.79			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			63.98	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			237.85	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			39.79			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			664.88	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			145.78	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			1112.15	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			781.32	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			8241.68	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			39.79			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			39.79			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			1799.03	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			239.84	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			39.79			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			59.49	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			422.74	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			3215.39	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			214.38	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			39.79			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			485.23	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			2077.36	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			39.79			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			39.79			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			892.18	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			331.15	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			1403.28	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			11487.25	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			5858.84	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			75.88	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47	UJ		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			1123.32	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			25418.53	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			1166.58	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			7720.35	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			39.79			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			39.79			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			16277.97	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-119	56558-17-9	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC86		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-125	74472-39-2	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC86		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-89	73575-57-2	PCB	MOD 1668A	33.82	pg/g - Wet Wt	JC		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-121	56558-18-0	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC89		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-90	68194-07-0	PCB	MOD 1668A	43415.81	pg/g - Wet Wt	C		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-101	37680-73-2	PCB	MOD 1668A	198.94	pg/g - Wet Wt	UC90		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-113	68194-10-5	PCB	MOD 1668A	198.94	pg/g - Wet Wt	UC90		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-88	55215-17-3	PCB	MOD 1668A	1880.68	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-91	68194-05-8	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC88		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-92	52663-61-3	PCB	MOD 1668A	5228.47	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-93	73575-56-1	PCB	MOD 1668A	7053.79	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-95	38379-99-6	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC93		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-98	60233-25-2	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC93		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-100	39485-83-1	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC93		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-102	68194-06-9	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC93		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-105	32598-14-4	PCB	MOD 1668A	9127.15	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-108	70362-41-3	PCB	MOD 1668A	732.92	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-124	70424-70-3	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC108		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-110	38380-03-9	PCB	MOD 1668A	22235.54	pg/g - Wet Wt	C		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-115	74472-38-1	PCB	MOD 1668A	198.94	pg/g - Wet Wt	UC110		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-114	74472-37-0	PCB	MOD 1668A	642.31	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-122	76842-07-4	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC114		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-118	31508-00-6	PCB	MOD 1668A	49819.39	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-106	70424-69-0	PCB	MOD 1668A	4503.76	pg/g - Wet Wt	C		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-107	70424-68-9	PCB	MOD 1668A	198.94	pg/g - Wet Wt	UC106		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-123	65510-44-3	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC106		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-126	57465-28-8	PCB	MOD 1668A	81.11	pg/g - Wet Wt	J		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-128	38380-07-3	PCB	MOD 1668A	9177.10	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-166	41411-63-6	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC128		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-129	55215-18-4	PCB	MOD 1668A	66570.77	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-138	35065-28-2	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC129		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-160	41411-62-5	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC129		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-163	74472-44-9	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC129		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-130	52663-66-8	PCB	MOD 1668A	2505.07	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-131	61798-70-7	PCB	MOD 1668A	295.36	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-132	38380-05-1	PCB	MOD 1668A	3284.51	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-134	52704-70-8	PCB	MOD 1668A	597.52	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-143	68194-15-0	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC134		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-135	52744-13-5	PCB	MOD 1668A	2923.99	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-151	52663-63-5	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC135		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-154	60145-22-4	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC135		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-136	38411-22-2	PCB	MOD 1668A	297.72	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-137	35694-06-5	PCB	MOD 1668A	5924.10	pg/g - Wet Wt	C		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-164	74472-45-0	PCB	MOD 1668A	198.94	pg/g - Wet Wt	UC137		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-141	52712-04-6	PCB	MOD 1668A	6010.05	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-144	68194-14-9	PCB	MOD 1668A	854.55	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-146	51908-16-8	PCB	MOD 1668A	6634.38	pg/g - Wet Wt	C		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-161	74474-43-8	PCB	MOD 1668A	198.94	pg/g - Wet Wt	UC146		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-147	68194-13-8	PCB	MOD 1668A	17608.38	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-149	38380-04-0	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC147		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-153	35065-27-1	PCB	MOD 1668A	49284.73	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-168	59291-65-5	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC153		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-156	38380-08-4	PCB	MOD 1668A	6475.07	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-157	69782-90-7	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC156		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-158	74472-42-7	PCB	MOD 1668A	5407.47	pg/g - Wet Wt			39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-167	52663-72-6	PCB	MOD 1668A	2784.82	pg/g - Wet Wt			99.47

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			33.82	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			43415.81	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			198.94			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			198.94			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			1880.68	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			5228.47	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			7053.79	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			9127.15	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			732.92	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			22235.54	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			198.94			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			642.31	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			49819.39	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			4503.76	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			198.94			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			81.11	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			9177.10	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			66570.77	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			2505.07	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			295.36	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			3284.51	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			597.52	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			2923.99	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			297.72	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			5924.10	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			198.94			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			6010.05	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			854.55	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			6634.38	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			198.94			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			17608.38	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			49284.73	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			6475.07	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			5407.47	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			2784.82	J		W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-169	32774-16-6	PCB	MOD 1668A	99.47	pg/g - Wet Wt	U		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-170	35065-30-6	PCB	MOD 1668A	7054.11	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-171	52663-71-5	PCB	MOD 1668A	1819.12	pg/g - Wet Wt	C		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-173	68194-16-1	PCB	MOD 1668A	198.94	pg/g - Wet Wt	UC171		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-172	52663-74-8	PCB	MOD 1668A	1157.08	pg/g - Wet Wt			198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-174	38411-25-5	PCB	MOD 1668A	1239.38	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-175	40186-70-7	PCB	MOD 1668A	149.93	pg/g - Wet Wt	J		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-176	52663-65-7	PCB	MOD 1668A	79.64	pg/g - Wet Wt	J		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-177	52663-70-4	PCB	MOD 1668A	1097.40	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-178	52663-67-9	PCB	MOD 1668A	435.82	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-180	35065-29-3	PCB	MOD 1668A	12543.05	pg/g - Wet Wt	C		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-193	69782-91-8	PCB	MOD 1668A	99.47	pg/g - Wet Wt	UC180		99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-182	60145-23-5	PCB	MOD 1668A	88.54	pg/g - Wet Wt	J		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-183	52663-69-1	PCB	MOD 1668A	2292.11	pg/g - Wet Wt			198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-184	74472-48-3	PCB	MOD 1668A	65.59	pg/g - Wet Wt	J		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-185	52712-05-7	PCB	MOD 1668A	192.55	pg/g - Wet Wt	J		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-187	52663-68-0	PCB	MOD 1668A	5193.34	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-189	39635-31-9	PCB	MOD 1668A	217.76	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-190	41411-64-7	PCB	MOD 1668A	1355.60	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-191	74472-50-7	PCB	MOD 1668A	232.58	pg/g - Wet Wt			198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-194	35694-08-7	PCB	MOD 1668A	1830.32	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-195	52663-78-2	PCB	MOD 1668A	547.14	pg/g - Wet Wt			198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-196	42740-50-1	PCB	MOD 1668A	938.34	pg/g - Wet Wt			198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-197	33091-17-7	PCB	MOD 1668A	62.10	pg/g - Wet Wt	J		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-198	68194-17-2	PCB	MOD 1668A	4473.19	pg/g - Wet Wt	C		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-199	52663-75-9	PCB	MOD 1668A	39.79	pg/g - Wet Wt	UC198		39.79
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-200	52663-73-7	PCB	MOD 1668A	76.24	pg/g - Wet Wt	J		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-201	40186-71-8	PCB	MOD 1668A	247.49	pg/g - Wet Wt			198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-203	52663-76-0	PCB	MOD 1668A	2415.94	pg/g - Wet Wt			198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-205	74472-53-0	PCB	MOD 1668A	91.11	pg/g - Wet Wt	J		198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-206	40186-72-9	PCB	MOD 1668A	4994.44	pg/g - Wet Wt			198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-207	52663-79-3	PCB	MOD 1668A	468.50	pg/g - Wet Wt			198.94
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						PCB-209	2051-24-3	PCB	MOD 1668A	2290.09	pg/g - Wet Wt			99.47
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						Total PCB		PCB	MOD 1668A	480523.82	pg/g - Wet Wt			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-1	2051-60-7	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-3	2051-62-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-4	13029-08-8	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-19	38444-73-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-15	2050-68-2	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-54	15968-05-5	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-104	56558-16-8	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-37	38444-90-5	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-155	33979-03-02	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-81	70362-50-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-77	32598-13-3	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-123	65510-44-3	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-118	31508-00-6	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-188	74487-85-7	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-114	74472-37-0	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-105	32598-14-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-126	57465-28-8	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-202	2136-99-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-167	52663-72-6	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-156	38380-08-4	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-157	69782-90-7	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-169	32774-16-6	PCB	MOD 1668A	NA	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47	UJ		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			7054.11	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			1819.12	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			198.94			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			1157.08	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			1239.38	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			149.93	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			79.64	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			1097.40	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			435.82	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			12543.05	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			99.47			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			31.91	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			2292.11	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			8.96	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			192.55	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			5193.34	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			217.76	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			1355.60	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			232.58	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			1830.32	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			547.14	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			938.34	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			62.10	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			4473.19	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			39.79			W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			19.61	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			247.49	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			2415.94	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			91.11	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			4994.44	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			468.50	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			2290.09	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration			480328.34	J		W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL	IDL	MDL
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-208	52663-77-1	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-189	39635-31-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-205	74472-53-0	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-206	40186-72-9	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-209	2051-24-3	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-28	7012-37-5	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-111	39635-32-0	PCB	MOD 1668A	NA	%RECOVERY			
LPX-LB-4005-0000-01	48401-82-07	BCO	NORMAL						13C-PCB-178	52663-67-9	PCB	MOD 1668A	NA	%RECOVERY			

US EPA ARCHIVE DOCUMENT

SAMPLE_NO	LAB_ID	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W
LPX-LB-4005-0000-01	48401-82-07		1.00		Reconstituted Whole Body Concentration						W