


US EPA ARCHIVE DOCUMENT

PANEL NUMBER



MAP REPOSITORY

Building Inspector's Office, 2000 Smith Street,
North Providence, Rhode Island 02911 (Maps
available for reference only, not for distribution.)



NATIONAL FLOOD INSURANCE PROGRAM

**FIRM
FLOOD INSURANCE RATE MAP**

TOWN OF
NORTH PROVIDENCE,
RHODE ISLAND
PROVIDENCE COUNTY

MAP INDEX

PANELS PRINTED: 1, 2, 3

COMMUNITY - PANEL NUMBERS
440020 0001-0003

MAP REVISED:
DECEMBER 6, 1999



Federal Emergency Management Agency

5761



LEGEND

SPECIAL FLOOD HAZARD AREAS INUNDATED BY 100-YEAR FLOOD

- ZONE A** No base flood elevations determined.
- ZONE AE** Base flood elevations determined.
- ZONE AH** Flood depths of 1 to 3 feet usually areas of ponding; base flood elevations determined.
- ZONE AO** Flood depths of 1 to 3 feet usually sheet flow on sloping terrain; average depths determined. For areas of alluvial fan flooding velocities also determined.
- ZONE A99** To be protected from 100-year flood by Federal flood protection system, under construction; no base flood elevations determined.
- ZONE V** Coastal flood with velocity hazard (wave action); no base flood elevations determined.
- ZONE VE** Coastal flood with velocity hazard (wave action); base flood elevations determined.

FLOODWAY AREAS IN ZONE AE

OTHER FLOOD AREAS

- ZONE X** Areas of 500-year flood; areas of 100-year flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 100-year flood.

OTHER AREAS

- ZONE X** Areas determined to be outside 500-year floodplains.
- ZONE D** Areas in which flood hazards are undetermined, but possible.

UNDEVELOPED COASTAL BARRIERS*

- Identified 1983
- Identified 1990 or Later
- Otherwise Protected Areas Identified 1991 or Later

* Coastal barrier areas are normally located within or adjacent to Special Flood Hazard Areas.

Map Symbols:

- Floodplain Boundary
- Floodway Boundary
- Zone D Boundary
- Boundary Dividing Special Flood Hazard Zones and Boundary Dividing Areas of Different Coastal Base Flood Elevations Within Special Flood Hazard Zones
- Base Flood Elevation Line in Feet**
- Cross Section Line
- Base Flood Elevation in Feet Where Uniform Within Zone**
- Nearest Reference Mark
- River Mile

**Referenced to the National Geodetic Vertical Datum of 1929

NOTES

This map is for use in administering the National Flood Insurance Program; it does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size, or all planimetric features outside Special Flood Hazard Areas. The community map inventory should be consulted for possible updated flood hazard information prior to use of this map for property purchase or construction purposes.

Coastal base flood elevations apply only to areas of 0.7 National Geodetic Vertical Datum of 1929 (NGVD) and the effects of wave action. These elevations may also differ significantly from those developed by the National Weather Service for hurricane evacuation planning.

Areas of special flood hazard (100-year flood) include Zones A, AE, AH, AO, A99, V, and VE.

Certain areas not in Special Flood Hazard Areas may be protected by flood control structures.

Boundaries of the floodways were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the Federal Emergency Management Agency. Floodway widths in some areas may be too narrow to show to scale. Floodway widths are provided in the Flood Insurance Study Report.

For adjoining map panels see separately printed Map Index.

NOTE: The coordinate system used for the production of this Flood Insurance Rate Map (FIRM) is the National Transverse Mercator (NAD) North American Datum of 1983 (NAD83). Clarke 1866 spheroid. Differences in the datum and spheroid used in the production of FIRMs for adjacent communities may result in slight positional differences in map features at the community boundaries. These differences do not affect the accuracy of the information shown on the FIRM.

ATTENTION: Flood elevations on this map are referenced to the National Geodetic Vertical Datum of 1929. These flood elevations must be compared to structure and ground elevations referenced to the same datum. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, contact the National Geodetic Survey at the following address:

Vertical Network Branch, N/CDS
National Geodetic Survey, NOAA
Silver Spring, Maryland, Center 3
1205 East-West Highway
Silver Spring, Maryland 20910

BASE MAP SOURCE: Planimetric base map information was provided in digital format by the Rhode Island Department of Administration from the Rhode Island Geographic Information System. These files were compiled at a scale of 1:24,000 from U.S. Geological Survey 7.5-Minute Series Topographic Maps. Additional information may have been derived from other sources. Users of this FIRM should be aware that minor adjustments may have been made to specific base map features.

MAP REPOSITORY
Building Inspector's Office, 2000 Smith Street, North Providence, Rhode Island 02901 (Maps available for reference only, not for distribution).

INITIAL IDENTIFICATION:
APRIL 13, 1973

FLOOD HAZARD BOUNDARY MAP REVISIONS:
NONE

FLOOD INSURANCE RATE MAP EFFECTIVE:
DECEMBER 15, 1977

FLOOD INSURANCE RATE MAP REVISIONS:
September 20, 1993 - to change base flood elevations to add base flood elevations to change special flood hazard areas to change zone designations and to update map format.
December 6, 1999 - to update corporate limits to decrease base flood elevations, to add base flood elevations, to change zone designations, and to update map format.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at (800) 638-6620.

APPROXIMATE SCALE
500 0 500 FEET

ELEVATION REFERENCE MARKS

REFERENCE MARK	ELEVATION IN FT. (NGVD) ¹	DESCRIPTION OF LOCATION
RM 3	105.06	Wall painted orange in base of pole at corner of Evergreen Parkway and Benjamin Drive (TP-2).
RM 4	135.58	Top of north corner of upstream headwall of West River Parkway bridge over West River (TP-8).
RM 5	124.53	Top of north corner of east wing wall, upstream face of Mineral Spring Avenue over West River bridge (TP-20).
RM 6	92.52	Top of south corner of downstream wall, upstream face of Mineral Spring Avenue over West River bridge (TP-20).
RM 7	169.78	Top of downstream southwest corner of Asylum Road bridge headwall over West River (TP-24).
RM 8	113.66	Bronze disc top of downstream west corner of Greystone Avenue bridge headwall over Woonasquatucket River (1929 datum) (C688M-032).
RM 9	110.96	Bronze disc at intersection of U.S. Route 44 and U.S. Route 104 in Centerville (R28PR-67).
RM 10	92.23	Top of bolt, painted orange, at base of fifth steel post from east edge of Allendale Street bridge over Woonasquatucket River upstream face (TP-7).
RM 11	89.82	Top of curb at southeast corner of intersection of Zabarano Avenue and Woonasquatucket Avenue (TP-1).

¹National Geodetic Vertical Datum of 1929

NATIONAL FLOOD INSURANCE PROGRAM

FIRM

FLOOD INSURANCE RATE MAP

TOWN OF
NORTH PROVIDENCE,
RHODE ISLAND
PROVIDENCE COUNTY

PANEL 1 OF 3
(SEE MAP INDEX FOR PANELS NOT PRINTED)

COMMUNITY - PANEL NUMBER
440020 0001 C

MAP REVISED:
DECEMBER 6, 1999

Federal Emergency Management Agency



ELEVATION REFERENCE MARKS		
REFERENCE MARK	ELEVATION IN FT. (NGVD) ¹	DESCRIPTION OF LOCATION
RM 1	85.19	Nail in base of pole over Upper Canada Pond Brook conduit on north side of Mineral Spring Avenue (TP-6).
RM 2	63.82	Top of east wing wall of inlet to small private pond, approximately 600 feet downstream from Mineral Spring Avenue (TP-3).

¹National Geodetic Vertical Datum of 1929

LEGEND

SPECIAL FLOOD HAZARD AREAS INUNDATED BY 100-YEAR FLOOD

- ZONE A** No base flood elevations determined.
- ZONE AE** Base flood elevations determined.
- ZONE AH** Flood depths of 1 to 3 feet (usually areas of ponding); base flood elevations determined.
- ZONE AO** Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also determined.
- ZONE A99** To be protected from 100-year flood by Federal flood protection system under construction; no base flood elevations determined.
- ZONE V** Coastal flood with velocity hazard (wave action); no base flood elevations determined.
- ZONE VE** Coastal flood with velocity hazard (wave action); base flood elevations determined.

FLOODWAY AREAS IN ZONE AE

OTHER FLOOD AREAS

- ZONE X** Areas of 500-year flood; areas of 100-year flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 100-year flood.
- ZONE D** Areas in which flood hazards are undetermined, but possible.

OTHER AREAS

- ZONE X** Areas determined to be outside 500-year floodplain.
- ZONE D** Areas in which flood hazards are undetermined, but possible.

UNDEVELOPED COASTAL BARRIERS*

- Identified 1983
- Identified 1990 or Later
- Otherwise Protected Areas Identified 1991 or Later

* Coastal barrier areas are normally located within or adjacent to Special Flood Hazard Areas.

Map Symbols:

- Floodplain Boundary
- Floodway Boundary
- Zone D Boundary
- Boundary Dividing Special Flood Hazard Zones, and Boundary Dividing Areas of Different Coastal Base Flood Elevations Within Special Flood Hazard Zones.
- Base Flood Elevation Line Elevation in Feet**
- Cross Section Line
- Base Flood Elevation in Feet Where Uniform Within Zone**
- Elevation Reference Mark
- River Mile

Scale: 513 (EL 987) RM7 x M1.5

**Referenced to the National Geodetic Vertical Datum of 1929

NOTES

This map is for use in administering the National Flood Insurance Program; it does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size, or all planimetric features outside Special Flood Hazard Areas. The community map repository should be consulted for possible updated flood hazard information prior to use of this map for property purchase or construction purposes.

Coastal base flood elevations apply only landward of 0.0' National Geodetic Vertical Datum of 1929 (NGVD), and include the effects of wave action; these elevations may also differ significantly from those developed by the National Weather Service for hurricane evacuation planning.

Areas of special flood hazard (100-year flood) include Zones A, AE, AH, AO, A99, V, and VE.

Certain areas not in Special Flood Hazard Areas may be protected by flood control structures.

Boundaries of the floodways were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the Federal Emergency Management Agency.

Floodway widths in some areas may be too narrow to show to scale. Floodway widths are provided in the Flood Insurance Study Report.

For adjoining map panels see separately printed Map Index.

NOTE: The coordinate system used for the production of this Flood Insurance Rate Map (FIRM) is Universal Transverse Mercator (UTM), North America Datum of 1927 (NAD27), Clark 1866 spheroid. Differences in the datum and spheroid used in the production of FIRMs for adjacent communities may result in slight positional differences in map features at the community boundaries. These differences do not affect the accuracy of the information shown on the FIRM.

ATTENTION: Flood elevations on this map are referenced to the National Geodetic Vertical Datum of 1929. These flood elevations must be compared to structure and ground elevations referenced to the same datum. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, contact the National Geodetic Survey at the following address:

Vertical Network Branch, N/C613
National Geodetic Survey, NOAA
Silver Spring Metro Center 3
1315 East-West Highway
Silver Spring, Maryland 20910
(301) 713-3781

BASE MAP SOURCE: Planimetric base map information was provided in digital format by the Rhode Island Department of Administration from the Rhode Island Geographic Information System. These files were compiled at a scale of 1:24,000 from U.S. Geological Survey 7.5-Minute Series Topographic Maps. Additional information may have been derived from other sources. Users of this FIRM should be aware that minor adjustments may have been made to specific base map features.

MAP REPOSITORY
Building Inspector's Office, 2000 Smith Street, North Providence, Rhode Island 02911 (Maps available for reference only, not for distribution.)

INITIAL IDENTIFICATION:
APRIL 13, 1973

FLOOD HAZARD BOUNDARY MAP REVISIONS:
NONE

FLOOD INSURANCE RATE MAP EFFECTIVE:
DECEMBER 15, 1977

FLOOD INSURANCE RATE MAP REVISIONS:
September 30, 1993 - to change base flood elevations, to add base flood elevations, to change special flood hazard areas, to change zone designations and to update map format.
December 6, 1999 - to update corporate limits, to decrease base flood elevations, to add base flood elevations, to change zone designations, and to update map format.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at (800) 638-6620.

APPROXIMATE SCALE
500 0 500 FEET

NATIONAL FLOOD INSURANCE PROGRAM

FIRM
FLOOD INSURANCE RATE MAP
TOWN OF
NORTH PROVIDENCE,
RHODE ISLAND
PROVIDENCE COUNTY

PANEL 2 OF 3
(SEE MAP INDEX FOR PANELS NOT PRINTED)

COMMUNITY - PANEL NUMBER
440020 0002 C

MAP REVISED:
DECEMBER 6, 1999



Federal Emergency Management Agency

ELEVATION REFERENCE MARKS		
REFERENCE MARK	ELEVATION IN FT. (NGVD) ¹	DESCRIPTION OF LOCATION
RM 12	80.77	Top of southwest corner, east abutment of second dam upstream from Marton Avenue bridge over Woonasquatucket River, at Ronci Industrial Park (TBM-5).

¹National Geodetic Vertical Datum of 1929

ZONE A

No base flood elevations determined.

ZONE AE

Base flood elevations determined.

ZONE AH

Flood depths of 1 to 3 feet (usually areas of ponding); base flood elevations determined.

ZONE AO

Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also determined.

ZONE A99

To be protected from 100-year flood by Federal flood protection system under construction; no base flood elevations determined.

ZONE V

Coastal flood with velocity hazard (wave action); no base flood elevations determined.

ZONE VE

Coastal flood with velocity hazard (wave action); base flood elevations determined.

FLOODWAY AREAS IN ZONE AE

OTHER FLOOD AREAS

ZONE X

Areas of 500-year flood; areas of 100-year flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 100-year flood.

OTHER AREAS

ZONE X

Areas determined to be outside 500-year floodplain.

ZONE D

Areas in which flood hazards are undetermined, but possible.

Identified 1983

Identified 1990 or Later

Otherwise Protected Areas Identified 1991 or Later

Coastal barrier areas are normally located within or adjacent to Special Flood Hazard Areas.

Floodplain Boundary

Floodway Boundary

Zone D Boundary

Boundary Dividing Special Flood Hazard Zones, and Boundary Dividing Areas of Different Coastal Base Flood Elevations Within Special Flood Hazard Zones

Base Flood Elevation Line in Feet**

Cross Section Line

Base Flood Elevation in Feet Where Uniform Within Zone**

Elevation Reference Mark

River Mile

513

(EL. 987)

RM7 X

M1.5

**Referenced to the National Geodetic Vertical Datum of 1929

NOTES

This map is for use in administering the National Flood Insurance Program; it does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size, or all planimetric features outside Special Flood Hazard Areas. The community map repository should be consulted for possible updated flood hazard information prior to use of this map for property purchase or construction purposes.

Coastal base flood elevations apply only landward of 0.0' National Geodetic Vertical Datum of 1929 (NGVD), and include the effects of wave action; these elevations may also differ significantly from those developed by the National Weather Service for hurricane evacuation planning.

Areas of special flood hazard (100-year flood) include Zones A, AE, AH, AO, A99, V and VE.

Certain areas not in Special Flood Hazard Areas may be protected by flood control structures.

Boundaries of the floodways were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the Federal Emergency Management Agency.

Floodway widths in some areas may be too narrow to show to scale. Floodway widths are provided in the Flood Insurance Study Report.

For adjoining map panels see separately printed Map Index.

NOTE: The coordinate system used for the production of this Flood Insurance Rate Map (FIRM) is Universal Transverse Mercator (UTM), North American Datum of 1927 (NAD27), Clarke 1866 spheroid. Differences in the datum and spheroid used in the production of FIRMs for adjacent communities may result in slight positional differences in map features at the community boundaries. These differences do not affect the accuracy of the information shown on the FIRM.

ATTENTION: Flood elevations on this map are referenced to the National Geodetic Vertical Datum of 1929. These flood elevations must be compared to structure and ground elevations referenced to the same datum. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, contact the National Geodetic Survey at the following address:

Vertical Network Branch, N/C613
National Geodetic Survey, NOAA
Silver Spring Metro Center 3
1315 East-West Highway
Silver Spring, Maryland 20910
(301) 713-3501

BASE MAP SOURCE: Planimetric base map information was provided in digital format by the Rhode Island Department of Administration from the Rhode Island Geographic Information System. These files were compiled at a scale of 1:24,000 from U.S. Geological Survey 7.5-Minute Series Topographic Maps. Additional information may have been derived from other sources. Users of this FIRM should be aware that minor adjustments may have been made to specific base map features.

MAP REPOSITORY
Building Inspector's Office, 2000 Smith Street, North Providence, Rhode Island 02911 (Maps available for reference only, not for distribution.)

INITIAL IDENTIFICATION:
APRIL 13, 1973

FLOOD HAZARD BOUNDARY MAP REVISIONS:
NONE

FLOOD INSURANCE RATE MAP EFFECTIVE:
DECEMBER 16, 1977

FLOOD INSURANCE RATE MAP REVISIONS:
September 30, 1993 - to change base flood elevations, to add base flood elevations, to change special flood hazard areas, to change zone designations and to update map format.
December 5, 1999 - to update corporate limits, to decrease base flood elevations, to add base flood elevations, to change zone designations, and to update map format.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at (800) 638-6620.

APPROXIMATE SCALE

500

0

500 FEET

NATIONAL FLOOD INSURANCE PROGRAM

FIRM
FLOOD INSURANCE RATE MAP
TOWN OF
NORTH PROVIDENCE,
RHODE ISLAND
PROVIDENCE COUNTY

PANEL 3 OF 3
(SEE MAP INDEX FOR PANELS NOT PRINTED)

COMMUNITY - PANEL NUMBER
440020 0003 C

MAP REVISED:
DECEMBER 6, 1999

Federal Emergency Management Agency