


US EPA ARCHIVE DOCUMENT



December 14, 2009

Mr. Erich Cleaver
Division of Water
200 Fair Oaks Lane
Fourth Floor
Frankfort, Kentucky 40601



RE: KPDES NO. KY0106852
ICG Hazard LLC
DSMRE Permit 897-0448, Amendment 1
AI ID: 78356
Perry, KY

Dear Mr. Cleaver:


A completeness review of the referenced application found the application incomplete. The following corrections correspond to the deficiencies listed in your letter dated August 4, 2009:

1. A USGS topographic map with the required information is included.
2. The completed Form C, Section V is included. One analysis of the pollutants circled in red is included. The seams and overburden to be mined are the same for all watersheds to be impacted by the permit.

If you have any further questions or need any additional information, please contact me at (859) 277-5300, ext. 25, or by e-mail at sms@cbceng.com.

Sincerely,

S. Mark Summers
Project Manager



PLEASE PRINT OR TYPE IN THE UNSHADED AREAS ONLY. You may report some or all of this information on separate sheets (use the same format) instead of completing these pages. (See instructions)

V. INTAKE AND EFFLUENT CHARACTERISTICS (Continued from page 3 of Form C)										OUTFALL NO.	
Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.											
1. POLLUTANT	2. EFFLUENT						3. UNITS (specify if blank)		4. INTAKE (optional)		
	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg. Value (1)	b. No. of Analyses
	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass					
a. Biochemical Oxygen Demand (BOD)											
b. Chemical Oxygen Demand (COD)											
c. Total Organic Carbon (TOC)											
d. Total Suspended Solids (TSS)	3							mg/l			
e. Ammonia (as N)											
f. Flow (in units of MGD)	VALUE	0.036	VALUE		VALUE			MGD	VALUE		
g. Temperature (winter)	VALUE		VALUE		VALUE			°c	VALUE		
h. Temperature (summer)	VALUE		VALUE		VALUE			°c	VALUE		
i. pH	MINIMUM 7.42	MAXIMUM	MINIMUM	MAXIMUM			1	STANDARD UNITS			

Part B - In the MARK "X" column, place an "X" in the Believed Present column for each pollutant you know or have reason to believe is present. Place an "X" in the Believed Absent column for each pollutant you believe to be absent. If you mark the Believed Present column for any pollutant, you must provide the results of at least one analysis for that pollutant. Complete one table for each outfall. See the instructions for additional details and requirements.

1. POLLUTANT AND CAS NO. (if available)	2. MARK "X"		3. EFFLUENT						4. UNITS		6. INTAKE (optional)			
	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg		b. No. of Analyses
			(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Value	(2) Mass	
a. Bromide (24959-67-9)		X												
b. Bromine Total Residual		X												
c. Chloride		X												
d. Chlorine, Total Residual		X												
e. Color		X												
f. Fecal Coliform		X												
g. Fluoride (16984-48-8)		X												
h. Hardness (as CaCO ₃)	X		680											
i. Nitrate - Nitrite (as N)		X							mg/l					
j. Nitrogen, Total Organic (as N)		X												
k. Oil and Grease		X												
l. Phosphorous (as P), Total 7723-14-0		X												
m. Radioactivity														
(1) Alpha, Total		X												
(2) Beta, Total		X												
(3) Radium Total		X												
(4) Radium, 226, Total		X												

Part B - Continued															
1. POLLUTANT And CAS NO. (if available)	2. MARK "X"		3. EFFLUENT								4. UNITS		5. INTAKE (optional)		
			a.				b.		c.				d.	a.	b.
	a. Believed Present	b. Believed Absent	Maximum Daily Value (1)	Value (2)	Value (if available) (1)	Value (if available) (2)	Concentration (1)	Concentration (2)	Mass	Concentration (1)	Value (2)	Concentration (1)			
n. Sulfate (as SO ₄) (14808-79-8)	X		789D								mg/l				
o. Sulfide (as S)															
p. Sulfite (as SO ₃) (14286-46-3)		X													
q. Surfactants		X													
r. Aluminum, Total (7429-90)	X		.21								mg/l				
s. Barium, Total (7440-39-3)		X													
t. Boron, Total (7440-42-8)		X													
u. Cobalt, Total (7440-48-4)		X													
v. Iron, Total (7439-89-6)	X		0.19B								mg/l				
w. Magnesium Total (7439-96-4)		X													
x. Molybdenum Total (7439-98-7)		X													
y. Manganese, Total (7439-96-6)	X		3.53D								mg/l				
z. Tin, Total (7440-31-5)		X													
aa. Titanium, Total (7440-32-6)		X													

Part C – If you are a primary industry and this outfall contains process wastewater, refer to Table C-2 in the instructions to determine which of the GC/MS fractions you must test for. Mark “X” in the **Testing Required** column for all such GC/MS fractions that apply to your industry and for ALL toxic metals, cyanides, and total phenols. If you are not required to mark this column (secondary industries, nonprocess wastewater outfalls, and non-required GC/MS fractions), mark “X” in the **Believed Present** column for each pollutant you know or have reason to believe is present. Mark “X” in the **Believed Absent** column for each pollutant you believe to be absent. If you mark either the **Testing Required** or **Believed Present** columns for any pollutant, you must provide the result of at least one analysis for that pollutant. Note that there are seven pages to this part; please review each carefully. Complete one table (all seven pages) for each outfall. See instructions for additional details and requirements.

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT						4. UNITS		5. INTAKE (optional)			
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. of Analyses
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
METALS, CYANIDE AND TOTAL PHENOLS															
1M. Antimony Total (7440-36-0)	X			.002U							mg/l				
2M. Arsenic, Total (7440-38-2)	X			.002U							mg/l				
3M. Beryllium Total (7440-41-7)	X			.002U							mg/l				
4M. Cadmium Total (7440-43-9)	X			.002U							mg/l				
5M. Chromium Total (7440-43-9)	X			.002							mg/l				
6M. Copper Total (7550-50-8)	X			.002U							mg/l				
7M. Lead Total (7439-92-1)	X			.002U							mg/l				
8M. Mercury Total (7439-97-6)	X			.0002U							mg/l				
9M. Nickel, Total (7440-02-0)	X			.075							mg/l				
10M. Selenium, Total (7782-49-2)	X			.006							mg/l				
11M. Silver, Total (7440-28-0)	X			.002U							mg/l				

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT						4. UNITS		5. INTAKE (optional)				
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value (1)	Mass (2)	b. Maximum 30-Day Value (if available) (1)	Mass (2)	c. Long-Term Avg. Value (if available) (1)	Mass (2)	d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value (1)	Mass (2)	b. No. of Analyses	
METALS, CYANIDE AND TOTAL PHENOLS (Continued)																
12M. Thallium, Total (7440-28-0)	X			.0005U							mg/l					
13M. Zinc, Total (7440-66-6)	X			.043							mg/l					
14M. Cyanide, Total (57-12-5)	X			.005U							mg/l					
15M. Phenols, Total	X			.05U							mg/l					
DIOXIN																
2,3,7,8 Tetra- chlorodibenzo, P, Dioxin (1784-01-6)			X													
GC/MS FRACTION – VOLATILE COMPOUNDS																
DESCRIBE RESULTS:																
1V. Acrolein (107-02-8)			X													
2V. Acrylonitrile (107-13-1)			X													
3V. Benzene (71-43-2)			X													
5V. Bromoform (75-25-2)			X													
6V. Carbon Tetrachloride (56-23-5)			X													
7V. Chloro- benzene (108-90-7)			X													
8V. Chlorodibro- momethane (124-48-1)			X													

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT								4. UNITS		5. INTAKE (optional)		
	2. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. of Analyses	
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass							
9V. Chloroethane (74-00-3)			X													
10V. 2-Chloro- ethylvinyl Ether (110-75-8)			X													
11V. Chloroform (67-66-3)			X													
12V. Dichloro- bromomethane (75-71-8)			X													
14V. 1,1- Dichloroethane (75-34-3)			X													
15V. 1,2- Dichloroethane (107-06-2)			X													
16V. 1,1- Dichloroethylene (75-35-4)			X													
17V. 1,2-Di- chloropropane (78-87-5)			X													
18V. 1,3- Dichloropro- pylene (452-75-6)			X													
19V. Ethyl- benzene (100-41-4)			X													
20V. Methyl Bromide (74-83-9)			X													

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT								4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg. Value		b. No. of Analyses	
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass		
21V. Methyl Chloride (74-87-3)			X													
22V. Methylene Chloride (75-00-2)			X													
23V. 1,1,2,2- Tetrachloro- ethane (79-34-5)			X													
24V. Tetrachloro- ethylene (127-18-4)			X													
25V. Toluene (108-88-3)			X													
26V. 1,2-Trans- Dichloro- ethylene (156-60-5)			X													
27V. 1,1,1-Tri- chloroethane (71-55-6)			X													
28V. 1,1,2-Tri- chloroethane (79-00-5)			X													
29V. Trichloro- ethylene (79-01-6)			X													
30V. Vinyl Chloride (75-01-4)			X													

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT								4. UNITS		5. INTAKE (optional)	
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. of Analyses
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
GC/MS FRACTION – ACID COMPOUNDS															
1A. 2-Chloro-phenol (95-57-8)			X												
2A. 2,4-Dichloro- Orophenol (120-83-2)			X												
3A. 2,4-Dimeth- ylphenol (105-67-9)			X												
4A. 4,6-Dinitro- o-cresol (534-52-1)			X												
5A. 2,4-Dinitro- phenol (51-28-5)			X												
6A. 2-Nitro- phenol (88-75-5)			X												
7A. 4-Nitro- phenol (100-02-7)			X												
8A. P-chloro-m- cresol (59-50-7)			X												
9A. Pentachloro- phenol (87-88-5)			X												
10A. Phenol (108-05-2)			X												
11A. 2,4,6-Tri- chlorophenol (88-06-2)			X												
GC/MS FRACTION – BASE/NEUTRAL COMPOUNDS															
1B. Acena- phthene (83-32-9)			X												

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK “X”			3. EFFLUENT								4. UNITS		5. INTAKE (optional)		
	2. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. of Analyses	
				(1)	(2)	(1)	(2)	(1)	(2)				(1)	(2)		
GC/MS FRACTION – BASE/NEUTRAL COMPOUNDS (Continued)																
2B. Acena- phylene (208-96-8)			X													
3B. Anthra- cene (120-12-7)			X													
4B. Benzidine (92-87-5)			X													
5B. Benzo(a)- anthracene (56-55-3)			X													
6B. Benzo(a)- pyrene (50-32-8)			X													
7B. 3,4-Benzo- fluoranthene (205-99-2)			X													
8B. Benzo(ghi) perylene (191-24-2)			X													
9B. Benzo(k)- fluoranthene (207-08-9)			X													
10B. Bis(2- chlor- oethoxy)- methane (111-91-1)			X													
11B. Bis (2-chlor- oisopropyl)- Ether			X													
12B. Bis (2-ethyl- hexyl)- phthalate (117-81-7)			X													

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT								4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. of Analyses	
				(1)	(2)	(1)	(2)	(1)	(2)				(1)	(2)		
GC/MS FRACTION – BASE/NEUTRAL COMPOUNDS (Continued)																
13B. 4-Bromo-phenyl Phenyl ether (101-55-3)			X													
14B. Butyl- benzyl phthalate (85-68-7)			X													
15B. 2-Chloro- naphthalene (7005-72-3)			X													
16B. 4-Chloro- phenyl phenyl ether (7005-72-3)			X													
17B. Chrysene (218-01-9)			X													
18B. Dibenzo- (a,h) Anthracene (53-70-3)			X													
19B. 1,2- Dichloro- benzene (95-50-1)			X													
20B. 1,3- Dichloro- Benzene (541-73-1)			X													
21B. 1,4- Dichloro- benzene (106-46-7)			X													
22B. 3,3- Dichloro- benzidine (91-94-1)			X													
23B. Diethyl Phthalate (84-66-2)			X													

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT						4. UNITS		5. INTAKE (optional)			
	2. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg. Value		b. No. of Analyses
				(1)	(2)	(1)	(2)	(1)	(2)				(1)	(2)	
GC/MS FRACTION – BASE/NEUTRAL COMPOUNDS (Continued)															
24B. Dimethyl Phthalate (131-11-3)			X												
25B. Di-N- butyl Phthalate (84-74-2)			X												
26B. 2,4-Dinitro- toluene (121-14-2)			X												
27B. 2,6-Dinitro- toluene (606-20-2)			X												
28B. Di-n-octyl Phthalate (117-84-0)			X												
29B. 1,2- diphenyl- hydrazine (as azonbenzene) (122-66-7)			X												
30B. Fluoranthene (208-44-0)			X												
31B. Fluorene (86-73-7)			X												
32B. Hexachloro- benzene (118-71-1)			X												
33B. Hexachloro- butadiene (87-68-3)			X												
34B. Hexachloro- cyclopenta- diene (77-47-4)			X												

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT								4. UNITS		5. INTAKE (optional)			
	a. Testing Required	a. Believed Present	b. Believed Absent	a.		b. Maximum 30-Day		c. Long-Term Avg.		d. No. of Analyses	a. Concentration	b. Mass	a.		b.		
				Maximum Daily Value (1)	Value (2)	Value (if available) (1)	Value (if available) (2)	Value (if available) (1)	Value (if available) (2)				Long-Term Avg Value (1)	Value (2)		No. of Analyses	
GC/MS FRACTION – BASE/NEUTRAL COMPOUNDS (Continued)																	
35B. Hexachloroethane (67-72-1)			X														
36B. Indeno-(1,2,3-oc)-Pyrene (193-39-5)			X														
37B. Isophorone (78-59-1)			X														
38B. Naphthalene (91-20-3)			X														
39B. Nitrobenzene (98-95-3)			X														
40B. N-Nitrosodimethylamine (62-75-9)			X														
41B. N-nitrosodipropylamine (621-64-7)			X														
42B. N-nitrosodiphenylamine (86-30-6)			X														
43B. Phenanthrene (85-01-8)			X														
44B. Pyrene (129-00-0)			X														
45B. 1,2,4 Tri-chlorobenzene (120-82-1)			X														

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT								4. UNITS		5. INTAKE (optional)		b. No. of Analyses	
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg. Value				
				Maximum Daily Value (1)	Concentration	Mass	(1)	Concentration	Mass				(1)	Concentration	(2)		Mass
GC/MS FRACTION – PESTICIDES																	
1P. Aldrin (309-00-2)			X														
2P. α-BHC (319-84-6)			X														
3P. β-BHC (58-89-9)			X														
4P. gamma-BHC (58-89-9)			X														
5P. δ-BHC (319-86-8)			X														
6P. Chlordane (57-74-9)			X														
7P. 4,4'-DDT (50-29-3)			X														
8P. 4,4'-DDE (72-55-9)			X														
9P. 4,4'-DDD (72-54-8)			X														
10P. Dieldrin (60-57-1)			X														
11P. α- Endosulfan (115-29-7)			X														
12P. β- Endosulfan (115-29-7)			X														
13P. Endosulfan Sulfate (1031-07-8)			X														
14P. Endrin (72-20-8)			X														

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT								4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. of Analyses	
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass		
GC/MS FRACTION – PESTICIDES																
15P. Endrin Aldehyde (7421-93-4)			X													
16P Heptachlor (76-44-8)			X													
17P. Heptachlor Epoxide (1024-57-3)			X													
18P. PCB-1242 (53469-21-9)			X													
19P. PCB-1254 (11097-69-1)			X													
20P. PCB-1221 (11104-28-2)			X													
21P. PCB-1232 (11141-16-5)			X													
22P. PCB-1248 (12672-29-6)			X													
23P. PCB-1260 (11096-82-5)			X													
24P. PCB-1016 (12674-11-2)			X													
25P. Toxaphene (8001-35-2)			X													



McCoy & McCoy Laboratories, Inc.
P.O. Box 907
Madisonville, KY 42431
 (270) 821-7375
 www.mccoylabs.com



Paducah, KY
 (270) 444-8547
 Lexington, KY
 (859) 299-7775



Louisville, KY
 (502) 961-0001
 Pikeville, KY
 (606) 432-3104

s.tate@mccoylabs.com

Environmental Resources Mgmt Consulting
 Attn: Kevin Bailey
 2265 Harrodsburg Rd Suite 200
 Lexington KY 40504

Batch # 09091118
 Received 09/11/2009
 Reported 09/28/2009
 Client EN2809
 Page 1 of 2

ANALYSIS REPORT

AG95588 K036 KPDES #3 Collected: 09/10/2009 12:15

Zinc is at 43.0 ug/L, Selenium at 6.14 ug/L, Nickel at 75.3 ug/L, Manganese at 3,530 ug/L, Chromium at 2.03 ug/L, Cadmium < 1 ug/l, Aluminum at 213 ug/L, Iron at 188 ug/L. Iron was detected in the method blank at 54 ug/L. MST 9/28/09

TEST DESCRIPTION	ANALYZED	BY	METHOD	RESULT	UNITS	REPORT	
						LIMIT	NOTE
Iron by ICP/AES Mdv	09/25/2009	MST	EPA 200.7	0.19 B	mg/l	0.02	
Aluminum by ICP/MS Mdv	09/22/2009	MST	EPA 200.8	0.21	mg/l	0.02	
Antimony by ICP/MS Mdv	09/17/2009	MST	EPA 200.8	0.002 U	mg/l	0.002	
Arsenic by ICP/MS Mdv	09/17/2009	MST	EPA 200.8	0.002 U	mg/l	0.002	
Beryllium by ICP/MS Mdv	09/17/2009	MST	EPA 200.8	0.002 U	mg/l	0.002	
Cadmium by ICP/MS Mdv	09/17/2009	MST	EPA 200.8	0.002 U	mg/l	0.002	
Chromium by ICP/MS Mdv	09/17/2009	MST	EPA 200.8	0.002	mg/l	0.002	
Copper by ICP/MS Mdv	09/17/2009	MST	EPA 200.8	0.002 U	mg/l	0.002	
Lead by ICP/MS Mdv	09/17/2009	MST	EPA 200.8	0.002 U	mg/l	0.002	
Manganese by ICP/MS Mdv	09/17/2009	MST	EPA 200.8	3.53 D	mg/l	0.02	
Mercury by ICP/MS Mdv	09/17/2009	MST	EPA 200.8	0.0002 U	mg/l	0.0002	
Nickel by ICP/MS Mdv	09/17/2009	MST	EPA 200.8	0.075	mg/l	0.002	
Selenium by ICP/MS Mdv	09/17/2009	MST	EPA 200.8	0.006	mg/l	0.002	
Silver by ICP/MS Mdv	09/17/2009	MST	EPA 200.8	0.002 U	mg/l	0.002	
Thallium by ICP/MS Mdv	09/17/2009	MST	EPA 200.8	0.0005 U	mg/l	0.0005	
Zinc by ICP/MS Mdv	09/17/2009	MST	EPA 200.8	0.043	mg/l	0.002	
Sulfate by IC Mdv	09/18/2009	DMH	EPA 300.0	789 D	mg/l	10	
Total Phenols in Waste Water Mdv	09/16/2009	KET	EPA 420.1	0.05 U	mg/l	0.05	
Flow Reading (Client)	09/10/2009	CLT	n/a	0.036	MGD		
Hardness as CaCO3 Mdv	09/15/2009	CTB	SM 2340 C	680	mg/l		1
Specific Conductance (Lab) Mdv	09/14/2009	DJK	SM 2510 B	1110	umhos/cm		1
Tot. Suspended Solids Lex	09/16/2009	AJS	SM 2540 D*	3	mg/l		1
Free Cyanide (no distillation) Mdv	09/17/2009	KET	SM 4500 CNG	0.005 U	mg/l	0.005	
pH, Lab by electrode Lex	09/17/2009	GLH	SM 4500 H+ B*	7.42	Std. units		

Qualifier Legend

B Blank Contamination
 U Non-detected at the reported detect limit
 D Results reported from dilution



McCoy & McCoy Laboratories, Inc.
P.O. Box 907
Madisonville, KY 42431
(270) 821-7375
www.mccoyslabs.com

Paducah, KY
(270) 444-6547
Lexington, KY
(859) 299-7775

Louisville, KY
(502) 961-0001
Pikeville, KY
(606) 432-3104

s.tate@mccoyslabs.com

Environmental Resources Mgmt Consulting
Attn: Kevin Bailey
2265 Harrodsburg Rd Suite 200
Lexington KY 40504

Batch # 09091118
Received 09/11/2009
Reported 09/28/2009
Client EN2809
Page 2 of 2

ANALYSIS REPORT

Submitted By: _____


Syd Tate, Data Reviewer

The analyses reported above have been determined by protocols that meet or exceed the requirements of NELAC. Methods listed with an "*" are not part of this accreditation. Call Syd Tate at 270-821-7375 for any questions concerning this analysis report.