

US EPA ARCHIVE DOCUMENT

1. Incident Name	2. Date Prepared	3. Time Prepared	UNIT LOG ICS 214			
Kalamazoo River/Enbridge Spill	05/11/2012	1800				
4. Unit Name/Designators	5. Unit Leader		6. Operational Period :			
SOTF Team #1	Name:	Dan Capone & Joe Victory (START/US EPA)	From:	05/11/2012 0800		
	Position:	Operations Section Chief	To:	05/11/2012 1700		
7. Personnel Roster Assigned						
Name	ICS Position		DUTY CELL			
Dan Capone	Operations Section Chief					
Joe Victory	Operations Section Chief					
Dan Zahner	Field Team Lead					
Jose Aguilera	SOTF#1					
8. Activity Log						
Activity Area	MP2.60-3.50		LAT	LAT		
			Various	Various		
			(DD.MMMM)	(DD.MMMM)		
<u>OIL OBSERVED</u>	EXTENT OF OIL IMPACTED AREA	NA				
	DENSITY OF OIL /SHEEN	NA				
Total Collection Points	NA					
Total Boom Deployed	NA					
Activity	<u>START SOTF Team #1Activity:</u> SOTF # 1 conducted oversight of Enbridge's Team A poling re-assessment activities. Team A members Mike Neal Poling leader, Russell Patte GPS/Leica operator. 43 poling points re-assessed. 2 points with light 1% sheen, 41 points with no visible contamination. Areas re-assessed today consisted mainly of sand, gravel and rock river bed with minimal to no sediment accumulation, fairly shallow water and relatively fast moving current.					
	LOC. ID	Water Depth (ft)	Soft Push (ft)	Hard Push (ft)	Sediment / Above Sed / Surface / Air (°F)	Sediment Type/ and Sheen Observation
	2.60N-A-01	0.9	1.1	1.2	60/61/61	Silt, Sand, /1% Light Sheen
	2.60N-A-02	1.3	1.4	1.5	60/61/61	Sand, Gravel and Rocks/No Sheen
	2.60N-A-03	1.1	1.2	1.3	61/61/61	Sand, Gravel and Rocks/No Sheen
	2.60N-A-04	1.1	1.5	1.6	60/62/62	Sand, Gravel and Rocks/No Sheen
	2.60N-A-06	1.1	1.2	1.3	61/62/62	Sand/Gravel/No Sheen
	2.60N-A-05	1.3	1.5	1.6	61/62/62	Sand/Gravel/No Sheen

	SCS-A-01	1.6	1.6	1.6	62/62/62	Sand/Gravel/No Sheen
	SCS-A-02	2.9	3.0	3.1	62/62/62	Sand/Gravel/No Sheen
	SCS-A-03	1.8	1.9	1.9	61/61/62	Sand/Gravel/No Sheen
	2.75N-A-05	1.2	1.3	1.4	60/64/64	Sand/Gravel/No Sheen
	2.75N-A-04	0.8	0.9	1.0	60/64/64	Sand/Gravel/No Sheen
	2.75N-A-03	2.5	2.7	2.8	62/64/64	Silt/Sand/No Sheen
	2.75N-A-02	0.7	0.8	1.0	62/64/64	Sand/Gravel/No Sheen
	2.75N-A-01	0.2	0.4	0.5	63/65/65	Silt/Sand/No Sheen
	2.80S-A-01	1.7	1.8	2.0	61/62/62	Silt/Sand/No Sheen
	2.83T-A-01	1.2	1.5	1.8	61/63/63	Silt/Sand/Gravel/No Sheen
	2.80S-A-05	2.5	2.6	2.7	62/64/64	Sand/Gravel/No Sheen
	2.80S-A-04	1.9	2.1	2.3	62/63/63	Sand/Gravel/No Sheen
	2.80S-A-03	1.8	1.9	2.0	62/63/63	Sand/Gravel/Rocks/No Sheen
	2.80S-A-02	2.0	2.2	2.3	62/64/64	Sand/Gravel/No Sheen
	2.80S-A-06	2.3	2.5	2.7	63/64/64	Sand/Gravel/No Sheen
	2.90SA-A-04	1.8	2.0	2.2	62/64/65	Sand/Gravel/No Sheen
	2.90SA-A-02	2.4	2.7	2.8	62/65/65	Sand/Gravel/No Sheen
	2.90SA-A-01	2.5	2.7	3.1	62/65/65	Sand/Gravel/No Sheen
	2.90SA-A-03	2.9	3.0	3.1	63/65/65	Sand/Gravel/No Sheen
	2.90SB-A-02	2.2	2.4	2.5	62/65/65	Sand/Gravel/No Sheen
	2.90SB-A-01	2.1	2.2	2.3	63/65/65	Sand/Gravel/1% Light Sheen
	2.90SB-A-03	2.7	2.8	3.0	64/65/65	Silt/Sand/No Sheen
	2.90SB-A-04	2.2	2.3	2.4	63/65/65	Sand/Gravel/No Sheen
	3.25IA-A-03	2.7	2.8	3.0	62/65/65	Silt/Sand/No Sheen
	3.25IA-A-02	2.4	2.5	2.7	62/65/65	Sand/Gravel/No Sheen
	3.25IA-A-01	2.5	2.6	2.7	62/65/65	Sand/Gravel/No Sheen
	3.15S-A-04	2.5	2.8	3.1	64/66/66	Sand/Silt/No Sheen
	3.15S-A-03	2.5	2.6	2.8	63/66/66	Sand/Gravel/No Sheen
	3.15S-A-02	2.4	2.9	3.0	63/66/66	Sand/Gravel/No Sheen
	3.15S-A-01	2.3	2.6	3.2	63/66/66	Sand/Silt/No Sheen
	3.24T-01	2.8	3.0	3.5	63/66/66	Sand/No Sheen
	3.24T-02	2.8	3.1	3.2	64/66/66	Sand/No Sheen
	3.30SA-A-04	3.1	3.4	3.5	63/66/66	Sand/Gravel/No Sheen
	3.30SA-A-03	1.4	1.4	1.4	65/66/66	Rocks/No Sheen
	3.30SA-A-02	4.0	4.1	4.1	64/66/66	Sand/Gravel/No Sheen
	3.30SA-A-01	3.0	3.0	3.1	64/66/66	Sand/Gravel/No Sheen

	3.30SB-A-04	3.0	4.0	4.1	65/66/66	Silt/Sand/Gravel/No Sheen
Health and Safety Issues	· None					
Comments	None					