

US EPA ARCHIVE DOCUMENT

<b>1. Incident Name</b>	<b>2. Date Prepared</b>	<b>3. Time Prepared</b>	<b>UNIT LOG ICS 214</b>	
Kalamazoo River/Enbridge Spill	05/12/2012	1720		
<b>4. Unit Name/Designators</b>	<b>5. Unit Leader</b>		<b>6. Operational Period :</b>	
SOTF Team #6	<b>Name:</b>	Dan Capone & Joe Victory (START/US EPA)	<b>From:</b>	05/12/2012 0700
	<b>Position:</b>	Operations Section Chief	<b>To:</b>	05/12/2012 1700
<b>7. Personnel Roster Assigned</b>				
<u>Name</u>		<u>ICS Position</u>	<u>DUTY CELL</u>	
Dan Capone		Operations Section Chief		
Joe Victory		Operations Section Chief		
Dan Zahner		Field Team Lead		
Sean Kane		SOTF #6		
<b>8. Activity Log</b>				
<b>Activity Area</b>	Division E (Morrow Lake Delta)		<b>LAT</b>	<b>LAT</b>
			<b>Various</b>	<b>Various</b>
			(DD.MMMM)	(DD.MMMM)
<b><u>OIL OBSERVED</u></b>	<b>EXTENT OF OIL IMPACTED AREA</b>	NA		
	<b>DENSITY OF OIL /SHEEN</b>	NA		
<b>Total Collection Points</b>	NA			
<b>Total Boom Deployed</b>	NA			
<b>Activity</b>	<p><b><u>START SOTF Team #6 Activity:</u></b></p> <p><b><u>Weston/START SOTF #6 (Enbridge equivalent = Team 'F') Team Activity:</u></b></p> <p>Weston START SOTF #6 assessed a total of 33 discreet locations. 22 locations were light, 6 locations were moderate, 3 locations were heavy, and two locations had no sheen or oil.) Temperatures were taken and recorded within the sediment, above the sediment and at the surface.</p>			

Location	Water Depth (ft)	Soft Push (ft)	Hard Push (ft)	Sediment / Above Sed / Surface / (F)	Sediment Type/Observation
MP 5.25S-F-36	4.8	6.4	7.5	63.3/66.4/66.4	Soft /Moderate, Many, Common
MP 5.25S-F-35	0.5	0.7	0.8	62.8/65.8/66.1	Sand&Gravel/Light,Light, Few
MP 5.25S-F-34	0.8	0.8	0.8	65.9/66.4/66.4	Rock&Gravel/None
MP 5.35S-F-33	4.5	6.6	7.5	62.5/66.0/66.2	Soft /Moderate,Many,Few
MP 5.25S-F-32	3.5	6.4	7.5	63.6/66.3/66.5	Soft/Light,Light,Few
MP 5.25S-F-30	1.8	1.8	1.8	65.7/65.8/65.9	Sand&Gravel/None
MP 5.25S-F-26	3.0	3.0	3.0	62.8/64.9/65.7	Sand&Gravel/Light,Light, Few
MP 5.25S-F-21	5.3	4.1	4.6	63.7/65.4/65.6	Soft/Heavy,Heavy,Many
MP 5.25S-F-15	3.7	4.9	5.5	63.8/66.0/66.2	Silt over Sand/Light,Light,Few
MP 5.25S-F-20	3.0	4.0	4.5	63.5/66.1/66.0	Silt over Sand/Heavy,Many, Common
MP 5.25S-F-19	2.9	6.4	7.5	63.0/66.0/66.4	Soft/Moderate,Heavy,Few
MP 5.25N-F-16	1.4	2.7	2.8	64.4/66.8/66.8	Soft/Light,Light,Few
MP 5.25N-F-22	1.7	3.5	3.7	65.0/67.3/67.4	Soft/Moderate,Heavy,Few
MP 5.25N-F-12	5.5	5.5	3.6	63.6/67.0/66.8	Soft/Light,Light,Few
MP 5.25N-F-11	3.0	3.8	3.9	62.9/66.6/66.7	Soft/Light,Light,Few
MP 5.25S-F-13	3.0	4.6	5.3	61.8/66.8/67.0	Soft/Light,Light,Few
MP 5.25S-F-18	2.1	4.3	4.5	61.2/66.6/66.6	Silt over Sand/Heavy, Heavy,Common
MP 5.25N-F-17	4.7	5.3	7.5	63.1/67.0/67.0	Soft/Light,Light,Few
MP 5.25N-F-13	2.4	5.9	6.7	63.6/66.8/66.9	Soft/Light,Light,Few
MP 5.25S-F-12	2.8	4.5	5.2	62.8/66.9/67.0	Soft/Light,Light,Few
MP 5.25S-F-11	2.6	3.2	4.7	63.6/66.8/66.8	Soft/Light,Light,Few
MP 5.25N-F-15	2.9	4.6	5.2	61.0/67.3/67.1	Soft/Moderate,Many,Few
MP 5.25N-F-14	2.7	3.5	4.7	62.0/66.9/66.9	Soft/Light,Light,Few
MP 5.25N-F-10	2.8	4.7	5.3	62.3/67.0/67.0	Soft/Light,Light,Few
MP 5.25N-F-08	3.0	4.8	5.6	63.3/67.9/67.0	Soft/Light,Light,Few
MP 5.25N-F-06	3.0	4.5	4.7	63.4/67.1/67.2	Soft/Light,Light,Few
MP 5.25S-F-27	2.9	4.4	5.2	60.3/66.5/67.8	Soft/Light,Light,Few
MP 5.25S-F-02	2.5	4.1	4.8	63.3/67.2/67.3	Soft/Light,Light,Few
MP 5.25S-F-01	2.4	3.7	4.5	64.5/67.1/67.3	Soft/Light,Light,Few

<b>Health and Safety Issues</b>	SOTF #6 did not begin poling operations until 1100 Hours due to multiple safety stand downs caused by inclement weather.
<b>Comments</b>	0815 Hours Weather: Cloudy, post rain event, 60°F, winds calm, Gusts SSW 7mph, Humidity 63%, projected high of 69°F