

US EPA ARCHIVE DOCUMENT

1. Incident Name	2. Date Prepared	3. Time Prepared	UNIT LOG ICS 214	
Kalamazoo River/Enbridge Spill	5/17/2012	1850		
4. Unit Name/Designators	5. Unit Leader		6. Operational Period :	
Containment Branch Recovery Team 1	Name:	Dan Capone & Joe Victory (START/US EPA)	From:	5/17/2012 0700
	Position:	Operations Section Chief	To:	5/17/2012 1850
7. Personnel Roster Assigned				
<u>Name</u>		<u>ICS Position</u>	<u>DUTY CELL</u>	
Dan Capone		Operations Section Chief		
Joe Victory		Operations Section Chief		
Rex Johnson		Containment Branch Director		
Dan Zahner		Field Team Lead		
Marc Wahrer		CBR-1		
8. Activity Log				
Activity Area	MP-36.10, 21.50 and 28.25 sediment trap areas		LAT	LAT
			Various	Various
			(DD.MMMM)	(DD.MMMM)
<u>OIL OBSERVED</u>	EXTENT OF OIL IMPACTED AREA			
	DENSITY OF OIL /SHEEN			
Total Collection Points				
Total Boom Deployed				
Activity	<p><u>Weston/START CBR 1 Team Activity:</u></p> <ul style="list-style-type: none"> Oversaw Field Team C and additional staff for completing monitoring and sampling of sediment trap jar sediment sampling devices and reinstallation of the devices at MP 36.10 and 21.50 sediment trap location areas and assessed the sediment trap area at 28.25 but did not start it due to time constraints. <p><u>CSKR3610 sediment trap location</u></p> <ul style="list-style-type: none"> Completed the monitoring and collection of the sediment trap jar sampling devices and reinstallation of the devices at the 36.10 sediment trap location. These were labeled CSKR3610 (C01, C02 and C03). The jar information is detailed below: <ul style="list-style-type: none"> C03 – jars had 1 inch and 0.75 inch of soft sediment, no sheen, no globules visible. C02 – jars had 1.5 and 1.75 inch of soft sediment, no sheen, no globules visible. C01 – both jars had 1 inch of soft sediment, no sheen, no globules visible. At each of the sediment sampling device locations temperature was taking and if 			

	<p>the bed temperature was above 60 they conducted poling at that location, if the temperature was below 60 they collected a ponar sample to look at. All three locations were poled.</p> <ul style="list-style-type: none"> • Poling data was 1 none, 2 light, 0 moderate, 0 heavy. <p><u>CSKR2150 sediment trap location</u></p> <ul style="list-style-type: none"> • Completed the monitoring and collection of the sediment trap jar sampling devices and reinstallation of the devices from the 21.50 sediment trap location. These were labeled CSKR2150 (C01, C02 and C03). These jars information is detailed below: <ul style="list-style-type: none"> C03 – jars had 4.5 and 5.5 inch of soft sediment, no sheen, no globules visible. C02 – jars had 1.5 and 3.75 inch of soft sediment, no sheen, no globules visible. C01 – jars had 2 and 3 inch of soft sediment, no sheen, no globules visible. • At each of the sediment sampling device locations temperature was taking and if the bed temperature was above 60 they conducted poling at that location, if the temperature was below 60 they collected a ponar sample to look at. All three locations were poled. Poling data was 1 none, 2 light, 0 moderate, 0 heavy. <p><u>CSKR2825 sediment trap location</u></p> <ul style="list-style-type: none"> • We were unable to start this sediment trap location but we did assess the site area to see about access and any other issues for completing the site tomorrow. • At the downstream area of the sediment trap we observed sheen and globules from the area where we parked the boats.
Health and Safety Issues	None.
Comments	Field notes are in CBR-1 Logbook