

US EPA ARCHIVE DOCUMENT

1. Incident Name	2. Date Prepared	3. Time Prepared	UNIT LOG ICS 214	
Kalamazoo River/Enbridge Spill	05/19/2012	1820		
4. Unit Name/Designators	5. Unit Leader		6. Operational Period :	
SOTF Team #6	Name:	Dan Capone & Joe Victory (START/US EPA)	From:	05/19/2012 0900
	Position:	Operations Section Chief	To:	05/19/2012 1740
7. Personnel Roster Assigned				
<u>Name</u>		<u>ICS Position</u>	<u>DUTY CELL</u>	
Dan Capone		Operations Section Chief		
Joe Victory		Operations Section Chief		
Dan Zahner		Field Team Lead		
Kevin Johnson		SOTF#6		
8. Activity Log				
Activity Area	MP 4.90 to 5.25		LAT	LAT
			Various	Various
			(DD.MMMM)	(DD.MMMM)
<u>OIL OBSERVED</u>	EXTENT OF OIL IMPACTED AREA	NA		
	DENSITY OF OIL /SHEEN	NA		
Total Collection Points	NA			
Total Boom Deployed	NA			
Activity	<p><u>START SOTF Team 6 Activity:</u></p> <p>SOTF#6 Kevin Johnson (START), Enbridge Team Lead Mike Reed, and Leica operator Amber McDougal performed poling at 40 locations in focus areas 4.90 and 5.25. A total of 4 locations had an overall submerged oil category of heavy, 18 locations had an overall submerged oil category of moderate, and 18 locations had an overall submerged oil category of light.</p> <p>Generally, more moderate and light oil sheen was observed and less globs in the majority of locations reassessed.</p> <p>All locations SOTF #6 visited registered above the minimum temperature requirement of 60 degrees F. Observed temperatures ranged from 61.8 to 76.2 degrees F.</p> <p>Poling operations were not significantly impacted by weather or vegetation within focus areas. Shallow river conditions and vegetation did however impede boat navigation to a limited degree. SOTF#6 was able to successfully navigate to all tasked poling reassessment locations. Due to shallow water conditions, START did not accompany team during limited bathymetry survey in order to lighten boat and facilitate navigation.</p>			

Health and Safety Issues	None
Comments	SOTF #6 conducted poling reassessment at 25 locations associated with delineation adjacent to 4.90S-F-26F. SOTF#6 Enbridge Team Lead M. Reed indicated the nomenclature of each of the 25 points (4.90S-F-26G to 4.90S-F-26-AE) may be modified to facilitate synchronization with the existing database. All delineation points for 5/19/2012 were denoted with a "*" in the log book.