

US EPA ARCHIVE DOCUMENT

1. Incident Name	2. Date Prepared	3. Time Prepared	UNIT LOG ICS 214	
Kalamazoo River/Enbridge Spill	5/24/2012	1920		
4. Unit Name/Designators	5. Unit Leader		6. Operational Period :	
Containment Branch Recovery Team 1	Name:	Dan Capone & Joe Victory (START/US EPA)	From:	5/24/2012 0700
	Position:	Operations Section Chief	To:	5/24/2012 1920
7. Personnel Roster Assigned				
<u>Name</u>		<u>ICS Position</u>	<u>DUTY CELL</u>	
Dan Capone		Operations Section Chief		
Joe Victory		Operations Section Chief		
Rex Johnson		Containment Branch Director		
Dan Zahner		Field Team Lead		
Marc Wahrer		CBR-1		
8. Activity Log				
Activity Area	MP-21.50, 28.25 and 36.10 sediment trap areas		LAT	LAT
			Various	Various
			(DD.MMMM)	(DD.MMMM)
<u>OIL OBSERVED</u>	EXTENT OF OIL IMPACTED AREA			
	DENSITY OF OIL /SHEEN			
Total Collection Points				
Total Boom Deployed				
Activity	<p><u>Weston/START CBR 1 Team Activity:</u></p> <ul style="list-style-type: none"> Oversaw Field Team C and additional staff for completing monitoring and sampling of sediment trap jar sediment sampling devices and reinstallation of the devices at MP-21.50, 28.25 and 36.10 sediment trap location areas. <p><u>CSKR2150 sediment trap location</u></p> <ul style="list-style-type: none"> Completed the monitoring and collection of the sediment trap jar sampling devices and reinstallation of the devices at the 21.50 sediment trap location. These were labeled CSKR2150 (C01, C02 and C03). The jar information is detailed below: <ul style="list-style-type: none"> C03 – jars had 2 and 0.25 inch of soft sediment, no sheen, no globules visible. The jar with 0.25 inch of sediment had a 3 inch catfish minnow in the jar. C02– jars had 1.75 and 0.75 inch of soft sediment, no sheen, no globules visible. C01– jars had 1.25 inch and 1 inch of soft sediment in each jar, no sheen, no globules visible. At each of the sediment sampling device locations temperature was taking and if 			

the bed temperature was above 60 they conducted poling at that location, if the temperature was below 60 they collected a ponar sample to look at. All the sampling locations were poled.

- Poling data was 0 none, 3 light, 7 moderate, 5 heavy. The team had to delineate the oxbow area as the C03 poled location came back as moderate and we encountered many heavy and moderate locations delineating the oxbow area.
- Also collected depth from top of surface water to top of sampling devices
 - C03 – 1.0'
 - C02 – 1.9'
 - C01 – 1.8'

CSKR2825 sediment trap location

- Completed the monitoring and collection of the sediment trap jar sampling devices and reinstallation of the devices at the 28.25 sediment trap location. These were labeled CSKR2825 (C01, C02 and C03). The jar information is detailed below:
 - C03 – jars had 0.75 inch of soft sediment in each jar, no sheen, no globules visible.
 - C02 – jars had 0.5 inch of soft sediment in each jar, no sheen, no globules visible.
 - C01 – jars had 1.25 and 2.25 inch of soft sediment, no sheen, no globules visible.
- At each of the sediment sampling device locations temperature was taking and if the bed temperature was above 60 they conducted poling at that location, if the temperature was below 60 they collected a ponar sample to look at. All three locations were poled.
- Poling data was 0 none, 3 light, 0 moderate, 0 heavy.
- Also collected depth from top of surface water to top of sampling devices
 - C03 – 0.9'
 - C02 – 0.9'
 - C01 – 0.1'

CSKR3610 sediment trap location

- Completed the monitoring and collection of the sediment trap jar sampling devices and reinstallation of the devices at the 36.10 sediment trap location. These were labeled CSKR3610 (C01, C02 and C03). The jar information is detailed below:
 - C03 – jars had 1.75 inch and 1.25 inch of soft sediment, no sheen, no globules visible.
 - C02 – jars had 2 inch and 2.25 inch of soft sediment, no sheen, no globules visib
 - C01 – jars had 2 inch of soft sediment in each jar, no sheen, no globules visible.
- At each of the sediment sampling device locations temperature was taking and if the bed temperature was above 60 they conducted poling at that location, if the temperature was below 60 they collected a ponar sample to look at. All three locations were poled.
- Poling data was 0 none, 3 light, 0 moderate, 0 heavy.
- Also collected depth from top of surface water to top of sampling devices
 - C03 – 0.7'

	C02 - 0.6' C01 - 0.8'
Health and Safety Issues	
Comments	Field notes are in CBR-1 Logbook