

US EPA ARCHIVE DOCUMENT

<b>1. Incident Name</b>	<b>2. Date Prepared</b>	<b>3. Time Prepared</b>	<b>UNIT LOG ICS 214</b>	
Kalamazoo River/Enbridge Spill	5/30/2012	1920		
<b>4. Unit Name/Designators</b>	<b>5. Unit Leader</b>		<b>6. Operational Period :</b>	
Containment Branch Recovery Team 1	<b>Name:</b>	Dan Capone & Joe Victory (START/US EPA)	<b>From:</b>	5/30/2012 0700
	<b>Position:</b>	Operations Section Chief	<b>To:</b>	5/30/2012 1920
<b>7. Personnel Roster Assigned</b>				
<u>Name</u>		<u>ICS Position</u>	<u>DUTY CELL</u>	
Dan Capone		Operations Section Chief		
Joe Victory		Operations Section Chief		
Rex Johnson		Containment Branch Director		
Dan Zahner		Field Team Lead		
Marc Wahrer		CBR-1		
<b>8. Activity Log</b>				
<b>Activity Area</b>	MP-36.10 sediment trap area		<b>LAT</b>	<b>LAT</b>
			<b>Various</b>	<b>Various</b>
			(DD.MMMM)	(DD.MMMM)
<b><u>OIL OBSERVED</u></b>	<b>EXTENT OF OIL IMPACTED AREA</b>			
	<b>DENSITY OF OIL /SHEEN</b>			
<b>Total Collection Points</b>				
<b>Total Boom Deployed</b>				
<b>Activity</b>	<p><b><u>Weston/START CBR 1 Team Activity:</u></b></p> <ul style="list-style-type: none"> <li>Oversaw Field Team C and additional staff for completing monitoring and sampling of sediment trap jar sediment sampling devices and reinstallation of the devices at MP-36.10 sediment trap location area.</li> </ul> <p><b><u>CSKR3610 sediment trap location</u></b></p> <ul style="list-style-type: none"> <li>Completed the monitoring and collection of the sediment trap jar sampling devices and reinstallation of the devices at the 36.10 sediment trap location. These were labeled CSKR3610 (C01, C02 and C03). The jar information is detailed below: <ul style="list-style-type: none"> <li>C03 – jars had 2.25 inch and 1.5 inch of soft sediment, no sheen, no globules visible.</li> <li>C02 – jars had 2.75 inch of soft sediment in each jar, no sheen, no globules visible</li> <li>C01 – jars had 2.75 inch of soft sediment in each jar, no sheen, no globules visible.</li> </ul> </li> <li>At each of the sediment sampling device locations temperature was taking and if the bed temperature was above 60 they conducted poling at that location, if the</li> </ul>			

	<p>temperature was below 60 they collected a ponar sample to look at. All three locations were poled.</p> <ul style="list-style-type: none"><li>• Poling data was 0 none, 3 light, 0 moderate, 0 heavy.</li><li>• Also collected depth from top of surface water to top of sampling devices<ul style="list-style-type: none"><li>C03 – 0.6'</li><li>C02 – 0.6'</li><li>C01 – 0.8'</li></ul></li></ul>
<b>Health and Safety Issues</b>	
<b>Comments</b>	Field notes are in CBR-1 Logbook