

US EPA ARCHIVE DOCUMENT

|                                     |  |  |  |                         |  |                                |  |                |
|-------------------------------------|--|--|--|-------------------------|--|--------------------------------|--|----------------|
| <b>1. Incident Name</b>             |  | <b>2. Date Prepared</b>  |  | <b>3. Time Prepared</b> |  | <b>UNIT LOG<br/>ICS 214</b>    |  |                |
| Kalamazoo River/Enbridge Spill      |  | 6/18/2012  |  | 1925                    |  |                                |  |                |
| <b>4. Unit Name/Designators</b>     |  |  | <b>5. Unit Leader</b>                                |                         |  | <b>6. Operational Period :</b> |  |                |
| SOTF Team #3                        |  |  | <b>Name:</b> Dan Capone & Joe Victory (START/US EPA) |                         |  | <b>From:</b> 6/18/2012<br>0700 |  |                |
|                                     |  |  | <b>Position:</b> Operations Section Chief            |                         |  | <b>To:</b> 6/18/2012<br>1925   |  |                |
| <b>7. Personnel Roster Assigned</b> |  |  |  |                         |  |                                |  |                |
| <u>Name</u>                         |  |  | <u>ICS Position</u>                                  |                         |  | <u>DUTY CELL</u>               |  |                |
| Dan Capone                          |  |  | Operations Section Chief                             |                         |  |                                |  |                |
| Joe Victory                         |  |  | Operations Section Chief                             |                         |  |                                |  |                |
| Dan Zahner                          |  |  | Field Team Lead                                      |                         |  |                                |  |                |
| Marc Wahrer                         |  |  | SOTF#3   |                         |  |                                |  |                |
|                                     |  |  |  |                         |  |                                |  |                |
|                                     |  |  |  |                         |  |                                |  |                |
|                                     |  |  |  |                         |  |                                |  |                |
| <b>8. Activity Log</b>              |  |  |  |                         |  |                                |  |                |
| <b>Activity Area</b>                |  | <b>River Section(s) Assessed –Ring Tests at 28.80N and 30.00</b>   |  |                         |  | <b>LAT</b>                     |  | <b>LAT</b>     |
|                                     |  |  |  |                         |  | <b>Various</b>                 |  | <b>Various</b> |
|                                     |  |  |  |                         |  | (DD.MMMM)                      |  | (DD.MMMM)      |
| <b><u>OIL OBSERVED</u></b>          |  | <b>EXTENT OF OIL IMPACTED AREA</b>   |  | NA                      |  |                                |  |                |
|                                     |  | <b>DENSITY OF OIL /SHEEN</b>   |  | NA                      |  |                                |  |                |
| <b>Total Collection Points</b>      |  | NA   |  |                         |  |                                |  |                |
| <b>Total Boom Deployed</b>          |  | NA   |  |                         |  |                                |  |                |
| <b>Activity</b>                     |  | <p><b><u>START SOTF Team #3 Activity:</u></b></p> <p>SOTF-3 Marc Wahrer oversaw work of Enbridge Team C. Team included Colin McGuire (Tetra Tech). Conducted ring test poling at 28.80N and 30.00. Assessed a total of 12 locations.</p> <p>28.80N<br/>Assessed 6 ring test locations in the 28.80N area. Poling results included a total of 0 heavy points out of 6, 0 moderate points out of 6, 4 light points out of 6 and 2 none points out of 6. All the temperatures were above 60 degrees. One location did not require the ring test as there was water.</p> <p>30.00<br/>Assessed 6 ring test locations in the 30.00 area. Poling results included a total of 1 heavy points out of 6, 0 moderate points out of 6, 5 light points out of 6 and 0 none points out of 6. All the temperatures were above 60 degrees. One location was so mucky and soupy that we could not get a seal on the ring as it kept sinking into the muck. We filled it up and let it set for 10 minutes then refilled it and poled it. It was a heavy. This area was hard to walk in due to the thick muck. They ended up bringing out plywood for our use.</p> |  |                         |  |                                |  |                |

|                                 |   |
|---------------------------------|---|
|                                 |   |
| <b>Health and Safety Issues</b> | . |
| <b>Comments</b>                 |   |