US ERA ARCHIVE DOCUMENT

DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

RCRA Corrective Action Environmental Indicator (EI) RCRIS code (CA750)

Migration of Contaminated Groundwater Under Control

Facility Name:	Henkel Corporation
Facility Address:	322 West Main Street , Morenci, MI
Facility EPA ID #:	MID 058 723 867
groundwater med	relevant/significant information on known and reasonably suspected releases to the lia, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units ated Units (RU), and Areas of Concern (AOC)), been considered in this EI determination?
<u>X</u>	If yes - check here and continue with #2 below.
	If no - re-evaluate existing data, or
	if data are not available skip to $\#6$ and enter "IN" (more information needed) status code.

BACKGROUND

Definition of Environmental Indicators (for the RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

Definition of "Migration of Contaminated Groundwater Under Control" EI

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

Duration / Applicability of EI Determinations

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

	Page 2
2.	Is groundwater known or reasonably suspected to be " contaminated " above appropriately protective "levels" (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility?
	X If yes - continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation.
	If no - skip to #8 and enter "YE" status code, after citing appropriate "levels," and referencing supporting documentation to demonstrate that groundwater is not "contaminated."
	If unknown - skip to #8 and enter "IN" status code.
	Rationale and Reference(s): Groundwater has been analyzed in all monitoring wells in 1991 and 2002. In 1991, the concentration of trichloroethene exceeded the U.S. EPA's Maximum Contaminant Level (MCL) for drinking water in one monitoring well (MW3).
	In 2002, the following chemicals were detected in Monitoring Well 3 (MW3): 1,1 dichloroethane, 1,1 dichloroethene, bromodichloromethane, chloroform, cis-1,2 dichloroethene, trans 1,2 dichloroethene, trichloroethene, trichlorofluoromethane, 1,1,1 trichloroethane and vinyl chloride.
	Only vinyl chloride exceeds the U.S. EPA's MCL of 2 parts per billion, which is equal to the Michigan Department of Environmental Quality Part 201 standard. The actual concentration of vinyl chloride in MW3 is 32 parts per billion. This information can most recently be located in the US EPA Supplemental Risk Analysis for Henkel Surface Technologies dated April 22, 2003.
3. Has the	

¹ "Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

Page 3

migration of contaminated groundwater **stabilized** (such that contaminated groundwater is expected to remain within "existing area of contaminated groundwater" as defined by the monitoring locations designated at the time of this determination)?

<u>X</u>	If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the "existing area of groundwater contamination" ²).
	If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the "existing area of groundwater contamination" ²) - skip to #8 and enter "NO" status code, after providing an explanation.
	If unknown - skip to #8 and enter "IN" status code.

Rationale and Reference(s):

Historical groundwater analysis from 1991 to the present indicates decreasing concentrations of all contaminants, with the exception of vinyl chloride, which is the final degradation product of trichloroethene. As attenuation (biodegradation and natural dechlorination) occurs in the groundwater system, it is expected that vinyl chloride will decrease as well. This will be verified by Henkel's groundwater monitoring.

4. Does "contaminated" groundwater **discharge** into **surface water** bodies?

² "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

X	If yes - continue after identifying potentially affected surface water bodies.
	If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater "contamination" does not enter surface water bodies.
	If unknown - skip to #8 and enter "IN" status code.

Rationale and Reference(s):

Groundwater discharges into Bean Creek, as determined by the geology and groundwater flow regime. which is the western border of the facility. Bean Creek flows from south to north. The flow is significant with a mean of 22 cubic feet/sec (cfs). This flow is based on 22 years of U.S. Geological Survey gauging data at Powers, OH, about 15 miles upstream.

5.	maximum conce appropriate grou discharging cont	of "contaminated" groundwater into surface water likely to be " insignificant " (i.e., the ntration³ of each contaminant discharging into surface water is less than 10 times their ndwater "level," and there are no other conditions (e.g., the nature, and number, of aminants, or environmental setting), which significantly increase the potential for pacts to surface water, sediments, or eco-systems at these concentrations)?
		If yes - skip to #7 (and enter "YE" status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentration ³ of key contaminants discharged above their groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgement/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments, or eco-system.
	X	If no - (the discharge of "contaminated" groundwater into surface water is potentially significant) - continue after documenting: 1) the maximum known or reasonably suspected concentration ³ of <u>each</u> contaminant discharged above its groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations ³ greater than 100 times their appropriate groundwater "levels," the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.
		If unknown - enter "IN" status code in #8.
	Rationale and Re	eference(s):

Employing a mixing zone dilution factor of 10, with vinyl chloride at 32 parts per billion, the ten fold dilution would result in a vinyl chloride concentration of 3.2 parts per billion, which is greater than the Michigan Department of Environmental Quality Part 201 groundwater guidance allows, which is 2 parts per billion.

³ As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

6. Can the **discharge** of "contaminated" groundwater into surface water be shown to be "**currently acceptable**" (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented⁴)?

If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site's surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment,⁵ appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interimassessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment "levels," as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination. If no - (the discharge of "contaminated" groundwater can not be shown to be "currently acceptable") - skip to #8 and enter "NO" status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems. If unknown - skip to 8 and enter "IN" status code.

Rationale and Reference(s):

Calculations of a mixing zone dilution factor indicate that the vinyl chloride will be diluted to values significantly less than the drinking water standard for Michigan Part 201 guidance. The calculation was made using an estimate of groundwater flux to Bean Creek, coupled with the United States Geological Survey (USGS) gauging data on Bean Creek at Powers, Ohio. This calculation uses conservative input parameters.

⁴ Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

⁵ The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

Page 7

7.	Will groundwater monitoring / measurement data (and surface water/sediment/ecological data, as necessary) be collected in the future to verify that contaminated groundwater has remained within the horizontal (or vertical, as necessary) dimensions of the "existing area of contaminated groundwater?"		
	X	If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the "existing area of groundwater contamination."	
		If no - enter "NO" status code in #8.	
		If unknown - enter "IN" status code in #8.	
	Rationale and Re	eference(s):	
	Yes. Henkel Surface Technologies has retained a consultant, The Dragun Corporation, to provide this assistance.		

8. Check the appropriate RCRIS status codes for the Migration of Contaminated Groundwater Under Control EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (attach appropriate supporting documentation as well as a map of the facility).

X YE - Yes, "Migration of Contaminated Groundwater Under Control" has been

Page 8

verified. Based on a review of the information contained in this EI determination, it has been determined that the "Migration of Contaminated Groundwater" is "Under Control" at the Henkel Surface Technologies facility , EPA ID # MID 058 723 867, located in Morenci, MI. Specifically, this determination indicates that the migration of "contaminated" groundwater is under control, and that monitoring will be conducted to confirm that contaminated groundwater remains within the "existing area of contaminated groundwater" This determination will be re-evaluated when the Agency becomes aware of significant changes at the facility.

	becomes aware of significant changes at the facility.			
	NO - Unacceptable migration of contaminated groundwater is observed or			s observed or expected.
	IN - More inf	formation is needed to make a determinat	ion.	
Completed by	(signature)		Date	8/26/2003
	(print)	Brian P. Freeman		
	(title)	Senior Chemist, C.A. Project Mgr.		
Supervisor	(signature)		Date	8/26/2003
Supervisor	(print)	George S. Hamper	Dute	0/20/2003
	(title)	Supervisory EPS		

Locations where References may be found:

U.S. EPA Region 5 7th Floor Records Center 77 W. Jackson, Blvd. Chicago, IL 60604

Contact telephone and e-mail numbers

(name)	Brian P. Freeman
(phone #)	312-353-2720
(e-mail)	freeman.brian@epa.gov

(EPA Region or State) 5, Illinois