

DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

RCRA Corrective Action Environmental Indicator (EI) RCRIS code (CA750)

Migration of Contaminated Groundwater Under Control

Facility Name:	DuPont Circleville Facility
Facility Address:	Route 23 South and Du Pont Road, Circleville, Ohio
Facility EPA ID #:	OHD 004 287 322

1. Has **all** available relevant/significant information on known and reasonably suspected releases to the groundwater media, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units (SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been **considered** in this EI determination?



- If no re-evaluate existing data, or
- if data are not available skip to #6 and enter"IN" (more information needed) status code.

BACKGROUND

Definition of Environmental Indicators (for the RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

Definition of "Migration of Contaminated Groundwater Under Control" EI

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

Duration / Applicability of EI Determinations

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

Page 2

- 2. Is **groundwater** known or reasonably suspected to be **"contaminated"**¹ above appropriately protective "levels" (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility?
 - X If yes continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation.
 - If no skip to #8 and enter "YE" status code, after citing appropriate "levels," and referencing supporting documentation to demonstrate that groundwater is not "contaminated."
 - If unknown skip to #8 and enter "IN" status code.0

Rationale and Reference(s):

In 1981, at the time of the leak, the contaminant level of 1,1,-Dichloroethene (DCE) in the groundwater was at $8500\mu g/l$. As of 2000, the 1,1,-DCE level in the groundwater was $950\mu g/l$, which is still above the National Primary Drinking Water Maximum Contaminant Level of $7\mu g/l$.

¹ "Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

Page 3

3. Has the **migration** of contaminated groundwater **stabilized** (such that contaminated groundwater is expected to remain within "existing area of contaminated groundwater"² as defined by the monitoring locations designated at the time of this determination)?

X If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the "existing area of groundwater contamination"²).

If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the "existing area of groundwater contamination"²) - skip to #8 and enter "NO" status code, after providing an explanation.

If unknown - skip to #8 and enter "IN" status code.

Rationale and Reference(s):

In May 1981, a leak from an underground pipe was discovered in the area of AOC 1. Shortly after the spill the plant estimated that 16,000 gallons of 1,1-DCE were lost from the buried pipeline. In June and July 1981, approximately 110,580 pounds of 1,1-DCE-contaminated soil were excavated and disposed of off-site. Monitoring wells were installed to evaluate local site conditions, and a pump-and-treat system was constructed using a newly installed well . In October 1981, groundwater pumping was initiated at a rate of 100 gallons per minute (gpm). In 1985, DuPont installed an air stripper to remove 1,1-DCE from the groundwater prior to discharge to the Scioto River and an additional pumping well was added to the recovery system. These wells have been operating at a rate of approximately 410 gpm and 150 gpm and effectively capture all ground water underlying the location of the 1,1-DCE have decreased approximately 10-fold between 1981, when the leak occurred, and 2000. Concentrations have remained generally steady since 1992.

Twelve monitoring wells were installed in response to the 1,1-DCE release in 1981. Pumping recovery wells forms a cone of depression that effectively captures all 1,1-DCE impacted groundwater. Monitoring well data for this area of concern shows no detections or very low 1,1-DCE concentrations (less than $5\mu/l$) in monitoring wells outside the immediate influence of the historical spill. Additionally, 1,1-DCE has not been detected in any of the surrounding plant production wells or monitor wells. Based on the groundwater analytical data and the large capture zone created by pumping the recovery wells, the 1,1-DCE spill is effectively being hydraulically contained.

² "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

Page 4

4.	Does "contaminated" groundwater discharge into surface water bodies?		
		If yes - continue after identifying potentially affected surface water bodies.	
	<u>_X</u>	If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater "contamination" does not enter surface water bodies.	
		If unknown - skip to #8 and enter "IN" status code.	

Rationale and Reference(s):

The groundwater flow direction in the area of the main facility is significantly impacted by the pumping of the six production wells and two groundwater recovery wells. The pump and treat system in operation since 1985 continues to be effective in maintaining a cone of depression and preventing impacted groundwater migration.

Page 5

- 5. Is the **discharge** of "contaminated" groundwater into surface water likely to be "insignificant" (i.e., the maximum concentration³ of each contaminant discharging into surface water is less than 10 times their appropriate groundwater "level," and there are no other conditions (e.g., the nature, and number, of discharging contaminants, or environmental setting), which significantly increase the potential for unacceptable impacts to surface water, sediments, or eco-systems at these concentrations)?
 - If yes skip to #7 (and enter "YE" status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentration³ of key contaminants discharged above their groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgement/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments, or eco-system.
 - If no (the discharge of "contaminated" groundwater into surface water is potentially significant) - continue after documenting: 1) the maximum known or reasonably suspected concentration³ of each contaminant discharged above its groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations³ greater than 100 times their appropriate groundwater "levels," the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.

If unknown - enter "IN" status code in #8.

Rationale and Reference(s):

³ As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

6. Can the **discharge** of "contaminated" groundwater into surface water be shown to be "**currently** acceptable" (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented⁴)?

> If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site's surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment,⁵ appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment "levels," as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination.

If no - (the discharge of "contaminated" groundwater can not be shown to be "currently acceptable") - skip to #8 and enter "NO" status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.

If unknown - skip to 8 and enter "IN" status code.

Rationale and Reference(s):

⁴ Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

⁵ The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

Page 7

Page 8

- 7. Will groundwater **monitoring** / measurement data (and surface water/sediment/ecological data, as necessary) be collected in the future to verify that contaminated groundwater has remained within the horizontal (or vertical, as necessary) dimensions of the "existing area of contaminated groundwater?"
 - If yes continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the "existing area of groundwater contamination."
 - If no enter "NO" status code in #8.
 - ____ If unknown enter "IN" status code in #8.

Rationale and Reference(s):

Pumping and treating and groundwater monitoring will continue. The facility currently monitors groundwater underlying the site annually. The depth to water measurements and subsequent water level elevations are used to create a groundwater contour map to identify flow directions within the plant property and confirm that capture is occurring in the area of the pumping/recovery wells.

Page 9

8. Check the appropriate RCRIS status codes for the Migration of Contaminated Groundwater Under Control EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (attach appropriate supporting documentation as well as a map of the facility).

X	YE - Yes, "Migration of Contaminated Groundwater Under Control" has been
	verified. Based on a review of the information contained in this EI determination,
	it has been determined that the "Migration of Contaminated Groundwater" is
	"Under Control" at the DuPont Circleville Facility, EPA ID # OHD 004 287 322,
	located at Route 23 South and Du Pont Road, Circleville, Ohio. Specifically, this
	determination indicates that the migration of "contaminated" groundwater is
	under control, and that monitoring will be conducted to confirm that
	contaminated groundwater remains within the "existing area of contaminated
	groundwater" This determination will be re-evaluated when the Agency
	becomes aware of significant changes at the facility.

NO - Unacceptable migration of contaminated groundwater is observed or expected.

IN - More information is needed to make a determination.

Completed by	(signature)	original signed by Pam Molitor	Date 12/27/01
	(print)	Pamela Molitor	
	(title)	Environmental Scientist	
Initialed by Gary (Cygan		
Supervisor	(signature)	original signed by George Hamper	Date <u>12/27/01</u>
	(print)	Joseph Boyle	
	(title)	Branch Chief, ECAB	
	(EPA Region or State) Region 5		

Locations where References may be found:

-

EPA Files at EPA offices in Chicago, Illinois

Contact telephone and e-mail numbers

(name)	Pamela Molitor
(phone #)	312-886-3543
(e-mail)	molitor.pamela@epa.gov