US ERA ARCHIVE DOCUMENT

INDEX

CHAPTER 335

INDUSTRIAL SOLID WASTE AND MUNICIPAL HAZARDOUS WASTE

| INDUSTR | LAL SOLID WASTE AND MUNICIPAL HAZARDOUS WASTE |
|---------------|--|
| SUBCHAPTER A: | INDUSTRIAL SOLID WASTE AND MUNICIPAL HAZARDOUS WASTE MANAGEMENT IN GENERAL |
| §335.1 | Definitions |
| §335.2 | Permit Required |
| §335.3 | Technical Guidelines |
| §335.4 | General Prohibitions |
| §335.5 | Deed Recordation |
| §335.6 | Notification Requirements |
| §335.7 | Bond or Other Financial Assurance Required |
| §335.8 | Closure |
| §335.9 | Recordkeeping and Annual Reporting Procedures |
| | Applicable to Generators |
| §335.10 | Shipping and Reporting Procedures Applicable to |
| | Generators of Hazardous Waste or Class I Waste |
| §335.11 | Shipping Requirements for Transporters of |
| - | Hazardous Waste or Class I Waste |
| §335.12 | Shipping Requirements Applicable to Owners or |
| _ | Operators of Storage, Processing, or Disposal |
| | Facilities |
| §335.13 | Recordkeeping and Reporting Procedures Applicable |
| | to Generators Shipping Hazardous Waste or Class |
| | I Waste |
| §335.14 | Recordkeeping Requirements Applicable to |
| | Transporters of Hazardous Waste or Class I Waste |
| §335.15 | Recordkeeping and Reporting Requirements |
| | Applicable to Owners or Operators of Storage, |
| | Processing, or Disposal Facilities |
| §335.17 | Special Definitions for Recyclable Materials and |
| | Nonhazardous Recyclable Materials |
| §335.18 | Variances from Classification as a Solid Waste |
| §335.19 | Standards and Criteria for Variances from Classi- |
| | fication as a Solid Waste |
| §335.20 | Variance to be Classified as a Boiler |
| §335.21 | Procedures for Variances from Classification as a |
| | Solid Waste or to be Classified as a Boiler |
| §335.22 | Additional Regulation of Certain Hazardous Waste |
| | Recycling Activities on a Case-By-Case Basis |
| §335.23 | Procedures for Case-By-Case Regulation of |
| | Hazardous Waste Recycling Activities |
| §335.24 | Requirements for Recyclable Materials and Non |
| | hazardous Recyclable Materials |
| §335.28 | Adoption of Memoranda of Understanding by |
| | Reference |
| §335.29 | Adoption of Appendices by Reference |
| §335.30 | Appendix I |
| | |

| | HAZARDOUS WASTE MANAGEMENT GENERAL PROVISIONS |
|--|--|
| §335.41 | Purpose, Scope and Applicability |
| §335.43 | Permit Required |
| §335.44 | Application for Existing On-Site Facilities |
| | Effect on Existing Facilities |
| | Sharing of Information |
| §335.47 | Special Requirements for Persons Eligible for a |
| | Federal Permit By Rule |
| e de la Companya de la resulta | |
| | |
| CIDALL DATE A. | STANDARDS APPLICABLE TO GENERATORS OF HAZARDOUS |
| | WASTE |
| § 335.61 | Purpose, Scope and Applicability |
| §335.62 | Hazardous Waste Determination |
| §335.63 | EPA Identification Numbers |
| §335.65 | Packaging to the transfer of the second trans |
| 6775 66 | Laheling |
| §335.67 | Marking Placarding |
| §335.68 | Placarding |
| §335.69 | Accumulation Time |
| §335.70 | Decardicaniae |
| §335.71 | Annual Reporting |
| §335.73 | Additional Reporting |
| §335.74 | Special Requirements for Generators of Between 100 |
| | and 1000 Kilograms Per Month |
| §335.75 | Notification Requirements for Interstate Shipments |
| §335.76 | Additional Requirements Applicable to International Shipments |
| §335.77 | Farmers |
| §335.78 | Special Requirements for Hazardous Waste Generated by Conditionally Exempt Small Quantity Generators |
| | |
| SUBCHAPTER D: | STANDARDS APPLICABLE TO TRANSPORTERS OF HAZARDOUS WASTE |
| §335.91 | Scope |
| §335.92 | EPA Identification Number |
| §335.93 | Hazardous Waste Discharges |
| §335.94 | Transfer Facility Requirements |
| _ | |
| SUBCHAPTER E: | INTERIM STANDARDS FOR OWNERS AND OPERATORS OF HAZARDOUS WASTE STORAGE, PROCESSING, OR DISPOSAL FACILITIES |
| §335.111 | Purpose, Scope and Applicability |
| §335.112 | Standards |
| §335.113 | Reporting of Emergency Situations by Emergency |
| 6 | Coordinator |
| §335.114 | Reporting Requirements |
| §335.115 | Additional Reports |
| §335.116 | |
| 2777.770 | Annlicability of Croundwater Monitoring Demisses- |
| C22E 117 | Applicability of Groundwater Monitoring Requirements Recordkeeping and Reporting |
| §335.117 | Applicability of Groundwater Monitoring Requirements Recordkeeping and Reporting |

| 그 얼마나 보다 보다 그는 것이 없는 사람들이 없다. | |
|-------------------------------|---|
| §335.118 | Closure Plan; Submission and Approval of Plan |
| §335.119 | Post-Closure Plan; Submission and Approval of Plan |
| §335.120 | Containment for Waste Piles |
| §335.121 | General Operating Requirements (Land Treatment Facilities) |
| §335.122 | Recordkeeping |
| §335.123 | Closure and Post-Closure (Land Treatment Facilities) |
| §335.124 | General Operating Requirements (Landfills) |
| §335.125 | Special Requirements for Bulk and Containerized a Waste |
| §335.126 | Special Requirements for Containers |
| §335.127 | Cost Estimate for Closure |
| SUBCHAPTER F: | PERMITTING STANDARDS FOR OWNERS AND OPERATORS OF HAZARDOUS WASTE STORAGE, PROCESSING, OR DISPOSAL ACILITIES |
| §335.151 | Purpose, Scope and Applicability |
| §335.152 | Standards |
| §335.153 | Reporting of Emergency Situations By Emergency Coordinator |
| .§335.154 | Reporting Requirements for Owners and Operators |
| §335.155 | Additional Reports |
| §335.156 | Applicability of Groundwater Monitoring and Response |
| §335.157 | Required Programs |
| §335.158 | Groundwater Protection Standard |
| §335.159 | Hazardous Constituents |
| §335.160 | Concentration Limits |
| §335.161 | Point of Compliance |
| §335.162 | Compliance Period |
| §335.163 | General Groundwater Monitoring Requirements |
| § 335.164 | Detection Monitoring Program |
| §335.165 | Compliance Monitoring Program |
| §335.166 | Corrective Action Program |
| §335.167 | Corrective Action for Solid Waste Management Units |
| §335.168 | Design and Operating Requirements (Surface Impound ments) |
| §335.169 | Closure and Post-Closure Care (Surface Impound ments) |
| §335.170 | Design and Operating Requirements (Waste Piles) |
| §335.171 | Design and Operating Requirements (Land Treatment Units) |
| §335.172 | Closure and Post-Closure Care (Land Treatment Units) |
| §335.173 | Design and Operating Requirements (Landfills) |
| §335.174 | Closure and Post-Closure Care (Landfills) |
| §335.175 | Special Requirements for Bulk and Containerized Waste |
| §335.176 | Special Requirements for Containers |
| §335.177 | General Performance Standard |
| § 335.178 | Cost Estimate for Closure |
| § 335.179 | Financial Assurance |

| §335.180 | |
|------------------|--|
| Bar, Horse | Impact of New Hazardous Waste Management Facilities |
| §335.181 | on Local Land Use |
| | |
| §335.182 | Management Technologies Waste |
| 3-2-2-2 | |
| § 335.183 | Hazardous Waste Management Facility Emergency Response Commercial |
| 3-7-103 | Lmergency Response Committee |
| | Emergency Response Capabilities Required for New |
| | waste management Facilities |
| CITE ALL DATE | |
| SUBCHAPTER G | · LOCATION STANDADDC POD **** |
| | PROCESSING, OR DISPOSAL |
| §335.201 | Purpose, Scope and land |
| §335.202 | Definitions Applicability |
| | 그는 사람들이 살아가는 살아서 하는 것이 되었다. 그는 사람들은 사람들은 사람들이 되었다면 하는 것이 없는 사람들이 살아 없었다. 그는 사람들이 살아 없는 사람들이 살아 없는 것이 없는 것이 없는 사람들이 없는 것이 없는 것이었다면 없는 것이 없는 것이었다면 없는 것이 없는 것이 없는 것이 없는 것이었다면 없어요. 되었다면 없는 것이었다면 없는 것이었다면 없는 것이었다면 없어요. 없어요. 없어요. 없어요. 없어요. 없어요. 없어요. 없어요. |
| §335.203 | Site Selection to Protect |
| | Site Selection to Protect Groundwater or Surface |
| §335.204 | Unsuitable Sito Champion |
| §335.205 | Prohibition of Permit Issuance |
| § 335.206 | Petitions for Rulemaking |
| | Tot kutemaking |
| | |
| SUBCHAPTER H: | STANDARDS FOR THE ASSESSMENT OF THE STANDARDS FOR THE STANDARD FOR THE STANDARDS FOR |
| | STANDARDS FOR THE MANAGEMENT OF SPECIFIC WASTES |
| | |
| Recyclable | Applicability Applicability |
| §335.211 | Applicability Applicability |
| §335.212 | Standards and standard proposed |
| | Standards Applicable to Generators and Transporters of Materials Westername |
| | Transporters of Materials Used in a Manner That Constitutes Disposal |
| §335.213 | Constitutes Disposal |
| | Standards Applicable to Storers of Materials That Are To Be Used In A Manner That |
| | Are To Be Used In A Manner That Constitutes Disposal Who Are Not the Ultimate Users |
| §335.214 | posal Who Are Not the Ultimate Users |
| 2 2 2 2 2 | |
| | Are Used In A Manner That Constitutes Disposal |
| Harawaa | in a constitutes Disposal |
| \$335.221 | Waste Burned for Energy Recovery |
| §335.222 | |
| \$335.223 | Prohibitions |
| 3033.663 | Standards Applicable to Generators of Hazardous |
| §335.224 | Waste Fuel Generators of Hazardous |
| 3333.224 | Standards Applicable to Transport |
| 5995 885 | Standards Applicable to Transporters of Hazardous |
| §335.225 | Standards Applicable to Marketers of Hazardous |
| 5000 | Waste Fuel Co Marketers of Hazardous |
| §335.226 | Standards Applicable to Possession |
| | Standards Applicable to Burners of Hazardous Waste |
| | |
| Recyclable | Materials Utilized for Precious Metal Recovery Applicability and Requirements |
| §335.241 | Applicability and Requirements |
| | |
| Spent Lead- | Acid Batteries Being Reclaimed |
| 6336 361 | TO DELING KECIAIMAA |

<u>Spent Lead-Acid Batteries Being Reclaimed</u> §335.251 Applicability and Requirements

| SUBCHAPTER I: | PROHIBITION ON OPEN DUMPS |
|-----------------------------------|--|
| §335.301 | Purpose |
| §335.302 | Prohibitions |
| §335.303 | Criteria for Classification of Solid Waste |
| | Disposal Facilities and Practices |
| §335.304 | Classification of Facilities |
| §335.305 | Upgrading or Closing of Open Dumps |
| §335.306 | List of Interested or Affected Persons |
| §335.307 | Notification of Classification by Commission |
| § 335.308 | Complaints |
| | TO CARROLL MOTION CONTRACTOR CANADA TO THE TOTAL CARROLL AND THE CARROLL AND T |
| SUBCHAPTER J: | HAZARDOUS WASTE GENERATION, FACILITY AND DISPOSAL FEES SYSTEM |
| §335.321 | Purpose |
| §335.322 | Definitions |
| § 335.323 | Hazardous Waste Generation Fee Assessment |
| § 335.324 | Facility Fee Assessment |
| §335.325 | Disposal Fee Assessment |
| §335.326 | Commercial Fee Assessment |
| §335.327 | Dry Weight Determination |
| §335.328 | Alternate Methods of Dry Weight Determination |
| §335.329 | Fees Payment |
| §335.330 | Records and Reports |
| §335.331 | Cancellation, Revocation and Transfer |
| §335.332 §335.333 | Failure to Make Payment or Report Appendices I and II |
| 3000.00 | White transfer to the state of |
| SUBCHAPTER K: | HAZARDOUS SUBSTANCE FACILITIES ASSESSMENT AND REMEDIATION |
| §335.341 | Purpose and Scope |
| §335.342 | Definitions |
| §335.343 | Ranking of Facilities |
| §335.344 | Delisting and Modifications |
| §335.345 | Request for Information or Production of Documents |
| §335.346 | Removal Actions and Preliminary Site Investigations |
| §335.347 | Financial Capability Determinations |
| §335.348 | General Requirements for a Remedial |
| C225 240 | Investigation/Feasibility Study |
| § 335.349 § 335.350 | General Requirements For a Remedial Action |
| §335.350 §335.351 | Defense to Liability and Claims of Divisibility Settlement Agreements |
| §335.352 | Adoption of Apendices by Reference |
| 30000 | abera arbegreca ni wererence |
| SUBCHAPTER L: | CONTROL OF AIR POLLUTION FROM HAZARDOUS WASTE OR SOLID WASTE MANAGEMENT FACILITIES |
| §335.361 | Definitions |
| § 335.362 | Applicability |
| §335.363 | Permit Conditions |
| | |

| §335.364 | Representations in Application for Permit |
|--|--|
| §335.365 | Responsibility for Review of Air Quality Impacts |
| | from Existing, New, and Modified Facilities |
| §335.366 | General Air Emissions Requirements for Hazardous |
| | or Solid Waste Management Facilities |
| \$335.367 | Specific Air Emissions Requirements for Hazardous |
| 3333,301 | or Solid Waste Management Facilities |
| · 建筑路外 (1) | Of Dolla was e wand descriptions |
| CIDCUADATE W. | PRE-APPLICATION REVIEW AND PERMIT PROCEDURES |
| SUDCHAPIER M. | LVE-VLLDICUITON VEATER VAN LEWIII LVACEDANED |
| 8005-001 | Pre-Application Review |
| §335.391 | Notice of Intent To File a Permit Application |
| §335.392 | |
| §335.393 | Award of Costs |
| | |
| SUBCHAPTER N: | |
| | HAZARDOUS WASTES |
| August and a second | and the control of th |
| §335.401 | Purpose |
| §335.402 | Definitions |
| §335.403 | Authority |
| §335.404 | Interagency Coordination |
| §335.405 | Applicability |
| §335.406 | General Requirements for Collectors and Operators |
| §335.407 | Operation of Collection Centers |
| §335.408 | Household Pick-Up |
| §335.409 | General Shipping, Manifesting, Recordkeeping, and Reporting Requirements. |
| §335.410 | Reuse of Collected Material |
| §335.411 | General Requirements for Transporters |
| \$335.412 | General Requirements for Processing, Storage or Disposal Facilities |
| SUBCHAPTER 0: | LAND DISPOSAL RESTRICTIONS |
| §335.431 | Purpose, Scope, and Applicability |
| SUBCHAPTER P: | WARNING SIGNS FOR CONTAMINATED AREAS |
| §335.441 | Purpose, Scope, and Applicability |
| §335.442 | Definitions |
| \$335.443 | Determination of Potential Hazard to Public Health |
| \$335.444 | Property Owner Consents to the Placement of Warning Signs |
| § 335.445 | Placement of Warning Signs Without Property Owner's Consent |
| §335.446 | Emergency Placement of Signs |
| §335.447 | Reporting of Placement of Warning Signs |
| §335.448 | Removal of Warning Signs |
| | |

Chapter 335 Subchapter A

Industrial Solid Waste and Municipal Hazardous Waste Management in General \$\$335.1-335.15, 335.17-335.24, 335.28-335.30

The sections are promulgated under the Texas Water Code, \$5.103 and \$26.011, which gives the commission the authority to adopt any rules necessary to carry out its powers, duties, and policies and to protect water quality in the state. The sections are also promulgated under the Texas Solid Waste Disposal Act, \$3 and \$4, which gives the commission the authority to regulate industrial solid wastes and hazardous municipal wastes and to adopt rules and promulgate rules consistent with the general intent and purposes of the Act.

§335.1. Definitions. The following words and terms, when used in this chapter, shall have the following meanings, unless the context clearly requires otherwise.

Aboveground tank - A device meeting the definition of tank in this section and that is situated in such a way that the entire surface area of the tank is completely above the plane of the adjacent surrounding surface and the entire surface area of the tank (including the tank bottom) is able to be visually inspected.

Act--The Solid Waste Disposal Act, Texas Civil Statutes, Article 4477-7.

Active life - The period from the initial receipt of hazardous waste at the facility until the executive director receives certification of final closure.

Active portion - That portion of a facility where processing, storage, or disposal operations are being or have been conducted after November 19, 1980 and which is not a closed portion. (See also "closed portion" and "inactive portion.")

Activities associated with the exploration, development, and production of oil or gas or geothermal resources--Activities associated with:

- (A) the drilling of exploratory wells, oil wells, gas wells, or geothermal resource wells;
- (B) the production of oil or gas or geothermal resources, including:
 - (i) activities associated with the drilling of injection water source wells that penetrate the base of usable quality water;
 - (ii) activities associated with the drilling of cathodic protection holes associated with the cathodic protection of wells and pipelines subject to the jurisdiction of the commission to regulate the production of oil or gas or geothermal resources;
 - (iii) activities associated with gasoline plants, natural gas or natural gas liquids processing

plants, pressure maintenance plants, or repressurizing plants;

(iv) activities associated with any underground natural gas storage facility, provided the terms "natural gas" and "storage facility" shall have the meanings set out in the Texas Natural Resources Code, \$91.173;

(v) activities associated with any underground hydrocarbon storage facility, provided the terms "hydrocarbons" and "underground hydrocarbon storage facility" shall have the meanings set out in the Texas Natural Resources Code, \$91.173; and

- (vi) activities associated with the storage, handling, reclamation, gathering, transportation, or distribution of oil or gas prior to the refining of such oil or prior to the use of such gas in any manufacturing process or as a residential or industrial fuel;
- (C) the operation, abandonment, and proper plugging of wells subject to the jurisdiction of the commission to regulate the exploration, development, and production of oil or gas or geothermal resources; and
- (D) the discharge, storage, handling, transportation, reclamation, or disposal of waste or any other substance or material associated with any activity listed in subparagraphs(A)-(C) of this paragraph, except for waste generated in connection with activities associated with gasoline plants, natural gas or natural gas liquids processing plants, pressure maintenance plants, or repressurizing plants if that waste is a hazardous waste as defined by the administrator of the United States Environmental Protection Agency pursuant to the Federal Solid Waste Disposal Act, as amended (42 United States Code, \$6901 et seq.).

Administrator - The administrator of the United States Environmental Protection Agency or his designee.

Ancillary equipment - Any device including, but not limited to, such devices as piping, fittings, flanges, valves, and pumps, that is used to distribute, meter, or control the flow of hazardous waste from its point of generation to a storage or processing tank(s), between hazardous waste storage and processing tanks to a point of disposal on-site, or to a point of shipment for disposal off-site.

Aquifer - A geologic formation, group of formations, or part of a formation capable of yielding a significant amount of groundwater to wells or springs.

Authorized representative - The person responsible for the overall operation of a facility or an operation unit (i.e., part of

a facility), e.g., the plant manager, superintendent, or person of equivalent responsibility.

Boiler - An enclosed device using controlled flame combustion

and having the following characteristics:

(A) The unit must have physical provisions for recovering and exporting thermal energy in the form of steam, heated fluids, or heated gases;

- (B) The unit's combustion chamber and primary energy recovery section(s) must be of integral design. To be of integral design, the combustion chamber and the primary energy recovery section(s) (such as waterwalls and superheaters) must be physically formed into one manufactured or assembled unit. A unit in which the combustion chamber and the primary energy recovery section(s) are joined only by ducts or connections carrying flue gas is not integrally designed; however, secondary energy recovery equipment (such as economizers or air preheaters) need not be physically formed into the same unit as the combustion chamber and the primary energy recovery section. The following units are not precluded from being boilers solely because they are not of integral design: process heaters (units that transfer energy directly to a process stream), and fluidized bed combustion units; and
 - (C) While in operation, the unit must maintain a thermal energy recovery efficiency of at least 60%, calculated in terms of the recovered energy compared with the thermal value of the fuel; and
 - The unit must export and utilize at least 75% of the recovered energy, calculated on an annual In this calculation, no credit shall be given for recovered heat used internally in the same unit. (Examples of internal use are the preheating of fuel or combustion air, and the driving of induced or forced draft fans feedwater pumps); or

The unit is one which the executive director has determined, on a case-by-case basis, to be a boiler, after considering the standards in §335.20 of this title (relating to Variance to be

Classified as a Boiler).

Certification - A statement of professional opinion based upon knowledge and belief.

Class I wastes - Any industrial solid waste or mixture of industrial solid wastes which because of its concentration, or physical or chemical characteristics, is toxic, corrosive, flammable, a strong sensitizer or irritant, a generator of sudden pressure by decomposition, heat, or other means, and may pose a substantial present or potential danger to human health or the environment when improperly processed, stored, transported, or

disposed of or otherwise managed, including hazardous industrial waste.

Class II wastes - Any individual solid waste or combination of industrial solid waste which cannot be described as Class I or

Class III as defined in this regulation.

Class III wastes - Inert and essentially insoluble industrial solid waste, usually including, but not limited to, materials such as rock, brick, glass, dirt, and certain plastics and rubber, etc., that are not readily decomposable.

Closed portion - That portion of a facility which an owner or operator has closed in accordance with the approved facility closure plan and all applicable closure requirements. (See also

"active portion" and "inactive portion.")

Component - Either the tank or ancillary equipment of a tank

system.

Commercial hazardous waste management facility - Any hazardous waste management facility that accepts hazardous waste or PCBs for a charge, except a captured facility or a facility that accepts waste only from other facilities owned or effectively controlled by the same person, where "captured facility" means a manufacturing or production facility that generates an industrial solid waste or hazardous waste that is routinely stored, processed, or disposed of on a shared basis in an integrated waste management unit owned, operated by, and located within a contiguous manufacturing complex.

Component - Either the tank or ancillary equipment of a tank

system.

Confined aquifer - An aquifer bounded above and below by impermeable beds or by beds of distinctly lower permeability than that of the aquifer itself; an aquifer containing confined groundwater.

Consignee - The ultimate treatment, storage, or disposal facility in a receiving country to which the hazardous waste will

be sent.

Container - Any portable device in which a material is stored,

transported, processed, or disposed of, or otherwise handled.

Contingency plan - A document setting out an organized, planned, and coordinated course of action to be followed in case of a fire, explosion, or release of hazardous waste or hazardous waste constituents which could threaten human health or the environment.

Corrosion expert - A person who, by reason of his knowledge of the physical sciences and the principles of engineering and mathematics, acquired by a professional education and related practical experience, is qualified to engage in the practice of corrosion control on buried or submerged metal piping systems and metal tanks. Such a person must be certified as being qualified by the National Association of Corrosion Engineers (NACE) or be a registered professional engineer who has certification or licensing that includes education and experience in corrosion control on buried or submerged metal piping systems and metal tanks.

Designated facility - A Class I or hazardous waste storage, processing, or disposal facility which has received an Environmental Protection Agency (EPA) permit (or a facility with

interim status) in accordance with the requirements of 40 Code of Federal Regulations Parts 270 and 124; a permit from a state authorized in accordance with 40 Code of Federal Regulations Part 271 (in the case of hazardous waste); a permit issued pursuant to \$335.2 of this title (relating to Permit Required) (in the case of non-hazardous waste); or that is regulated under \$335.24(f), (g), or (h) of this title (relating to Requirements for Recyclable Materials and Nonhazardous Recyclable Materials) or \$335.241 of this title (relating to Applicability and Requirements) and that has been designated on the manifest by the generator pursuant to \$335.10 of this title (relating to Shipping and Reporting Procedures Applicable to Generators of Hazardous Waste or Class I Waste and Primary Exporters of Hazardous Waste).

Dike - An embankment or ridge of either natural or man-made materials used to prevent the movement of liquids, sludges, solids,

or other materials.

Discharge or hazardous waste discharge - The accidental or intentional spilling, leaking, pumping, pouring, emi emptying, or dumping of waste into or on any land or water.

Disposal - The discharge, deposit, injection, spilling, leaking, or placing of any solid waste or hazardous waste (whether containerized or uncontainerized) into or on any land or water so that such solid waste or hazardous waste or any constituent thereof may enter the environment or be emitted into the air or discharged \bar{i} nto any waters, including groundwaters.

Disposal facility - A facility or part of a facility at which solid waste is intentionally placed into or on any land or water,

and at which waste will remain after closure.

Elementary neutralization unit - A device which:

is used for neutralizing wastes which are hazardous only because they exhibit the corrosivity characteristic defined in 40 Code of Federal Regulations \$261.22, or are listed in 40 Code of Federal Regulations Part 261, Subpart D only for this reason; and

meets the definition of tank, container, transport vehicle, or vessel as defined in this section.

"Environmental Protection Agency Hazardous Waste Number" - The number assigned by the Environmental Protection Agency to each hazardous waste listed in 40 Code of Federal Regulations Part 261, Subpart D and to each characteristic identified in 40 Code of Federal Regulations Part 261, Subpart C.

EPA acknowledgement of consent - The cable sent to EPA from the U.S. Embassy in a receiving country that acknowledges the written consent of the receiving country to accept the hazardous waste and describes the terms and conditions of the receiving country's consent to the shipment.

"Environmental Protection Agency Identification Number" - The number assigned by the Environmental Protection Agency or the commission to each generator, transporter, and processing, storage, or disposal facility.

Essentially insoluble - Any material, which if representatively sampled and placed in static or dynamic contact with deionized water at ambient temperature for seven days, will not leach any quantity of any constituent of the material into the water in excess of current United States Public Health Service or United States Environmental Protection Agency limits for drinking water as published in the Federal Register.

Equivalent method - Any testing or analytical method approved by the administrator under 40 Code of Federal Regulations §260.20

and §260.21.

Existing Portion - That land surface area of an existing waste management unit, included in the original Part A permit application, on which wastes have been placed prior to the issuance

of a permit.

Existing tank system or existing component - A tank system or component that is used for the storage or processing of hazardous waste and that is in operation, or for which installation has commenced on or prior to July 14, 1986. Installation will be considered to have commenced if the owner or operator has obtained all federal, state, and local approvals or permits necessary to begin physical construction of the site or installation of the tank system and if either:

(A) a continuous on-site physical construction or

installation program has begun; or

(B) the owner or operator has entered into contractual obligations—which cannot be canceled or modified without substantial loss—for physical construction of the site or installation of the tank system to be completed within a reasonable time.

Facility - Includes all contiguous land, and structures, other appurtenances, and improvements on the land for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several storage, processing, or disposal operational units (e.g., one or more

landfills, surface impoundments, or combinations thereof).

Final closure - The closure of all hazardous waste management units at the facility in accordance with all applicable closure requirements so that hazardous waste management activities under Subchapter E of this chapter (relating to Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities) and Subchapter F of this chapter (relating to Permitting Standards for Owners and Operators of Hazardous Waste Storage, Processing or Disposal Facilities) are no longer conducted at the facility unless subject to the provisions in §335.69 of this title (relating to Accumulation Time).

Food-chain crops - Tobacco, crops grown for human consumption, and crops grown for feed for animals whose products are consumed by

humans.

Freeboard - The vertical distance between the top of a tank or surface impoundment dike, and the surface of the waste contained therein.

Free liquids - Liquids which readily separate from the solid

portion of a waste under ambient temperature and pressure.

Generator - Any person, by site, who produces municipal hazardous waste or industrial solid waste; any person who possesses municipal hazardous waste or industrial solid waste to be shipped to any other person; or any person whose act first causes the solid waste to become subject to regulation under this chapter. For the purposes of this regulation, a person who generates or possesses Class III wastes only shall not be considered a generator.

Groundwater - Water below the land surface in a zone of

saturation.

Hazardous industrial waste - Any industrial solid waste or combination of industrial solid wastes identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency pursuant to the Resource Conservation and Recovery Act of 1976, \$3001. The administrator has identified the characteristics of hazardous wastes and listed certain wastes as hazardous in 40 Code of Federal Regulations Part 261. executive director will maintain in the offices of the commission a current list of hazardous wastes, a current set of characterand applicable appendices, istics of hazardous waste, promulgated by the administrator.

Hazardous waste - Any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency (EPA) pursuant to the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code 6901 et seq., as amended.

Hazardous waste constituent - A constituent that caused the administrator to list the hazardous waste in 40 Code of Federal Regulations Part 261, Subpart D or a constituent listed in Table 1

of 40 Code of Federal Regulations \$261.24.

Hazardous waste management facility - All contiguous land, including structures, appurtenances, and other improvements on the land, used for processing, storing, or disposing of hazardous waste. The term includes a publicly or privately owned hazardous waste management facility consisting of processing, storage, or disposal operational hazardous waste management units such as one or more landfills, surface impoundments, waste piles, incinerators, boilers, and industrial furnaces, including cement kilns, injection wells, salt dome waste containment caverns, land treatment facilities, or a combination of units.

Hazardous waste management unit - A landfill, surface impoundment, waste pile, industrial furnace, incinerator, cement kiln, injection well, container, drum, salt dome waste containment cavern, or land treatment unit, or any other structure, vessel, appurtenance, or other improvement on land used to manage hazardous

Inactive portion - That portion of a facility which is not operated after November 19, 1980. (See also "active portion" and "closed portion".)

Incinerator - An enclosed device using controlled flame combustion that neither meets the criteria for classification as a boiler nor is listed as an industrial furnace.

Incompatible waste - A hazardous waste which is unsuitable for:

- (A) Placement in a particular device or facility (A) Placement in a particular device of lactify because it may cause corrosion or decay of containment materials (e.g., container inner liners or tank walls); or

 (B) Commingling with another waste or material under uncontrolled conditions because the commingling
- might produce heat or pressure, fire or explosion, violent reaction, toxic dusts, mists, fumes, or gases, or flammable fumes or gases.

Individual generation site - The contiguous site at or on which one or more hazardous wastes are generated. An individual generation site, such as a large manufacturing plant, may have one or more sources of hazardous waste but is considered a single or individual generation site if the site or property is contiguous.

Industrial furnace - Includes cement kilns, lime kilns, aggregate kilns, phosphate kilns, coke ovens, blast furnaces, melting, or refining furnaces, including pyrometallurgical devices such as cupolas, reverberator furnaces, sintering machines, roasters, or foundry furnaces, titanium dioxide chloride process oxidation reactors, methane reforming furnaces, pulping recovery furnaces, combustion devices used in the recovery of sulfur values from spent sulfuric acid, and other devices the commission may list.

Industrial solid waste - Solid waste resulting from or incidental to any process of industry or manufacturing, or mining or agricultural operation, which may include hazardous waste as defined in this section.

Inground tank - A device meeting the definition of tank in this section whereby a portion of the tank wall is situated to any degree within the ground, thereby preventing visual inspection of that external surface area of the tank that is in the ground.

Injection well - A well into which fluids are injected. (See also "underground injection".)

Inner liner - A continuous layer of material placed inside a tank or container which protects the construction materials of the tank or container from the contained waste or reagents used to treat the waste.

In operation - Refers to a facility which is processing, storing, or disposing of hazardous waste.

Installation inspector - A person who, by reason of his knowledge of the physical sciences and the principles of enqineering, acquired by a professional education and related practical experience, is qualified to supervise the installation of tank systems.

International shipment - The transportation of hazardous waste into or out of the jurisdiction of the United States.

Landfill - A disposal facility or part of a facility where hazardous waste is placed in or on land and which is not a pile land treatment facility, a surface impoundment, an injection well, a saltdome formation, a saltbed formation, an underground mine or a cave.

Landfill cell - A discrete volume of a hazardous waste landfill which uses a liner to provide isolation of wastes from adjacent cells or wastes. Examples of landfill cells are trenches and pits.

Land Treatment Facility - A facility or part of a facility at which hazardous waste is applied onto or incorporated into the soil surface; such facilities are disposal facilities if the waste will

remain after closure.

Leachate - Any liquid, including any suspended components in the liquid, that has percolated through or drained from hazardous waste.

Leak-detection system - A system capable of detecting the failure of either the primary or secondary containment structure or the presence of a release of hazardous waste or accumulated liquid in the secondary containment structure. Such a system must employ operational controls (e.g., daily visual inspections for releases into the secondary containment system of aboveground tanks) or consist of an interstitial monitoring device designed to detect continuously and automatically the failure of the primary or secondary containment structure or the presence of a release of hazardous waste into the secondary containment structure.

hazardous waste into the secondary containment structure.

Liner - A continuous layer of natural or man-made materials,
beneath or on the sides of a surface impoundment, landfill, or
landfill cell, which restricts the downward or lateral escape of
hazardous waste, hazardous waste constituents, or leachate.

Management or hazardous waste management - The systematic control of the collection, source separation, storage, transportation, processing, treatment, recovery, and disposal of hazardous waste.

Manifest - The uniform hazardous waste manifest form, Form TWC-0311, and, if necessary, TWC-0311B, furnished by the executive director to accompany shipments of municipal hazardous waste or Class I industrial solid waste.

Manifest document number - A number assigned to the manifest

by the commission for reporting and recordkeeping purposes.

Miscellaneous unit - A hazardous waste management unit where hazardous waste is treated, stored, or disposed of and that is not a container, tank, surface impoundment, pile, land treatment unit, landfill, incinerator, boiler, industrial furnace, underground injection well with appropriate technical standards under Chapter 331 of this title (relating to Underground Injection Control), or unit eligible for a research, development, and demonstration permit under Chapter 305, Subchapter K of this title (relating to Research, Development and Demonstration Permits).

Movement - That hazardous waste transported to a facility in

an individual vehicle.

Municipal hazardous waste - A municipal solid waste or mixture of municipal solid wastes which has been identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency.

Municipal solid waste - Solid waste resulting from or incidental to municipal, community, commercial, institutional, and recreational activities; including garbage, rubbish, ashes, street cleanings, dead animals, abandoned automobiles, and all other solid waste other than industrial waste.

New tank system or new tank component - A tank system or component that will be used for the storage or processing of hazardous waste and for which installation has commenced after July 14, 1986; except, however, for purposes of 40 Code of Federal Regulations \$264.193(g)(2) (incorporated by reference at \$335.152(a)(8) of this title (relating to Standards)) and 40 Code of Federal Regulations \$265.193(g)(2) (incorporated by reference at \$335.112(a)(9) of this title (relating to Standards)), a new tank system is one for which construction commences after July 14, 1986 (see also existing tank system).

Off-site - Property which cannot be characterized as "on-site."

Onground tank - A device meeting the definition of tank in this section and that is situated in such a way that the bottom of the tank is on the same level as the adjacent surrounding surface so that the external tank bottom cannot be visually inspected.

On-site - The same or geographically contiguous property which may be divided by public or private rights-of-way, provided the entrance and exit between the properties is at a cross-roads intersection, and access is by crossing, as opposed to going along, the right-of-way. Noncontiguous properties owned by the same person but connected by a right-of-way which he controls and to which the public does not have access, is also considered on-site property.

Open burning - The combustion of any material without the following characteristics:

- (A) Control of combustion air to maintain adequate temperature for efficient combustion;
- (B) Containment of the combustion-reaction in an enclosed device to provide sufficient residence time and mixing for complete combustion; and
- (C) Control of emission of the gaseous combustion products. (See also "incineration" and "thermal treatment".)

Operator - The person responsible for the overall operation of a facility.

Owner - The person who owns a facility or part of a facility. Partial closure - The closure of a hazardous waste management unit in accordance with the applicable closure requirements of Subchapters E and F of this chapter (relating to Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities; and Permitting Standards for Owners and Operators of Hazardous Waste Storage, Processing or Disposal

Facilities) at a facility that contains other active hazardous waste management units. For example, partial closure may include the closure of a tank (including its associated piping and underlying containment systems), landfill cell, surface impoundment, waste pile, or other hazardous waste management unit, while other units of the same facility continue to operate.

Partial closure - The closure of a hazardous waste management unit in accordance with the applicable closure requirements of Subchapters E and F of this chapter (relating to Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities; and Permitting Standards for Owners and Operators of Hazardous Waste Storage, Processing or Disposal Facilities) at a facility that contains other active hazardous waste management units. For example, partial closure may include the closure of a tank (including its associated piping and underlying containment systems), landfill cell, surface impoundment, waste pile, or other hazardous waste management unit, while other units of the same facility continue to operate.

PCBs or polychlorinated biphenyl compounds - Compounds

subject to Title 40, Code of Federal Regulations, Part 761.

Permit - A written permit issued by the commission which, by its conditions, may authorize the permittee to construct, install, modify or operate a specified municipal hazardous waste or industrial solid waste storage, processing, or disposal facility in accordance with specified limitations.

Person - Any individual, corporation, organization, government or governmental subdivision or agency, business trust, partnership,

association or any other legal entity.

Personnel or facility personnel - All persons who work at, or oversee the operations of, a hazardous waste facility, and whose actions or failure to act may result in noncompliance with the requirements of this chapter.

Pile - Any noncontainerized accumulation of solid, nonflowing

hazardous waste that is used for processing or storage.

Primary exporter - Any person who is required to originate the manifest for a shipment of hazardous waste in accordance with the regulations contained in 40 Code of Federal Regulations Part 262, Subpart B, which are in effect as of November 8, 1986, or equivalent state provision, which specifies a treatment, storage, or disposal facility in a receiving country as the facility to which the hazardous waste will be sent and any intermediary arranging for the export.

Processing - The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of hazardous waste, designed to change the physical, chemical, or biological character or composition of any hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The "transfer" of solid waste for reuse or

disposal as used in this definition, does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of "processing" does not include activities relating to those materials exempted by the administrator of the Environmental Protection Agency pursuant to the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 U.S.C. §6901 et seq., as amended.

Publicly-owned treatment works (POTW) - Any device or system used in the treatment (including recycling and reclamation) of municipal sewage or industrial wastes of a liquid nature which is owned by a state or municipality (as defined by the Clean Water Act, \$502(4)). The definition includes sewers, pipes or other conveyances only if they convey wastewater to a POTW providing treatment.

Receiving country - a foreign country to which a hazardous waste is sent for the purpose of treatment, storage, or disposal (except short-term storage incidental to transportation).

Regional Administrator - The Regional Administrator for the Environmental Protection Agency Region in which the facility is located, or his designee.

Representative sample - A sample of a universe or whole (e.g., waste pile, lagoon, groundwater) which can be expected to exhibit the average properties of the universe or whole.

Run-off - Any rainwater, leachate, or other liquid that drains over land from any part of a facility.

Run-On - Any rainwater, leachate, or other liquid that drains over land onto any part of a facility.

Saturated zone or zone of saturation - That part of the earth's crust in which all voids are filled with water.

Shipment - Any action involving the conveyance of municipal hazardous waste or industrial solid waste by any means off-site.

Small quantity generator - A generator who generates less than 1000 kg of hazardous waste in a calendar month.

Solid Waste -

- (A) Any garbage, refuse, sludge from a waste treatment plant, water supply treatment plant or air pollution control facility, and other discarded material, including solid, liquid, semisolid, or contained gaseous material resulting from industrial, municipal, commercial, mining, and agricultural operations, and from community and institutional activities, but does not include:
 - (i) solid or dissolved material in domestic sewage, or solid or dissolved material in irrigation return flows, or industrial discharges subject to regulation by permit issued pursuant to the Texas Water Code,

Chapter 26 (an exclusion applicable only to the actual point source discharge that does not exclude industrial wastewaters while they are being collected, stored or processed before discharge, nor does it exclude sludges that are generated by industrial wastewater treatment);

(ii) soil, dirt, rock, sand and other natural or man-made inert solid materials used to fill land if the object of the fill is to make the land suitable for the construction of surface

improvements;

- (iii) waste materials which result from activities associated with the exploration, development, or production of oil or gas or geothermal resources, as those activities are defined in this section, and any other substance or material regulated by the Railroad Commission of Texas pursuant to the Natural Resources Code, §91.101, unless such waste, substance, or material results from activities associated with qasoline plants, natural gas or natural liquids processing plants, pressure maintenance plants, or repressurizing plants and is a hazardous waste as defined by the United States of the administrator Environmental Protection Agency pursuant to the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 U.S.C. §6901 et seq., as amended; or
 - (iv) a discarded material excluded by 40 Code of Federal Regulations \$261.4(a) or by variance granted under \$335.18 of this title (relating to Variances from Classification as a Solid Waste) and \$335.19 of this title (relating to Standards and Criteria for Variances from

Classification as a Solid Waste).

(B) A "discarded material" is any material which is:
 (i) "Abandoned," as explained in subparagraph (C) of this paragraph;

(ii) "Recycled," as explained in subparagraph (D)

of this paragraph; or

(iii) Considered "inherently waste-like," as
 explained in subparagraph (E) of this
 paragraph.

(C) Materials are solid wastes if they are "abandoned"

by being:

(i) Disposed of;

(ii) Burned or incinerated; or

(iii) Accumulated, stored, or processed (but not

recycled) before or in lieu of being abandoned by being disposed of, burned, or incinerated.

(D) Materials are solid wastes if they are "recycled" or accumulated, stored, or processed before
recycling - as specified in this subparagraph. The
chart referred to as Table 1 indicates only which
materials are considered to be solid wastes when
they are recycled and is not intended to supersede
the definition of solid waste provided in subparagraph (A) of this paragraph.

(i) Used in a manner constituting disposal.

Materials noted with an asterisk in Column 1

of Table 1 are solid wastes when they are:

(I) Applied to or placed on the land in a manner that constitutes disposal; or

- (II) Used to produce products that are applied to or placed on the land or are otherwise contained in products that are applied to or placed on the land (in which cases the product itself remains a solid waste). However, commercial chemical products listed in 40 Code of Federal Regulations \$261.33 are not solid wastes if they are applied to the land and that is their ordinary manner of use.
 - (ii) Burning for energy recovery. Materials noted with an asterisk in Column 2 of Table 1 are solid wastes when they are:

(I) Burned to recover energy; or

- (II) Used to produce a fuel or are otherwise contained in fuels (in which cases the fuel itself remains a solid waste). However, commercial chemical products listed in 40 Code of Federal Regulations \$261.33 are not solid wastes if they are fuels themselves.
- (iii) Reclaimed. Materials noted with an asterisk in Column 3 of Table 1 are solid wastes when reclaimed.
 - (iv) Accumulated speculatively. Materials noted with an asterisk in Column 4 of Table 1 are solid wastes when accumulated speculatively.

TABLE 1

| | Use Constituting | Energy .ng Recovery/Fuel | Reclamation 1 | | Speculative Accumulation | |
|--|---------------------|-----------------------------|------------------|---------------------------------------|--|--|
| | Disposal (1) | (2) | (3) | · · · · · · · · · · · · · · · · · · · | (4) | |
| Spent materials (listed hazardous & non-listed characteristically hazardous) | *** | ÷t. | * | | edik edik # | |
| Spent materials (Class I non-hazardous and Class II) | * | * | * | | * | |
| Sludges (listed hazardous in 40 CFR 261.31 or 261.32) | * | * | * | | * | |
| Sludges (non-listed characteristically hazardous) | 1y * | * | | | -\$t | |
| Sludges (Class I non-hazardous and Class II) | * | -te | | | # | |
| By-products (listed hazardous in 40 CFR 261.31 or 261.32) | * | * | | icani Walanda | - 100 m - | |
| By-products (non-listed characteristically hazardous) | 水 | -ge | AD AT A ASA | | an en | |
| By-products (Class I non-hazardous and Class II) | ·k | de | | | entro u | |
| Commercial chemical products listed in 40 CFR 261.33 | * | * | | | | |
| Scrap metal (hazardous) | ÷ | 3 2 | * | | | |
| Scrap metal (Class I non-hazardous and Class II) | ** | - \$ \$ | #s. | i ve | en english | |
| Sill of the second seco | | | | | 7 of this title | |

NOTE: The terms "spent materials", "sludges", "by-products", and "scrap metal" are defined in 335.17 of this title (relating to Special Definitions for Recyclable Materials and Nonhazardous Recyclable Materials). 335.24(h) only. These materials are governed by the provisions of

(E) Materials that are identified by the administrator of the Environmental Protection Agency as "inherently waste-like materials" under 40 Code of Federal Regulations §261.2(d) are solid wastes when they are recycled in any manner.

(F) Materials are not solid wastes when they can be

shown to be recycled by being:

 (i) Used or reused as ingredients in an industrial process to make a product, provided the materials are not being reclaimed;

(ii) Used or reused as effective substitutes for

commercial products; or

- (iii) Returned to the original process from which they were generated, without first being reclaimed. The material must be returned as a substitute for raw material feedstock, and the process must use raw materials as principal feedstocks.
- (iv) secondary materials that are reclaimed and returned to the original process or processes in which they were generated where they are reused in the production process provided:
 - (I) only tank storage is involved, and the entire process through completion of reclamation is closed by being entirely connected with pipes or other comparable enclosed means of conveyance;
 - (II) reclamation does not involve controlled flame combustion (such as occurs in boilers, industrial furnaces, or incinerators);
 - (III) the secondary materials are never accumulated in such tanks for over twelve months without being reclaimed; and
 - (IV) the reclaimed material is not used to produce a fuel, or used to produce products that are used in a manner constituting disposal.
- (G) The following materials are solid wastes, even if the recycling involves use, reuse, or return to the original process, as described in subparagraph (F) of this paragraph:
 - (i) Materials used in a manner constituting disposal, or used to produce products that are applied to the land;
 - (ii) Materials burned for energy recovery, used to produce a fuel, or contained in fuels;
 - (iii) Materials accumulated speculatively; or
 - (iv) Materials deemed to be inherently waste-like by the administrator of the Environmental Protection Agency, as described in 40 Code of Federal Regulations \$261.2(d).
- (H) Respondents in actions to enforce the industrial solid waste regulations who raise a claim that a

certain material is not a solid waste, or is conditionally exempt from regulation, demonstrate that there is a known market or disposition for the material, and that they meet the terms of the exclusion or exemption. In doing so, they must provide appropriate documentation (such as contracts showing that a second person uses the material as an ingredient in a production process) to demonstrate that the material is not a waste, or is exempt from regulation. In addition, owners or operators of facilities claiming that they actually are recycling materials must show that they have the necessary equipment to do so and that the recycling activity is legitimate and beneficial.

(I) Materials that are reclaimed from solid wastes and that are used beneficially are not solid wastes and hence are not hazardous wastes under 40 Code of Federal Regulations §261.3(c) unless the reclaimed material is burned for energy recovery or used in a

manner constituting disposal.

Spill - The accidental spilling, leaking, pumping, emitting, emptying, or dumping of hazardous wastes or materials which, when spilled, become hazardous wastes into or on any land or water.

Storage - The holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled

or stored elsewhere.

Sump - Any pit or reservoir that meets the definition of tank in this section and those troughs/trenches connected to it that serves to collect hazardous waste for transport to hazardous waste

storage, processing, or disposal facilities.

Surface impoundment or impoundment - A facility or part of a facility which is a natural topographic depression, man-made excavation, or diked area formed primarily of earthen materials (although it may be lined with man-made materials), which is designed to hold an accumulation of liquid wastes or wastes containing free liquids, and which is not an injection well. Examples of surface impoundments are holding, storage, settling, and aeration pits, ponds, and lagoons.

Tank - A stationary device, designed to contain accumulation of solid waste which is constructed primarily of nonearthen materials (e.g., wood, concrete, steel, plastic) which

provide structural support.

Tank system - A hazardous waste storage or processing tank and

its associated ancillary equipment and containment system.

Thermal processing - The processing of hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also "incinerator" and "open burning".)

Totally enclosed treatment facility - A facility for the processing of hazardous waste which is directly connected to an industrial production process and which is constructed and operated in a manner which prevents the release of any hazardous waste or any constituent thereof into the environment during processing. An example is a pipe in which acid waste is neutralized.

Transfer facility - Any transportation-related facility including loading docks, parking areas, storage areas and other similar areas where shipments of hazardous waste are held during

the normal course of transportation.

Transit country - Any foreign country, other than a receiving

country, through which a hazardous waste is transported.

Transport vehicle - A motor vehicle or rail car used for the transportation of cargo by any mode. Each cargo-carrying body (trailer, railroad freight car, etc.) is a separate transport vehicle. "Vessel" includes every description of watercraft, used or capable of being used as a means of transportation on the water.

Transporter - Any person who conveys or transports municipal hazardous waste or industrial solid waste by truck, ship, pipeline,

or other means.

Treatability study - A study in which a hazardous waste is subjected to a treatment process to determine:

(A) Whether the waste is amenable to the treatment process;

(B) What pretreatment (if any) is required;

(C) The optimal process conditions needed to achieve the desired treatment;

D) The efficiency of a treatment process for a

specific waste or wastes; or

(E) The characteristics and volumes of residuals from a particular treatment process. Also included in this definition for the purpose of 40 CFR \$261.4(e) and (f) exemptions and their parallels in the State rules are liner compatibility, corrosion, and other material compatibility studies and toxicological and health effects studies. A "treatability study" is not a means to commercially treat or dispose of hazardous waste.

Treatment zone - A soil area of the unsaturated zone of a land treatment unit within which hazardous constituents are degraded, transferred or immobilized.

Underground injection - The subsurface emplacement of fluids through a bored, drilled, or driven well; or through a dug well, where the depth of the dug well is greater than the largest surface dimension. (See also "injection well".)

Underground tank - A device meeting the definition of tank in this section whose entire surface area is totally below the surface

of and covered by the ground.

Unfit-for-use tank system - A tank system that has been determined through an integrity assessment or other inspection to be no longer capable of storing or processing hazardous waste without posing a threat of release of hazardous waste to the environment.

Unsaturated zone or zone of aeration - The zone between the land surface and the water table.

Uppermost aquifer - The geologic formation nearest the natural ground surface that is an aquifer, as well as lower aquifers that are hydraulically interconnected within the facility's property boundary.

Used oil - Any oil that has been refined from crude oil, used, and, as a result of such use, is contaminated by physical or chemical impurities. Used oil fuel includes any fuel produced from used oil by processing, blending, or other treatment.

Wastewater treatment unit - A device which:

(A) is part of a wastewater treatment facility subject to regulation under either the Federal Water Pollution Control Act (Clean Water Act), 33 United States Code \$466 et seq., \$402 or \$307(b), as amended;

(B) receives and processes or stores an influent wastewater which is a hazardous waste, or generates and accumulates a wastewater treatment sludge which is a hazardous waste, or processes or stores a wastewater treatment sludge which is a hazardous waste; and

(C) meets the definition of tank as defined in this section.

Water (bulk shipment) - The bulk transportation of municipal hazardous waste or Class I industrial solid waste which is loaded or carried on board a vessel without containers or labels.

Well - Any shaft or pit dug or bored into the earth, generally of a cylindrical form, and often walled with bricks or tubing to

prevent the earth from caving in.

Zone of engineering control - An area under the control of the owner/operator that, upon detection of a hazardous waste release, can be readily cleaned up prior to the release of hazardous waste or hazardous constituents to groundwater or surface water.

\$335.2. Permit Required.

- (a) Except with regard to storage, processing, or disposal to which subsections (c)-(g) of this section apply, and as provided in §335.45(b) of this title (relating to Effect on Existing Facilities), and in accordance with the requirements of \$335.24 of this title (relating to Requirements for Recyclable Materials and Nonhazardous Recyclable Materials), no person may cause, suffer, allow, or permit any activity of storage, processing, or disposal of any industrial solid waste or municipal hazardous waste unless such activity is authorized by a permit, amended permit, or other authorization from the Texas Water Commission or its predecessor agencies, the Texas Department of Health, or other valid authorization from a Texas state agency. No person may commence physical construction of a new hazardous waste management facility without first having submitted Part A and Part B of the permit application and received a finally effective permit.
- (b) In accordance with the requirements of subsection (a) of this section, no generator, transporter, owner or opera-

tor of a facility, or any other person may cause, suffer, allow, or permit its wastes to be stored, processed, or disposed of at an unauthorized facility or in violation of a permit. In the event this requirement is violated, the executive director will seek recourse against not only the person who stored, processed, or disposed of the waste, but also against the generator, transporter, owner or operator, or other person who caused, suffered, allowed, or permitted its waste to be stored, processed, or disposed.

(c) Any owner or operator of a solid waste management facility that is in existence on the effective date of a statutory or regulatory change that subjects the owner or operator to a requirement to obtain a hazardous waste permit who has filed a hazardous waste permit application with the commission in accordance with the rules and regulations of the commission, may continue the storage, processing, or disposal of hazardous waste until such time as the Texas Water Commission approves or denies the application, or, if the owner or operator becomes subject to a requirement to obtain a hazardous waste permit after November 8, 1984, except as provided by United States Environmental Protection Agency or commission rules relative to termination of interim status. If a solid waste facility which has been receiving waste from offsite sources has become a commercial hazardous waste management facility as a result of the federal toxicity characteristic rule effective September 25, 1990, and is required to obtain a hazardous waste permit, such a facility that qualifies for interim status is limited to those activities that qualify it for interim status until the facility obtains the hazardous waste permit. Owners or operators of municipal hazardous waste facilities which satisfied this requirement by filing an application on or before November 19, 1980, with the United States Environmental Protection Agency are not required to submit a separate application with the Texas Department Applications filed under this section shall of Health. meet the requirements of \$335.44 of this title (relating to Application for Existing Facilities). operators of solid waste management facilities that are in existence on the effective date of statutory or regulatory amendments under the Texas Solid Waste Disposal Act, Chapter 361, Texas Health and Safety Code Annotated (Vernon's Supplement 1991), Texas Statutes, Article 4477-7, or the Resource Conservation and Recovery Act of 1976, as amended, 42 United States Code \$6901 et seq, that render the facility subject to the requirement to obtain a hazardous waste permit, may continue to operate if Part A of their permit application is submitted no later than six months after the date of publication of regulations by the United Environmental Protection Agency pursuant to the Resource Conservation and Recovery Act of 1976, as amended, which

first require them to comply with the standards set forth in Subchapter E of this chapter (relating to Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities), Subchapter H of this chapter (relating to Standards for the Management of Specific Wastes and Specific Types of Facilities); or 30 days after the date they first become subject to the standards set forth in these subchapters, whichever first occurs. This subsection shall not apply to a facility if it has been previously denied a hazardous waste permit or if authority to operate the facility has been previously terminated. Applications filed under this section shall meet the requirements of \$335.44 of this title (relating to Application for Existing Facilities). For purposes of this subsection, a solid waste management facility is in existence if the owner or operator has obtained all necessary federal, state, and local preconstruction approvals or permits, as required by applicable federal, state, and local hazardous waste control statutes, regulations, ordinances; and either:

(1) A continuous physical, on-site construction program

has begun; or

The owner or operator has entered into contractual (2)obligations, which cannot be cancelled or modified without substantial loss, for construction of the facility to be completed within a reasonable time.

- No permit shall be required for the storage, processing, (d) or disposal of industrial solid waste which is not hazardous industrial waste, if the waste is disposed of on property owned or otherwise effectively controlled by the owner or operator of the industrial plant, manufacturing plant, mining operation or agricultural operation from which the waste results or is produced; the property is within 50 miles of the plant or operation; and the waste is not commingled with waste from any other source An industrial plant, manufacturing plant, or sources. mining operation, or agricultural operation owned by one person shall not be considered an "other source" with respect to other plants and operations owned by the same person. Any person who intends to conduct such activity under this subsection shall comply with the notification requirements of \$335.6 of this title (relating to Notification Requirements).
- No permit shall be required for the on-site storage of hazardous waste by a person who is a conditionally exempt small quantity generator as described in \$335.78 of this title (relating to Special Requirements for Hazardous Waste Generated by Conditionally Exempt Small Quantity

Generators).

No permit under this chapter shall be required for the storage, processing or disposal of hazardous waste by a person described in \$335.41(b)-(d) of this title (relating to Purpose, Scope and Applicability) or for the

storage of hazardous waste under the provisions of 40 Code of Federal Regulations \$261.4(c) and (d).

- (g) No permit under this chapter shall be required for the storage, processing, or disposal of hazardous industrial waste or municipal hazardous waste which is generated or collected for the purpose of conducting treatability studies. Such samples are subject to the requirements set out at 40 Code of Federal Regulations \$261.4(e) and (f) which are in effect as of July 19, 1988 and which are adopted herein by reference.
- (h) Owners or operators of hazardous waste management units must have permits during the active life (including the closure period) of the unit, and, for any unit that receives hazardous waste after July 26, 1982, during any post-closure care period required under 40 Code of Federal Regulations \$264.117 and during any compliance period specified under \$335.162 of this title (relating to Compliance Period) including any extension of that period.
- (i) Upon receipt of the federal Hazardous and Solid Waste Act (HSWA) authorization for Texas Water Commission's (commission) Hazardous Waste Program, the commission shall be authorized to enforce the provisions that the Environmental Protection Agency (EPA) imposed in hazardous waste permits that were issued before the HSWA authorization was granted.
- \$335.3. Technical Guidelines. In order to promote the proper collection, handling, storage, processing, and disposal of industrial solid waste or municipal hazardous waste in a manner consistent with the purposes of the Solid Waste Disposal Act, Texas Civil Statutes, Article 4477-7, the executive director will make available on request, copies of technical guidelines outlining methods designed to aid in the prevention of the conditions prohibited in this chapter. Guidelines should be considered as suggestions only.
- \$335.4. General Prohibitions. In addition to the requirements of \$335.2 of this title (relating to Permit Required), no person may cause, suffer, allow, or permit the collection, handling, storage, processing, or disposal of industrial solid waste or municipal hazardous waste in such a manner so as to cause:
 - (1) The discharge or imminent threat of discharge of industrial solid waste or municipal hazardous waste into or adjacent to the waters in the state without obtaining specific authorization for such a discharge from the Texas Water Commission;
 - (2) The creation and maintenance of a nuisance; or
 - (3) The endangerment of the public health and welfare.

§335.5. Deed Recordation.

(a) Recording Required. No person may cause, suffer, allow, or permit the disposal of industrial solid waste or municipal hazardous waste prior to recording in the county deed records of the county or counties in which the disposal takes place, the following information:

(1) A metes and bounds description of the portion or portions of the tract of land on which disposal of solid waste will take place;

(2) The class or classes of wastes to be disposed of and waste description; and

(3) The name or permanent address of the person or persons operating the facility where more specific information on the waste can be secured.

(b) Proof of Recordation. Proof of recordation shall be provided to the executive director in writing prior to instituting disposal operations.

(c) Additional Requirements. Owners of property on which facilities for disposal of hazardous waste are located are subject to further requirements adopted by reference in \$335.112(a)(6) of this title (relating to Standards).

\$335.6. Notification Requirements.

- A person who intends to store, process, or dispose of industrial solid waste without a permit, as authorized by §335.2(d), (e) or (f) of this title (relating to Permit Required) or §335.24 of this title (relating to Requirements for Recyclable Materials and Nonhazardous Recyclable Materials), shall notify the executive director in writing that storage, processing, or disposal activities are planned, at least 90 days prior to engaging in such activities. Such person shall submit to the executive director upon request such information as may reasonably be required to enable the executive director to determine whether such storage, processing, or disposal is compliant with the terms of this chapter. Such information may include, but is not limited to, information concerning waste composition, waste management methods, facility engineering plans and specifications, or the geology where the facility is located. Any information provided under this subsection shall be submitted to the executive director in duplicate form.
- (b) Any person who stores, processes, or disposes of municipal hazardous waste or industrial solid waste shall have the continuing obligation to immediately provide written notice to the executive director of any changes or additional information concerning waste composition, waste management methods, facility engineering plans and specifications, and the geology where the facility is located, to that reported in subsection (a) of this section, authorized in any permit, or stated in any application filed with the commission. Any information provided under this subsection shall be submitted to the executive director in duplicate form.

(c) Any person who generates municipal hazardous waste in quantities greater than or equal to 1000 kilograms in a calendar month or quantities of acute municipal hazardous waste in excess of quantities specified in §335.78 of

this title (relating to Special Requirements for Hazardous Waste Generated by Conditionally Exempt Small Quantity Generators) in a calendar month; or any quantities of industrial solid waste shall notify the executive director of such activity on forms furnished or approved by the executive director. Such person shall also submit to the executive director upon request such information as may reasonably be required to enable the executive director to determine whether the storage, processing, or disposal is compliant with the terms of this chapter. Notifications submitted pursuant to this section shall be in addition to information provided in any permit applications required by \$335.2 of this title (relating to Permit Required), or any reports required by \$335.9 of this title (relating to Recordkeeping and Annual Reporting Procedures Applicable to Generators), \$335.10 of this title (relating to Shipping and Reporting Procedures Applicable to Generators of Hazardous Waste or Class I Waste and Primary Exporters of Hazardous Waste), and \$335.13 of this title (relating to Recordkeeping and Reporting Procedures Applicable to Generators of Hazardous Waste or Class I Waste and Primary Exporters of Hazardous Waste). Any person who notifies pursuant to this subsection shall have the continuing obligation to immediately provide written notice to the executive director of any changes or additional information, to that reported previously. If waste is recycled on-site or managed pursuant to \$335.2(d) of this title (relating to Permit Required), the generator must also comply with the notification requirements specified in subsection (h) of this section. The information submitted pursuant to the notification shall include, but is not limited to:

- (1) A description of the waste;
- (2) A description of the process generating the waste;
- (3) The composition of the waste;
- (4) A proper hazardous waste determination which includes the appropriate EPA hazardous waste number(s) described in 40 Code of Federal Regulations Part 261. Generators must determine whether such waste is hazardous as defined in 40 Code of Federal Regulations Part 261 and submit the results of that hazardous waste determination to the executive director;
- (5) The disposition of each solid waste generated, if subject to the notification requirement of this subsection, including the following information:
 - (A) Whether the waste is managed on-site and/or off-site;
 - (B) A description of the type and use of each onsite waste management facility unit;
 - (C) A listing of the wastes managed in each unit;
 - (D) Whether each unit is permitted, or qualifies for an exemption, under §335.2 of this title (relating to Permit Required).

Persons generating more than 100 kilograms but less than 1000 kilograms of hazardous municipal waste in any given calendar month shall notify the executive director of such activity on forms provided by the executive director. Such person shall also submit to the executive director upon request such information as may be reasonably required to enable the executive director to determine whether the storage, processing, or disposal of such waste is compliant with the terms of these sections. Notifications submitted pursuant to this section shall be in addition to any information provided on any permit application required by \$335.2 of this title (relating to Permit Required), or any reports required by \$335.9 of this title (relating to Shipping and Reporting Procedures Applicable to Generators), \$335.10 of this title (relating to Shipping and Reporting Procedures Applicable to Generators of Hazardous Waste or Class I Waste and Primary Exporters of Hazardous Waste), and \$335.13 of this title (relating to Recordkeeping and Reporting Procedures Applicable to Generators Shipping Hazardous Waste or Class I Waste and Primary Exporters of Hazardous Waste).

(e) Except for conditionally exempt small quantity generators who only transport their own hazardous waste, any person who transports hazardous waste or Class I waste shall notify the executive director of such activity on forms furnished or approved by the executive director. Persons operating transfer facilities in accordance with \$335.94 of this title (relating to Transfer Facility Requirements) shall notify the executive director of such

activity.

(f) Upon written request of the executive director, any person who ships, stores, processes or disposes of industrial solid waste or hazardous waste, as defined in this subchapter, shall perform a chemical analysis of the solid waste and provide results of the analysis to the

executive director.

A person who stores, processes or disposes of industrial solid waste or municipal hazardous waste shall notify the executive director in writing of any closure activity or activity of facility expansion not authorized by permit, at least 90 days prior to conducting such activity. Such person shall submit to the executive director upon request such information as may reasonably be required to enable the executive director to determine whether such activity is compliant with this chapter. Any information provided under this subsection shall be submitted to the executive director in duplicate form.

(h) Any person who conducts or intends to conduct the recycling of industrial solid waste or municipal hazardous waste as defined in \$335.24 of this title (relating to Requirements for Recyclable Materials and Nonhazardous Recyclable Materials) or Subchapter H of this chapter (relating to Standards for the Management of Specific

Wastes and Specific Types of Facilities) and who is required to notify under \$335.24 of this title (relating to Requirements for Recyclable Materials and Nonhazardous Recyclable Materials) or Subchapter H of this chapter (relating to Standards for the Management of Specific Wastes and Specific Types of Facilities) must submit in writing to the executive director, at a minimum, the following information: The type(s) of industrial solid waste or municipal hazardous waste to be recycled, the method of storage prior to recycling, and the nature of the recycling activity. New recycling activities require such notification a minimum of 90 days prior to engaging in such activities. Persons engaged in recycling of industrial solid waste or municipal hazardous waste prior to the effective date of this section shall submit such notification within 60 days of the effective date of this subsection.

Bond or Other Financial Assurance Required. §335.7. Authority to store, process, or dispose of industrial solid waste or municipal hazardous waste pursuant to a permit issued by the commission is contingent upon the excution and maintenance of a surety bond or other financial assurance acceptable to the executive director, in an amount specified in the permit, which provides for the closing of the solid waste storage, processing, or disposal facility in accordance with the permit issued for the facility and all other rules of the commission. The commission may require the execution and maintenance of a surety bond or other financial assurance acceptable to the executive director for the closing of any solid waste facility exempt from the requirement of a permit under this chapter but subject to the requirement of a permit under the Texas Water Code, Chapter 26. Persons storing, processing or disposing of hazardous waste are subject to further requirements concerning financial assurance and closure and postclosure contained in Subchapter F of this chapter (relating to Permitting Standards for Owners and Operators of Hazardous Waste Storage, Processing or Disposal Facilities).

§335.8. Closure.

- (a) Any person who stores, processes, or disposes of industrial solid waste or municipal hazardous waste at a facility permitted under \$335.2(a) of this title (relating to Permit Requried), shall, unless specifically modified by other order of the commission, close the facility in accordance with the closing provisions of the permit.
- (b) Any person who stores, processes, or disposes of hazardous waste is subject to the applicable provisions relating to closure and post-closure in Subchapters E and F of this chapter (relating to Interim Standards for Hazardous Waste Storage, Processing, or Disposal Facilities; and Permitting Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities).

\$335.9. Recordkeeping and Annual Reporting Procedures

Applicable to Generators.

(a) Except with regard to nonhazardous recyclable materials regulated pursuant to \$335.24(h) of this title (relating to Requirements for Recyclable Materials and Nonhazardous Recyclable Materials), each generator of hazardous waste or industrial solid waste shall comply with the following:

The generator shall keep records of all hazardous waste and industrial solid waste activities regarding the quantities generated, stored, processed, and disposed of on-site or shipped off-site for storage, processing, or disposal and which, at a minimum, includes the information described in subparagraphs (A)-(G) of this paragraph. These records may be maintained in any format provided they are retrievable and easy to copy. The required records must be sufficiently detailed and complete to support any contentions or claims made by the generator with respect to:

(A) the description, character and classification of each waste;

(B) the quantity generated;

except for conditionally exempt small quantity generators regulated under \$335.78 of this title (relating to Special Requirements for Hazardous Waste Generated By Conditionally Exempt Small Quantity Generators), the quantity held in on-site storage as of December 31 of each calendar year;

(D) the quantity processed or disposed of at each on-site facility unit during the calendar

year;

(E) the method of storage, processing, or disposal (as described by codes in Appendix I, Table 2, titled Handling Codes for Storage, Processing and Disposal Methods, of 40 Code of Federal Regulations Parts 264 and 265);

) the quantity shipped off-site for storage, processing, or disposal each calendar year, including the name, address and location of each off-site facility and transporter

receiving shipments;

the location of all hazardous waste accumulation areas, situated at or near any point of generation, where hazardous wastes under the control of the operator of the process generating the wastes are placed in containers and initially accumulated without a permit or interim status in accordance with §335.69(d) of this title (relating to Accumulation Time).

(2) The generator shall submit to the Texas Water Commission on or before January 25 of each year an annual generation, storage, processing, and

disposal summary for all hazardous and Class I wastes. The summary shall be submitted on forms furnished or approved by the executive director and shall contain at a minimum the information specified in paragraph (1) of this subsection. Upon written request by the generator, the executive director may authorize a modification in the reporting period.

(3) Generators are not required to submit the information required in paragraph (1) of this subsection if they certify on the annual summary that all of

the following conditions have been met:

 A) during the year, total on-site accumulation of hazardous and Class I waste did not equal or exceed 1000 kilograms;

(B) during the year, no hazardous or Class I waste

was processed or disposed of on-site;

(C) no acute hazardous waste was generated during the year or remained in storage at the end of

the year;

- (D) a total of less than 1200 kilograms of hazardous waste, a total of less than 1200 kilograms of Class I nonhazardous waste, and a combined total of less than 1200 kilograms of hazardous waste and Class I nonhazardous waste was generated during the year.
- (4) Generators who are regulated under §335.78 of this title (relating to Special Requirements for Hazardous Waste Generated By Conditionally Exempt Small Quantity Generators) and also meet the requirements of paragraph (3) of this subsection are not required to submit an annual summary.
- (b) A generator who ships his hazardous waste off-site must also include the information specified in §335.71 of this title (relating to Annual Reporting). Any generator who stores, processes, or disposes of hazardous waste on-site shall also submit an annual report in accordance with the requirements of §335.114 of this title (relating to Reporting Requirements).

\$335.10. Shipping and Reporting Procedures Applicable to Generators of Hazardous Waste or Class I Waste and Primary Exporters of Hazardous Waste.

- (a) Except as provided in subsection (g) of this section, no generator of hazardous or Class I waste consigned to an off-site solid waste storage facility within the United States or primary exporters of hazardous waste consigned to a foreign country shall cause, suffer, allow, or permit the shipment of hazardous waste or Class I waste unless:
 - (1) for generators of Class I waste and generators of municipal hazardous waste shipping municipal hazardous waste which is part of a total quantity

of municipal hazardous waste generated in quantities greater than 100 kilograms in a calendar month, or quantities of acute hazardous waste in excess of quantities specified in §335.78(e) of this title (relating to Special Requirements for Hazardous Waste Generated by Conditionally Exempt Small Quantity Generators), who consign that waste to an off-site solid waste storage, processing, or disposal facility in Texas, a Texas Water Commission (TWC) manifest on Form TWC-0311, and, if necessary, TWC-0311B is prepared;

the generator is a conditionally exempt small (2) quantity generator (CESQG) of municipal hazardous TO LONG TO SERVE

waste;

for generators of hazardous waste or Class I waste (3) generated in Texas for consignment to another state the consignment state's manifest, if provided, or a TWC manifest if the consignment state does not

provide a manifest, is prepared;

for a primary exporter of hazardous waste for consignment to a foreign country the hazardous waste is accompanied by a manifest from the primary exporter's state if that state supplies the manifest form and requires its use or a manifest from any source if the primary exporter's state does not supply the manifest form; and

(5) a generator designates on the manifest one facility which is authorized to receive the waste described on the manifest. A generator may also designate one alternate facility which is authorized to receive the waste in the event an emergency prevents delivery of the waste to the primary designated facility. An alternate facility shall be identified on the manifest in the item marked "Special Handling Instructions and Additional Information." If the transporter is unable to deliver the waste the designated facility or the alternate facility, the generator must either designate another facility or instruct the transporter to return the waste.

The manifest shall contain the following information. (b)

The manifest shall contain the generator's United States Environmental Protection Agency (EPA) 12digit identification number and the unique fivedigit number assigned to the manifest by the generator. This requirement does not apply if the waste being shipped is nonhazardous or if the generator is a conditionally exempt small quantity generator of hazardous waste.

The manifest shall contain the total number of (2) pages used to complete the manifest, plus the number of continuation sheets, if any (page 1 of

- (3) The manifest shall contain the name, mailing address, and telephone number of the generator.
- (4) The manifest shall contain the telephone number where an authorized agent of the generator may be reached in the event of an emergency.
- (5) The manifest shall contain the generator's Texas Water Commission (TWC) registration and/or permit number. Conditionally exempt small quantity generators shipping hazardous waste regulated under \$335.78 of this title (relating to Special Requirements for Hazardous Waste Generated By Conditionally Exempt Small Quantity Generators) may utilize the letters "CESQG" for their TWC generator registration number unless they have previously been assigned a TWC generator registration number.
- (6) The manifest shall contain the first transporter's company name.
- (7) The manifest shall contain the first transporter's EPA 12-digit identification number. This requirement does not apply if the waste being shipped is nonhazardous or the transporter is a conditionally exempt small quantity generator transporting only his own hazardous waste.
- (8) The manifest shall contain the first transporter's state registration number. Conditionally exempt small quantity generators of hazardous waste are instructed to use the letters "CESQG" as the TWC state transporter's registration number when transporting their own hazardous waste unless they have previously been assigned a TWC registration number;
- (9) The manifest shall contain a telephone number where an authorized agent of first transporter may be reached in the event of an emergency.
- (10) The manifest shall contain the second transporter's company name.
- (11) The manifest shall contain the second transporter's EPA 12-digit identification number. This requirement does not apply if the waste being shipped is nonhazardous.
- (12) The manifest shall contain the second transporter's state registration number.
- (13) The manifest shall contain a telephone number where an authorized agent of the second transporter may be reached in the event of an emergency.
- (14) The manifest shall contain the company name and site address of the facility designated to receive the waste identified on the manifest and an alternate facility, if designated. Except as provided otherwise in §335.78 of this title (relating to Special Requirements for Hazardous Waste Generated by Conditionally Exempt Small Quantity Generators) for the shipment of hazardous wastes that are required to be manifested under

subsection (a) of this section, generators shall designate on the manifest only those storage, processing, or disposal facilities which are authorized under the Resource Conservation and Recovery Act (RCRA) of 1976, Subtitle C, or an approved state hazardous waste program administered in lieu thereof.

(15) The manifest shall contain the designated facility's EPA 12-digit identification number; however, this requirement does not apply if the waste being

shipped is nonhazardous.

(16) The manifest shall contain the Texas Water Commission's or Texas Department of Health's state storage, processing, or disposal facility regis-

tration and/or permit number.

- (17) The manifest shall contain the appropriate notation in the hazardous materials (HM) column of the Texas uniform hazardous waste manifest. The form has been designed to allow the listing of both federallyregulated wastes and wastes regulated solely by the state. In order to distinguish between federallyregulated wastes and other waste, as required by United States Department of Transportation (DOT) regulations (49 Code of Federal Regulations \$172.201(a)(1)), the Texas Water Commission has added a hazardous materials (HM) column on the manifest before the United States Department of Transportation description. When a waste shipment consists of both federally-regulated materials and state-regulated wastes, the hazardous materials (HM) column must be checked or marked for only those line entries which are regulated under federal law as hazardous wastes or hazardous materials.
 - (18) The manifest shall contain the United States Department of Transportation proper shipping name, hazard class, and identification number (UN/NA) for each hazardous waste as identified in 49 Code of Federal Regulations Parts 171-177. If the shipment contains nonhazardous waste solely regulated by the Texas Water Commission, then the Texas Water Commission waste classification code description should be used. If additional space is needed for descriptions, enter these additional descriptions in Item 28 on the continuation sheet.
 - (19) The manifest shall contain the number of containers for each waste and the appropriate abbreviation from Table 1 from \$335.30 of this title (relating to Appendix I) for the type of container.

(20) The manifest shall contain the total quantity of

each waste described on each line.

(21) The manifest shall contain the unit of measure of each waste described on each line. The appropriate abbreviation for the unit of measure may be found in Appendix I, Table 1 of 40 Code of Federal Regulations Parts 264 or 265.

- (22) The manifest shall contain the Texas Water Commission waste classification code assigned to the waste by the state. Conditionally exempt small quantity generators of municipal hazardous waste who on any single shipment transport or offer for transport a total of less than 1,000 kilograms of hazardous waste may, provided a specific waste classification code has not been previously assigned for the waste being shipped, enter in Item I of the manifest as an appropriate Texas Water Commission waste classification code, the number 990000. Conditionally exempt small quantity generators of municipal hazardous waste must, if they choose to use the general waste classification code 990000, also enter in Item 15 of the manifest the words, "Generator qualifies as a CESQG";
 - (23) The manifest shall contain a certification by the generator stating:

"I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations, including applicable state regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and I have selected the practicable method of processing, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; or, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford."

- (24) If a mode other than highway is used, the word highway should be lined out and the appropriate mode (rail, water, or air) inserted in the space provided below the word highway. If another mode in addition to the highway mode is used, enter the appropriate additional mode (e.g., and rail) in the space provided below the word highway.
- (c) The manifest shall consist of at least the number of copies which will provide the generator, each transporter, the owner or operator of the storage, processing, or disposal facility and in the case of hazardous waste exports, the United States customs official, with one copy each for their records and another copy to be returned to the generator.
- (d) At the time of waste transfer, the generator shall:
 (1) sign the manifest by hand;

- (2) obtain the handwritten signature of the initial transporter and date of acceptance on the manifest; (3) retain one copy, in accordance with \$335.13(a) of
 - (3) retain one copy, in accordance with \$335.13(a) of this title (relating to Recordkeeping and Reporting Procedures Applicable to Generators Shipping Hazardous Waste or Class I Waste and Primary Exporters of Hazardous Waste); and

(4) give the transporter the remaining copies of the manifest.

- (e) For shipments of hazardous waste or Class I waste within the United States solely by water (bulk shipments only), the generator shall send three copies of the manifest dated and signed in accordance with this section to the owner or operator of the designated facility or to the last water (bulk shipment) transporter to handle the waste in the United States if exported by water. Copies of the manifest are not required for each transporter.
 - (f) For rail shipments of hazardous waste or Class I waste within the United States which originate at the site of generation, the generator shall send at least three copies of the manifest dated and signed in accordance with this section to:

(1) the next non-rail transporter, if any;

(2) the designated facility if transported solely by rail; or

- (3) the last rail transporter to handle the waste in the United States if exported by rail.
- Which is not hazardous waste to property owned or otherwise effectively controlled by the owner or operator of an industrial plant, manufacturing plant, mining operation, or agricultural operation from which the waste results or is produced, provided that the property is within 50 miles of the plant or operation and the waste is not commingled with waste from any other source or sources. An industrial plant, manufacturing plant, mining operation, or agricultural operation owned by one person shall not be considered an "other source" with respect to other plants or operations owned by the same person.

(h) Conditionally exempt small quantity generators (CESQGs) of municipal hazardous waste who choose to manifest their hazardous waste may do so using the simplified instructions for CESQGs that are included in subsection

(b) of this section.

§335.11. Shipping Requirements for Transporters of Hazardous Waste or Class I Waste.

(a) No transporter may cause, suffer, allow, or permit the shipment of solid waste for which a manifest is required under §335.10 of this title (relating to Shipping and Reporting Procedures Applicable to Generators of Hazardous Waste or Class I Waste and Primary exporters of

hazardous waste) to an off-site storage, processing, or disposal facility, unless the transporter:

(1) Obtains a manifest completed by the generator or primary exporter where appropriate in accordance with \$335.10 of this title (relating to Shipping and Reporting Procedures Applicable to Generators of Hazardous Waste or Class I Waste and Primary Exporters of Hazardous Waste);

(2) Upon receipt and prior to shipment, signs and dates the manifest acknowledging the acceptance of waste from the generator or primary exporter where

appropriate;

(3) Returns a signed copy to the generator or primary exporter where appropriate before leaving the

generator's property; and

(4) in the case of hazardous waste exports, knows that the shipment conforms to the requirements set forth in the regulations contained in 40 Code of Federal Regulations \$263.20(a) which are in effect as of August 8, 1986.

(b) The transporter shall ensure that the manifest accom-

panies the hazardous waste or Class I waste.

(c) No transporter may cause, suffer, allow, or permit the delivery of a shipment of hazardous waste or Class I waste to another transporter designated on the manifest, unless the transporter:

(1) obtains the date of delivery and the handwritten signature of the accepting transporter on the

manifest;

- (2) retains one copy of the manifest in accordance with §335.14(a) of this title (relating to Recordkeeping Requirements Applicable to Transporters of Hazardous Waste or Class I Waste);
- (3) gives the remaining copies of the manifest to the accepting transporter; and
- (4) in the case of hazardous waste exports, ensures that a copy of the EPA acknowledgement of consent also accompanies the hazardous waste.
- (d) No transporter may cause, suffer, allow, or permit the delivery of a shipment of hazardous waste or Class I waste to a storage, processing, or disposal facility, unless the transporter:

(1) obtains the date of delivery and the handwritten signature on the manifest, of the owner or operator of the facility designated on the manifest;

(2) retains one copy of the manifest in accordance with \$335.14(a) of this title (relating to Recordkeeping Requirements Applicable to Transporters of Hazardous Waste or Class I Waste); and

(3) gives the remaining copies of the manifest to the owner or operator of the facility designated on the

manifest.

(e) The requirements of subsections (b)-(d) and (f) of this section do not apply to water (bulk shipment) transporters if:

(1) The waste is delivered by water (bulk shipment) to

the facility designated on the manifest;

(2) A shipping paper containing all the information required on the manifest (excluding the identification numbers, generator certification, and signatures) and, for hazardous waste exports, an EPA acknowledgement of consent accompanies the waste;

(3) The delivering transporter obtains the date of delivery and handwritten signature of the owner or operator of the facility on either the manifest or

the shipping paper;

(4) The person delivering the waste to the initial water (bulk shipment) transporter obtains the date of delivery and the signature of the water (bulk shipment) transporter on the manifest and forwards it to the facility; and

(5) A copy of the shipping paper or manifest is retained by each water (bulk shipment) transporter in accordance with \$335.14(b) of this title (relating to Recordkeeping Requirements Applicable to Transporters of Hazardous Waste or Class I Waste).

(f) For shipments involving rail transportation, the requirements of subsections (b)-(e) of this section do not apply

and the following requirements do apply:

(1) When accepting Class I waste from a non-rail transporter, the initial rail transporter must:

- (A) Sign and date the manifest acknowledging acceptance of the waste;
- (B) Return a copy of the manifest to the non-rail transporter;
- (C) Forward at least three copies of the manifest to:
 - (i) The next non-rail transporter, if any;
 - (ii) The designated facility, if the shipment is delivered to that facility by rail; or(iii) The last rail transporter designated

to handle the waste in the United States;

- (D) Retain one copy of the manifest and rail shipping paper in accordance with \$335.14(c) of this title (relating to Recordkeeping Requirements Applicable to Transporters of Hazardous Waste or Class I Waste).
- (2) Rail transporters must ensure that a shipping paper containing all the information required on the manifest (excluding the EPA identification numbers, generator certification, and signatures) and, for hazardous waste exports, an EPA acknowledgement of consent accompanies the waste at all times.

Intermediate rail transporters are not required to sign either the manifest or shipping paper.

(3) When delivering Class I waste or hazardous waste to

- the designated facility, a rail transporter must:
 (A) obtain the date of delivery and handwritten signature of the owner or operator of the designated facility on the manifest or shipping paper (if the manifest has not been received by the facility); and
- (B) retain a copy of the manifest or signed shipping paper in accordance with \$335.14(c) of this title (relating to Recordkeeping Requirements Applicable to Transporters of Hazardous Waste or Class I Waste).

(4) When delivering hazardous waste or Class I waste to a non-rail transporter, a rail transporter must:

(A) obtain the date of delivery and the handwritten signature of the next transporter on the manifest; and

- (B) retain a copy of the manifest in accordance with \$335.14(c) of this title (relating to Recordkeeping Requirements Applicable to Transporters of Hazardous Waste or Class I Waste).
- Before accepting municipal hazardous waste or Class I waste from a rail transporter, a non-rail transporter must sign and date the manifest and provide a copy to the rail transporter.
- Transporters who transport hazardous waste or Class I (q) waste out of the United States shall:
 - indicate on the manifest the date the hazardous waste or Class I waste left the United States under the item labeled "Special Handling Instructions and Additional Information";
 - sign the manifest and retain one copy in accordance \$335.14(c) of this title (relating to Recordkeeping Requirements Applicable to Transporters of Hazardous Waste or Class I Waste);
 - return a signed copy of the manifest to the generator or primary exporter where appropriate; and
 - give a copy of the manifest to a United States customs official at the point of departure from the United States.
- The transporter must deliver the entire quantity of hazardous waste or Class I waste which he has accepted from a generator or a transporter to:
 - The designated facility listed on the manifest;
 - The alternate designated facility if the waste cannot be delivered to the designated facility because an emergency prevents delivery;
 - The next designated transporter; or (3)
 - The place outside the United States designated by (4)the generator.

(i) If the transporter cannot deliver the waste in accordance with subsection (h) of this section, the transporter must contact the generator for further directions and must revise the manifest according to the generator's instructions.

\$335.12. Shipping Requirements Applicable to Owners or

Operators of Storage, Processing, or Disposal Facilities.

(a) No owner or operator of a storage, processing, or disposal facility may accept delivery of solid waste for which a manifest is required under \$335.10 of this title (relating to Shipping and Reporting Procedures Applicable to Generators of Hazardous Waste or Class I Waste and Primary Exporters of Hazardous Waste), for off-site storage, processing, or disposal unless:

a manifest accompanies the shipment which designates that facility to receive the waste; and

the owner or operator signs the manifest and (2) immediately gives at least one copy of the signed manifest to the transporter; and

retains one copy of the manifest in accordance with (3)\$335.15(a) of this title (relating to Recordkeeping and Reporting Requirements Applicable to Owners or Operators of Storage, Processing, or Disposal Facilities);

within 30 days after the delivery, sends a copy of the manifest to the generator or primary exporter

where appropriate; and

in the case of hazardous waste exports, a copy of the EPA acknowledgement of consent also accompanies the waste and the owner or operator has no knowledge that the shipment does not conform to the EPA acknowledgement of consent.

If a facility receives, from a rail or water (bulk shipment) transporter, hazardous waste or Class I waste which is accompanied by a shipping paper containing all the information required on the manifest, the owner or operator, or his agent, shall:

sign and date each copy of the manifest or shipping paper (if the manifest has not been received) to certify that the hazardous waste or Class I waste covered by the manifest or the shipping paper was

received;

immediately give the rail or water (bulk shipment) transporter at least one copy of the manifest or shipping paper (if the manifest has not been re-

ceived); within 30 days after the delivery, send a copy of (3) the signed and dated manifest to the generator; however, if the manifest has not been received within 30 days after delivery, the owner or operator, or his agent, must send a copy of the shipping paper signed and dated to the generator; and

(4) retain at the facility a copy of each shipping paper and manifest in accordance with \$335.15(a) of this title (relating to Recordkeeping and Reporting Requirements Applicable to Owners or Operators of Storage, Processing, or Disposal Facilities).

If a facility receives hazardous waste or Class I waste accompanied by a manifest, or in the case of shipments by rail or water (bulk shipment), by a shipping paper, the owner or operator, or his agent, must note any significant discrepancies on each copy of the manifest or shipping paper (if the manifest has not been received).

- (1) Manifest discrepancies are differences between the quantity or type of hazardous waste or Class I waste designated on the manifest or shipping paper, and the quantity or type of hazardous waste or Class I waste a facility actually received. Significant discrepancies in type are obvious differences which can be discovered by inspection or waste analysis, such as waste solvent substituted for waste acid, or toxic constituents not reported in the manifest or shipping paper. Significant discrepancies in quantity are:
 - (A) for bulk weight, variations greater than 10% in weight; and
 - (B) for batch waste, any variation in piece count, such as a discrepancy of one drum in a truckload.
- Upon discovering a significant discrepancy, the (2) owner or operator must attempt to reconcile the discrepancy with the waste generator or transporter (e.g., with telephone conversations). discrepancy is not resolved within 15 days after receiving the waste, the owner or operator must immediately submit to the executive director a letter describing the discrepancy and attempts to reconcile it, and a copy of the manifest or shipping paper at issue. The commission does not intend that the owner or operator of a facility perform the general waste analysis required by 40 Code of Federal Regulations \$264.13 or \$265.13 before signing the manifest and giving it to the However, subsection (c) of this transporter. section does require reporting an unreconciled discrepancy discovered during later analysis.
- §335.13. Recordkeeping and Reporting Procedures Applicable to Generators Shipping Hazardous Waste or Class I Waste and Primary Exporters of Hazardous Waste.
 - (a) The generator or primary exporter shall retain a copy of each manifest required by \$335.10 of this title (relating to Shipping and Reporting Procedures Applicable to Generators of Hazardous Waste or Class I Waste and Primary Exporters of Hazardous Waste) for a minimum of

three years from the date of shipment by the generator or

primary exporter.

Generators or primary exporters who ship to other states, or import shipments from outside the United States through Texas to other states, or export hazardous waste to a foreign country, shall prepare a shipment summary from the manifests, summarizing the quantity and classification of each waste shipment itemized by manifest document number. Such shipment summary shall be prepared on forms provided or approved by the executive director and submitted to the Texas Water Commission on or before the 25th day of each month for shipments originating during the previous month. A generator or primary exporter must keep a copy of each summary for a period of at least three years from the due date of the summary. A generator or primary exporter required to comply with this subsection shall prepare and submit a shipment summary for only those months in which he actually made shipments. Conditionally exempt small quantity generators shipping municipal hazardous waste are not subject to the requirements of this subsection.

(c) A generator who does not receive a copy of the manifest with the handwritten signature of the owner or operator of the designated facility within 35 days of the date the waste was accepted by the initial transporter must contact the transporter and or the owner or operator of the designated facility to determine the status of the

hazardous waste or Class I waste.

(d) A generator must submit an exception report to the commission if he has not received a copy of the manifest with the handwritten signature of the owner or operator of the designated facility within 45 days of the date that the waste was accepted by the initial transporter. Primary exporters of hazardous waste must submit an exception report to the executive director as set forth in \$335.76(c) of this title (relating to Additional Requirements Applicable to International Shipments). The exception report must be retained by the generator or primary exporter for at least three years from the date the waste was accepted by the initial transporter and must include:

(1) a legible copy of the manifest for which the generator does not have confirmation of delivery;

and

(2) a copy of a letter signed by the generator or his authorized representative explaining the efforts taken to locate the hazardous waste or Class I waste and the results of those efforts.

(e) The periods of record retention required by this section are automatically extended during the course of any unresolved enforcement action regarding the regulated activity.

(f) The requirements of subsections (c) and (d) of this section do not apply to generators generating hazardous

waste or Class I waste in quantities less than 100 kilograms in a calendar month, or acute hazardous waste in quantities specified in \$335.78(e)(1) or (2) of this title (relating to Special Requirements for Hazardous Waste Generated by Conditionally Exempt Small Quantity Generators).

\$335.14. Recordkeeping Requirements Applicable to Transporters of Hazardous Waste or Class I Waste.

- (a) A transporter of hazardous waste or Class I waste shall retain a copy of each manifest signed by the generator, or, in the case of exports of hazardous waste, the primary exporter; the transporter; and the next designated transporter, or the owner or operator of the facility designated on the manifest for a minimum of at least three years from the date of initial shipment.
 - (b) For shipments delivered to the facility designated on the manifest by water (bulk shipment), each water (bulk shipment) transporter must retain a copy of a shipping paper containing all the information required by \$335.11(e) of this title (relating to Shipping Requirements for Transporters of Hazardous Waste or Class I Waste) for a minimum of three years from the date of initial shipment.
 - (c) For shipments of hazardous waste or Class I waste by rail within the United States:
 - (1) The initial rail transporter must keep a copy of the manifest and shipping paper with all of the information required in §335.11(f)(2) of this title (relating to Shipping Requirements for Transporters of Hazardous Waste or Class I Waste) for a period of three years from the date the hazardous waste or Class I waste was accepted by the initial transporter; and
 - (2) The final rail transporter must keep a copy of the signed manifest (or the shipping paper if signed by the designated facility in lieu of the manifest) for a period of three years from the date the hazardous waste or Class I waste was accepted by the initial transporter.
 - (d) A transporter who transports waste out of the United States must retain a copy of the manifest indicating that the hazardous waste or waste left the United States for a minimum of three years from the date of initial shipment.
 - (e) The periods of record retention required by this section are automatically extended during the course of any unresolved enforcement action regarding the regulated activity.
- \$335.15. Recordkeeping and Reporting Requirements Applicable to Owners or Operators of Storage, Processing, or Disposal Facilities. This section does not apply to owners and operators that

Printed: 11/5/91

store, process or dispose of hazardous waste or Class I waste onsite and do not receive any Class I waste from off-site sources.

(1) The owner or operator of the storage, processing, or disposal facility designated on the manifest shall retain a copy of each manifest or, in the case of shipments by rail or water (bulk shipment), a copy of each manifest and shipping paper, for a minimum of three years from the date of initial shipment by the generator or primary exporter where

appropriate.

(2) Except as provided in paragraph (6) of this section, the owner or operator shall prepare a monthly summary from his copy of all manifests received during the month (in those cases where a manifest is required), summarizing the quantity, character, transporter identity, and the method of storage, processing, and disposal of each hazardous waste or Class I waste shipment received, itemized by manifest document number. Such monthly summary report shall be prepared on forms provided or approved by the executive director and submitted to the Texas Water Commission on or before the 25th day of each month for wastes or manifests received during the previous month. The appropriate abbreviations from Appendix I, Tables 1 and 2 of 40 Code of Federal Regulations Parts 264 or 265 are to be used for units of measure and for handling codes for storage, processing, and disposal methods. An owner or operator receiving hazardous waste shall prepare a monthly summary which also includes the following information:

(A) the Environmental Protection Agency (EPA) identification number, name and address of the

facility;

(B) the EPA identification number of each hazardous waste generator from which the facility received a hazardous waste during the year; for imported shipments, the report must give the name and address of the foreign generator;

(C) a description and the quantity of each hazardous waste the facility received during the year. This information must be listed by EPA identification number of each generator; and

D) the method of processing, storage, or disposal

for each hazardous waste.

(3) The owner or operator shall submit a report on forms provided or approved by the executive director summarizing the types and volumes of any hazardous waste or Class I waste received without manifests, or, in the case of shipments by rail or water (bulk shipments), without shipping papers. This report shall be submitted within 15 days of

receiving the waste, regardless of quantity, and shall include the following information:

(A) the Environmental Protection Agency (EPA)

identification number (applicable to hazardous waste only), name, and address of the facility;

(B) the date the facility received the waste;

- (C) the EPA identification number (applicable to hazardous waste only), name, and address of the generator and the transporter, if avail-
- (D) a description and the quantity of each hazardous waste or Class I waste the facility received which was not accompanied by a manifest:
 - (E) the method of storage, processing, or disposal for each hazardous waste or Class I waste;
 - (F) the certification signed by the owner or operator of the facility or his authorized representative; and

(G) a brief explanation of why the waste was

unaccompanied by a manifest, if known.

The owner or operator shall retain a copy of each summary required by paragraphs (2) and (3) of this subsection for a minimum of three years from the date of each summary.

The periods of record retention required by this (5) section are automatically extended during the course of any unresolved enforcement action

regarding the regulated activity.

- An owner or operator reclaiming hazardous wastes (6) received from conditionally exempt small quantity generators is subject to the requirements of this section requiring completion of a monthly summary from his copy of all manifests received during the month, unless he has requested in writing a modification in the reporting requirements. A modification relieving the owner or operator of having to report each manifested shipment on the monthly summary may be granted at the discretion of the executive director on a case-by-case basis.
- Special Definitions for Recyclable Materials and §335.17. Nonhazardous Recyclable Materials. For the purposes of the definition of "solid waste" in \$335.1 of this title (relating to Definitions) and §335.24 of this title (relating to Requirements for Recyclable Materials and Nonhazardous Recyclable Materials):

(1) A "spent material" is any material that has been used and as a result of contamination can no longer serve the purpose for which it was produced without processing.

"Sludge" has the same meaning used in the Solid (2) Waste Disposal Act, Texas Civil Statutes, Article

4477-7, §2.

- (3) A "by-product" is a material that is not one of the primary products of a production process and is not solely or separately produced by the production process. Examples are process residues such as slags or distillation column bottoms. The term does not include a co-product that is produced for the general public's use and is ordinarily used in the form in which it is produced by the process.
- (4) A material is "reclaimed" if it is processed to recover a usable product, or if it is regenerated. Examples are recovery of lead values from spent batteries and regeneration of spent solvents.
 - (5) A material is "used or reused" if it is either:

 (A) Employed as an ingredient (including use as an intermediate) in an industrial process to make a product (for example, distillation bottoms from one process used as feedstock in another process). However, a material will not satisfy this condition if distinct components of the material are recovered as separate end products (as when metals are recovered from metal-containing secondary materials); or
 - (B) Employed in a particular function or application as an effective substitute for a commercial product (for example, spent pickle liquor used as phosphorous precipitant and sludge conditioner in wastewater treatment).
 - (6) "Scrap metal" is bits and pieces of metal parts (e.g., bars, turnings, rods, sheets, wires) or metal pieces that may be combined together with bolts or soldering (e.g., radiators, scrap automobiles, railroad box cars), which when worn or superfluous can be recycled.
 - (7) A material is "recycled" if it is used, reused, or reclaimed.
 - A material is "accumulated speculatively" if it is (8) accumulated before being recycled. A material is not accumulated speculatively, however, if the person accumulating it can show that the material is potentially recyclable and has a feasible means of being recycled; and that, during the calendar year (commencing on January 1), the amount of material that is recycled, or transferred to a different site for recycling, equals at least 75% by weight or volume of the amount of that material accumulated at the beginning of the period. calculating the percentage of turnover, the 75% requirement is to be applied to each material of the same type (e.g., slags from a single smelting process) that is recycled in the same way (i.e., from which the same material is recovered or that is used in the same way). Materials accumulating in units that would be exempt from regulation under

40 Code of Federal Regulations \$261.4(c) are not to be included in making the calculation. (Materials that are already defined as solid wastes also are not to be included in making the calculation.) Materials are no longer in this category once they are removed from accumulation for recycling, however.

- \$335.18. Variances from Classification as a Solid Waste. In accordance with the standards and criteria in \$335.19 of this title (relating to Standards and Criteria for Variances from Classification as a Solid Waste) and the procedures in \$335.21 of this title (relating to Procedures for Variances from Classification as a Solid Waste or to be Classified as a Boiler), the executive director may determine on a case-by-case basis that the following recyclable materials and nonhazardous recyclable materials are not solid wastes:
 - (1) Materials that are accumulated speculatively without sufficient amounts being recycled (as defined in §335.17 of this title (relating to Special Definitions for Recyclable Materials and Nonhazardous Recyclable Materials));

(2) Materials that are reclaimed and then reused within the original primary production process in which

they were generated; or

(3) Materials that have been reclaimed but must be reclaimed further before the materials are completely recovered.

§335.19. Standards and Criteria for Variances from Classification as a Solid Waste.

(a) The executive director may grant requests for a variance from classifying as a solid waste those materials that are accumulated speculatively without sufficient amounts being recycled if the applicant demonstrates that sufficient amounts of the material will be recycled or transferred for recycling in the following year. If a variance is granted, it is valid only for the following year, but can be renewed, on an annual basis, by filing a new application. The executive director's decision will be based on the following standards and criteria:

(1) The manner in which the material is expected to be recycled, when the material is expected to be recycled, and whether this expected disposition is likely to occur (for example, because of past practice, market factors, the nature of the material, or contractual arrangements for recycling);

(2) The reason that the applicant has accumulated the material for one or more years without recycling 75% of the weight or volume accumulated at the beginning of the year;

(3) The quantity of material already accumulated and the quantity expected to be generated and accumu-

lated before the material is recycled;

(4) The extent to which the material is handled to minimize loss;

(5) Other relevant factors.

(b) The executive director may grant requests for a variance from classifying as a solid waste those materials that are reclaimed and then reused as feedstock within the original primary production process in which the materials were generated if the reclamation operation is an essential part of the production process. This determination will be based on the following criteria:

(1) How economically viable the production process would be if it were to use virgin materials, rather

than reclaimed materials; (2) The prevalence of the practice on an industry-wide

basis; The extent to which the material is handled before (3)

reclamation to minimize loss; The time periods between generating the material and its reclamation, and between reclamation and return to the original primary production process;

The location of the reclamation operation in rela-

tion to the production process;

Whether the reclaimed material is used for the (6) purpose for which it was originally produced when it is returned to the original process, and whether it is returned to the process in substantially its original form;

Whether the person who generates the material also

reclaims it;

(8) Other relevant factors.

The executive director may grant requests for a variance from classifying as a solid waste those materials that have been reclaimed but must be reclaimed further before recovery is completed if, after initial reclamation, the resulting material is commodity-like (even though it is not yet a commercial product, and has to be reclaimed This determination will be based on the following factors:

The degree of processing the material has undergone and the degree of further processing that is re-

quired;

The value of the material after it has been re-(2)claimed;

The degree to which the reclaimed material is like (3)an analogous raw material;

The extent to which an end market for the reclaimed (4)material is guaranteed;

The extent to which the reclaimed material is (5)handled to minimize loss;

(6) Other relevant factors.

In accor-Variance to be Classified as a Boiler. §335.20. dance with the standards and criteria in \$335.1 of this title (relating to Definitions) (definition of "boiler"), and the procedures in §335.21 of this title (relating to Procedures for Variances from Classification as a Solid Waste or to be Classified as a Boiler), the executive director may determine on a case-by-case basis that certain enclosed devices using controlled flame combustion are boilers, even though they do not otherwise meet the definition of boiler contained in §335.1 of this title (relating to Definitions), after considering the following criteria:

(1) The extent to which the unit has provisions for recovering and exporting thermal energy in the form

of steam, heated fluids, or heated gases;

(2) The extent to which the combustion chamber and energy recovery equipment are of integral design;

(3) The efficiency of energy recovery, calculated in terms of the recovered energy compared with the thermal value of the fuel;

(4) The extent to which exported energy is utilized;

- (5) The extent to which the device is in common and customary use as a "boiler" functioning primarily to produce steam, heated fluids, or heated gases; and
- (6) Other factors, as appropriate.

§335.21. Procedures for Variances from Classification as a Solid Waste or to be Classified as a Boiler. The executive director will use the following procedures in evaluating applications for variances from classification as a solid waste or applications to classify particular enclosed flame combustion devices as boilers:

- (1) The application must address the relevant criteria contained in §335.19 of this title (relating to Standards and Criteria for Variances from Classification as a Solid Waste) and §335.20 of this title (relating to Variance to be Classified as a Boiler).
- (2) The executive director will evaluate the application and issue a draft notice tentatively granting or denying the application. Notification of this tentative decision will be provided by newspaper advertisement and radio broadcast in the locality where the recycler is located. The executive director will accept comment on the tentative decision for 30 days, and may also hold a public hearing upon request or at his discretion. executive director will issue a final decision after receipt of comments and after the hearing (if any). Any person affected by a final decision of the executive director may petition the commission to review the decision. Any person affected by the final decision or order of the commission may file a petition for judicial review within 30 days after the decision or order is final and appealable, in accordance with Chapter 273 of this title (relating

to Procedures After Final Decision) and the Texas Administrative Procedure and Texas Register Act, Article 6252-13a.

\$335.22. Additional Regulation of Certain Hazardous Waste Recycling Activities on a Case-By-Case Basis. The commission may decide on a case-by-case basis that persons accumulating or storing the recyclable materials described in \$335.24(b)(4) of this title (relating to Requirements for Recyclable Materials and Nonhazardous Recyclable Materials) should be regulated under \$335.24(d)-(f) of this title (relating to Requirements for Recyclable Materials and Nonhazardous Recyclable Materials). The basis for this decision is that the materials are being accumulated or stored in a manner that does not protect human health and the environment because the materials or their toxic constituents have not been adequately contained, or because the materials being accumulated or stored together are incompatible. The procedures for this decision are set forth in §335.23 of this title (relating to Procedures for Case-by-Case Regulation of Hazardous Waste Recycling Activities). In making this decision, the commission will consider the following factors:

(1) the types of materials accumulated or stored and the amounts accumulated or stored;

2) the method of accumulation or storage;

(3) the length of time the materials have been accumulated or stored before being reclaimed;

(4) whether any contaminants are being released into the environment, or are likely to be so released; and

(5) other relevant factors.

§335.23. Procedures for Case-By-Case Regulation of Hazardous Waste Recycling Activities. The commission will use the following procedures when determining whether to regulate hazardous waste recycling activities described in §335.24(b)(4) of this title (relating to Requirements for Recyclable Materials and Nonhazardous Recyclable Materials) under the provisions of §\$335.24(d)-(f) of this title (relating to Requirements for Recyclable Materials and Nonhazardous Recyclable Materials), rather than under the provisions governing "Recyclable Materials Utilized for Precious Metal Recovery" under Subchapter H of this chapter (relating to Standards for the Management of Specific Wastes and Specific Types of Facilities).

(1) If a generator is accumulating the waste, the commission will issue a notice setting forth the factual basis for the decision and stating that the person must comply with the applicable requirements of Subchapters A-C of this chapter (relating to Industrial Solid Waste and Municipal Hazardous Waste Management in General; Hazardous Waste Management-General Provisions; and Standards Applicable to Generators of Hazardous Waste), respectively. The notice will become final within 30 days, unless the person served requests a public hearing to challenge the decision. Upon receiving

CAROLEL TERMEN

such a request, the commission will hold a public hearing. The commission will provide notice of the hearing to the public and allow public participation at the hearing. The commission will issue a final order after the hearing stating whether or not compliance with Subchapters A-C of this chapter (relating to Industrial Solid Waste and Municipal Hazardous Waste Management in General; Hazardous Waste Management-General Provisions; and Standards Applicable to Generators of Hazardous Waste), respectively, is required. A person affected by a final decision or order of the commission may file a petition for judicial review within 30 days after the decision or order is final and appealable, in accordance with Chapter 273 of this title (relating to Procedures After Final Decision) and the Texas Administrative Procedure and Texas Register Act, Article 6252-13a.

- (2) If the person is accumulating the recyclable material at a storage facility, the notice will state that the person must obtain a permit in accordance with all applicable provisions Chapter 305 of this title (relating to Consolidated Permits) and Chapter 261 of this title (relating to Introductory Provisions); Chapter 263 of this title (relating to General Rules); Chapter 265 of this Public title (relating to Procedures Before Hearing); Chapter 267 of this title (relating to Procedures During Public Hearing); Chapter 269 of this title (relating to Procedures After Public Hearing Before an Examiner); Chapter 271 of this title (relating to Procedures After Public Hearing Before the Full Commission); and Chapter 273 of this title (relating to Procedures After Final Decision). The owner or operator of the facility must apply for a permit within no less than 60 days and no more than six months of notice, as specified in the notice. If the owner or operator of the facility wishes to challenge the commission's decision, he may do so in his permit application, in a public hearing held on the draft permit, or in comments filed on the draft permit or on the notice of intent to deny the permit. The proposal for decision accompanying the permit will include the reasons for the commission's determination. question of whether the commission's decision was proper will remain open for consideration during the public comment period and in any subsequent hearing.
- §335.24. Requirements For Recyclable Materials and Nonhazardous Recyclable Materials.

CALCOT WAS TAKE

. Tokurtabe leak

(a) Hazardous wastes that are recycled are subject to the requirements for generators, transporters, and storage facilities of subsections (d)-(f) of this section, except for the materials listed in subsections (b) and (c) of this section. Hazardous wastes that are recycled will be known as "recyclable materials." Non-hazardous industrial wastes that are recycled will be known as "non-hazardous recyclable materials." Non-hazardous recyclable materials are subject to the requirements of

subsections (h) and (i) of this section.

(b) The following recyclable materials are not subject to the requirements of this section, except as provided in subsections (g) and (h) of this section, but are regulated under the applicable provisions of Subchapter H of this chapter (relating to Standards for the Management of Specific Wastes and Specific Types of Facilities) and all applicable provisions in Chapter 305 of this title (relating to Consolidated Permits) and Chapter 261 of this title (relating to Introductory Provisions; Chapter 263 of this title (relating to General Rules); Chapter 265 of this title (relating to Procedures Before Public Hearing); Chapter 267 of this title (relating to Procedures During Public Hearing); Chapter 269 of this title (relating to Procedures After Public Hearing Before an Examiner); Chapter 271 of this title (relating to Procedures After Public Hearing Before the Full Commission); and Chapter 273 of this title (relating to Procedures After Final Decision):

1) Recyclable materials used in a manner constituting

disposal;

Hazardous wastes burned for energy recovery in boilers and industrial furnaces that are not regulated under Subchapter E of this chapter (relating to Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities) or Subchapter F of this chapter (relating to Permitting Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities);

(3) Used oil that exhibits one or more of the characteristics of hazardous waste and is burned for energy recovery in boilers and industrial furnaces that are not regulated under the provisions governing incinerators that are adopted by reference in \$335.112(a)(14) of this title (relating to Standards) and \$335.152(a)(13) of this title

(relating to Standards);

(4) Recyclable materials from which precious metals are

reclaimed;

(c) Spent lead-acid batteries that are being reclaimed.

The following recyclable materials are not subject to regulation under Subchapters B-I and O of this chapter, (relating to Hazardous Waste Management-General Provisions; Standards Applicable to Generators of Hazardous

Waste; Standards Applicable to Transporters of Hazardous Waste; Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities; Permitting Standards for Owners and Operators of Hazardous Waste Storage, Processing, and Disposal Facilities; Location Standards for Hazardous Waste Storage, Processing or Disposal; Standards for the Management of Specific Wastes and Specific Types of Facilities; Prohibition on Open Dumps and Land Disposal Land Disposal Restrictions), respectively, or Chapters 261, 263, 265, 267, 269, 271, 273, and 305 of this title (relating to Introductory Provisions; General Rules; Procedures Before Public Hearing; Procedures During Public Hearing; Procedures After Public Hearing Before an Examiner; Procedures After Public Hearing Before the Full Commission; Procedures After Final Decision; and Consolidated Permits), except as provided in subsections (q) and (h) of this section:

(1) Industrial ethyl alcohol that is reclaimed; except that, unless provided otherwise in an international agreement as specified in the regulations contained in 40 Code of Federal Regulations \$262.58, which

are in effect as of August 8, 1986:

a person initiating a shipment for reclamation in a foreign country, and any intermediary arranging for the shipment, must comply with the requirements applicable to a primary exporter in the regulations contained in 40 of Federal Regulations §§262.53, 262.56(1)-(4) and (6) and (b), and 262.57 which are in effect as of November 8, 1986, export such materials only upon consent of the receiving country and in conformance with the EPA acknowledgement of consent as defined in the regulations contained in 40 Code of Federal Regulations, Part 262, Subpart E, which are in effect as of November 8, 1986, and provide a copy of the EPA acknowledgement of consent to the shipment to the transporter transporting the shipment for export;

(B) transporters transporting a shipment for export may not accept a shipment if he knows the shipment does not conform to the EPA acknowledgement of consent, must ensure that a copy of the EPA acknowledgement of consent accompanies the shipment and must ensure that it is delivered to the facility designated by

the person initiating the shipment;

(2) Used batteries (or used battery cells) returned to a battery manufacturer for regeneration;

(3) Used oil that exhibits one or more of the characteristics of hazardous waste but is recycled in some other manner than being burned for energy recovery;

Scrap metal;

in in the second

* (5) Fuels produced from the refining of oil-bearing hazardous wastes along with normal process streams at a petroleum refining facility if such wastes result from normal petroleum refining, production, and transportation practices;

Oil reclaimed from hazardous waste resulting from normal petroleum refining, production, and transportation practices, which oil is to be refined along with normal process streams at a petroleum refining facility;

refining facility;

(7) coke and coal tar from the iron and steel industry that contains EPA Hazardous Waste No. K087 (decanter tank tar sludge from coking operations) hazardous waste from the iron and steel production process;

The following hazardous waste fuels:

- (A) hazardous waste fuel produced from oil-bearing hazardous wastes from petroleum refining, production, or transportation practices, or produced from oil reclaimed from such hazardous wastes where such hazardous wastes are reintroduced into a process that does not use distillation or does not produce products from crude oil so long as the resulting fuel meets the used oil specification under 40 Code of Federal Regulations \$266.40(e) and so long as no other hazardous wastes are used to produce the hazardous waste fuel;
- (B) hazardous waste fuel produced from oil-bearing hazardous waste from petroleum refining production, and transportation practices, where such hazardous wastes are reintroduced into a refining process after a point at which contaminants are removed, so long as the fuel meets the used oil fuel specification under 40 Code of Federal Regulations \$266.40(e);
- (C) oil reclaimed from oil-bearing wastes from petroleum refining, production, and transportation practices, which reclaimed oil is burned as a fuel without reintroduction to a refining process, so long as the reclaimed oil meets the used oil fuel specification under 40 Code of Federal Regulations \$266.40(e); and
- (9) Petroleum coke produced from petroleum refinery hazardous wastes containing oil at the same facility at which such wastes were generated, unless the resulting coke product exceeds one or more of the characteristics of hazardous waste in 40 Code of Federal Regulations Part 261, Subpart C.

Generators and transporters of recyclable materials are subject to the applicable requirements of Subchapter C of this chapter (relating to Standards Applicable to Generators of Hazardous Waste) and Subchapter D of this chapter (relating to Standards Applicable to Transporters of Hazardous Waste), and the notification requirements of \$335.6 of this title (relating to Notification Requirements), except as provided in subsections (a)-(c) of this section.

- (e) Owners or operators of facilities that store recyclable materials before they are recycled are regulated under all applicable provisions of this chapter, and Chapter 305 of this title (relating to Consolidated Permits) and Chapter 261 of this title (relating to Introductory Provisions); Chapter 263 of this title (relating to General Rules); Chapter 265 of this title (relating to Procedures Before Public Hearing); Chapter 267 of this title (relating to Procedures During Public Hearing); Chapter 269 of this title (relating to Procedures After Public Hearing Before an Examiner); Chapter 271 of this title (relating to Procedures After Public Hearing Before the Full Commission); and Chapter 273 of this title (relating to Procedures After Final Decision), and the notification requirement under \$335.6 of this title (relating to Notification Requirements), except as provided in subsections (a)-(c) of this section. recycling process itself is exempt from regulation.
- (f) Owners or operators of facilities that recycle recyclable materials without storing them before they are recycled are subject to the following requirements, except as provided in subsections (a)-(c) of this section:
 - (1) Notification requirements under \$335.6 of this title (relating to Notification Requirements);
 - (2) Section 335.12 of this title (relating to Shipping Requirements Applicable to Owners or Operators of Storage, Processing, or Disposal Facilities).
- Except as provided in subsection (h) of this section, (g) recyclable materials (excluding those listed in subsection (c)(1) and (5)-(9) of this section), remain subject to the requirements of §§335.4, 335.6, and 335.9-335.15 of this title (relating to General Prohibitions; Notification Requirements; Recordkeeping and Annual Reporting Procedures Applicable to Generators; Shipping and Reporting Procedures Applicable to Generators of Hazardous Waste or Class I Waste and Primary Exporters of Hazardous Waste; Shipping Requirements for Transporters Waste or Class I Waste; Shipping Hazardous Requirements Applicable to Owners or Operators of Processing, or Disposal Facilities; Storage, Recordkeeping and Reporting Procedures Applicable to Generators Shipping Hazardous Waste or Class I Waste; Recordkeeping Requirements Applicable to Transporters of Hazardous Waste or Class I Waste; and Recordkeeping and Reporting Requirements Applicable to Owners or Operators Storage, Processing, or Disposal Facilities; respectively), as applicable.

Industrial solid wastes that are non-hazardous recyclable (h) materials; and recyclable materials listed in subsection (b)(5) and subsection (c)(2)-(4) of this section remain subject to the requirements of \$335.4 of this title (relating to General Prohibitions) and \$335.6 of this title (relating to Notification Requirements). Such wastes may also be subject to the requirements of \$\$335.10-335.15 of this title (relating to Shipping and Reporting Procedures Applicable to Generators of Hazardous Waste or Class I Waste and Primary Exporters of Hazardous Waste); Shipping Requirements for Transporters Hazardous Waste or Class I Waste; Shipping Requirements Applicable to Owners or Operators of Storage, Processing or Disposal Facilities; Recordkeeping and Reporting Procedures Applicable to Generators Shipping Hazardous Waste or Class I Waste and Primary Exporters of Hazardous Waste; Recordkeeping Requirements Applicable to Transporters of Hazardous Waste or Class I Waste; and Record-Keeping and Reporting Requirements Applicable to Owners or Operators of Storage, Processing, or Disposal Facilities; respectively), as applicable, if the executive director determines that such requirements are necessary to protect human health \$335.11 of this title (relating to Shipping Requirements for Transporters of Hazardous Waste or Class I Waste), \$335.12 of this title (relating to Shipping Requirements Applicable to Owners or Operators of Storage, Processing or Disposal Facilities), \$335.13 of this title (relating to Record-Keeping and Reporting Procedures Applicable to Generators Shipping Hazardous Waste or Class I Waste and Primary Exporters of Hazardous Waste), §335.14 of this title (relating to Record-Keeping Requirements Applicable to Transporters of Hazardous Waste or Class I Waste), and §335.15 of this title (relating to Record-Keeping and Reporting Requirements Applicable to Owners or Operators of Storage, Processing, or Disposal Facilities), as applicable, if the executive director determines that such requirements are necessary to protect human health and the environment. In making the determination, the executive director shall consider the following criteria:

(1) The waste's toxicity, corrosivity, flammability, ability to sensitize or irritate, or propensity for decomposition and creation of sudden pressure;

(2) The potential for the objectionable constituent to migrate from the waste into the environment if improperly managed;

(3) The persistence of any objectionable constituent or any objectionable degradation product in the waste;

(4) The potential for the objectionable constituent to degrade into nonharmful constituents;

(5) The degree to which the objectionable constituent bioaccumulates in ecosystems;

(6) The plausible types of improper management to which the waste could be subjected;

(7) The nature and severity of potential damage to the public health and environment;

(8) Whether subjecting the waste to additional regulation will provide additional protection for human health and the environment;

(9) Other relevant factors.

- (i) Except as provided in the Solid Waste Disposal Act, Texas Civil Statutes, Article 4477-7, \$4(f)(1), facilities managing "recyclable materials" that are required to obtain a permit under this section may also be permitted to manage "non-hazardous recyclable materials" at the same facility if the executive director determines that such regulation is necessary to protect human health and the environment. In making this determination, the executive director shall consider the following criteria:
 - (1) Whether managing non-hazardous recyclable materials will create an additional risk of release of the hazardous recyclable materials into the environment:
 - (2) Whether hazardous and non-hazardous wastes that are incompatible are stored and/or processed in the same or connected units;
 - (3) Whether the management of recyclable materials and non-hazardous recyclable materials is segregated within the facility;
 - (4) The waste's toxicity, corrosivity, flammability, ability to sensitize or irritate, or propensity for decomposition and creation of sudden pressure;
 - (5) The potential for the objectionable constituent to migrate from the waste into the environment if improperly managed;
 - (6) The persistence of any objectionable constituent or any objectionable degradation product in the waste;
 - (7) The potential for the objectionable constituent to degrade into nonharmful constituents;
 - (8) The degree to which the objectionable constituent bioaccumulates in ecosystems;
 - (9) The plausible types of improper management to which the waste could be subjected;
 - (10) The nature and severity of potential damage to the public health and environment;
 - (11) Whether subjecting the waste to additional regulation will provide additional protection for human health and the environment;
 - (12) Other relevant factors.
- §335.28. Adoption of Memoranda of Understanding by Reference. The following memoranda of understanding between the commission and other state agencies, required to be adopted by rule as set forth in the Texas Water Code, §5.104, are adopted by reference. Copies of these documents are available upon request from the Texas Water Commission, Legal Division, P. O. Box 13087, Austin, Texas 78711-3087, (512) 463-8078.

(1) the memorandum of understanding (effective July 14, 1987) between the Attorney General of Texas and the Texas Water Commission, which concerns public participation in the state hazardous waste enforcement process;

2) the memorandum of understanding (effective September 1, 1987) between the Texas Department of Health and the Texas Water Commission, which concerns the regulation and management of radio-

active mixed wastes; and

(3) the memorandum of understanding (effective December 1, 1987) between the Railroad Commission of Texas, the Texas Department of Health and the Texas Water Commission, which concerns the division of jurisdiction among the agencies over wastes that result from or are related to activities associated with the exploration, development, and production of oil, gas, or geothermal resources, and the refining of oil.

§335.29. Adoption of Appendices by Reference.
The following appendices contained in 40 Code of Federal
Regulations Part 261 which are in effect as of April 1, 1987,
except Appendix II which is in effect as of September 25, 1990, are
adopted by reference:

(1) Appendix I - Representative Sampling Methods;

- (2) Appendix II Method 1311 Toxicity Characteristic Leaching Procedure (TCLP);
- (3) Appendix III Chemical Analysis Test Methods;
- (4) Appendix VII Basis for Listing Hazardous Waste;

(5) Appendix VIII - Hazardous Constituents;

- (6) Appendix IX Wastes Excluded Under \$\$260.20 and 260.22;
- (7) Appendix X Method of Analysis for Chlorinated Dibenzop-dioxins and Dibenzofurans.

§335.30. Appendix I. The following appendix will be used -

Table 1

Types of Containers

DM = Metal drums, barrels, kegs

DW = Wooden drums, barrels, kegs

DF = Fiberboard or plastic drums, barrels, kegs

TP = Tanks portable

TT = Cargo tanks (tank trucks)

TC = Tank cars

DT = Dump truck

CY = Cylinders

CM = Metal boxes, cartons, cases (including

roll-offs)

CW = Wooden boxes, cartons, cases

\$\$335.1-335.15, 335.17-335.24, 335.28-335.30

THE THE COMMENT OF THE PROPERTY OF THE PROPERT

everings of

CF = Fiber or plastic boxes, cartons, cases BA = Burlap, cloth, paper or plastic bag.

TEXAS WATER COMMISSION P.O. Box 13087, Capitol Station Austin, Texas 78711-3087



Please print or type (Form designed for use on elite (12-pitch) typewriter.)

Form approved. OMB No. 2050-0039, expires 09-30-91

| | U | DIAILOUM DEFUNDADO 1 | | Generator's US EPA ID No. Ma | | | 2. Pa | - 1 | ation in t | | | | | |
|---|--|--|---|---|----------------|--------------|--|---------------------------|-------------|-------------------|-------------------|------|--|--|
| | 3. Generator's Name and Mailing Address | | | | | | A State Manifest Document Number Nº 00052700 | | | | | | | |
| | B. State Generator's ID | | | | | | | | | | | | | |
| | | 4. Generator's Phone () 5. Transporter 1 Company Name | | | | | | C. State Transporter's ID | | | | | | |
| | 5. Transporter 1 Company Name 6. US EPA ID Number | | | | | | | | | | | | | |
| | | | | E. State Transporter's ID | | | | | | | | | | |
| - | 7. 10 | 7. Transporter 2 Company Name 8. US EPA ID Number | | | | | | | | | | | | |
| | 9. D | esignated Facility Name and Site Add | 1 | | | | | | | | | | | |
| papacement community | | | | 新 . (*) かい (*) (*) (*) (*) (*) (*) (*) (*) (*) (*) | | | H. Facility's Phone | | | | | | | |
| | | | | | | | | | | samon—sam—minis | | | | |
| | 11A. | 1A. (11. US DOT Description (including Proper Sh | | Name, Hazard Class, | and ID 12. (| | iners 13. Total Type Quantity | | 14. Unit | Wa | I. 51e No. | | | |
| | Lini | NUMDET) | | | - Luc | ' | 1Abe | Quantity | W1/Voi | | one or the second | | | |
| G | | | | | Assertables | | - | | | | | | | |
| GENERAT | *************************************** | b. | | | | | | | | | | | | |
| A | | | | | • | | | | | | | | | |
| OR | | C. | CONTRACTOR OF THE PROPERTY OF | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | 1 | | | | | | | |
| *************************************** | | The second secon | | | | | | | | | | | | |
| | - | d | | | | - | | | | | | | | |
| | | • | | | | | | | | | | | | |
| | J. Additional Descriptions for Materials Listed Above K. Handling Codes for Was 15. Special Handling Instructions and Additional Information | | | | | | | | | | • | | | |
| | | | | | | | | | | | | | | |
| e de la composition | 16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations, including applicable state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford. | | | | | | | | | | | | | |
| ľ | | Printed/Typed Name | | Signature | | | | | | Month | Day | Year | | |
| | 17. | Transporter 1 Acknowledgement of | Receipt of Mater | | | | | | | | Date | L/ | | |
| | | Printed/Typed Name | | Signature | | | | | | Month | Day | Year | | |
| 0.0 | 18. | Transporter 2 Acknowledgement of | Receipt of Mater | ials | | | | | | | Date | | | |
| 2 m 4 3 | | Printed/Typed Name | | Signature | | | | | | Month | Day | Year | | |
| of as in the we () to see | nspoka kanapandi esti meredimene | 19. Discrepancy Indication Space | | | | | | | | | | | | |
| 10 glb sp | 20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. | | | | | | | | | | | | | |
| A .6. | | | | | | | | | | Date | acres market | | | |
| укалорожения | Printed/Typed Name Signature | | | | | | | Month | Day | <i>Year</i> I. | | | | |

When using the Uniform Waste Manifest for rail or water (bulk shipment) or international shipments refer to the applicable TWC regulations. REPORT SPILLS AND/OR DISCHARGES TO THE TEXAS SPILL RESPONSE CENTER AT 512/463-7727 (24 HOURS)

INSTRUCTIONS TO GENERATOR (Please Type or Print Clearly)

- (1) Enter the Generator's U.S. EPA twelve digit identification number and the unique five digit number assigned to this manifest by the generator if you are shipping hazardous waste.
- (2) Enter the total number of pages used to complete this manifest.
- (3) Enter the company name and mailing address.
- (4) Provide a phone number where an authorized agent of your firm may be reached in the event of an emergency.
- Enter the company name of the first transporter and their U.S. EPA ID Number.
- If applicable, enter the company name of the second transporter and their U.S. EPA ID Number. If more than two transporters are used, enter and additional transporter's information on the Continuation Sheet (EPA form 8700-22A).
- (7) Enter the company name, site address, and U.S. EPA ID Number of the facility designated to receive the waste listed on this manifest.
- (8) COMPLETE ALL STATE OF TEXAS INFORMATION A. THROUGH H. IN THE SHADED AREAS.
- (9) Complete the waste description table as follows:
 - (A) ITEM 11A When shipping an EPA/DOT regulated hazardous waste or material in conjunction with solely state regulated waste enter an "x" in the HM box before each EPA/DOT regulated waste/material description.
 - (B) ITEM 11 Enter the U.S. DOT Proper Shipping Name, Hazard Class, and ID Number (UN/NA) for each waste identified. If it is a Class I nonhazardous waste use the Texas Waste Code description.
 - (C) ITEM 12 Enter the number of containers for each waste and the appropriate abbreviation for type located in Subchapter A of the TWC Industrial Solid Waste Rules.
 - (D) ITEM 13 Enter the total quantity of waste described on each line.
 - (E) ITEM 14 Enter the appropriate letter from the table below for the unit of measure.

G = Gallons (liquids only)

Y = Cubic Yards

M = Metric Tons (1000 kg.)

P = Pounds

L = Liter (Liquids only)

N = Cubic Meters

人名印度克特尔 使慢期 医髓柱分泌 计控制分割 化双维亚轮纹

T = Tons (2000 lbs.)

K = Kilograms

- (F) ITEM I Enter the appropriate TWC State Waste Code for each waste you are shipping.
- (10) The Generator must read, sign (by hand), and date the certification statement. If a mode other than highway is used, the word "highway" should be lined and the appropriate mode (rail, water or air) inserted in the space below. In signing the waste minimization certification statement, those generators a hazardous waste who have not been exempted by statute or regulation from the duty to make a waste minimization certification are also certifying y have complied with the waste minimization requirements.
- nifest must be signed and dated by the first transporter in the presence of the Generator. If more than one transporter is to be used, the Generator 11 ovide additional copies for their use.
- 121 ator retains green copy, sending remaining copies with the driver.

INSTRUCTIONS FOR THE TRANSPORTER (Please Type or Print clearly)

- (1) As driver of the transport vehicle, you are responsible for ensuring that all waste received by you arrives at the specified destination.
- (2) Sign and date the space provided, certifying the waste amounts in PART I were received for transport. NOTE: If you are unable to carry out the delivery of the shipment as specified, dial the emergency phone numbers given in PART I notifying the GENERATOR.
- (3) Upon delivery of the shipment, the TSD Facility Owner/Operator is to sign for the shipment in your presence and fill in "date received".
- °(4) Separate the yellow copy and retain for your records. Leave the remaining copies with the TSD Facility Owner/Operator.

INSTRUCTIONS TO TREATMENT, STORAGE AND DISPOSAL (TSD) FACILITY OWNER/OPERATOR (Please Type or Print Clearly)

- (1) The authorized representative of the designated (or alternate) facility's owner or operator must note in ITEM 19 any significant discrepancy between the waste described on the manifest and the waste actually received at the facility.
- (2) Enter date received and sign in the presence of the driver declaring receipt of the wastes and verifying the quantities in the table in PART I.
- (3) Retain the pink copy for your records and return the completed original (white) copy to the GENERATOR.

U.S. EPA and TWC regulations require that copies of this Uniform Hazardous Waste Manifest be retained for a period of three (3) years in your company records. Do not send to TWC unless otherwise notified by these departments.