

US EPA ARCHIVE DOCUMENT

RCRA REVISION CHECKLIST 42

Exception Reporting for Small Quantity Generators of Hazardous Waste

52 FR 35894-35899

September 23, 1987

(HSA Cluster II)

FEDERAL REQUIREMENT	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:		
			EQUIV- ALENT	MORE STRIN- GENT	BROAD- ER IN SCOPE

PART 262 - STANDARDS APPLICABLE TO GENERATORS OF HAZARDOUS WASTE

SUBPART D - RECORDKEEPING AND REPORTING

EXCEPTION REPORTING

generators greater
than 1,000 kg/mo. or
than 1 kg/mo. of

acute waste 262.42(a)(1) §335.13 (c) ✓ x

generators greater
than 1,000 kg/mo. 262.42(a)(2) §335.13 (d) ✓ x

generators 100 to
1,000 kg/mo. 262.42(b) §335.13 (g) ✓ x

SPECIAL REQUIREMENTS FOR GENERATORS OF BETWEEN 100 AND 1000 KG/MO

changes in intro-
ductory paragraph 262.44 §335.74 ✓ x

additional 262.42(b)
requirement 262.44(a-c) §335.74 ✓ x