

US EPA ARCHIVE DOCUMENT



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION IX
75 Hawthorne Street
San Francisco, CA 94105-3901

Apr 02 2009

Certified Mail No. P 660 484 744
Docket No. CWA 309(a)-09-016

Steve Kroeker
Public Works Director
City of Corcoran
1033 Chittenden Ave.
Corcoran, CA 93212

Re: Findings of Violation and Order for Compliance under Sections 308
and 309(a) of the Clean Water Act, EPA Docket No. CWA 309(a)-09-016

Dear Mr. Kroeker:

The U.S. Environmental Protection Agency (EPA) is issuing the enclosed Findings of Violation and Order for Compliance pursuant to Sections 308 and 309(a) of the Clean Water Act. The Order requires the City of Corcoran to perform sampling to assess the levels of arsenic at the Corcoran State Prison fields where the City applied sewage sludge in late 2008. The Order also requires the City of Corcoran to notify EPA in the future prior to removing sewage sludge from the treatment plant for use or disposal, and to submit its annual sewage sludge report for 2008.

In January and February 2009, EPA received information from the City of Corcoran and its contractor indicating that, in late 2008, the City had applied its sewage sludge to fields at the Corcoran State Prison. Based on data provided by the City, EPA has determined that the land applied sewage sludge contained arsenic in concentrations exceeding EPA's standards for the use and disposal of sewage sludge. In addition, the City failed to collect the proper number of samples and submit the required annual report related to land application of sewage sludge.

If you have any questions regarding the enclosed Finding of Violation and Order, please contact Lauren Fondahl of the Clean Water Act Compliance Office at (415) 972-3514.

Sincerely,

<Original
signed by>

Alexis Strauss
Director
Water Division

US EPA ARCHIVE DOCUMENT

Enclosure: Findings of Violation and Order for Compliance

cc: Doug Patteson, Central Valley Regional Water Quality Control Board
Raymond Cooke, Kings County Department of Environmental Health
Richard Haberman, CA Dept. of Public Health
Harry Tow, Quad Knopf