



US EPA ARCHIVE DOCUMENT

ENVIRONMENTAL TECHNOLOGY VERIFICATION REPORT FOR AMMONIA RECOVERY PROCESS



Prepared by the
Environmental Technology
Evaluation Center (EvTEC), a service
center of the Civil Engineering
Research Foundation (CERF)

CERF REPORT: #40458
January 2000



Abstract

This Technology Verification report describes the nature and scope of an environmental evaluation of ThermoEnergy Corporation's Ammonia Recovery Process (ARP) system. The information contained in this report represents data that were collected over a 3-month pilot study. The timeframe of testing, limits the documentation of data for long-term performance of the ARP system. The data as summarized within this Evaluation Report are being made available and distributed to federal, state, and local environmental regulators and to the wastewater treatment community. The goal of this report is to provide potential users and purchasers of the ThermoEnergy ARP with the information they need to make more informed decisions about using ARP at their local treatment works.

Library of Congress Cataloging-in-Publication Data

Evaluation findings for ThermoEnergy Corporation: ammonia recovery process / by the Environmental Technology Evaluation Center.

- P. cm. (Environmental technology verification report)
ISBN 0-7844-0458-5
- 1. Sewage -- Purification -- Ion exchange process.
- 2. Ammonia as fertilizer.
- 3. ThermoEnergy Corporation
- I. Title: Ammonia recovery process.
- II. ThermoEnergy Corporation
- III. Environmental Technology Evaluation Center (U.S.)
- IV. Series
TD757.5 .E94 2000
668'.63 -- dc21

99-049809
CIP

The material presented in this publication has been prepared in accordance with generally recognized engineering principles and practices, and is for general information only. This information should not be used without first securing competent advice with respect to its suitability for any general or specific application. The contents of this publication are not intended to be, and should not be construed to be a standard of the American Society of Civil Engineers (ASCE), or its research affiliate, the Civil Engineering Research Foundation (CERF) and are not intended for use as a reference in purchase specifications, contracts, regulations, statutes, or any other legal document.

No reference made in this publication to any specific method, product, process, or service constitutes or implies an endorsement, recommendation, or warranty thereof by ASCE or CERF. ASCE or CERF make no representation or warranty of any kind, whether express or implied, concerning the accuracy, completeness, suitability, or utility of any information, apparatus, product, or process discussed in this publication, and assumes no liability therefore. Anyone utilizing this information assumes all liability arising from such use, including but not limited to, infringement of any patent or patents.

Photocopies. Authorization to photocopy material for internal or personal use under circumstances not falling within the fair use provisions of the Copyright Act is granted by ASCE to libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$8.00 per article plus \$0.50 per page is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923. The identification for ASCE Books is 0-7844-0308-2/00. \$8.00+\$0.50 per page. Requests for special permission or bulk copying should be addressed to Permissions and Copyright Department, ASCE.

Copyright © 2000 by the American Society of Civil Engineers
All Rights Reserved
Library of Congress Card Catalog No: 99-049809
ISBN 0-7844-0458-5
Manufactured in the United States of America

Acknowledgments


EvTEC acknowledges the support of all those who helped plan and conduct the verification activities. In particular, we would like to thank Ms. Norma Lewis, EPA ETV Project Manager, and Ms. Lauren Drees, EPA ETV, Project QA/QC Manager, of EPA's National Risk Management Research Laboratory in Cincinnati, Ohio.

We would also like to thank the ThermoEnergy ARP Technology Evaluation Panel which included: Mr. Michael Bullard, PE., Eastman Chemical Company; Mr. Luis Carrio, PE., New York City Department of Environmental Protection; Dr. Richard I. Dick, Cornell University, School of Civil and Environmental Engineering; Mr. Keith Mahoney, New York City Department of Environmental Protection; Dr. Joseph Malina, PE., University of Texas, School of Civil Engineering; Mr. John V. Martin, Back River Waste Water Treatment Plant, City of Baltimore; Dr. Charles J. Perilloux, DuPont Nylon; Mr. Eric A. Peterson, PE., U.S. Agency for International Development; Mr. Robert C. Ready, PE., Miami Water and Sewer Authority; Dr. James E. Smith Jr., U.S. Environmental Protection Agency; and Dr. Charles I. Noss, Water Environment Research Foundation.

In addition, we want to thank Mr. Michael Barbachem, PE., URS Greiner Woodward Clyde, for his assistance as the lead consultant during this product evaluation and for his efforts in preparing this report. ACCUTEST[®], Dayton, New Jersey, and Martel Laboratories JDS, INC., Baltimore, Maryland, performed laboratory analytical sampling and analyses. We would like to acknowledge the assistance and participation of Mr. Wayne Potter and Mr. John Lawson of Foster Wheeler Environmental Corporation along with Mr. Dennis Cossey, CEO of ThermoEnergy Corporation and Mr. Alex Fassbender, PE., Vice President of ThermoEnergy Corporation. Mr. Fassbender is the technology developer and patent holder of the ARP technology.

Publication of this report is made possible in part through the contributions by members of CERF's New Century Partnership:

- Black & Veatch
- CH2M Hill Ltd.
- Charles Pankow Builders
- Charles J. Pankow Matching Grant
- Kenneth A. Roe Memorial Program
- Lester B. Knight & Associates
- Parsons Brinckerhoff, Inc.
- The Turner Corporation



Harvey M. Bernstein
President
Civil Engineering Research Foundation

Disclaimer



The information in this document has been funded in part by the U.S. Environmental Protection Agency (EPA) under a Cooperative Agreement (CR 824884-01-0) with the Civil Engineering Research Foundation's (CERF) Environmental Technology Evaluation Center (EvTEC). This verification effort was supported under the EPA Environmental Technology Verification (ETV) Program. This verification effort has been subjected to EPA's and CERF's peer and administrative review. The ThermoEnergy Ammonia Recovery Process (ARP) was verified by EvTEC under the CERF Innovation Center Program as a wastewater technology in January 2000. EPA and EvTEC make no expressed or implied warranties as to the performance of the ARP. Mention of corporation names, trade names, or commercial products does not constitute endorsement or recommendation for use of specific products.

Preface



The Environmental Technology Verification (ETV) Program has been established by the U.S. Environmental Protection Agency (EPA) to evaluate the performance characteristics of innovative environmental technologies across all media and to report this objective information to the permittees, buyers, and users of environmental technology. EPA's Office of Research and Development (ORD) has established a five-year pilot program to evaluate alternative operating parameters and determine the overall feasibility of a technology verification program.

ETV began in October 1995 and will be evaluated through October 2000, at which time EPA will prepare a report to Congress containing the results of the pilot program and recommendations for its future operation. EPA's ETV Program, through the National Risk Management Research Laboratory (NRMRL), has partnered with the Civil Engineering Research Foundation (CERF) under an ETV Pilot Project to evaluate and verify market-ready environmental technologies. The following report describes the verification of the performance of the ThermoEnergy Ammonia Recovery Process (ARP).

Contents

1 Introduction **1**

- 1.1 Technical Background
- 1.2 Project Goals
- 1.3 Summary/Overview of Pilot Plant Operation

2 Materials and Methods **5**

- 2.1 General Pilot Plant Process Description
- 2.2 ARP Adsorption Columns
- 2.3 Double Salt Crystallization Process
- 2.4 Ammonium Sulfate Purification Process
- 2.5 Analytical Methods
- 2.6 Sampling Locations and Frequency

3 Evaluation Project Results **9**

- 3.1 Ammonia Reduction
- 3.2 Impact of Solids on the ARP Resin
- 3.3 Impact of Iron on the ARP Resin
- 3.4 Impact of Polymer on the ARP Resin
- 3.5 Short-Term/Long-Term Resin Removal Capacity
- 3.6 Crystal Growth and Dusting
- 3.7 Potential for Crystallization Stream Biofouling
- 3.8 Contaminant Effects on the Crystallization Stream
- 3.9 ACCUTEST® Laboratory QA/QC Summary

4 Summary and Operational Issues **19**

- 4.1 Staffing Requirements and Cost Information
- 4.2 Struvite Control
- 4.3 Operational pH
- 4.4 Lessons Learned
- 4.5 Summary

References **21**

Appendix A: ACCUTEST® Laboratory Data **23**

Appendix B: Flow and Laboratory Summary **33**

Appendix C: Staffing Requirements and Cost Information **37**

List of Tables

Table 2-1	Laboratory Analytical Methods
Table 2-2	Sampling Locations and Frequency
Table 3-1	Project Ammonia Concentrations
Table 3-2	Iron and Zinc Concentrations in Centrate and Column Effluent
Table 3-3	Media Sorptive Capacity
Table 3-4	ARP Crystal Production
Table 3-5	Analyte Concentrations in Centrate and Column Effluent

List of Figures

Figure VS-1	Ammonia Recovery Process Schematic
Figure 1-1	Ammonia Recovery Process Schematic
Figure 2-1	ARP Adsorption Columns
Figure 2-2	Regeneration Solution Evaporator
Figure 2-3	Crystal Furnace
Figure 2-4	Crystallizer Unit
Figure 3-1	ARP Ammonia Concentrations
Figure 3-2	Process Removal Efficiency
Figure 3-3	Effluent Concentration vs. Applied Load
Figure 3-4	Intermediate Ammonium-Zinc Crystals

Acronyms

ARP	Ammonia Recovery Process
ASCE	American Society of Civil Engineers
CERF	Civil Engineering Research Foundation
DCS	distributed control systems
ETV	Environmental Technology Verification
EvTEC	Environmental Technology Evaluation Center
FWENC	Foster Wheeler Environmental Corporation
kg	kilogram
lb	pound
NYC-DEP	New York City Department of Environmental Protection
mg/L	milligrams per liter
P&ID	Process and Instrumentation Diagrams
PLC	programmable logic controllers
ppm	parts per million
ppt	precipitate
TKN	Total Kjeldahl Nitrogen
TSS	Total Suspended Solids
USEPA	U.S. Environmental Protection Agency
WPCP	Water Pollution Control Plant
WWTP	Wastewater Treatment Plant

Technical Evaluation Panel Key Contacts

Technology: Ammonia Recovery Process

Panelists: C. Michael Bullard, P.E.

Eastman Chemical Company

Luis Carrio, P.E.

New York City Department of Environmental Protection

Richard I. Dick, Ph.D.

Cornell University, School of Civil and Environmental Engineering

Norma Lewis

U.S. Environmental Protection Agency

Keith Mahoney

New York City Department of Environmental Protection

Joseph Malina, Ph.D., P.E.

University of Texas, School of Civil Engineering

John V. Martin

Back River Waste Water Treatment Plant

Charles I. Noss, Sc.D.

Water Environment Research Foundation

Charles J. Perilloux, Ph.D.

DuPont Nylon

Eric A. Peterson, P.E.

U.S. Agency for International Development

Robert C. Ready, P.E.

Miami Water and Sewer Authority

James E. Smith Jr., Sc.D.

U.S. Environmental Protection Agency

EvTEC Staff:

William E. Kirksey, P.E.

Director

Brian M. Rustia, P.E.

Project Manager

Panel Consultant:

Michael J. Barbachem, P.E.

EvTEC assembled the Technical Evaluation Panel composed of representatives from the user community, academia, and the private sector. The Panel oversaw the development and execution of the EvTEC Evaluation Plan and the preparation of this Verification Report of the ThermoEnergy ARP technology. The Technical Evaluation Panel, with the cooperation and assistance of the applicant, identified specific project goals pertaining to this technology for it to achieve commercial acceptance by the domestic wastewater treatment community.